

790

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
19 July 2001 (19.07.2001)

PCT

(10) International Publication Number
WO 01/51659 A2

- (51) International Patent Classification⁷: C12Q 1/68
- (21) International Application Number: PCT/IB01/00116
- (22) International Filing Date: 11 January 2001 (11.01.2001)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
60/175,854 13 January 2000 (13.01.2000) US
- (71) Applicant (*for all designated States except US*): GENSET [FR/FR]; Intellectual Property Dept., 24, rue Royale, F-75008 Paris (FR).
- (72) Inventors; and
- (75) Inventors/Applicants (*for US only*): CHU, Tom [US/US]; 5394 Camino Playa Norte, San Diego, CA 92124 (US). BLUMENFELD, Marta [FR/FR]; 5, rue Tagore, F-75013 Paris (FR). COHEN, Daniel [FR/FR]; 1, boulevard Richard Wallace, F-92200 Neuilly-sur-Seine (FR).
- (74) Common Representative: GENSET; Intellectual Property Dept., 24, rue Royale, F-75008 Paris (FR).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:**
— *without international search report and to be republished upon receipt of that report*
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*



WO 01/51659 A2

(54) Title: BIALLELIC MARKERS DERIVED FROM GENOMIC REGIONS CARRYING GENES INVOLVED IN CENTRAL NERVOUS SYSTEM DISORDERS

(57) Abstract: The invention provides polynucleotides including biallelic markers derived from genes involved in CNS disorders and from genomic regions flanking those genes. Primers hybridizing to regions flanking these biallelic markers are also provided. This invention also provides polynucleotides and methods suitable for genotyping a nucleic acid containing sample for one or more biallelic markers of the invention. Further, the invention provides methods to detect a statistical correlation between a biallelic marker allele and a phenotype and/or between a biallelic marker haplotype and a phenotype.

BIALLELIC MARKERS DERIVED FROM GENOMIC REGIONS CARRYING GENES INVOLVED IN CENTRAL NERVOUS SYSTEM DISORDERS

FIELD OF THE INVENTION

5 The present invention is in the field of pharmacogenomics, and is primarily directed to biallelic markers that are located in or in the vicinity of genes that play a role in disorders of the brain and nervous system and to the uses of these markers. The present invention encompasses methods of establishing associations between these markers and central nervous system (CNS) disorders such as psychiatric disorders and neurodegenerative diseases as well as associations
10 between these markers and treatment response to a variety of therapeutic agents. The present invention also provides means to determine the genetic predisposition of individuals to such diseases and means to predict responses to such drugs.

BACKGROUND OF THE INVENTION

15 Advances in the technological armamentarium available to basic and clinical investigators have enabled increasingly sophisticated studies of brain and nervous system function in health and disease. Numerous hypotheses both neurobiological and pharmacological have been advanced with respect to the neurochemical and genetic mechanisms involved in central nervous system (CNS) disorders, including psychiatric disorders and neurodegenerative
20 diseases. However, CNS disorders have complex and poorly understood etiologies, as well as symptoms that are overlapping, poorly characterized, and difficult to measure. As a result future treatment regimes and drug development efforts will be required to be more sophisticated and focused on multigenic causes, and will need new assays to segment disease populations, and provide more accurate diagnostic and prognostic information on patients suffering from CNS
25 disorders.

A. Neurological Basis of CNS Disorders

 Neurotransmitters serve as signal transmitters throughout the body; therefore, diseases that affect neurotransmission can have serious consequences. For example, for over 30 years the leading theory to explain the biological basis of many psychiatric disorders such as depression
30 has been the monoamine hypothesis. This hypothesis proposes that depression is partially due to a deficiency in one of the three major biogenic monoamines, namely dopamine, norepinephrine and serotonin. However, this hypothesis has been replaced by one that takes into account the overall function of the brain and no longer only considers a single neuronal system.

Dopamine

35 Dopamine is synthesized via the hydroxylation of tyrosine to dihydroxyphenylalanine (DOPA), involving the enzyme tyrosine hydroxylase (TH) and catechol O-methyl transferase (see Table 2: TH and COMT). Tyrosine hydroxylase is the rate-limiting enzyme in the synthesis

of catecholamines such as dopamine and norepinephrine. Dopamine and the enzymes involved in its biosynthesis and degradation are known to be involved in the pathophysiology of a depression, schizophrenia and Parkinson's disease. For example, it is believed tyrosine hydroxylase may be involved in the pathophysiology of psychiatric disorders and positive associations have been reported for tyrosine hydroxylase gene markers in mood disorders. However, a recent study was unable to conclude tyrosine hydroxylase variants are related with depressive symptomatology in subjects affected by mood disorder (Serretti A. et al.; *American Journal of Medical Genetics* 81(2):127-130, 1998).

Dopamine, released from the nerve terminals, is largely recaptured by a re-uptake mechanism involving dopamine transporter (DAT) (see Table 2: DAT). Following re-uptake, dopamine is metabolized by monoamine oxidases A and B (MAOA/B) (see Table 2: MAOA and MAOB). Monoamine oxidase A and B are critical enzymes in deamination of biogenic amines and may be involved in the pathophysiology of major psychoses, including mood disorder, Parkinson's disease and schizophrenia. Recently, evidence for genetic association between the MAOA gene and bipolar mood disorder was demonstrated in a Caucasian population, but not seen in a Japanese population (Sasaki T. et al.; *Biological Psychiatry* 44(9):922-924, 1998).

Receptors for dopamine regulate dopaminergic neurotransmission. A plethora of dopamine receptors exist, including the presynaptic dopamine transporter and at least five pharmacologic subtypes (D₁ -which is linked to the enzyme adenylyl cyclase, D₂ -not linked to adenylyl cyclase, D₃, D₄, and D₅). Classically, the most extensively investigated dopamine receptor is the D₂ receptor, as it is stimulated by dopaminergic agonists for the treatment of Parkinson's disease and blocked by dopamine antagonist neuroleptics for the treatment of schizophrenia (see Table 2: DRD2). Recently, other dopamine receptors, particularly the D₄ receptor, have become targets for new antipsychotics in the treatment of Parkinson's disease (see Table 2: DRD4). It appears the interaction of all or some of the dopamine receptors play a role in many CNS disorders. However, only a limited number of studies investigating the association of such disorders with genes of the dopaminergic pathway have been completed and often with conflicting results.

Norepinephrine

The noradrenergic system is known to play a large role in the determination of mood, dysfunction of contributes to the "functional" disorders of depression, mania and anxiety. It is believed depressed patients are unable to produce sufficient norepinephrine in some parts of the brain for neuronal transmission, while mania may result from excessive activity or sensitivity of this system.

The amino acid tyrosine, having been actively taken up by adrenergic neurons, is converted to DOPA by means of tyrosine hydroxylase. DOPA is then converted to dopamine and later into norepinephrine in the synaptic vesicles. Conversion of norepinephrine to

epinephrine occurs in the adrenal medulla and also in certain restricted parts of the brain. Catecholamine degradation is enzymatically controlled by MAOA/B intraneuronally, with the main norepinephrine metabolite being 3-methoxy-4-hydroxyphenylglycol.

The noradrenergic neuron is regulated by a multiplicity of receptors and for norepinephrine, these being designated α_1 , α_2 , β_1 and β_2 . Postsynaptic norepinephrine receptors bind norepinephrine released from the presynaptic neuron and activate a molecular cascade in the postsynaptic neuron. Specifically, the activation of α_2 receptors causes inhibition of norepinephrine, whereas activation of β_1 receptors leads to increased release of norepinephrine from adrenergic terminals (see Table 2: ADRB1R). Systemically, the adrenoreceptor subtypes α_1 , α_2 , β_1 and β_2 are functional in a variety of other ways ranging from vasodilatation to initiating smooth muscle relaxation. The action of norepinephrine is terminated by the norepinephrine transporter (NET), a membrane protein that serves as a reuptake pump for synaptic norepinephrine (see Table 2: NET). These receptors and transporter are the target of many therapeutic agents currently used to treat psychiatric disorders particularly depression.

Serotonin (5-hydroxytryptamine, 5HT)

The serotonergic system is an anatomically diverse system with pathways that follow closely those of the noradrenergic system, but are quite different from those of the dopaminergic distribution. The physiological functions in which the serotonergic system is involved include sleep, appetite, nociception, diurnal rhythmicity, neuroendocrine regulation and mood. At the level of consciousness there is also the suggestion that rational thought processes arise, using previously stored information, with the aid of the serotonergic system. Serotonergic projections innervating the hypothalamus influence the secretion of several anterior pituitary hormones. There is evidence that serotonin may serve as the final common pathway by which other neurotransmitters act in controlling secretion of many hormones.

Tryptophan is taken up by active transport into the neurons where it is hydroxylated by tryptophan hydroxylase to 5-hydroxytryptophan (5HTP). The latter is then decarboxylated to serotonin which, following release from the neurons, is recovered by a re-uptake mechanism. Degradation of serotonin occurs by way of MAOA/B and the majority of the metabolites are excreted in the urine.

Serotonin receptors come in 13 or more subtypes that can vary in their sensitivity to serotonin and in the effects they produce. An increasingly complex series of serotonin receptors is being identified. Presynaptic serotonin uptake sites and serotonin receptors designated 5HT₁ (and further subdivided into 5HT_{1a}, 5HT_{1b}, 5HT_{1c}), 5HT₂, 5HT₃, 5HT₄, and 5HT₆, have been identified by means of pharmacological studies (see Table 2: 5HTT, 5HT1A, 5HTR2C, 5HTR6, and 5HTR7). As a whole, communication between two neurons is complex and may be

mediated by more than one neurotransmitter; for example, the serotonergic system may co-exist with other neurotransmitter in the same synapses.

Gamma aminobutyric acid (GABA)

Gamma aminobutyric acid (GABA) is an important amino acid which functions as the most prevalent inhibitory neurotransmitter in the central nervous system. Gamma aminobutyric acid works in partnership with a derivative of Vitamin B-6, pyridoxine, to cross from the axons to the dendrites through the synaptic cleft, in response to an electrical signal in the neuron and inhibits message transmission. This helps control the nerve cells from firing too fast, which would overload the system.

The gamma aminobutyric acid (a) receptor (see Table 2: GABRA5 and GABRG2) appears to play a key role in modulating anxiety and could be involved in either the etiology or the pathogenesis of anxiety disorders (Crowe et al. *Am J Psychiatry* 154:8). A benzodiazepine binding site is located on this receptor, and ligands that bind to this site can either increase or decrease anxiety.

Growth associated protein (GAP43)

Growth associated protein (GAP43) is localized exclusively to nerve tissue and is known to play a role in synaptic transmission and membrane permeability. The expression of GAP43 is associated with mammalian peripheral nerve regeneration (Kosik et al. *Neuron* 1:127-132, 1988). A polymorphism in the 3'-untranslated region of GAP43 is found at slightly lower frequencies in Alzheimers and Parkinson's patients (Poduslo. *Hum Genet.* 92:635-636, 1993).

Subreceptor Activity

The activity of subreceptors has also been investigated in recent years for its role in a wide range of CNS disorders. When neurotransmitters bind to receptors on the membranes of postsynaptic neurons, they elicit a target response in the cell via a second or third messenger. Several different messenger chemicals are known including cyclic adenosine monophosphate (AMP). G proteins serve as signal transduction subunits in the cyclic AMP pathway (see Table 2: Gbeta3). G protein coupled receptors are thought to have seven membrane spanning domains and have been divided into 2 subclasses: those in which the binding site is in the extracellular domain for example receptors for glycoprotein hormones, such as thyroid stimulating hormone (TSH) and follicle stimulating hormone (FSH) and those in which the ligand binding site is likely to be in the plane of the 7 transmembrane domains for example rhodopsin and receptors for small neurotransmitters and hormones for example muscarinic acetylcholine receptor. However, orphan G-protein coupled receptor (see Table 2: HM77) does not contain N-linked glycosylation sites near the N-terminus like other members of this protein family.

There is evidence that various monoamine or monoaminergic receptors are able to alter cyclic AMP levels through the same G protein. Therefore, G proteins serve as an important cross-talk mechanism between transmitter systems in the CNS. An abnormality in a G protein or

in the responsiveness of cyclic AMP to any of the receptors may result in an alteration in monoaminergic neurotransmission. For example, guanine nucleotide binding protein olfactory type (see Table 2: GOLF) is believed to play a role in signaling involving the cAMP mediated signaling pathway as well as the norepinephrine pathway.

5 B. Endocrine Basis of CNS Disorders

Biological theories of many CNS disorders have long revolved around the main monoamine systems, namely dopamine, norepinephrine and serotonin. It is apparent, however, that these three systems do not completely explain the pathophysiology of many CNS disorders. The hypothalamic-pituitary-adrenal (HPA) axis, including the effects of corticotrophin-releasing
10 factor and glucocorticoids, plays an important role in the pathophysiology of CNS disorders.

The hypothalamus lies at the top of the hierarchy regulating hormone secretion via the hypothalamus-pituitary-adrenal (HPA) axis. It manufactures and releases peptides that act on the pituitary, thus stimulating or inhibiting the pituitary's release of various hormones into the blood. These hormones, among them growth hormone, thyroid-stimulating hormone and
15 adrenocorticotrophic hormone (ACTH), control the release of other hormones from target glands. In addition to functioning outside the nervous system, the hormones released in response to pituitary hormones feed back to the pituitary and hypothalamus. There they deliver inhibitory signals that serve to limit excess hormone biosynthesis.

Also included in the regulation of the HPA axis is vasopressin receptor 1A (see Table 2:
20 AVPR1A). Vasopressin receptors are present in a number of tissues including the anterior pituitary, where they stimulate adrenocorticotrophic hormone (ACTH) release (Thibonnier et al. *Genomics* 31: 327-334, 1996).

Dysregulation of the HPA axis appears to be an important feature of many psychiatric disorders and neurodegenerative diseases. When a threat to physical or psychological well-being
25 is detected, the hypothalamus amplifies production of corticotrophin-releasing factor (CRF), which induces the pituitary to secrete ACTH (see Table 2: CRF, CRHBP, CRFR1 and CRFR2). ACTH then instructs the adrenal glands to release cortisol. Therefore, it is believed chronic activation of the HPA axis may lay the ground for illness.

The increased HPA drive is primarily mediated by hypersecretion of corticotrophin-releasing factor. Patients with major depression show increased levels of lumbar cerebrospinal
30 fluid (CSF) corticotrophin-releasing factor as compared to matched controls or patients with other neurologic illnesses (Plotsky, P.M., *Psych. Clin. Of North Am.*, 21(2):293-307, 1998). Dysregulation of hypothalamic corticotrophin-releasing factor neurons, whether intrinsic or extrinsic to these neurons, can result in corticotrophin-releasing factor hypersecretion leading to
35 elevations in cortisol followed by adaptive down regulation of both pituitary and central glucocorticoid receptors and corticotrophic-releasing receptors.

The anxiolytic effects of corticotrophin-releasing factor appear to be mediated by the activation of the central noradrenergic system. A CRF-positive projection has been identified linking limbic structures to the noradrenergic locus ceruleus, stimulation of which plays an important role in emotional memory and increases tyrosine hydroxylase activity. Therefore, primary or secondary dysfunction of corticotrophin-releasing factor would be expected to initiate a cascade of maladaptations.

Glucocorticoids and mineralocorticoids are both classes of steroid hormones that play an important role in the HPA axis; and have therefore been implicated in the pathophysiology of various psychiatric disorders and neurodegenerative diseases (see Table 2: GRL and MLR). Glucocorticoids exert numerous effects on metabolism, reproduction, inflammation and immunity. In addition, glucocorticoids serve as the primary negative feedback mechanism that regulates the HPA axis. Mineralocorticoids maintain electrolyte balance by regulating salt and water retention in the kidneys.

Brain-derived neurotrophic factor (see Table 2: BDNF) is a member of a group of proteins that includes neurotrophin-3/4/5 and nerve growth factor (NGF) and are believed to play a role in the etiology of a number of CNS-related disorders including schizophrenia and Parkinson's disease (Hawi et al. *Psychiatry Research* 81: 111-116, 1998 and Gasser et al. *Annals of Neurology* 36(3):387-396, 1994). BDNF plays an important role in promoting growth and maintenance during normal development and differentiation of the vertebrate system (Hanson et al. *Genomics* 13: 1331-1333, 1992). Further, it is believed BDNF has an effect on the differentiation of dopaminergic and serotonergic neurons (Studer et al. *Euro. J. of Neuroscience* 7: 223-233, 1995).

C. Examples of CNS Disorders

Neurotransmitter and hormonal abnormalities are implicated in disorders of movement (e.g. Parkinson's disease, Huntington's disease, motor neuron disease, etc.), disorders of mood (e.g. unipolar depression, bipolar disorder, anxiety, etc.) and diseases involving the intellect (e.g. Alzheimer's disease, Lewy body dementia, schizophrenia, etc.). In addition, Neurotransmitter and hormonal abnormalities have been implicated in a wide range of disorders, such as coma, head injury, cerebral infarction, epilepsy, alcoholism and the mental retardation states of metabolic origin seen particularly in childhood.

Schizophrenia

In developed countries schizophrenia occurs in approximately one per cent of the adult population at some point during their lives. There are an estimated 45 million people with schizophrenia in the world, with more than 33 million of them in the developing countries. Moreover, schizophrenia accounts for a fourth of all mental health costs and takes up one in three psychiatric hospital beds. Most schizophrenia patients are never able to work. The cost of schizophrenia to society is enormous. In the United States, for example, the direct cost of

treatment of schizophrenia has been estimated to be close to 0.5% of the gross national product. Standardized mortality ratios (SMRs) for schizophrenic patients are estimated to be two to four times higher than the general population and their life expectancy overall is 20 % shorter than for the general population.

5 The most common cause of death among schizophrenic patients is suicide (in 10% of patients) which represents a 20 times higher risk than for the general population. Deaths from heart disease and from diseases of the respiratory and digestive system are also increased among schizophrenic patients.

 Schizophrenia comprises a group of psychoses with either 'positive' or 'negative'
10 symptoms. Positive symptoms consist of hallucinations, delusions and disorders of thought; negative symptoms include emotional flattening, lack of volition and a decrease in motor activity.

 A number of biochemical abnormalities have been identified and, in consequence, several neurotransmitter-based hypotheses have been advanced over recent years; the most
15 popular one has been "the dopamine hypothesis," one variant of which states that there is over-activity of the mesolimbic dopamine pathways at the level of the D₂ receptor. However, researchers have been unable to consistently find an association between various receptors of the dopaminergic system and schizophrenia.

 In addition to the hypotheses which are briefly presented here, and which attempt to
20 draw together the neurochemical observations in schizophrenia, one should add that some abnormalities of cortical neuropeptides are well documented. These abnormalities include changes in the levels of somatostatin, substance P, cholecystokinin (CCK) and vasoactive intestinal peptide (VIP) found in association with negative symptom defect states in the temporal area of the brain (i.e. the hippocampus, amygdala and neocortex), in particular.

25 Bipolar Disorder

 Bipolar disorders are relatively common, occurring in about 1.3% of the population, and
have been reported to constitute about half of the mood disorders seen in psychiatric clinics. Bipolar disorders have been found to vary with gender depending of the type of disorder; for example, bipolar disorder I is found equally among men and women, while bipolar disorder II is
30 reportedly more common in women. The age of onset of bipolar disorders is typically in the teenage years and diagnosis is typically made in the patient's early twenties. Bipolar disorders also occur among the elderly, generally as a result of a neurological disorder or other medical conditions. In addition to the severe effects on patients' social development, suicide completion rates among bipolar patients are reported to be about 15%.

35 Bipolar disorders are characterized by phases of excitement and depression; the excitement phases (mania) and depressive phases can alternate or occur in numerous admixtures with varying degrees of severity and duration. Because bipolar disorders can exist in different

forms and display different symptoms, the classification of bipolar disorder has been the subject of extensive studies resulting in the definition of bipolar disorder subtypes and widening of the overall concept to include patients previously thought to be suffering from different disorders. Bipolar disorders often share certain clinical signs, symptoms, treatments and neurobiological features with psychotic illnesses in general and therefore present a challenge to the psychiatrist to make an accurate diagnosis. Furthermore, because the course of bipolar disorders and various mood and psychotic disorders can differ greatly, it is critical to characterize the illness as early as possible in order to offer means to manage the illness over a long term.

Diagnosis of bipolar disorder can be very challenging. One particularly troublesome difficulty is that some patients exhibit mixed states, simultaneously manic and dysphoric or depressive, but do not fall into the DSM-IV classification because not all required criteria for mania and major depression are met daily for at least one week. Other difficulties include classification of patients in the DSM-IV groups based on duration of phase since patients often cycle between excited and depressive episodes at different rates. In particular, it is reported that the use of antidepressants may alter the course of the disease for the worse by causing "rapid-cycling". Also making diagnosis more difficult is the fact that bipolar patients, particularly at what is known as Stage III mania, share symptoms of disorganized thinking and behavior with bipolar disorder patients. Furthermore, psychiatrists must distinguish between agitated depression and mixed mania; it is common that patients with major depression exhibit agitation, resulting in bipolar-like features.

For both schizophrenia and bipolar disorder, all the known molecules used for treatment have side effects and act only against the symptoms of the disease. There is a strong need for new molecules without associated side effects or reduced side effects which are directed against targets that are involved in the causal mechanisms of schizophrenia and bipolar disorder. Therefore, tools facilitating the discovery and characterization of these targets are necessary and useful.

The aggregation of schizophrenia and bipolar disorder in families, the evidence from twin and adoption studies, and the lack of variation in incidence worldwide, indicate that schizophrenia and bipolar disorder are primarily genetic conditions, although environmental risk factors are also involved at some level as necessary, sufficient, or interactive causes. For example, schizophrenia occurs in 1% of the general population. However, if a subject has one grandparent with schizophrenia, the risk of getting the illness increases to about 3%, while one parent with Schizophrenia increases risk to about 10%. When both parents have schizophrenia, the risk rises to approximately 40%. Consequently, there is a strong need to identify genes involved in schizophrenia and bipolar disorder. The knowledge of these genes will allow researchers to understand the etiology of schizophrenia and bipolar disorder and could lead to

drugs and medications which are directed against the cause of the diseases, not just against their symptoms.

There is also a great need for new methods to detect susceptibility to schizophrenia and bipolar disorder, as well as for preventing or following up the development of the disease.

- 5 Diagnostic tools could also prove extremely useful. Indeed, early identification of subjects at risk of developing schizophrenia would enable early and/or prophylactic treatment to be administered. Moreover, accurate assessments of the eventual efficacy of a medicament as well as the patient's eventual tolerance to it may enable clinicians to enhance the benefit/risk ratio of schizophrenia and bipolar disorder treatment regimes.

10 Depression

- Depression is a serious medical illness that affects 340 million people worldwide. In contrast to the normal emotional experiences of sadness, loss, or passing mood states, clinical depression is persistent and can interfere significantly with an individual's ability to function. As a result, depression is the leading cause of disability throughout the world with an estimated cost
- 15 of \$53 billion each year in the United States alone.

- Symptoms of depression include depressed mood, diminished interest or pleasure in activities, change in appetite or weight, insomnia or hypersomnia, psycho-motor agitation or retardation, fatigue or loss of energy, feelings of worthlessness or excessive guilt, anxiety, inability to concentrate or act decisively, and recurrent thoughts of death or suicide. A diagnosis
- 20 of unipolar major depression (or major depressive disorder) is made if a person has five or more of these symptoms and impairment in usual functioning nearly every day during the same two-week period. The onset of depression generally begins in late adolescence or early adult life; however, recent evidence suggests depression may be occurring earlier in life in people born in the past thirty years.

- 25 The World Health Organization predicts that by the year 2020 depression will be the greatest burden of ill-health to people in the developing world, and that by then depression will be the second largest cause of death and disability. Beyond the almost unbearable misery it causes, the big risk in major depression is suicide. Within five years of suffering a major depression, an estimated 25% of sufferers try to kill themselves. In addition, depression is a
- 30 frequent and serious complication of heart attack, stroke, diabetes, and cancer. According to one recent study that covered a 13-year period, individuals with a history of major depression were four times as likely to suffer a heart attack compared to people without such a history.

- Depression may be a feature in up to 50% of patients with CNS disorders such as Parkinson's disease and Alzheimer's disease. The neuronal loss in the locus ceruleus, typical of
- 35 Alzheimer's disease, is greatest in those patients who have depression; such patients also have lower norepinephrine levels than do those who lack depressive features. Approximately 50% of

patients with Alzheimer's disease have less norepinephrine than normal in the majority of cortical and subcortical areas of the brain that have been examined to date.

Many neurochemical findings are coming to light implicating a biological basis for the depression, at least for certain subtypes. Abnormalities of monoamine function have been
5 recognized in depression for many years involving norepinephrine, serotonin and dopamine. Changes in adrenoceptor density and function as well as changes in adrenoceptors associated with the pituitary-adrenal axis function strongly implicate a disorder in central noradrenergic transmission in depression. This dysfunction may be caused by changes in the activity of tyrosine hydroxylase. The effect of corticotrophin releasing factor in modulating the activity of
10 noradrenergic neurons in the locus ceruleus may provide the link between environmental trigger factors and central noradrenergic dysfunction, along with dysfunction of the HPA axis.

Dysfunction of serotonin metabolism, as shown by decreased concentrations of the metabolite 5HIAA in cerebrospinal fluid (CSF), is linked with depression; nevertheless, it is not a feature in all patients with depression. Therefore, a subgroup entitled "serotonin depression"
15 has been proposed. Often included among those who suffer from serotonin depression are patients who also suffer a number of neurological diseases. A reduction in the number of serotonin-containing neurons in the median raphe in Parkinson's disease, Alzheimer's disease and, possibly, the elderly, is associated with the development of depression.

Low levels of the dopamine metabolite HVA are found in the CSF in patients with
20 depression. In addition, dopamine agonists produce a therapeutic response in depression.

Presently, antidepressants are designed to address many of the symptoms of depression by increasing neurotransmitter concentration in aminergic synapses. Distinct pharmacologic mechanisms allow the antidepressants to be separated into seven different classes. The two classical mechanisms are those of tricyclic antidepressants (TCAs) and monoamine oxidase
25 inhibitors (MAOIs). The most widely prescribed agents are the serotonin selective reuptake inhibitors (SSRIs). Three other classes of antidepressants, like the SSRIs, increase serotonergic neurotransmission, but they also have additional actions, namely dual serotonin and norepinephrine reuptake inhibition; serotonin-2 antagonism/reuptake inhibition; and α_2 antagonism plus serotonin-2 and -3 antagonism. The selective norepinephrine and dopamine
30 reuptake inhibitors define a novel class of antidepressant that has no direct actions on the serotonin system.

Recent findings suggest some re-appraisal and modifications of the monoamine hypothesis are necessary. The increased levels of monoamine transmitters at the synapses, although quickly produced in response to antidepressant therapy, are in contrast with the much
35 slower clinical recovery of the patient from depression, which takes about two weeks to begin and may only reach maximal levels several weeks later. Moreover, should acute depletion of either norepinephrine and/or serotonin occur experimentally in a normal individual, then

depression does not, in the short-term, occur. Not in keeping with the hypothesis, too, is the cerebral resistance generated in response to the pharmacological changes induced by antidepressant compounds. These counteractive changes comprise reduction in the number of post-synaptic β -receptors, together with a lowered firing rate of noradrenergic neurons.

5 In addition, there are subsets of patients with differential responses to antidepressants. Thus far, biochemical predictors of treatment response have failed to identify definite parameters that could correctly identify patients more likely to respond to particular classes of antidepressants (Schatzberg, Alan F., *Journal of Clinical Psychiatry*, 59:15-18, 1998). As a result, psychiatrists often must choose a treatment based on intuition or trial and error. However, probes such as biallelic markers could serve as an invaluable tool to successfully identify patients who might respond preferentially to existing and new antidepressants (Charney, Dennis S, *Journal of Clinical Psychiatry*, 59:11-14, 1998). In particular, markers from genes known to affect drug response such as transcription factors (see Table 2: SEF-1B) and drug metabolizing enzymes (see Table 2: CYP3A4) need to be investigated to determine "responders" and "non-responders" to medicaments.

15 While modulating monoamine activity as a therapeutic strategy continues to dominate research, an important new development has been the emergence of novel mechanisms of action, notably modulation of the activity of neuropeptides, namely through the neuropeptide receptor Y1, the tachykinin NK1 receptor and nicotinic receptors (see Table 2: NPY1R, TACR1 and CHRNA7). Recent clinical trials showed that tachykinin NK1 receptor antagonists are effective in treating depression and chemotherapy-induced emesis. Therefore, it is well possible that such antagonists will be clinically useful for treatment of specific CNS disorders. Nicotinic receptors are known to serve as important ligand-gated ion channels active in classical, excitatory neurotransmission and perhaps more novel forms of neurochemical signaling. Their critical functional roles both centrally and peripherally make them ideal targets for regulation of the nervous system. Finally, new antidepressants that may render the HPA axis more sensitive to glucocorticoid feedback are being investigated as well.

25 In addition to monoamine dysfunction as a possible cause of depression, researchers have reported increased activity in the HPA axis in untreated depressed patients, as evinced by raised levels of cortisol in urine, blood and cerebrospinal fluid, as well as by other measures. Numerous studies have confirmed that substantial numbers of depressed patients, particularly those most severely affected, display HPA axis hyperactivity. Patients with depression frequently have symptom clusters which point strongly to involvement of the HPA system as a relay station between neurocircuitries in the brain and peripheral hormone and autonomic nervous function. It has been proposed that this increased, state-dependent hyperactivity of the HPA system in depression is probably initiated and/or maintained by the combination of enhanced central production of corticotrophin-releasing factor and desensitization of the binary,

glucocorticoid receptor binding system in the hippocampus, which is the central regulator of HPA system activity.

Deeper investigation of the phenomenon has now revealed alterations at each level of the HPA axis in depressed patients. For instance, both the adrenal gland and the pituitary are enlarged, and the adrenal gland hypersecretes cortisol. But many researchers, have become persuaded that aberrations in CRF-producing neurons of the hypothalamus and elsewhere bear most of the responsibility for HPA axis hyperactivity and the emergence of depressive symptoms.

Many studies have shown corticotrophin-releasing factor concentrations in cerebrospinal fluid to be elevated in depressed patients, compared with control subjects or individuals with other psychiatric disorders. This magnification of corticotrophin-releasing factor levels is reduced by treatment with antidepressants and by effective electroconvulsive therapy. Further, postmortem brain tissue studies have revealed a marked exaggeration both in the number of CRF-producing neurons in the hypothalamus and in the expression of the corticotrophin-releasing factor gene (resulting in elevated corticotrophin-releasing factor synthesis) in depressed patients as compared with controls. Moreover, delivery of corticotrophin-releasing factor to the brains of laboratory animals produces behavioral effects that are cardinal features of depression in humans, namely, insomnia, decreased appetite, decreased libido and anxiety.

Geneticists have provided some of the oldest proof of a biological component to depression in many people. Depression and manic-depression frequently run in families. Thus, close blood relatives of patients with severe depressive or bipolar disorder are much more likely to suffer from those or related conditions than are members of the general population. Studies of identical and fraternal twins also support an inherited component. Illness in both members of a pair is much higher for manic-depression in identical twins than in fraternal and is somewhat elevated for depression alone.

In the past 20 years, genetic researchers have expended great effort trying to identify the genes which contribute to depression. So far, though, those genes have evaded discovery, perhaps because a predisposition to depression involves several genes, each of which makes only a small, hard-to-detect contribution. As a result, psychiatrists today have to choose antidepressant medications by intuition and trial and error; a situation that can put suicidal patients in jeopardy for weeks or months until the right compound is selected. Therefore, there is a strong need to successfully identify genes involved in depression; thus allowing researchers to understand the etiology of depression and address its cause, rather than symptoms.

Alzheimer's Disease

Alzheimer's disease is characterized by the onset in middle age of a slowly progressive dementia; there is loss of memory for past events, inability to develop new memories and impairment of intellect, all leading to a lessened capacity for dealing with the tasks and problems

of daily living. It is the most common cause of both presenile and senile dementia. Alzheimer's disease is not the non-specific degenerative disorder of the CNS that it was once thought to be, as neurochemical studies on postmortem material now reveal the degeneration to be selective for certain neuronal populations in the subcortical and cortical areas; other cell populations seem to be unaffected. Senile plaques and neurofibrillary tangles are the characteristic histological feature, found throughout the cerebral cortex and especially in certain regions of the limbic system (the amygdala and hippocampus), perhaps accounting for the memory loss so typical of the early phase of the disease. In addition, there is reduction of acetylcholine, norepinephrine, serotonin and somatostatin in the subcortical areas in Alzheimer's disease.

The activity of CAT, the enzyme involved in acetylcholine synthesis, is markedly decreased in Alzheimer's disease. This decrease does not occur in all areas of the brain, but does so particularly in the hippocampus and amygdala, which are some of the main sites where senile plaques and neurofibrillary tangles accumulate. The loss of such cortical cholinergic activity correlates well with the degree of dementia in patients with this disease. A further finding is that nerve growth factor (NGF) is now known to be involved in the maintenance of cholinergic neurons in the forebrain; also, nicotine, a cholinomimetic compound, is able to stimulate dopaminergic neurons via their nicotinic receptors; thus, seemingly, to provide smokers with some protection against degeneration of the dopaminergic neurons. The forebrain cholinergic system degenerates not only in Alzheimer's disease, but also in alcohol-induced dementia, Pick's disease, Lewy body dementia, progressive supranuclear palsy and in Parkinson's disease.

In Alzheimer's disease there is a reduction of both serotonin and its receptor proteins in the temporal lobe of the brain, as revealed from studies on autopsy and biopsy material. The loss of serotonin is, however, less than in Parkinson's disease and it would be unlikely, therefore, that the severe memory loss of Alzheimer's disease could be accounted for on this basis alone, although in Parkinson's disease there is an important difference in that the 5HT₂ receptor is not decreased. Of interest in this context, but not necessarily related, is the bradyphrenia (characterized by difficulty in concentration, slowing of thought processes and inability to associate ideas) of Parkinson's disease where serotonin is low in most of the cortical regions. In the Lewy body type of senile dementia it is common for visual hallucinations to occur, and it is of great interest that in the temporal lobe the serotonergic activity is higher (as shown by the raised serotonergic:cholinergic ratio) in those patients who suffer from hallucinations compared with those who do not.

In addition to the involvement of serotonin in Alzheimer's disease, patients also suffer from decreased levels of norepinephrine and several neuropeptides. It is in those patients with Alzheimer's disease who also have depression that there is not only greatest reduction in the number of neurons within the locus ceruleus but also a markedly reduced norepinephrine content. There is also associated reduction in cortical somatostatin and corticotrophin-releasing factor,

and loss of the somatostatin content of neurons in the temporal cortex develops early in the condition.

There is no known definitive cure for Alzheimer's disease; therefore, treatment is aimed at relief of symptoms and protection from the effects of the deteriorating condition. Most treatments are still considered experimental or have had variable results. Treatment is also aimed at underlying disorders that contribute to confusion such as heart failure, hypoxia, thyroid disorders, anemia, nutritional disorders, infections, and psychiatric conditions such as depression. The correction of coexisting medical and psychiatric disorders often improves the patient's mental function.

10 Parkinson's Disease

Parkinson's disease is a disabling progressive neurodegenerative disorder characterized by tremor, rigidity, bradykinesia, and loss of postural reflexes. In the United States, about a million people are believed to suffer from Parkinson's disease, and about 50,000 new cases are reported every year. Because the symptoms typically appear later in life, these Tables are expected to grow as the average age of the population increases over the next several decades. The disorder is most frequent among people in there 70s and 80s, and appears to be slightly more common in men than in women. Parkinson's disease is found all over the world. The rates vary from country to country, but it is not clear whether this reflects true ethnic or geographic differences or simply variations in data collection.

20 The pathology is not completely understood, but there appears to be consistent changes in the melanin-containing nerve cells in the brainstem (substantia nigra, locus ceruleus), where there are varying degrees of nerve cell loss with reactive gliosis along with eosinophilic intracytoplasmic inclusions (Lewy bodies). As a result, the primary neurochemical defect in Parkinson's disease is the loss of dopaminergic projections to the striatum. Moreover, the loss of these populations of neurons also leads to neurotransmitter deficits, but to a lesser extent than that which accompanies the massive degeneration of dopaminergic neurons. For example, norepinephrine, serotonin and acetylcholine are variably decreased in Parkinson's disease due to loss of neurons in the locus ceruleus, raphe nuclei and the nucleus basalis of Meynert. Thus, some of the secondary clinical features of Parkinson's disease have been ascribed to these neurotransmitter deficits.

30 The neurochemical defect associated with Parkinson's disease can be partially corrected by L-DOPA, which helps replace the brain's dopamine, but cannot reverse the progression of the disease. There is no specific biological test for the diagnosis of Parkinson's disease. Twin studies have shown variable results and suggest that the genetics of this disorder will prove to be complex. Despite the importance and severity of Parkinson's disease and many years of research, a cause has not been identified and there is neither means of preventing the disease nor a proven permanent cure.

Findings of considerable importance in this search would be the location of a genetic marker, determination of the probability of penetrance, determination of possible genetic heterogeneity, and evidence of multifactorial inheritance with environmental interaction. Genetic factors determining susceptibility to Parkinson's disease will enhance epidemiological studies and possibly lead to identification of susceptible groups and of significant risk factors.

Huntington's Disease

Huntington's disease is a hereditary neurodegenerative disease that generally develops subtly in a person's thirties or forties; though it can begin any time between childhood and old age. In the United States alone, about 30,000 people have Huntington's disease, while at least 150,000 others have a 50 percent risk of developing the disease and thousands more of their relatives live with the possibility that they, too, might develop Huntington's disease.

Huntington's disease is characterized by difficulties in three areas: a movement disorder, dementia, and psychiatric disturbances. The movement disorder consists of two parts: involuntary twitching movement which first tend to involve the fingers and toes and then progress to include the whole body, and difficulties with voluntary movements in the form of clumsiness, stiffness, or trouble with walking. Dementia refers to a gradual loss of intellectual abilities such as memory, concentration, problem solving, and judgment. Psychiatric disturbances do not strike every person with Huntington's disease, but when they do, usually take the form of depression, irritability, and apathy. Depression and other psychiatric conditions in people with Huntington's disease, which seem to result from damage to the brain, can be debilitating.

Loss of neurotransmitter receptors, especially glutamate and dopamine receptors, is one of the pathologic hallmarks of patients with Huntington's disease (Cha J.H. et al.; *Proc National Acad Sci USA* may 26;95(11):6480-5, 1998). In addition, deficiency of GABA permits excessive dopaminergic activity in the corpus striatum resulting in onset of Huntington's disease, on account of the imbalance generated between cholinergic and dopaminergic systems.

Researchers have identified a single gene product thought to be causal when mutated by a tri-nucleotide repeat expansion. However, there is at present no cure for Huntington's disease or even any direct treatments, although researchers are presently working on a number of treatments which may slow down the progression of the disease. In the early and middle stages of the disease, medications called neuroleptics, which are given in larger doses for psychiatric complaints, can be given in small doses to Huntington's disease patients to suppress the involuntary movements. Drugs that cause increased dopamine release in the brain and dopamine receptor agonists are used, but both precipitate nausea and vomiting as side effects and dopamine antagonists are anti-emetic.

Pharmacogenomics and CNS Disorders

The vast majority of common diseases, such as all of the CNS disorders described above, are polygenic, meaning multiple genes cause them. In addition, these diseases are modulated by environmental factors such as pollutants, chemicals and diet. This is why many diseases are considered to be multifactorial; they result from a synergistic combination of factors, both genetic and environmental. Therapeutic management and drug development could be markedly improved by the identification of specific genetic polymorphisms that determine and predict patient susceptibility to diseases or patient responses to drugs.

To assess the origins of individual variations in disease susceptibility or drug response, pharmacogenomics uses the genomic technologies to identify polymorphisms within genes which are part of biological pathways involved in disease susceptibility, etiology, and development, or more specifically in drug response pathways responsible for a drug's efficacy, tolerance or toxicity. Pharmacogenomics can also provide tools to refine the design of drug development by decreasing the incidence of adverse events in drug tolerance studies, by better defining patient subpopulations of responders and non-responders in efficacy studies and, by combining the results obtained therefrom, to further allow better enlightened individualized drug usage based on efficacy/tolerance prognosis. Pharmacogenomics can also provide tools to identify new targets for designing drugs and to optimize the use of already existing drugs, in order to either increase their response rate and/or exclude non-responders from corresponding treatment, or decrease their undesirable side effects and/or exclude from corresponding treatment patients with marked susceptibility to undesirable side effects. However, for pharmacogenomics to become clinically useful on a large scale, additional molecular tools and diagnostics tests must become available.

Genetic Analysis of Complex Traits

Until recently, the identification of genes linked with detectable traits has relied mainly on a statistical approach called linkage analysis. Linkage analysis is based upon establishing a correlation between the transmission of genetic markers and that of a specific trait throughout generations within a family. Linkage analysis involves the study of families with multiple affected individuals and is useful in the detection of inherited traits, which are caused by a single gene, or possibly a very small number of genes. Linkage analysis has been successfully applied to map simple genetic traits that show clear Mendelian inheritance patterns and which have a high penetrance (the probability that a person with a given genotype will exhibit a trait). About 100 pathological trait-causing genes have been discovered using linkage analysis over the last 10 years. But, linkage studies have proven difficult when applied to complex genetic traits. Most traits of medical relevance do not follow simple Mendelian monogenic inheritance. However, complex diseases often aggregate in families, which suggests that there is a genetic component to be found. Such complex traits are often due to the combined action of multiple genes as well as environmental factors. Such complex traits include susceptibilities to heart disease, hypertension,

diabetes, cancer and inflammatory diseases. Drug efficacy, response and tolerance/toxicity can also be considered as multifactorial traits involving a genetic component in the same way as complex diseases. Linkage analysis cannot be applied to the study of such traits for which no large informative families are available. Moreover, because of their low penetrance, such complex traits do not segregate in a clear-cut Mendelian manner as they are passed from one generation to the next. Attempts to map such diseases have been plagued by inconclusive results, demonstrating the need for more sophisticated genetic tools.

Knowledge of genetic variation in the neuronal and endocrine systems is important for understanding why some people are more susceptible to disease or respond differently to treatments. Ways to identify genetic polymorphism and to analyze how they impact and predict disease susceptibility and response to treatment are needed.

Although the genes involved in the neuronal and endocrine systems represent major drug targets and are of high relevance to pharmaceutical research, we still have scant knowledge concerning the extent and nature of, sequence variation in these genes and their regulatory elements. In the case where polymorphisms have been identified the relevance of the variation is rarely understood. While polymorphisms hold promise for use as genetic markers in determining which genes contribute to multigenic or quantitative traits, suitable markers and suitable methods for exploiting those markers have not been found and brought to bare on the genes related to disorders of the brain and nervous system.

In the cases where polymorphisms have been identified, the relevance of the variation is rarely understood. While polymorphisms hold promise for use as genetic markers in determining which genes contribute to multigenic or quantitative traits, suitable markers and suitable methods for exploiting those markers have not been found and brought to bare on the genes related to central nervous system disorders.

SUMMARY OF THE INVENTION

The present invention is based on the discovery of a set of novel CNS disorder-related biallelic markers. See Table 7. These markers are located in the coding regions as well as non-coding regions adjacent to genes which express proteins associated with CNS disorders. The position of these markers and knowledge of the surrounding sequence has been used to design polynucleotide compositions which are useful in determining the identity of nucleotides at the marker position, as well as more complex association and haplotyping studies which are useful in determining the genetic basis for disease states involving the neuronal and endocrine systems. In addition, the compositions and methods of the invention find use in the identification of the targets for the development of pharmaceutical agents and diagnostic methods, as well as the characterization of the differential efficacious responses and side effects from pharmaceutical agents acting on CNS disorders. Further, the compositions and methods of the invention may be

employed in a process for screening for antagonists and/or agonists for the polypeptides of the invention. Such molecules may prove useful as therapeutics in the diagnosis and/or treatment of CNS disorders, particularly depression.

A first embodiment of the invention encompasses polynucleotides consisting of,
 5 consisting essentially of, or comprising a contiguous span of nucleotides of a sequence selected as an individual or in any combination from the group consisting of SEQ ID NO: 1-542, the complements thereof, the sequences described in any one or more of Tables 8, 9, 10, 11, 12, 13 and 14 and the complements thereof, wherein said contiguous span is at least 6, 8, 10, 12, 15, 20, 25, 30, 35, 40, 50, 75, 100, 200, 500 or 1000 nucleotides in length, to the extent that such a
 10 length is consistent with the lengths of the particular Sequence ID. The present invention also relates to polynucleotides hybridizing under stringent or intermediate conditions to a sequence selected from the group consisting of SEQ ID NO: 1-542; and the complements thereof. In addition, the polynucleotides of the invention encompass polynucleotides with any further limitation described in this disclosure, or those following, specified alone or in any combination:
 15 Said contiguous span may optionally include the CNS disorder-related biallelic marker in said sequence; Optionally either the original or the alternative allele of Table 9 may be specified as being present at said CNS disorder-related biallelic marker; Optionally either the first or the second allele of Tables 8 or 10 may be specified as being present at said CNS disorder-related biallelic marker; Optionally, said polynucleotide may consists of, or consist essentially of a
 20 contiguous span which ranges in length from 8, 10, 12, 15, 18 or 20 to 25, 35, 40, 50, 60, 70, or 80 nucleotides, or be specified as being 12, 15, 18, 20, 25, 35, 40, or 50 nucleotides in length and including a CNS disorder-related biallelic marker of said sequence, and optionally the original allele of Table 9 is present at said biallelic marker; Optionally, said biallelic marker may be within 6, 5, 4, 3, 2, or 1 nucleotides of the center of said polynucleotide or at the center of said
 25 polynucleotide; Optionally, the 3' end of said contiguous span may be present at the 3' end of said polynucleotide; Optionally, biallelic marker may be present at the 3' end of said polynucleotide; Optionally, the 3' end of said polynucleotide may be located within or at least 2, 4, 6, 8, 10, 12, 15, 18, 20, 25, 50, 100, 250, 500 or 1000 nucleotides upstream of a CNS disorder-related biallelic marker in said sequence, to the extent that such a distance is consistent with the
 30 lengths of the particular Sequence ID; Optionally, the 3' end of said polynucleotide may be located 1 nucleotide upstream of a CNS disorder-related biallelic marker in said sequence; and Optionally, said polynucleotide may further comprise a label.

A second embodiment of the invention encompasses any polynucleotide of the invention attached to a solid support. In addition, the polynucleotides of the invention which are attached
 35 to a solid support encompass polynucleotides with any further limitation described in this disclosure, or those following, specified alone or in any combination: Optionally, said polynucleotides may be specified as attached individually or in groups of at least 2, 5, 8, 10, 12,

15, 20, or 25 distinct polynucleotides of the inventions to a single solid support; Optionally, polynucleotides other than those of the invention may be attached to the same solid support as polynucleotides of the invention; Optionally, when multiple polynucleotides are attached to a solid support they may be attached at random locations, or in an ordered array; Optionally, said
 5 ordered array may be addressable.

A third embodiment of the invention encompasses the use of any polynucleotide for, or any polynucleotide for use in, determining the identity of one or more nucleotides at a CNS disorder-related biallelic marker. Microsequencing primers are provided in Table 12. In addition, the polynucleotides of the invention for use in determining the identity of one or more
 10 nucleotides at a CNS disorder-related biallelic marker encompass polynucleotides with any further limitation described in this disclosure, or those following, specified alone or in any combination. Optionally, said CNS disorder-related biallelic marker may be in a sequence selected individually or in any combination from the group consisting of SEQ ID NO: 1-542; and the complements thereof; Optionally, said polynucleotide may comprise a sequence disclosed in
 15 the present specification; Optionally, said polynucleotide may consist of, or consist essentially of any polynucleotide described in the present specification; Optionally, said determining may be performed in a hybridization assay, sequencing assay, microsequencing assay, or an enzyme-based mismatch detection assay; Optionally, said polynucleotide may be attached to a solid support, array, or addressable array; Optionally, said polynucleotide may be labeled.

A fourth embodiment of the invention encompasses the use of any polynucleotide for, or any polynucleotide for use in, amplifying a segment of nucleotides comprising a CNS disorder-related biallelic marker. Amplification primers are provided in Table 13. In addition, the polynucleotides of the invention for use in amplifying a segment of nucleotides comprising a CNS disorder-related biallelic marker encompass polynucleotides with any further limitation
 25 described in this disclosure, or those following, specified alone or in any combination: Optionally, said CNS disorder-related biallelic marker may be in a sequence selected individually or in any combination from the group consisting of SEQ ID 1-130; and the complements thereof; Optionally, said CNS disorder-related biallelic marker may be selected individually or in any combination from the biallelic markers described in Table 7; Optionally, said CNS disorder-
 30 related biallelic marker may be selected from the following biallelic markers: 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 99-28106-185, 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, 99-30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252, 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-
 35 185, 19-18-310, 19-19-174, 19-17-188, 19-16-127, 99-32148-315, 19-46-322, 99-32131-312, 99-32065-303, 19-44-251, 19-29-303, 18-355-67, 18-353-267, 18-338-305, 16-88-185, 24-243-346, 99-62531-351, 99-54279-152, 99-28171-458, 99-28173-395, 18-186-394, 8-15-126, 99-2409-

298, 99-28722-90 and 99-32306-409; Optionally, said CNS disorder-related biallelic marker may be selected from the following biallelic markers: 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, 20-205-302, 24-243-346, 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 19-17-188 and 19-19-174; Optionally, said
 5 polynucleotide may comprise a sequence disclosed in the present specification; Optionally, said polynucleotide may consist of, or consist essentially of any polynucleotide described in the present specification; Optionally, said amplifying may be performed by a PCR or LCR. Optionally, said polynucleotide may be attached to a solid support, array, or addressable array. Optionally, said polynucleotide may be labeled.

10 A fifth embodiment of the invention encompasses methods of genotyping a biological sample comprising determining the identity of a nucleotide at a CNS disorder-related biallelic marker. In addition, the genotyping methods of the invention encompass methods with any further limitation described in this disclosure, or those following, specified alone or in any combination: Optionally, said CNS disorder-related biallelic marker may be in a sequence
 15 selected individually or in any combination from the group consisting of SEQ ID NO: 1-542, and the complements thereof; Optionally, said CNS disorder-related biallelic marker may be selected individually or in any combination from the biallelic markers described in Table 7; Optionally, said CNS disorder-related biallelic marker may be selected from the following biallelic markers: 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 99-28106-185, 99-30858-354, 18-
 20 20-174, 99-32002-313, 18-31-178, 18-38-395, 99-30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252, 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-185, 19-18-310, 19-19-174, 19-17-188, 19-16-127, 99-32148-315, 19-46-322, 99-32131-312, 99-32065-303, 19-44-251, 19-29-303, 18-355-67, 18-353-267, 18-338-305, 16-
 25 88-185, 24-243-346, 99-62531-351, 99-54279-152, 99-28171-458, 99-28173-395, 18-186-394, 8-15-126, 99-2409-298, 99-28722-90 and 99-32306-409; Optionally, said CNS disorder-related biallelic marker may be selected from the following biallelic markers: 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, 20-205-302, 24-243-346, 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 19-17-188 and 19-19-174;
 30 Optionally, said method further comprises determining the identity of a second nucleotide at said biallelic marker, wherein said first nucleotide and second nucleotide are not base paired (by Watson & Crick base pairing) to one another; Optionally, said biological sample is derived from a single individual or subject; Optionally, said method is performed *in vitro*; Optionally, said biallelic marker is determined for both copies of said biallelic marker present in said individual's
 35 genome; Optionally, said biological sample is derived from multiple subjects or individuals; Optionally, said method further comprises amplifying a portion of said sequence comprising the biallelic marker prior to said determining step; Optionally, wherein said amplifying is performed

by PCR, LCR, or replication of a recombinant vector comprising an origin of replication and said portion in a host cell; Optionally, wherein said determining is performed by a hybridization assay, sequencing assay, microsequencing assay, or an enzyme-based mismatch detection assay.

A sixth embodiment of the invention comprises methods of estimating the frequency of an allele in a population comprising genotyping individuals from said population for a CNS disorder-related biallelic marker and determining the proportional representation of said biallelic marker in said population. In addition, the methods of estimating the frequency of an allele in a population of the invention encompass methods with any further limitation described in this disclosure, or those following, specified alone or in any combination: Optionally, said CNS disorder-related biallelic marker may be in a sequence selected individually or in any combination from the group consisting of SEQ NO: 1-542; and the complements thereof; Optionally, said CNS disorder-related biallelic marker may be selected from the biallelic markers described in Table 7; Optionally, said CNS disorder-related biallelic marker may be selected from the following biallelic markers: 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 99-28106-185, 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, 99-30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252, 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-185, 19-18-310, 19-19-174, 19-17-188, 19-16-127, 99-32148-315, 19-46-322, 99-32131-312, 99-32065-303, 19-44-251, 19-29-303; 18-355-67, 18-353-267, 18-338-305, 16-88-185, 24-243-346, 99-62531-351, 99-54279-152, 99-28171-458, 99-28173-395, 18-186-394, 8-15-126, 99-2409-298, 99-28722-90 and 99-32306-409; Optionally, said CNS disorder-related biallelic marker may be selected from the following biallelic markers: 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, 20-205-302, 24-243-346, 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 19-17-188 and 19-19-174; Optionally, determining the frequency of a biallelic marker allele in a population may be accomplished by determining the identity of the nucleotides for both copies of said biallelic marker present in the genome of each individual in said population and calculating the proportional representation of said nucleotide at said CNS disorder-related biallelic marker for the population; Optionally, determining the frequency of a biallelic marker allele in a population may be accomplished by performing a genotyping method on a pooled biological sample derived from a representative number of individuals, or each individual, in said population, and calculating the proportional amount of said nucleotide compared with the total.

A seventh embodiment of the invention comprises methods of detecting an association between an allele and a phenotype, comprising the steps of a) determining the frequency of at least one CNS disorder-related biallelic marker allele in a trait positive population, b) determining the frequency of said CNS disorder-related biallelic marker allele in a control

population and; c) determining whether a statistically significant association exists between said genotype and said phenotype. In addition, the methods of detecting an association between an allele and a phenotype of the invention encompass methods with any further limitation described in this disclosure, or those following, specified alone or in any combination: Optionally, said
 5 CNS disorder-related biallelic marker may be in a sequence selected individually or in any combination from the group consisting of SEQ ID NO: 1-542, and the complements thereof; Optionally, said CNS disorder-related biallelic marker may be selected from the biallelic markers described in Table 7; Optionally, said control population may be a trait negative population, or a random population; Optionally, said phenotype is a CNS disorder, a response to an agent acting
 10 on a CNS disorder, or side effect to an agent acting on a CNS disorder; Optionally, the identity of the nucleotides at the biallelic markers in everyone of the following sequences: SEQ ID NO: 1-542 is determined in steps a) and b).

An eighth embodiment of the present invention encompasses methods of estimating the frequency of a haplotype for a set of biallelic markers in a population, comprising the steps of: a)
 15 genotyping each individual in said population for at least one CNS disorder-related biallelic marker, b) genotyping each individual in said population for a second biallelic marker by determining the identity of the nucleotides at said second biallelic marker for both copies of said second biallelic marker present in the genome; and c) applying a haplotype determination method to the identities of the nucleotides determined in steps a) and b) to obtain an estimate of said
 20 frequency. In addition, the methods of estimating the frequency of a haplotype of the invention encompass methods with any further limitation described in this disclosure, or those following, specified alone or in any combination: Optionally said haplotype determination method is selected from the group consisting of asymmetric PCR amplification, double PCR amplification of specific alleles, the Clark method, or an expectation maximization algorithm; Optionally, said
 25 second biallelic marker is a CNS disorder-related biallelic marker in a sequence selected from the group consisting of the biallelic markers of SEQ ID NO: 1-542, and the complements thereof; Optionally, said CNS disorder-related biallelic markers may be selected individually or in any combination from the biallelic markers described in Table 7; Optionally, said CNS disorder-related biallelic marker may be selected from the following biallelic markers: 99-27207-117, 99-
 30 28110-75, 99-28134-215, 99-32181-192, 99-28106-185, 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, 99-30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252, 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-185, 19-18-310, 19-19-174, 19-17-188, 19-16-127, 99-32148-315, 19-46-322, 99-32131-312, 99-
 35 32065-303, 19-44-251, 19-29-303, 18-355-67, 18-353-267, 18-338-305, 16-88-185, 24-243-346, 99-62531-351, 99-54279-152, 99-28171-458, 99-28173-395, 18-186-394, 8-15-126, 99-2409-298, 99-28722-90 and 99-32306-4097; Optionally, said CNS disorder-related biallelic marker

may be selected from the following biallelic markers: 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, 20-205-302, 24-243-346, 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 19-17-188 and 19-19-174; Optionally, the identity of the nucleotides at the biallelic markers in everyone of the sequences of SEQ ID NO: 1-542 is determined in steps a) and b).

A ninth embodiment of the present invention encompasses methods of detecting an association between a haplotype and a phenotype, comprising the steps of: a) estimating the frequency of at least one haplotype in a trait positive population according to a method of estimating the frequency of a haplotype of the invention; b) estimating the frequency of said haplotype in a control population according to the method of estimating the frequency of a haplotype of the invention; and c) determining whether a statistically significant association exists between said haplotype and said phenotype. In addition, the methods of detecting an association between a haplotype and a phenotype of the invention encompass methods with any further limitation described in this disclosure, or those following, specified alone or in any combination: Optionally, said CNS disorder-related biallelic marker may be in a sequence selected individually or in any combination from the group consisting of SEQ ID NO: 1-542, and the complements thereof; Optionally, said CNS disorder-related biallelic markers may be selected individually or in any combination from the biallelic markers described in Table 7; Optionally, said CNS disorder-related biallelic marker may be selected from the following biallelic markers: 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 99-28106-185, 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, 99-30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252, 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-185, 19-18-310, 19-19-174, 19-17-188, 19-16-127, 99-32148-315, 19-46-322, 99-32131-312, 99-32065-303, 19-44-251, 19-29-303, 18-355-67, 18-353-267, 18-338-305, 16-88-185, 24-243-346, 99-62531-351, 99-54279-152, 99-28171-458, 99-28173-395, 18-186-394, 8-15-126, 99-2409-298, 99-28722-90 and 99-32306-409; Optionally, said CNS disorder-related biallelic marker may be selected from the following biallelic markers: 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, 20-205-302, 24-243-346, 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 19-17-188 and 19-19-174; Optionally, said control population may be a trait negative population, or a random population; Optionally, said phenotype is a CNS disorder, a response to an agent acting on a CNS disorder, or side effect to an agent acting on a CNS disorder; Optionally, the identity of the nucleotides at the biallelic markers in everyone of the following sequences: SEQ ID NO: 1-542 is included in the estimating steps a) and b).

A tenth embodiment of the present invention encompasses polypeptides encoded by SEQ ID NO: 543 or 544, as well as antisense analogs thereof and biologically active and

diagnostically or therapeutically useful fragments and derivatives thereof. The polypeptides of the present invention are of human origin. In accordance with a further aspect of the present invention, there is provided a method for producing such polypeptides by recombinant techniques which comprises culturing recombinant prokaryotic and/or eukaryotic host cells, containing a nucleic acid sequence encoding a polypeptide of the present invention, under conditions promoting expression of said protein and subsequent recovery of said protein. A further embodiment of the present invention encompasses antibodies against such polypeptides.

An eleventh embodiment of the present invention is a method for using one or more of the polypeptides according to the invention to screen for polypeptide antagonists and/or agonists and/or receptor ligands. A further embodiment of the present invention is a method of using such agonists to activate the polypeptides of the present invention for the treatment of conditions related to the underexpression of the polypeptide of the present invention, preferably depression. In accordance with another aspect of the present invention there is provided a method of using such antagonists for inhibiting the polypeptide of the present invention for treating conditions associated with overexpression of the polypeptides of the present invention.

A twelfth embodiment of the present invention encompasses non-naturally occurring synthetic, isolated and/or recombinant polypeptides which are fragments, consensus fragments and/or sequences having conservative amino acid substitutions, of at least one transmembrane domain, such that the polypeptides of the present invention may bind ligands, or which may also modulate, quantitatively or qualitatively, ligand binding to the polypeptides of the present invention. A further embodiment of the present invention encompasses synthetic or recombinant polypeptides, conservative substitution derivatives thereof, antibodies, anti-idiotypic antibodies, compositions and methods that can be useful as potential modulators of CNS-related protein function, by binding to ligands or modulating ligand binding, due to their expected biological properties, which may be used in diagnostic, therapeutic and/or research applications relating to CNS disorders. In yet a further embodiment of the present invention, there is provided synthetic, isolated or recombinant polypeptides which are designed to inhibit or mimic various polypeptides of the invention or fragments thereof, as receptor types and subtypes.

A thirteenth embodiment of the present invention encompasses a diagnostic assay for detecting a disease or susceptibility to a disease related to a mutation in a nucleic acid sequence encoding a polypeptide of the present invention. Preferably said disease is depression.

A fourteenth embodiment of the present invention is a method of administering a drug or a treatment comprising the steps of: a) obtaining a nucleic acid sample from an individual; b) determining the identity of the polymorphic base of at least one CNS disorder-related biallelic marker which is associated with a positive response to the treatment or the drug; or at least one biallelic CNS disorder-related marker which is associated with a negative response to the treatment or the drug; and c) administering the treatment or the drug to the individual if the

nucleic acid sample contains said biallelic marker associated with a positive response to the treatment or the drug or if the nucleic acid sample lacks said biallelic marker associated with a negative response to the treatment or the drug. In addition, the methods of the present invention for administering a drug or a treatment encompass methods with any further limitation described in this disclosure, or those following, specified alone or in any combination: optionally, said CNS disorder-related biallelic marker may be in a sequence selected individually or in any combination from the group consisting of SEQ. ID. NO: 1-542 and the complements thereof, or optionally, the administering step comprises administering the drug or the treatment to the individual if the nucleic acid sample contains said biallelic marker associated with a positive response to the treatment or the drug and the nucleic acid sample lacks said biallelic marker associated with a negative response to the treatment or the drug.

A fifteenth embodiment of the present invention is a method of selecting an individual for inclusion in a clinical trial of a treatment or drug comprising the steps of: a) obtaining a nucleic acid sample from an individual; b) determining the identity of the polymorphic base of at least one CNS disorder-related biallelic marker which is associated with a positive response to the treatment or the drug, or at least one CNS disorder-related biallelic marker which is associated with a negative response to the treatment or the drug in the nucleic acid sample, and c) including the individual in the clinical trial if the nucleic acid sample contains said CNS disorder-related biallelic marker associated with a positive response to the treatment or the drug or if the nucleic acid sample lacks said biallelic marker associated with a negative response to the treatment or the drug. In addition, the methods of the present invention for selecting an individual for inclusion in a clinical trial of a treatment or drug encompass methods with any further limitation described in this disclosure, or those following, specified alone or in any combination: Optionally, said CNS disorder-related biallelic marker may be in a sequence selected individually or in any combination from the group consisting of SEQ. ID. NO: 1-542 and the complements thereof, optionally, the including step comprises administering the drug or the treatment to the individual if the nucleic acid sample contains said biallelic marker associated with a positive response to the treatment or the drug and the nucleic acid sample lacks said biallelic marker associated with a negative response to the treatment or the drug.

Additional embodiments are set forth in the Detailed Description of the Invention and in the Examples.

BRIEF DESCRIPTION OF THE TABLES

Tables 7A and 7C are charts containing a list of all of the CNS-related biallelic markers for each gene with an indication of the gene for which the marker is in closest physical proximity, an indication of whether the markers have been validated by microsequencing (with a Y indicating that the markers have been validated by microsequencing and an N indicating that it

has not), and an indication of the identity and frequency of the least common allele determined by genotyping (with a blank left to indicate that the frequency has not yet been reported for some markers).

Tables 7B and 7D contain all of the CNS-related biallelic markers provided in Tables 7A and 7C; however, they are provided in shorter, easier to search sequences of 47 nucleotides. Accordingly, Table 7A begins with SEQ ID NO: 1 and ends with SEQ ID NO: 130, while corresponding Table 7B begins with SEQ ID NO: 131 and ends with SEQ ID NO: 260. Also Table 7C begins with SEQ ID NO: 261 and ends with SEQ ID NO: 401, while corresponding Table 7D begins with SEQ ID NO: 402 and ends with SEQ ID NO: 542. Table 1 contains the first five markers listed in the sequence listing and their corresponding SEQ ID numbers in Tables 7A and 7C to illustrate the relationship between Tables 7A and 7B:

Table 1

BIALLELIC MARKER ID	SEQ ID NO. IN TABLE 7A	BIALLELIC MARKER POSITION IN SEQ ID NO.	SEQ ID NO. IN TABLE 7B	BIALLELIC MARKER POSITION IN SEQ ID NO.
99-27199-207	1	207	131	24
99-27207-117	2	117	132	24
99-27213-53	3	53	133	24
99-27218-333	4	333	134	24
99-28108-233	5	233	135	24

Tables 7B and 7D are the same as Tables 7A and 7C, respectively, in that they are a list of all of the CNS-related biallelic markers for each gene with an indication of the gene for which the marker is in closest physical proximity, an indication of whether the markers have been validated by microsequencing (with a Y indicating that the markers have been validated by microsequencing and an N indicating that it has not), and an indication of the identity and frequency of the least common allele determined by genotyping (with a blank left to indicate that the frequency has not yet been reported for some markers). However, the "Biallelic Marker Position in SEQ ID No." for all of the CNS-related biallelic markers provided in Tables 7B and 7D is position 24 (representing the midpoint of the 47mers that make up Tables 7B and 7D).

Tables 8, 9, and 10 are charts containing lists of the CNS disorder-related biallelic markers. Each marker is described by indicating its SEQ ID, the biallelic marker ID, and the two most common alleles. Table 8 is a chart containing a list of biallelic markers surrounded by preferred sequences. In the column labeled, "POSITION RANGE OF PREFERRED SEQUENCE" of Table 8 regions of particularly preferred sequences are listed for each SEQ ID, which contain a CNS disorder-related biallelic marker, as well as particularly preferred regions

of sequences that do not contain a CNS disorder-related biallelic marker but, which are in sufficiently close proximity to a CNS disorder-related biallelic marker to be useful as amplification or sequencing primers.

5 Table 11 is a chart listing particular sequences that are useful for designing some of the primers and probes of the invention. Each sequence is described by indicating its Sequence ID and the positions of the first and last nucleotides (position range) of the particular sequence in the Sequence ID.

10 Table 12 is a chart listing microsequencing primers which have been used to genotype CNS disorder-related biallelic markers (indicated by an *) and other preferred microsequencing primers for use in genotyping CNS disorder-related biallelic markers. Each of the primers which falls within the strand of nucleotides included in the Sequence Listing are described by indicating their Sequence ID number and the positions of the first and last nucleotides (position range) of the primers in the Sequence ID. Since the sequences in the Sequence Listing are single stranded and half the possible microsequencing primers are composed of nucleotide sequences from the complementary strand, the primers that are composed of nucleotides in the complementary strand are described by indicating their SEQ ID numbers and the positions of the first and last nucleotides to which they are complementary (complementary position range) in the Sequence ID.

20 Table 13 is a chart listing amplification primers which have been used to amplify polynucleotides containing one or more CNS disorder-related biallelic markers. Each of the primers which falls within the strand of nucleotides included in the Sequence Listing are described by indicating their Sequence ID number and the positions of the first and last nucleotides (position range) of the primers in the Sequence ID. Since the sequences in the Sequence Listing are single stranded and half the possible amplification primers are composed of nucleotide sequences from the complementary strand, the primers that are composed of nucleotides in the complementary strand are defined by the SEQ ID numbers and the positions of the first and last nucleotides to which they are complementary (complementary position range) in the Sequence ID.

30 Table 14 is a chart listing preferred probes useful in genotyping CNS disorder-related biallelic markers by hybridization assays. The probes are 25-mers with a CNS disorder-related biallelic markers in the center position, and described by indicating their Sequence ID number and the positions of the first and last nucleotides (position range) of the probes in the Sequence ID. The probes complementary to the sequences in each position range in each Sequence ID are also understood to be a part of this preferred list even though they are not specified separately.

35 Table 15 is a table showing the results of single marker association tests between both biallelic marker alleles and genotypes of candidate genes and major depression.

Table 16 is a table showing the results of the LR rank of haplotypes using combinations of 2, 3 and 4 biallelic markers from each gene.

Table 17 is a table showing the rank of permutation tests for individual haplotypes confirming the statistical significance of the association between biallelic marker haplotypes from the candidate genes and major depression.

Table 18 is a table showing the results of single marker association tests between both biallelic marker alleles and genotypes of candidate genes and major depression using additional markers and a new population set as described in Example 4.

Table 19 is a table showing the results of the LR rank of haplotypes using combinations of 2, 3 and 4 biallelic markers from additional candidate genes and using data from a new population set as described in Example 4.

Table 20 is a table showing the rank of permutation tests for individual haplotypes from Table 19 confirming the statistical significance of the association between biallelic marker haplotypes from additional candidate genes and major depression.

DETAILED DESCRIPTION OF THE INVENTION

I. Candidate Genes of the Present Invention

Different approaches can be employed to perform association studies: genome-wide association studies, candidate region association studies and candidate gene association studies.

Genome-wide association studies rely on the screening of genetic markers evenly spaced and covering the entire genome. Candidate region association studies rely on the screening of genetic markers evenly spaced covering a region identified as linked to the trait of interest. The candidate gene approach is based on the study of genetic markers specifically derived from genes potentially involved in the pathophysiology of a disease. In the present invention, genes involved in the central nervous system and/or the endocrine system have been chosen as candidate genes. The candidate genes of the present invention are listed in Table 2.

Table 2

Candidate Gene Name	Gene Symbol	Description
Serotonin receptor 6	5HTR6	A postsynaptic serotonin receptor.
Serotonin receptor 7	5HTR7	A postsynaptic serotonin receptor.
Neuronal nicotinic acid receptor $\alpha 7$	CHRNA7	An ion channel in the reward pathway.
Corticotrophin releasing factor receptor 1	CRFR1	A corticotrophin releasing factor receptor in the hypothalamus-pituitary-adrenal axis.
Mineralocorticoid receptor	MLR	A mineralocorticoid receptor.

Corticotrophin releasing factor receptor 2	CRFR2	A corticotrophin releasing factor receptor in the hypothalamus-pituitary-adrenal axis.
Glucocorticoid receptor	GRL	A glucocorticoid receptor in the hypothalamus-pituitary-adrenal axis.
Monoamine oxidase A	MAOA	Key enzyme in catecholamine metabolism.
Monoamine oxidase B	MAOB	Key enzyme in catecholamine metabolism.
Serotonin receptor 2C	5HTR2c	Postsynaptic receptor for serotonin.
Tyrosine hydroxylase	TH	The rate-limiting enzyme in the synthesis of dopamine and norepinephrine.
Corticotrophin releasing factor	CRF	A hormone released by the hypothalamus that stimulates the release of corticotrophin by the anterior pituitary gland.
Dopamine receptor 4	DRD4	A postsynaptic dopamine receptor.
Serotonin transporter	5HTT	A presynaptic membrane receptor that serves as a reuptake mechanism for serotonin.
Dopamine receptor 3	DRD3	A postsynaptic dopamine receptor.
Cytochrome P450 3A4	CYP3A4	A principal drug metabolizing enzyme.
Norepinephrine transporter	NET	A membrane protein responsible for termination of the action of synaptic norepinephrine.
Neurokinin or tachykinin receptor 1	NK1/TACR1	A receptor for the neuropeptide substance P.
Neuropeptide Y1 receptor	NPY1R	A receptor for the neuropeptide Y1. Belongs to family of g-protein coupled receptors with it highest similarity to tachykinins receptors.
Dopamine receptor 2	DRD2	G protein-coupled dopamine receptor.
Guanine nucleotide binding protein, $\beta 3$	Gbeta3	An important component of cAMP mediated signaling pathways.
Wolfram Syndrome 1 gene	WFS1	A gene that plays a role in the etiology of Wolfram syndrome.
Beta 1 adrenergic receptor	ADRB1R	An important component of the norepinephrine signaling pathway. Antidepressants are known to suppress expression.
Brain derived neurotrophic factor	BDNF	A protein known to affect the differentiation of dopaminergic and serotonergic neurons.

		Increased by antidepressants and electro-convulsive therapy.
Orphan G-protein coupled receptor	HM74	A putative chemokine receptor.
Vasopressin receptor 1A	AVPR1A	A receptor that stimulates adrenocorticotrophic hormone (ACTH) release in the anterior pituitary.
Serotonin receptor 1-A	5HT1A	A receptor that is misregulated in depression, as well as anxiety and stress.
Growth associated protein 43	GAP43	A protein known to play a role in synaptic plasticity. Increased levels in suicide victims.
Guanine nucleotide binding protein, α subunit, olfactory type	GOLF (GNAL)	A protein known to play a role in signaling: possibly in cAMP mediated signaling pathways and norepinephrine-related pathways.
Clock protein	CLOCK	A protein associated with sleeping patterns in humans.
Corticotrophin hormone binding protein	CRHBP	A protein capable of binding to corticotrophin releasing factor.
Dopamine transporter	DAT (SLC6A3)	A protein involved in the re-uptake of dopamine.
Phosphodiesterase type 4b	PDE4b	An enzyme believed to be involved in mediating central nervous system effects of therapeutic agents ranging from antidepressants to anti-inflammatory agents.
Catechol O-methyl transferase	COMT	An enzyme that catalyzes the transfer of a methyl group from s-adenosylmethionine to a catecholamine such as dopamine, epinephrine, or norepinephrine.
Melanin concentrating hormone receptor	SLC1	A transmembrane protein that serves as the functional receptor of melanin concentrating hormone.
Transcription factor	SEF2-1B (TCF4)	A transcription factor that binds to the e-box present in the somatostatin receptor 2 initiator element (sstr2-inr) to activate transcription (by similarity).

Heat shock protein	HSP70	A protein believed to interact with polypeptides during a variety of assembly processes in such a way as to prevent the formation of nonfunctional structures.
GABA-A receptor subunit	GABRG2	A receptor known to mediate inhibitory neurotransmission, complexing with DRD5 and promoting mutually inhibitory functional interactions between these receptor systems, putatively involved in the physiological dependence on alcohol, and in the maintenance of psychomotor disease states.
GABA-A receptor subunit 5	GABRA5	A receptor known to be part of the ligand-gated ionic channels protein family. Associated with bipolar disorder.

Both the central nervous system and the endocrine system play an important role in the pathophysiology of CNS disorders, moreover, these systems contain important drug targets and genetic polymorphisms in these genes are highly relevant in the response to a number of drugs.

- 5 The candidate gene analysis clearly provides a short-cut approach to the identification of genes and gene polymorphisms related to a particular disease when some information concerning the pathophysiology of the disorder is available as is the case for many CNS disorders. However, it should be noted that all of the biallelic markers disclosed in the instant application can be employed as part of genome-wide association studies or as part of candidate region association
- 10 studies and such uses are specifically contemplated in the present invention and claims. All of the markers are known to be in close proximity to the genes with which they are listed in Table 7. For a portion of the markers, the precise position of the marker with respect to the various coding and non-coding elements of the genes has also been determined.

15 II. Definitions

Before describing the invention in greater detail, the following definitions are set forth to illustrate and define the meaning and scope of the terms used to describe the invention herein.

- As used interchangeably herein, the terms "nucleic acid molecule", "oligonucleotide", and "polynucleotide", unless specifically stated otherwise, include RNA or, DNA (either single
- 20 or double stranded, coding, complementary or antisense), or RNA/DNA hybrid sequences of more than one nucleotide in either single chain or duplex form (although each of the above species may be particularly specified). The term "nucleotide" as used herein as an adjective to describe molecules comprising RNA, DNA, or RNA/DNA hybrid sequences of any length in

single-stranded or duplex form. More precisely, the expression "nucleotide sequence" encompasses the nucleic material itself and is thus not restricted to the sequence information (i.e. the succession of letters chosen among the four base letters) that biochemically characterizes a specific DNA or RNA molecule. The term "nucleotide" is also used herein as a noun to refer to individual nucleotides or varieties of nucleotides, meaning a molecule, or individual unit in a larger nucleic acid molecule, comprising a purine or pyrimidine, a ribose or deoxyribose sugar moiety, and a phosphate group, or phosphodiester linkage in the case of nucleotides within an oligonucleotide or polynucleotide. Although the term "nucleotide" is also used herein to encompass "modified nucleotides" which comprise at least one modifications (a) an alternative linking group, (b) an analogous form of purine, (c) an analogous form of pyrimidine, or (d) an analogous sugar, for examples of analogous linking groups, purine, pyrimidines, and sugars see for example PCT publication No. WO 95/04064. Preferred modifications of the present invention include, but are not limited to, 5-fluorouracil, 5-bromouracil, 5-chlorouracil, 5-iodouracil, hypoxanthine, xantine, 4-acetylcytosine, 5-(carboxyhydroxymethyl) uracil, 5-carboxymethylaminomethyl-2-thiouridine, 5-carboxymethylaminomethyluracil, dihydrouracil, beta-D-galactosylqueosine, inosine, N6-isopentenyladenine, 1-methylguanine, 1-methylinosine, 2,2-dimethylguanine, 2-methyladenine, 2-methylguanine, 3-methylcytosine, 5-methylcytosine, N6-adenine, 7-methylguanine, 5-methylaminomethyluracil, 5-methoxyaminomethyl-2-thiouracil, beta-D-mannosylqueosine, 5'-methoxycarboxymethyluracil, 5-methoxyuracil, 2-methylthio-N6-isopentenyladenine, uracil-5-oxyacetic acid (v) ybutoxosine, pseudouracil, queosine, 2-thiocytosine, 5-methyl-2-thiouracil, 2-thiouracil, 4-thiouracil, 5-methyluracil, uracil-5-oxyacetic acid methylester, uracil-5-oxyacetic acid, 5-methyl-2-thiouracil, 3-(3-amino-3-N-2-carboxypropyl) uracil, and 2,6-diaminopurine. The polynucleotide sequences of the invention may be prepared by any known method, including synthetic, recombinant, *ex vivo* generation, or a combination thereof, as well as utilizing any purification methods known in the art. Methylenemethylimino linked oligonucleosides as well as mixed backbone compounds having, may be prepared as described in U.S. Pat. Nos. 5,378,825; 5,386,023; 5,489,677; 5,602,240; and 5,610,289. Formacetal and thioformacetal linked oligonucleosides may be prepared as described in U.S. Pat. Nos. 5,264,562 and 5,264,564. Ethylene oxide linked oligonucleosides may be prepared as described in U.S. Pat. No. 5,223,618. Phosphinate oligonucleotides may be prepared as described in U.S. Pat. No. 5,508,270.. Alkyl phosphonate oligonucleotides may be prepared as described in U.S. Pat. No. 4,469,863. 3'-Deoxy-3'-methylene phosphonate oligonucleotides may be prepared as described in U.S. Pat. Nos. 5,610,289 or 5,625,050. Phosphoramidite oligonucleotides may be prepared as described in U.S. Pat. No. 5,256,775 or U.S. Pat. No. 5,366,878. Alkylphosphonothioate oligonucleotides may be prepared as described in published PCT applications WO 94/17093 and WO 94/02499. 3'-Deoxy-3'-amino phosphoramidate oligonucleotides may be prepared as described in U.S. Pat. No. 5,476,925. Phosphotriester

oligonucleotides may be prepared as described in U.S. Pat. No. 5,023,243. Borano phosphate oligonucleotides may be prepared as described in U.S. Pat. Nos. 5,130,302 and 5,177,198. The polynucleotide sequences of the invention may be prepared by any known method, including synthetic, recombinant, *ex vivo* generation, or a combination thereof, as well as utilizing any purification methods known in the art.

The term "isolated" further requires that the material be removed from its original environment (e.g., the natural environment if it is naturally occurring). For example, a naturally-occurring polynucleotide present in a living animal is not isolated, but the same polynucleotide, separated from some or all of the coexisting materials in the natural system, is isolated.

Specifically excluded from the definition of "isolated" are: naturally-occurring chromosomes (such as chromosome spreads), artificial chromosome libraries, genomic libraries, and cDNA libraries that exist either as an *in vitro* nucleic acid molecule preparation or as a transfected/transformed host cell preparation, wherein the host cells are either an *in vitro* heterogeneous preparation or plated as a heterogeneous population of single colonies. Also specifically excluded are the above libraries wherein a specified polynucleotide of the present invention makes up less than 5% of the number of nucleic acid molecule inserts in the vector molecules. Further specifically excluded are whole cell genomic DNA or whole cell RNA or mRNA preparations (including said whole cell preparations which are mechanically sheared or enzymatically digested). Further specifically excluded are the above whole cell preparations as either an *in vitro* preparation or as a heterogeneous mixture separated by electrophoresis (including blot transfers of the same) wherein the polynucleotide of the invention has not further been separated from the heterologous polynucleotides in the electrophoresis medium (e.g., further separating by excising a single band from a heterogeneous band population in an agarose gel or nylon blot).

As used herein, the term "purified" does not require absolute purity; rather, it is intended as a relative definition. Individual 5' EST clones isolated from a cDNA library have been conventionally purified to electrophoretic homogeneity. The sequences obtained from these clones could not be obtained directly either from the library or from total human DNA. The cDNA clones are not naturally occurring as such, but rather are obtained via manipulation of a partially purified naturally occurring substance (messenger RNA). The conversion of mRNA into a cDNA library involves the creation of a synthetic substance (cDNA) and pure individual cDNA clones can be isolated from the synthetic library by clonal selection. Thus, creating a cDNA library from messenger RNA and subsequently isolating individual clones from that library results in an approximately 10^4 - 10^6 fold purification of the native message. Purification of starting material or natural material to at least one order of magnitude, preferably two or three orders, and more preferably four or five orders of magnitude is expressly contemplated. Alternatively, purification may be expressed as "at least" a percent purity relative to heterologous polynucleotides (DNA, RNA

or both). As a preferred embodiment, the polynucleotides of the present invention are at least; 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, 95%, 96%, 96%, 98%, 99%, or 100% pure relative to heterologous polynucleotides. As a further preferred embodiment the polynucleotides have an "at least" purity ranging from any number, to the thousandth position, between 90% and 100% (e.g., 5' EST at least 99.995% pure) relative to heterologous polynucleotides. Additionally, purity of the polynucleotides may be expressed as a percentage (as described above) relative to all materials and compounds other than the carrier solution. Each number, to the thousandth position, may be claimed as individual species of purity.

The term "primer" denotes a specific oligonucleotide sequence which is complementary to a target nucleotide sequence and used to hybridize to the target nucleotide sequence. A primer serves as an initiation point for nucleotide polymerization catalyzed by DNA polymerase, RNA polymerase or reverse transcriptase.

The term "probe" denotes a defined nucleic acid segment (or nucleotide analog segment, e.g., polynucleotide as defined herein) which can be used to identify a specific polynucleotide sequence present in samples, said nucleic acid segment comprising a nucleotide sequence complementary of the specific polynucleotide sequence to be identified.

The term "CNS disorder" refers to any condition linked to dysfunction of the central nervous system which is known in the art. A CNS disorder includes dysfunction of one or several physiological systems contributing to the function of the central nervous system, which includes the endocrine system and the peripheral nervous system. A CNS disorder further refers to disorders in neurotransmitter synthesis and degradation, neurotransmitter function, neurotransmitter receptor function, neurotransmitter signal transduction, neurotransmitter transporter function, motor neuron function, hormone synthesis and degradation, hormone function, hormone receptor function and hormone signal transduction. "CNS disorders" include mood disorders such as depression, bipolar disorder, anxiety, attention deficit disorder and schizophrenia. "CNS disorders" also include neurodegenerative disorders such as Parkinson's disease, Huntington's disease, Pick's disease, progressive supranuclear palsy, Lewy body dementia and Wolfram syndrome (diabetes insipidus, diabetes mellitus, optic atrophy and deafness). "CNS disorders" also include disorders of movement such as motor neuron disease as well as diseases involving the intellect such as Alzheimer's disease, Wernicke's encephalopathy and Jakob-Creutzfeldt disease. "CNS disorders" further include other disorders such as coma, head injury, cerebral infarction, epilepsy, alcoholism and states of mental retardation. All of the possible CNS disorders listed herein are included in, or may be excluded from, the present invention as individual species.

The term "depression" as used herein refers to both unipolar major depression (or major depressive disorder) and bipolar disorder.

An "agent acting on a CNS disorder" includes any drug or compound known in the art that addresses, reduces or alleviates one or more symptoms of a CNS disorder. "Agents acting on a CNS disorder" includes any drug or a compound modulating the activity or concentration of an enzyme or regulatory molecule involved in a CNS disorder that is known in the art. An agent acting on a CNS disorder includes but is not limited to tyrosine hydroxylase, monoamine oxidase A/B, dopamine β -hydroxylase, aldehyde dehydrogenase, phenylethanolamine N-methyltransferase, catechol o-methyltransferase, tryptophan hydroxylase, acetyl coenzyme A, proteinases, oestrogens, glucocorticoids, mineralocorticoids, nicotine, substance P and precursors to neurotransmitters such as tryptophan. "Agent acting on a CNS disorder" further refers to compounds modulating the synthesis, degradation, reuptake and action of neurotransmitters and hormones such as tricyclic antidepressants (TCAs), monoamine oxidase inhibitors (MAOIs), serotonin selective reuptake inhibitors (SSRIs), selective norepinephrine reuptake inhibitor (NRI) such as reboxetine, dual serotonin and norepinephrine reuptake inhibitor (SNRI), serotonin-2 antagonist/reuptake inhibitors (SARIs), noradrenergic and specific serotonergic antidepressants (NaSSAs), drugs that cause increased dopamine release in the brain such as levodopa, dopamine receptor agonists such as bromocriptine, dopamine antagonists such as metoclopramide, neuroleptic drugs such as phenothiazines, adrenergic agonists such as clonidine, N-methyl-D-aspartate antagonists such as phencyclidine, anticholinergic compounds, benzodiazepine drugs and anxiolytic compounds. Preferably, "agent acting on a CNS disorder" refers to the antidepressant drug Reboxetine.

The terms "response to an agent acting on a CNS disorder" refer to drug efficacy, including but not limited to the ability to metabolize a compound, the ability to convert a pro-drug to an active drug, and to the pharmacokinetics (absorption, distribution, elimination) and the pharmacodynamics (receptor-related) of a drug in an individual.

The terms "side effects to an agent acting on a CNS disorder" refer to adverse effects of therapy resulting from extensions of the principal pharmacological action of the drug or to idiosyncratic adverse reactions resulting from an interaction of the drug with unique host factors. "Side effects to an agent acting on a CNS disorder" include, but are not limited to autonomic side effects such as orthostatic hypotension, blurred vision, dry mouth, nasal congestion and constipation. "Side effects to an agent acting on a CNS disorder" also include anxiety, sleep disturbances, sexual dysfunction, gastrointestinal disturbances, nausea, diarrhea, orthostasis, dizziness, sedation, hypertension and shock.

The terms "trait" and "phenotype" are used interchangeably herein and refer to any visible, detectable or otherwise measurable property of an organism such as symptoms of, or susceptibility to a disease for example. Typically the terms "trait" or "phenotype" are used herein to refer to symptoms of, or susceptibility to a CNS disorder; or to refer to an individual's

response to an agent acting on a CNS disorder; or to refer to symptoms of, or susceptibility to side effects to an agent acting on a CNS disorder.

The term "allele" is used herein to refer to variants of a nucleotide sequence. A biallelic polymorphism has two forms. Typically the first identified allele is designated as the original allele whereas other alleles are designated as alternative alleles. Diploid organisms may be homozygous or heterozygous for an allelic form.

The term "heterozygosity rate" is used herein to refer to the incidence of individuals in a population, which are heterozygous at a particular allele. In a biallelic system the heterozygosity rate is on average equal to $2P_a(1-P_a)$, where P_a is the frequency of the least common allele. In order to be useful in genetic studies a genetic marker should have an adequate level of heterozygosity to allow a reasonable probability that a randomly selected person will be heterozygous.

The term "genotype" as used herein refers to the identity of the alleles present in an individual or a sample. In the context of the present invention a genotype preferably refers to the description of the biallelic marker alleles present in an individual or a sample. The term "genotyping" a sample or an individual for a biallelic marker consists of determining the specific allele or the specific nucleotide carried by an individual at a biallelic marker.

The term "mutation" as used herein refers to a difference in DNA sequence between or among different genomes or individuals which has a frequency below 1%.

The term "haplotype" refers to a combination of alleles present in an individual or a sample. In the context of the present invention a haplotype preferably refers to a combination of biallelic marker alleles found in a given individual and which may be associated with a phenotype.

The term "polymorphism" as used herein refers to the occurrence of two or more alternative genomic sequences or alleles between or among different genomes or individuals. "Polymorphic" refers to the condition in which two or more variants of a specific genomic sequence can be found in a population. A "polymorphic site" is the locus at which the variation occurs. A single nucleotide polymorphism is a single base pair change. Typically a single nucleotide polymorphism is the replacement of one nucleotide by another nucleotide at the polymorphic site. Deletion of a single nucleotide or insertion of a single nucleotide, also give rise to single nucleotide polymorphisms. In the context of the present invention "single nucleotide polymorphism" preferably refers to a single nucleotide substitution. Typically, between different genomes or between different individuals, the polymorphic site may be occupied by two different nucleotides.

The terms "biallelic polymorphism" and "biallelic marker" are used interchangeably herein to refer to a polymorphism having two alleles at a fairly high frequency in the population, preferably a single nucleotide polymorphism. A "biallelic marker allele" refers to the nucleotide

variants present at a biallelic marker site. Typically the frequency of the less common allele of the biallelic markers of the present invention has been validated to be greater than 1%, preferably the frequency is greater than 10%, more preferably the frequency is at least 20% (i.e. heterozygosity rate of at least 0.32), even more preferably the frequency is at least 30% (i.e. heterozygosity rate of at least 0.42). A biallelic marker wherein the frequency of the less common allele is 30% or more is termed a "high quality biallelic marker."

The location of nucleotides in a polynucleotide with respect to the center of the polynucleotide are described herein in the following manner. When a polynucleotide has an odd number of nucleotides, the nucleotide at an equal distance from the 3' and 5' ends of the polynucleotide is considered to be "at the center" of the polynucleotide, and any nucleotide immediately adjacent to the nucleotide at the center, or the nucleotide at the center itself is considered to be "within 1 nucleotide of the center." With an odd number of nucleotides in a polynucleotide any of the five nucleotide positions in the middle of the polynucleotide would be considered to be within 2 nucleotides of the center, and so on. When a polynucleotide has an even number of nucleotides, there would be a bond and not a nucleotide at the center of the polynucleotide. Thus, either of the two central nucleotides would be considered to be "within 1 nucleotide of the center" and any of the four nucleotides in the middle of the polynucleotide would be considered to be "within 2 nucleotides of the center", and so on. For polymorphisms which involve the substitution, insertion or deletion of 1 or more nucleotides, the polymorphism, allele or biallelic marker is "at the center" of a polynucleotide if the difference between the distance from the substituted, inserted, or deleted polynucleotides of the polymorphism and the 3' end of the polynucleotide, and the distance from the substituted, inserted, or deleted polynucleotides of the polymorphism and the 5' end of the polynucleotide is zero or one nucleotide. If this difference is 0 to 3, then the polymorphism is considered to be "within 1 nucleotide of the center." If the difference is 0 to 5, the polymorphism is considered to be "within 2 nucleotides of the center." If the difference is 0 to 7, the polymorphism is considered to be "within 3 nucleotides of the center," and so on. For polymorphisms which involve the substitution, insertion or deletion of 1 or more nucleotides, the polymorphism, allele or biallelic marker is "at the center" of a polynucleotide if the difference between the distance from the substituted, inserted, or deleted polynucleotides of the polymorphism and the 3' end of the polynucleotide, and the distance from the substituted, inserted, or deleted polynucleotides of the polymorphism and the 5' end of the polynucleotide is zero or one nucleotide. If this difference is 0 to 3, then the polymorphism is considered to be "within 1 nucleotide of the center." If the difference is 0 to 5, the polymorphism is considered to be "within 2 nucleotides of the center." If the difference is 0 to 7, the polymorphism is considered to be "within 3 nucleotides of the center," and so on.

The term "upstream" is used herein to refer to a location which is toward the 5' end of the polynucleotide from a specific reference point.

The terms "base paired" and "Watson & Crick base paired" are used interchangeably herein to refer to nucleotides which can be hydrogen bonded to one another by virtue of their sequence identities in a manner like that found in double-helical DNA with thymine or uracil residues linked to adenine residues by two hydrogen bonds and cytosine and guanine residues linked by three hydrogen bonds (See Stryer, L., *Biochemistry*, 4th edition, 1995).

The terms "complementary" or "complement thereof" are used herein to refer to the sequences of polynucleotides which is capable of forming Watson & Crick base pairing with another specified polynucleotide throughout the entirety of the complementary region. This term is applied to pairs of polynucleotides based solely upon their sequences and not any particular set of conditions under which the two polynucleotides would actually bind.

As used herein the term "CNS disorder-related biallelic marker" relates to a set of biallelic markers in linkage disequilibrium with genes disclosed in Tables 7(A-D) which express proteins that are involved in the pathophysiology CNS disorders. The term CNS disorder-related biallelic marker encompasses all of the biallelic markers disclosed in Tables 7(A-D). The preferred CNS disorder-related biallelic marker alleles of the present invention include each one of the alleles described in Tables 7, 8, 9, and 10 individually or in groups consisting of all the possible combinations of the alleles included in Tables 7, 8, 9, and 10. In addition, Table 7 may include Tables 7A-7D, or Tables 7A, 7B, 7C or 7D as individual embodiments of the present invention or in any combination of the four.

The term "sequence described in Table 8" is used herein to refer to the entire collection of nucleotide sequences or any individual sequence defined in Table 8. The SEQ ID that contains each "sequence described in Table 8" is provided in the column labeled, "SEQ ID NO." The range of nucleotide positions within the Sequence ID of which each sequence consists is provided in the same row as the Sequence ID in a column labeled, "POSITION RANGE OF PREFERRED SEQUENCE". It should be noted that some of the Sequence ID numbers have multiple sequence ranges listed, because they contain multiple "sequences described in Table 8." Unless otherwise noted the term "sequence described in Table 8" is to be construed as encompassing sequences that contain either of the two alleles listed in the columns labeled, "1ST ALLELE" and "2ND ALLELE" at the position identified in field <222> of the allele feature in the appended Sequence Listing for each Sequence ID number referenced in Table 8.

The term "sequence described in Table 9" is used herein to refer to the entire collection of nucleotide sequences or any individual sequence defined in Table 9. Unless otherwise noted, the "sequences described in Table 9" consist of the entire sequence of each Sequence ID provided in the column labeled, "SEQ ID NO." Also unless otherwise noted the term "sequence described in Table 9" is to be construed as encompassing sequences that contain either of the two

alleles listed in the columns labeled, "ORIGINAL ALLELE" and "ALTERNATIVE ALLELE" at the position identified in field <222> of the allele feature in the appended Sequence Listing for each Sequence ID number referenced in Table 9.

The term "sequence described in Table 10" is used herein to refer to the entire collection of nucleotide sequences or any individual sequence defined in Table 10. Unless otherwise noted, the "sequences described in Table 10" consist of the entire sequence of each Sequence ID provided in the column labeled, "SEQ ID NO." Also unless otherwise noted the term "sequence described in Table 10" is to be construed as encompassing sequences that contain either of the two alleles listed in the columns labeled, "1ST ALLELE" and "2ND ALLELE" at the position identified in field <222> of the allele feature in the appended Sequence Listing for each Sequence ID number referenced in Table 10:

The term "sequence described in Table 11" is used herein to refer to the entire collection of nucleotide sequences or any individual sequence defined in Table 11. The SEQ ID that contains each "sequence described in Table 11" is provided in the column labeled, "SEQ ID NO." The range of nucleotide positions within the Sequence ID of which each sequence consists is provided in the same row as the Sequence ID in a column labeled, "POSITION RANGE OF PREFERRED SEQUENCE". It should be noted that some of the Sequence ID numbers have multiple sequence ranges listed, because they contain multiple "sequences described in Table 11."

The term "sequence described in Table 12" is used herein to refer to the entire collection of nucleotide sequences or any individual sequence defined in Table 12. The SEQ ID that contains each "sequence described in Table 12" is provided in the column labeled, "SEQ ID NO." The range of nucleotide positions within the Sequence ID of which half of the sequences consists is provided in the same row as the Sequence ID in a column labeled, "POSITION RANGE OF MICROSEQUENCING PRIMERS". The remaining half of the sequences described in Table 12 are complementary to the range of nucleotide positions within the Sequence ID provided in the same row as the Sequence ID in a column labeled, "COMPLEMENTARY POSITION RANGE OF MICROSEQUENCING PRIMERS".

The term "sequence described in Table 13" is used herein to refer to the entire collection of nucleotide sequences or any individual sequence defined in Table 13. The SEQ ID that contains each "sequence described in Table 13" is provided in the column labeled, "SEQ ID NO." The range of nucleotide positions within the Sequence ID of which half of the sequences consists is provided in the same row as the Sequence ID in a column labeled, "POSITION RANGE OF AMPLIFICATION PRIMERS". The remaining half of the sequences described in Table 13 are complementary to the range of nucleotide positions within the Sequence ID provided in the same row as the Sequence ID in a column labeled, "COMPLEMENTARY POSITION RANGE OF AMPLIFICATION PRIMERS".

The term "sequence described in Table 14" is used herein to refer to the entire collection of nucleotide sequences or any individual sequence defined in Table 14. The SEQ ID that contains each "sequence described in Table 14" is provided in the column labeled, "SEQ ID NO.". The range of nucleotide positions within the Sequence ID of which each sequence consists is provided in the same row as the Sequence ID in a column labeled, "POSITION RANGE OF PROBES". The sequences which are complementary to the ranges listed in the column labeled, "POSITION RANGE OF PROBES" are also encompassed by the term, "sequence described in Table 14." Unless otherwise noted the term "sequence described in Table 14" is to be construed as encompassing sequences that contain either of the two alleles listed in the allele feature in the appended Sequence Listing for each Sequence ID number referenced in Table 14.

The terms "biallelic marker described in Table" and "allele described in Table" are used herein to refer to any or all alleles which are listed in the allele feature in the appended Sequence Listing for each Sequence ID number referenced in the particular Table being mentioned.

The following abbreviations are used in this disclosure: serotonin receptor 6 gene is abbreviated 5HTR6; serotonin receptor 7 gene is abbreviated 5HTR7; neuronal nicotinic acid receptor $\alpha 7$ gene is abbreviated CHRNA7; corticotrophin releasing factor receptor 1 gene is abbreviated CRFR1; mineralocorticoid receptor gene is abbreviated MLR; corticotrophin releasing factor receptor 2 gene is abbreviated CRFR2; glucocorticoid receptor gene is abbreviated GRL; monoamine oxidases A and B genes are abbreviated MAOA/B; serotonin receptor 2C gene is abbreviated 5HTR2c; tyrosine hydroxylase gene is abbreviated TH; corticotrophin releasing factor gene is abbreviated CRF; dopamine receptor 4 gene is abbreviated DRD4; serotonin transporter gene is abbreviated 5HTT; dopamine receptor 3 gene is abbreviated DRD3; cytochrome P450 3A4 gene is abbreviated CYP3A4; norepinephrine transporter gene is abbreviated NET; neurokinin or tachykinin receptor 1 gene is abbreviated NK1/TACR1; dopamine receptor 4 gene is abbreviated DRD2; guanine nucleotide binding protein, $\beta 3$ gene is abbreviated Gbeta3; Wolfram Syndrome 1 gene is abbreviated WFS1; Beta 1 adrenergic receptor gene is abbreviated ADRB1R; Brain derived neurotrophic factor gene is abbreviated BDNF; Orphan G-protein coupled receptor gene is abbreviated HM74; Vasopressin receptor 1A gene is abbreviated AVPR1A; Serotonin receptor 1-A gene is abbreviated 5HT1A; Growth associated protein 43 gene is abbreviated GAP43; Guanine nucleotide binding protein, α subunit, olfactory type gene is abbreviated GOLF (GNAL); Clock protein gene is abbreviated CLOCK; Corticotrophin hormone binding protein gene is abbreviated CRHBP; Dopamine transporter gene is abbreviated DAT (SLC6A3); Phosphodiesterase type 4b gene is abbreviated PDE4b; Catechol O-methyl transferase gene is abbreviated COMT; Melanin concentrating hormone receptor gene is abbreviated SLC1; Transcription factor gene is abbreviated SEF2-1B (TCF4); Heat shock protein gene is abbreviated HSP70; GABA-A receptor subunit gene is abbreviated GABRG2; and GABA-A receptor subunit 5 gene is abbreviated GABRA5.

III. Biallelic Markers and Polynucleotides Comprising Biallelic Markers

A. Advantages of the Biallelic Markers of the Present Invention

The CNS disorder-related biallelic markers of the present invention offer a number of
5 important advantages over other genetic markers such as RFLP (Restriction fragment length
polymorphism) and VNTR (Variable Number of Tandem Repeats) markers.

The first generation of markers, were RFLPs, which are variations that modify the length
of a restriction fragment. But methods used to identify and to type RFLPs are relatively wasteful
of materials, effort, and time. The second generation of genetic markers were VNTRs, which can
10 be categorized as either minisatellites or microsatellites. Minisatellites are tandemly repeated
DNA sequences present in units of 5-50 repeats which are distributed along regions of the human
chromosomes ranging from 0.1 to 20 kilobases in length. Since they present many possible
alleles, their informative content is very high. Minisatellites are scored by performing Southern
blots to identify the number of tandem repeats present in a nucleic acid sample from the
15 individual being tested. However, there are only 10^4 potential VNTRs that can be typed by
Southern blotting. Moreover, both RFLP and VNTR markers are costly and time-consuming to
develop and assay in large numbers.

Single nucleotide polymorphism or biallelic markers can be used in the same manner as
RFLPs and VNTRs but offer several advantages. Single nucleotide polymorphisms are densely
20 spaced in the human genome and represent the most frequent type of variation. An estimated
number of more than 10^7 sites are scattered along the 3×10^9 base pairs of the human genome.
Therefore, single nucleotide polymorphism occur at a greater frequency and with greater
uniformity than RFLP or VNTR markers which means that there is a greater probability that such
a marker will be found in close proximity to a genetic locus of interest. Single nucleotide
25 polymorphisms are less variable than VNTR markers but are mutationally more stable.

Also, the different forms of a characterized single nucleotide polymorphism, such as the
biallelic markers of the present invention, are often easier to distinguish and can therefore be
typed easily on a routine basis. Biallelic markers have single nucleotide based alleles and they
have only two common alleles, which allows highly parallel detection and automated scoring.
30 The biallelic markers of the present invention offer the possibility of rapid, high-throughput
genotyping of a large number of individuals.

Biallelic markers are densely spaced in the genome, sufficiently informative and can be
assayed in large numbers. The combined effects of these advantages make biallelic markers
extremely valuable in genetic studies. Biallelic markers can be used in linkage studies in
35 families, in allele sharing methods, in linkage disequilibrium studies in populations, in
association studies of case-control populations. An important aspect of the present invention is
that biallelic markers allow association studies to be performed to identify genes involved in

complex traits. Association studies examine the frequency of marker alleles in unrelated case- and control-populations and are generally employed in the detection of polygenic or sporadic traits. Association studies may be conducted within the general population and are not limited to studies performed on related individuals in affected families (linkage studies). Biallelic markers
5 in different genes can be screened in parallel for direct association with disease or response to a treatment. This multiple gene approach is a powerful tool for a variety of human genetic studies as it provides the necessary statistical power to examine the synergistic effect of multiple genetic factors on a particular phenotype, drug response, sporadic trait, or disease state with a complex genetic etiology.

10 B. Polynucleotides of the Present Invention

The present invention encompasses polynucleotides for use as primers and probes in the methods of the invention. These polynucleotides may consist of, consist essentially of, or comprise a contiguous span of nucleotides of a sequence from any sequence in the Sequence Listing as well as sequences which are complementary thereto ("complements thereof"). The
15 "contiguous span" may be at least 8, 10, 12, 15, 18, 20, 25, 35, 40, 50, 70, 80, 100, 250, 500, 1000, 2000 or 3000 nucleotides in length, to the extent that a contiguous span of these lengths is consistent with the lengths of the particular Sequence ID. It should be noted that the polynucleotides of the present invention are not limited to having the exact flanking sequences surrounding the polymorphic bases which, are enumerated in the Sequence Listing. Rather, it
20 will be appreciated that the flanking sequences surrounding the biallelic markers, or any of the primers of probes of the invention which, are more distant from the markers, may be lengthened or shortened to any extent compatible with their intended use and the present invention specifically contemplates such sequences. It will be appreciated that the polynucleotides referred to in the Sequence Listing may be of any length compatible with their intended use. Also the
25 flanking regions outside of the contiguous span need not be homologous to native flanking sequences which actually occur in human subjects. The addition of any nucleotide sequence, which is compatible with the nucleotides intended use is specifically contemplated. The contiguous span may optionally include the CNS disorder-related biallelic marker in said sequence. Biallelic markers generally consist of a polymorphism at one single base position.
30 Each biallelic marker therefore corresponds to two forms of a polynucleotide sequence which, when compared with one another, present a nucleotide modification at one position. Usually, the nucleotide modification involves the substitution of one nucleotide for another. Optionally either the original or the alternative allele of the biallelic markers disclosed in Table 9, or the first or second allele disclosed in Table 8 and 10 may be specified as being present at the CNS disorder-
35 related biallelic marker.

The invention also relates to polynucleotides that hybridize, under conditions of high or intermediate stringency, to a polynucleotide of a sequence from any sequence in the Sequence

Listing as well as sequences, which are complementary thereto. Preferably such polynucleotides are at least 20, 25, 35, 40, 50, 70, 80, 100, 250, 500, 1000, 2000 or 3000 nucleotides in length, to the extent that a polynucleotide of these lengths is consistent with the lengths of the particular Sequence ID. Preferred polynucleotides comprise a CNS disorder-related biallelic marker.

- 5 Optionally either the original or the alternative allele of the biallelic markers disclosed in Table 9 may be specified as being present at the CNS disorder-related biallelic marker. Conditions of high and intermediate stringency are further described herein.

 The preferred polynucleotides of the invention include the sequence ranges included in any one the sequence ranges of Tables 8 and 11 to 14 individually or in groups consisting of all
10 the possible combinations of the ranges of included in Tables 8, and 11 to 14. The preferred polynucleotides of the invention also include fragments of at least 8, 10, 12, 15, 18, 20, 25, 35, 40, 50, 70, 80, 100, 250, 500 or 1000 consecutive nucleotides of the sequence ranges included in any one of the sequence ranges of Tables 9, and 12 to 15 to the extent that fragments of these lengths are consistent with the lengths of the particular sequence range. The preferred
15 polynucleotides of the invention also include fragments of at least 8, 10, 12, 15, 18, 20, 25, 35, 40, 50, 70, 80, 100, 250, 500 or 1000 consecutive nucleotides of the sequence complementary to the sequence ranges included in any one of the sequence ranges of Tables 8 and 11 to 14 to the extent that fragments of these lengths are consistent with the lengths of the particular sequence range.

20 The primers of the present invention may be designed from the disclosed sequences for any method known in the art. A preferred set of primers is fashioned such that the 3' end of the contiguous span of identity with the sequences of the Sequence Listing is present at the 3' end of the primer. Such a configuration allows the 3' end of the primer to hybridize to a selected nucleic acid sequence and dramatically increases the efficiency of the primer for amplification or
25 sequencing reactions. In a preferred set of primers the contiguous span is found in one of the sequences described in Table 11. Allele specific primers may be designed such that a biallelic marker is at the 3' end of the contiguous span and the contiguous span is present at the 3' end of the primer. Such allele specific primers tend to selectively prime an amplification or sequencing reaction so long as they are used with a nucleic acid sample that contains one of the two alleles
30 present at a biallelic marker. The 3' end of primer of the invention may be located within or at least 2, 4, 6, 8, 10, 12, 15, 18, 20, 25, 50, 100, 250, 500, 1000, 2000 or 3000 to the extent that this distance is consistent with the particular Sequence ID, nucleotides upstream of a CNS disorder-related biallelic marker in said sequence or at any other location which is appropriate for their intended use in sequencing, amplification or the location of novel sequences or markers. A list
35 of preferred amplification primers is disclosed in Table 13. Primers with their 3' ends located 1 nucleotide upstream of a CNS disorder-related biallelic marker have a special utility as microsequencing assays. Preferred microsequencing primers are described in Tables 12.

The probes of the present invention may be designed from the disclosed sequences for any method known in the art, particularly methods which allow for testing if a particular sequence or marker disclosed herein is present. A preferred set of probes may be designed for use in the hybridization assays of the invention in any manner known in the art such that they
5 selectively bind to one allele of a biallelic marker, but not the other under any particular set of assay conditions. Preferred hybridization probes may consists of, consist essentially of, or comprise a contiguous span which ranges in length from 8, 10, 12, 15, 18 or 20 to 25, 35, 40, 50, 60, 70, or 80 nucleotides, or be specified as being 12, 15, 18, 20, 25, 35, 40, or 50 nucleotides in length and including a CNS disorder-related biallelic marker of said sequence. Optionally the
10 original allele or alternative allele disclosed in Table 9 and the first or second allele disclosed in Tables 8 and 10 may be specified as being present at the biallelic marker site. Optionally, said biallelic marker may be within 6, 5, 4, 3, 2, or 1 nucleotides of the center of the hybridization probe or at the center of said probe. A particularly preferred set of hybridization probes is disclosed in Table 14 or a sequence complementary thereto.

15 Any of the polynucleotides of the present invention can be labeled, if desired, by incorporating a label detectable by spectroscopic, photochemical, biochemical, immunochemical, or chemical means. For example, useful labels include radioactive substances, fluorescent dyes, or biotin. Preferably, polynucleotides are labeled at their 3' and 5' ends. A label can also be used to capture the primer, so as to facilitate the immobilization of either the primer or a primer
20 extension product, such as amplified DNA, on a solid support. A capture label is attached to the primers or probes and can be a specific binding member which forms a binding pair with the solid's phase reagent's specific binding member (e.g. biotin and streptavidin). Therefore depending upon the type of label carried by a polynucleotide or a probe, it may be employed to capture or to detect the target DNA. Further, it will be understood that the polynucleotides,
25 primers or probes provided herein, may, themselves, serve as the capture label. For example, in the case where a solid phase reagent's binding member is a nucleic acid sequence, it may be selected such that it binds a complementary portion of a primer or probe to thereby immobilize the primer or probe to the solid phase. In cases where a polynucleotide probe itself serves as the binding member, those skilled in the art will recognize that the probe will contain a sequence or
30 "tail" that is not complementary to the target. In the case where a polynucleotide primer itself serves as the capture label, at least a portion of the primer will be free to hybridize with a nucleic acid on a solid phase. DNA Labeling techniques are well known to the skilled technician.

Any of the polynucleotides, primers and probes of the present invention can be conveniently immobilized on a solid support. Solid supports are known to those skilled in the art
35 and include the walls of wells of a reaction tray, test tubes, polystyrene beads, magnetic beads, nitrocellulose strips, membranes, microparticles such as latex particles, sheep (or other animal) red blood cells, duracytes® and others. The solid support is not critical and can be selected by

one skilled in the art. Thus, latex particles, microparticles, magnetic or non-magnetic beads, membranes, plastic tubes, walls of microtiter wells, glass or silicon chips, sheep (or other suitable animal's) red blood cells and duracytes are all suitable examples. Suitable methods for immobilizing nucleic acids on solid phases include ionic, hydrophobic, covalent interactions and the like. A solid support, as used herein, refers to any material which is insoluble, or can be made insoluble by a subsequent reaction. The solid support can be chosen for its intrinsic ability to attract and immobilize the capture reagent. Alternatively, the solid phase can retain an additional receptor which has the ability to attract and immobilize the capture reagent. The additional receptor can include a charged substance that is oppositely charged with respect to the capture reagent itself or to a charged substance conjugated to the capture reagent. As yet another alternative, the receptor molecule can be any specific binding member which is immobilized upon (attached to) the solid support and which has the ability to immobilize the capture reagent through a specific binding reaction. The receptor molecule enables the indirect binding of the capture reagent to a solid support material before the performance of the assay or during the performance of the assay. The solid phase thus can be a plastic, derivatized plastic, magnetic or non-magnetic metal, glass or silicon surface of a test tube, microtiter well, sheet, bead, microparticle, chip, sheep (or other suitable animal's) red blood cells, duracytes® and other configurations known to those of ordinary skill in the art. The polynucleotides of the invention can be attached to or immobilized on a solid support individually or in groups of at least 2, 5, 8, 10, 12, 15, 20, or 25 distinct polynucleotides of the inventions to a single solid support. In addition, polynucleotides other than those of the invention may be attached to the same solid support as one or more polynucleotides of the invention.

Any polynucleotide provided herein may be attached in overlapping areas or at random locations on the solid support. Alternatively the polynucleotides of the invention may be attached in an ordered array wherein each polynucleotide is attached to a distinct region of the solid support which does not overlap with the attachment site of any other polynucleotide. Preferably, such an ordered array of polynucleotides is designed to be "addressable" where the distinct locations are recorded and can be accessed as part of an assay procedure. Addressable polynucleotide arrays typically comprise a plurality of different oligonucleotide probes that are coupled to a surface of a substrate in different known locations. The knowledge of the precise location of each polynucleotide's location makes these "addressable" arrays particularly useful in hybridization assays. Any addressable array technology known in the art can be employed with the polynucleotides of the invention. One particular embodiment of these polynucleotide arrays is known as the Genechips™, and has been generally described in US Patent 5,143,854; PCT publications WO 90/15070 and 92/10092. These arrays may generally be produced using mechanical synthesis methods or light directed synthesis methods, which incorporate a combination of photolithographic methods and solid phase oligonucleotide synthesis (Fodor et

al., Science, 251:767-777, 1991). The immobilization of arrays of oligonucleotides on solid supports has been rendered possible by the development of a technology generally identified as "Very Large Scale Immobilized Polymer Synthesis" (VLSIPS™) in which, typically, probes are immobilized in a high density array on a solid surface of a chip. Examples of VLSIPS™ technologies are provided in US Patents 5,143,854 and 5,412,087 and in PCT Publications WO 90/15070, WO 92/10092 and WO 95/11995, which describe methods for forming oligonucleotide arrays through techniques such as light-directed synthesis techniques. In designing strategies aimed at providing arrays of nucleotides immobilized on solid supports, further presentation strategies were developed to order and display the oligonucleotide arrays on the chips in an attempt to maximize hybridization patterns and sequence information. Examples of such presentation strategies are disclosed in PCT Publications WO 94/12305, WO 94/11530, WO 97/29212 and WO 97/31256.

Oligonucleotide arrays may comprise at least one of the sequences selected from the group consisting of SEQ ID No. 1-130; and the sequences complementary thereto or a fragment thereof of at least 8, 10, 12, 15, 18, 20, 25, 35, 40, 50, 70, 80, 100, 250, 500, 1000, 2000 or 3000 consecutive nucleotides, to the extent that fragments of these lengths is consistent with the lengths of the particular Sequence ID, for determining whether a sample contains one or more alleles of the biallelic markers of the present invention. Oligonucleotide arrays may also comprise at least one of the sequences selected from the group consisting of SEQ ID No. 1-130; and the sequences complementary thereto or a fragment thereof of at least 8, 10, 12, 15, 18, 20, 25, 35, 40, 50, 70, 80, 100, 250, 500, 1000, 2000 or 3000 consecutive nucleotides, to the extent that fragments of these lengths is consistent with the lengths of the particular Sequence ID, for amplifying one or more alleles of the biallelic markers of Table 7. In other embodiments, arrays may also comprise at least one of the sequences selected from the group consisting of SEQ ID No. 1-130; and the sequences complementary thereto or a fragment thereof of at least 8, 10, 12, 15, 18, 20, 25, 35, 40, 50, 70, 80, 100, 250, 500, 1000, 2000 or 3000 consecutive nucleotides, to the extent that fragments of these lengths is consistent with the lengths of the particular Sequence ID, for conducting microsequencing analyses to determine whether a sample contains one or more alleles of the biallelic markers of the invention. In still further embodiments, the oligonucleotide array may comprise at least one of the sequences selecting from the group consisting of SEQ ID No. 1-130; and the sequences complementary thereto or a fragment thereof of at least 8, 10, 12, 15, 18, 20, 25, 35, 40, 50, 70, 80, 100, 250, 500, 1000, 2000 or 3000 nucleotides in length, to the extent that fragments of these lengths is consistent with the lengths of the particular Sequence ID, for determining whether a sample contains one or more alleles of the biallelic markers of the present invention. In still further embodiments, the oligonucleotide array may comprise at least one of the novel sequences listed in the fifth column of Table 8 or the sequences complementary thereto or a fragment comprising at least 8, 10, 12, 15, 18, 20, 25, 35,

40, 50, 70, 80, 100, 250, 500 or 1000 consecutive nucleotides thereof to the extent that fragments of these lengths are consistent with the lengths of the particular novel sequences.

The present invention also encompasses diagnostic kits comprising one or more polynucleotides of the invention, optionally with a portion or all of the necessary reagents and instructions for genotyping a test subject by determining the identity of a nucleotide at a CNS disorder-related biallelic marker. The determining of the identity may optionally be at a CNS disorder-related biallelic marker that predicts the response of a therapeutic agent, preferably Reboxetine, when administered to a patient suffering from depression. The polynucleotides of a kit may optionally be attached to a solid support, or be part of an array or addressable array of polynucleotides. The kit may provide for the determination of the identity of the nucleotide at a marker position by any method known in the art including, but not limited to, a sequencing assay method, a microsequencing assay method, a hybridization assay method, or an allele specific amplification method. Optionally such a kit may include instructions for scoring the results of the determination with respect to the test subjects' risk of contracting a CNS disorder, or likely response to an agent acting on CNS disorders, or chances of suffering from side effects to an agent acting on CNS disorders.

C. Polypeptides of the Invention

The polynucleotides which encode the WFS1 and the NET polypeptide may include: only the coding sequence for the mature polypeptide; the coding sequence for the polypeptide and additional coding sequence such as a leader or secretory sequence or a proprotein sequence; the coding sequence for the polypeptide (and optionally additional coding sequence) and non-coding sequence, such as introns or non-coding sequence 5' and/or 3' of the coding sequence for the mature polypeptide.

Thus, the term "polynucleotide encoding a polypeptide" encompasses a polynucleotide which includes only coding sequence for the polypeptide as well as a polynucleotide which includes additional coding and/or non-coding sequence.

As hereinabove indicated, the polynucleotides may have a coding sequence which is a naturally occurring allelic variant of the coding sequence of SEQ ID NO: 543 or 544. As known in the art, an allelic variant is an alternate form of a polynucleotide sequence which may have a substitution, deletion or addition of one or more nucleotides, which does not substantially alter the function of the encoded polypeptide.

D. Host Cells

Host cells are genetically engineered (transduced or transformed or transfected) with the vectors of this invention which may be, for example, a cloning vector or an expression vector. The vector may be, for example, in the form of a plasmid, a viral particle, a phage, etc. The engineered host cells can be cultured in conventional nutrient media modified as appropriate for activating promoters, selecting transformants or amplifying the WFS1 or NET gene. The culture

conditions, such as temperature, pH and the like, are those previously used with the host cell selected for expression, and will be apparent to the ordinarily skilled artisan.

The polynucleotides of the present invention may be employed for producing polypeptides by recombinant techniques. Thus, for example, the polynucleotide may be included in any one of a variety of expression vectors for expressing a polypeptide. Such vectors include chromosomal, nonchromosomal and synthetic DNA sequences, e.g., derivatives of SV40; bacterial plasmids; phage DNA; baculovirus; yeast plasmids; vectors derived from combinations of plasmids and phage DNA, viral DNA such as vaccinia, adenovirus, fowl pox virus, and pseudorabies. However, any other vector may be used as long as it is replicable and viable in the host.

The appropriate DNA sequence may be inserted into the vector by a variety of procedures. In general, the DNA sequence is inserted into an appropriate restriction endonuclease site(s) by procedures known in the art. Such procedures and others are deemed to be within the scope of those skilled in the art.

The DNA sequence in the expression vector is operatively linked to an appropriate expression control sequence(s) (promoter) to direct mRNA synthesis. As representative examples of such promoters, there may be mentioned: LTR or SV40 promoter, the E. coli. lac or trp, the phage lambda P.sub.L promoter and other promoters known to control expression of genes in prokaryotic or eukaryotic cells or their viruses. The expression vector also contains a ribosome binding site for translation initiation and a transcription terminator. The vector may also include appropriate sequences for amplifying expression.

In addition, the expression vectors preferably contain one or more selectable marker genes to provide a phenotypic trait for selection of transformed host cells such as dihydrofolate reductase or neomycin resistance for eukaryotic cell culture, or such as tetracycline or ampicillin resistance in E. coli.

The vector containing the appropriate DNA sequence as hereinabove described, as well as an appropriate promoter or control sequence, may be employed to transform an appropriate host to permit the host to express the protein.

As representative examples of appropriate hosts, there may be mentioned: bacterial cells, such as E. coli, Streptomyces, Salmonella typhimurium; fungal cells, such as yeast; insect cells such as Drosophila S2 and Spodoptera Sf9; animal cells such as CHO, COS or Bowes melanoma; adenoviruses; plant cells, etc. The selection of an appropriate host is deemed to be within the scope of those skilled in the art from the teachings herein.

E. Screening Assays

The polynucleotides of the present invention may be employed for producing polypeptides by recombinant techniques. Thus, for example, the polynucleotide may be included in any one of a variety of expression vectors for expressing a polypeptide. Such vectors include

chromosomal, nonchromosomal and synthetic DNA sequences, e.g., derivatives of SV40; bacterial plasmids; phage DNA; baculovirus; yeast plasmids; vectors derived from combinations of plasmids and phage DNA, viral DNA such as vaccinia, adenovirus, fowl pox virus, and pseudorabies. However, any other vector may be used as long as it is replicable and viable in the host.

The appropriate DNA sequence may be inserted into the vector by a variety of procedures. In general, the DNA sequence is inserted into an appropriate restriction endonuclease site(s) by procedures known in the art. Such procedures and others are deemed to be within the scope of those skilled in the art.

The DNA sequence in the expression vector is operatively linked to an appropriate expression control sequence(s) (promoter) to direct mRNA synthesis. As representative examples of such promoters, there may be mentioned: LTR or SV40 promoter, the *E. coli* lac or trp, the phage lambda P.sub.L promoter and other promoters known to control expression of genes in prokaryotic or eukaryotic cells or their viruses. The expression vector also contains a ribosome binding site for translation initiation and a transcription terminator. The vector may also include appropriate sequences for amplifying expression.

In addition, the expression vectors preferably contain one or more selectable marker genes to provide a phenotypic trait for selection of transformed host cells such as dihydrofolate reductase or neomycin resistance for eukaryotic cell culture, or such as tetracycline or ampicillin resistance in *E. coli*.

The vector containing the appropriate DNA sequence as hereinabove described, as well as an appropriate promoter or control sequence, may be employed to transform an appropriate host to permit the host to express the protein.

As representative examples of appropriate hosts, there may be mentioned: bacterial cells, such as *E. coli*, *Streptomyces*, *Salmonella typhimurium*; fungal cells, such as yeast; insect cells such as *Drosophila* S2 and *Spodoptera Sf9*; animal cells such as CHO, COS or Bowes melanoma; adenoviruses; plant cells, etc. The selection of an appropriate host is deemed to be within the scope of those skilled in the art from the teachings herein.

More particularly, the present invention also includes recombinant constructs comprising one or more of the sequences as broadly described above. The constructs comprise a vector, such as a plasmid or viral vector, into which a sequence of the invention has been inserted, in a forward or reverse orientation. In a preferred aspect of this embodiment, the construct further comprises regulatory sequences, including, for example, a promoter, operably linked to the sequence. Large numbers of suitable vectors and promoters are known to those of skill in the art, and are commercially available. The following vectors are provided by way of example.

Bacterial: pQE70, pQE60, pQE-9 (Qiagen), pbs, pD10, phagescript, psiX174, pbluescript SK, pbsks, pNH8A, pNH16a, pNH18A, pNH46A (Stratagene); ptrc99a, pKK223-3, pKK233-3,

pDR540, pRIT5 (Pharmacia). Eukaryotic: pWLNEO, pSV2CAT, pOG44, pXT1, pSG (Stratagene) pSVK3, pBPV, pMSG, PSVL (Pharmacia). However, any other plasmid or vector may be used as long as they are replicable and viable in the host.

Promoter regions can be selected from any desired gene using CAT (chloramphenicol transferase) vectors or other vectors with selectable markers. Two appropriate vectors are
5 PKK232-8 and PCM7. Particular named bacterial promoters include lacI, lacZ, T3, T7, gpt, lambda P.sub.R, P.sub.L and trp. Eukaryotic promoters include CMV immediate early, HSV thymidine kinase, early and late SV40, LTRs from retrovirus, and mouse metallothionein-I. Selection of the appropriate vector and promoter is well within the level of ordinary skill in the
10 art.

In a further embodiment, the present invention relates to host cells containing the above-described constructs. The host cell can be a higher eukaryotic cell, such as a mammalian cell, or a lower eukaryotic cell, such as a yeast cell, or the host cell can be a prokaryotic cell, such as a bacterial cell. Introduction of the construct into the host cell can be effected by calcium
15 phosphate transfection, DEAE-Dextran mediated transfection, or electroporation: (Davis, L., Dibner, M., Battey, I., Basic Methods in Molecular Biology, (1986)).

The constructs in host cells can be used in a conventional manner to produce the gene product encoded by the recombinant sequence. Alternatively, the polypeptides of the invention can be synthetically produced by conventional peptide synthesizers.

20 Mature proteins can be expressed in mammalian cells, yeast, bacteria, or other cells under the control of appropriate promoters. Cell-free translation systems can also be employed to produce such proteins using RNAs derived from the DNA constructs of the present invention. Appropriate cloning and expression vectors for use with prokaryotic and eukaryotic hosts are described by Sambrook, et al., Molecular Cloning: A Laboratory Manual, Second Edition, Cold
25 Spring Harbor, N.Y., (1989), the disclosure of which is hereby incorporated by reference.

Transcription of the DNA encoding the polypeptides of the present invention by higher eukaryotes is increased by inserting an enhancer sequence into the vector. Enhancers are cis-acting elements of DNA, usually about from 10 to 300 bp that act on a promoter to increase its transcription. Examples including the SV40 enhancer on the late side of the replication origin bp
30 100 to 270, a cytomegalovirus early promoter enhancer, the polyoma enhancer on the late side of the replication origin, and adenovirus enhancers.

Generally, recombinant expression vectors will include origins of replication and selectable markers permitting transformation of the host cell, e.g., the ampicillin resistance gene of *E. coli* and *S. cerevisiae* TRP1 gene, and a promoter derived from a highly-expressed gene to
35 direct transcription of a downstream structural sequence. Such promoters can be derived from operons encoding glycolytic enzymes such as 3-phosphoglycerate kinase (PGK), alpha.-factor, acid phosphatase, or heat shock proteins, among others. The heterologous structural sequence is

assembled in appropriate phase with translation initiation and termination sequences, and preferably, a leader sequence capable of directing secretion of translated protein into the periplasmic space or extracellular medium. Optionally, the heterologous sequence can encode a fusion protein including an N-terminal identification peptide imparting desired characteristics, e.g., stabilization or simplified purification of expressed recombinant product.

Useful expression vectors for bacterial use are constructed by inserting a structural DNA sequence encoding a desired protein together with suitable translation initiation and termination signals in operable reading phase with a functional promoter. The vector will comprise one or more phenotypic selectable markers and an origin of replication to ensure maintenance of the vector and to, if desirable, provide amplification within the host. Suitable prokaryotic hosts for transformation include *E. coli*, *Bacillus subtilis*, *Salmonella typhimurium* and various species within the genera *Pseudomonas*, *Streptomyces*, and *Staphylococcus*, although others may also be employed as a matter of choice.

As a representative but nonlimiting example, useful expression vectors for bacterial use can comprise a selectable marker and bacterial origin of replication derived from commercially available plasmids comprising genetic elements of the well known cloning vector pBR322 (ATCC 37017). Such commercial vectors include, for example, pKK223-3 (Pharmacia Fine Chemicals, Uppsala, Sweden) and GEM1 (Promega Biotec, Madison, Wis., USA). These pBR322 "backbone" sections are combined with an appropriate promoter and the structural sequence to be expressed.

Following transformation of a suitable host strain and growth of the host strain to an appropriate cell density, the selected promoter is induced by appropriate means (e.g., temperature shift or chemical induction) and cells are cultured for an additional period.

Cells are typically harvested by centrifugation, disrupted by physical or chemical means, and the resulting crude extract retained for further purification. Microbial cells employed in expression of proteins can be disrupted by any convenient method, including freeze-thaw cycling, sonication, mechanical disruption, or use of cell lysing agents, such methods are well known to those skilled in the art.

Various mammalian cell culture systems can also be employed to express recombinant protein. Examples of mammalian expression systems include the COS-7 lines of monkey kidney fibroblasts, described by Gluzman, *Cell*, 23:175 (1981), and other cell lines capable of expressing a compatible vector, for example, the C127, 3T3, CHO, HeLa and BHK cell lines. Mammalian expression vectors will comprise an origin of replication, a suitable promoter and enhancer, and also any necessary ribosome binding sites, polyadenylation site, splice donor and acceptor sites, transcriptional termination sequences, and 5' flanking nontranscribed sequences. DNA sequences derived from the SV40-splice, and polyadenylation sites may be used to provide the required nontranscribed genetic elements.

The WFS1 and NET polypeptides can be recovered and purified from recombinant cell cultures by methods including ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, affinity chromatography, hydroxylapatite chromatography and lectin chromatography. Protein refolding steps can be used, as necessary, in completing configuration of the mature protein. Finally, high performance liquid chromatography (HPLC) can be employed for final purification steps.

The polypeptides of the present invention may be a naturally purified product, or a product of chemical synthetic procedures, or produced by recombinant techniques from a prokaryotic or eukaryotic host (for example, by bacterial, yeast, higher plant, insect and mammalian cells in culture). Depending upon the host employed in a recombinant production procedure, the polypeptides of the present invention may be glycosylated or may be non-glycosylated. Polypeptides of the invention may also include an initial methionine amino acid residue.

F. Screening Assays

The WFS1 protein receptor of the present invention may be employed in a process for screening for antagonists and/or agonists for the receptor.

In general, such screening procedures involve providing appropriate cells which express the receptor on the surface thereof. In particular, a polynucleotide encoding the receptor of the present invention is employed to transfect cells to thereby express the WFS1 receptor. Such transfection may be accomplished by procedures as hereinabove described.

One such screening procedure involves the use of the melanophores which are transfected to express the WFS1 receptor of the present invention. Such a screening technique is described in PCT WO 92/01810 published Feb. 6, 1992.

Thus, for example, such assay may be employed for screening for a receptor antagonist by contacting the melanophore cells which encode the WFS1 receptor with both the receptor ligand and a compound to be screened. Inhibition of the signal generated by the ligand indicates that a compound is a potential antagonist for the receptor, i.e., inhibits activation of the receptor.

The screen may be employed for determining an agonist by contacting such cells with compounds to be screened and determining whether such compound generates a signal, i.e., activates the receptor.

Other screening techniques include the use of cells which express WFS1 receptor (for example, transfected CHO cells) in a system which measures extracellular pH changes caused by receptor activation, for example, as described in Science, volume 246, pages 181-296 (October 1989). For example, potential agonists or antagonists may be contacted with a cell which expresses the WFS1 receptor and a second messenger response, e.g. signal transduction or pH changes, may be measured to determine whether the potential agonist or antagonist is effective.

Another such screening technique involves introducing RNA encoding the WFS1 receptor into xenopus oocytes to transiently express the receptor. The receptor oocytes may then be contacted in the case of antagonist screening with the receptor ligand and a compound to be screened, followed by detection of inhibition of a calcium signal.

5 Another screening technique involves expressing the WFS1 receptor in which the receptor is linked to a phospholipase C or D. As representative examples of such cells, there may be mentioned endothelial cells, smooth muscle cells, embryonic kidney cells, etc. The screening for an antagonist or agonist may be accomplished as hereinabove described by detecting activation of the receptor or inhibition of activation of the receptor from the phospholipase
10 second signal.

Another method involves screening for antagonists by determining inhibition of binding of labeled ligand to cells which have the receptor on the surface thereof. Such a method involves transfecting a eukaryotic cell with DNA encoding the WFS1 receptor such that the cell expresses the receptor on its surface and contacting the cell with a potential antagonist in the presence of a
15 labeled form of a known ligand. The ligand can be labeled, e.g., by radioactivity. The amount of labeled ligand bound to the receptors is measured, e.g., by measuring radioactivity of the receptors. If the potential antagonist binds to the receptor as determined by a reduction of labeled ligand which binds to the receptors, the binding of labeled ligand to the receptor is inhibited.

The present invention also provides a method for determining whether a ligand not
20 known to be capable of binding to a WFS1 receptor can bind to such receptor which comprises contacting a mammalian cell which expresses a WFS1 receptor with the ligand under conditions permitting binding of ligands to the WFS1 receptor, detecting the presence of a ligand which binds to the receptor and thereby determining whether the ligand binds to the WFS1 receptor. The systems hereinabove described for determining agonists and/or antagonists may also be
25 employed for determining ligands which bind to the receptor.

In general, antagonists for WFS1 receptors which are determined by screening
procedures may be employed for a variety of therapeutic purposes. For example, such antagonists have been employed for treatment of hypertension, angina pectoris, myocardial infarction, ulcers, asthma, allergies, psychoses, depression, migraine, vomiting, stroke, eating disorders, migraine
30 headaches, cancer and benign prostatic hypertrophy.

Agonists for WFS1 receptors are also useful for therapeutic purposes, such as the treatment of Wolfram syndrome and/or depression.

Examples of WFS1 receptor antagonists include an antibody, or in some cases an oligonucleotide, which binds to the WFS1 receptor but does not elicit a second messenger
35 response such that the activity of the WFS1 receptor is prevented. Antibodies include anti-idiotypic antibodies which recognize unique determinants generally associated with the antigen-binding site of an antibody.

Potential antagonists also include proteins which are closely related to the ligand of the WFS1 receptor, i.e. a fragment of the ligand, which have lost biological function and when binding to the WFS1 receptor, elicit no response.

A potential antagonist also includes an antisense construct prepared through the use of antisense technology. Antisense technology can be used to control gene expression through triple-helix formation or antisense DNA or RNA, both of which methods are based on binding of a polynucleotide to DNA or RNA. For example, the 5' coding portion of the polynucleotide sequence, which encodes for the mature polypeptides of the present invention, is used to design an antisense RNA oligonucleotide of from about 10 to 40 base pairs in length. A DNA oligonucleotide is designed to be complementary to a region of the gene involved in transcription (triple helix -see Lee et al., Nucl. Acids Res., 6:3073 (1979); Cooney et al, Science, 241:456 (1988); and Dervan et al., Science, 251: 1360 (1991)), thereby preventing transcription and the production of WFS1 receptor. The antisense RNA oligonucleotide hybridizes to the mRNA in vivo and blocks translation of the mRNA molecule into the WFS1 receptor (antisense-Okano, J. Neurochem., 56:560 (1991); Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, Fla. (1988)). The oligonucleotides described above can also be delivered to cells such that the antisense RNA or DNA may be expressed in vivo to inhibit production of WFS1 receptor.

Another potential antagonist is a small molecule which binds to the WFS1 receptor, making it inaccessible to ligands such that normal biological activity is prevented. Examples of small molecules include but are not limited to small peptides or peptide-like molecules.

Potential antagonists also include a soluble form of a WFS1 receptor, e.g. a fragment of the receptor, which binds to the ligand and prevents the ligand from interacting with membrane bound WFS1 receptors.

The WFS1 receptor and antagonists or agonists may be employed in combination with a suitable pharmaceutical carrier. Such compositions comprise a therapeutically effective amount of the polypeptide, and a pharmaceutically acceptable carrier or excipient. Such a carrier includes but is not limited to saline, buffered saline, dextrose, water, glycerol, ethanol, and combinations thereof. The formulation should suit the mode of administration.

G. Antibodies

The polypeptides, their fragments or other derivatives, or analogs thereof, or cells expressing them can be used as an immunogen to produce antibodies thereto. These antibodies can be, for example, polyclonal or monoclonal antibodies. The present invention also includes chimeric, single chain, and humanized antibodies, as well as Fab fragments, or the product of an Fab expression library. Various procedures known in the art may be used for the production of such antibodies and fragments.

Antibodies generated against the polypeptides corresponding to a sequence of the present invention can be obtained by direct injection of the polypeptides into an animal or by administering the polypeptides to an animal, preferably a nonhuman. The antibody so obtained will then bind the polypeptides itself. In this manner, even a sequence encoding only a fragment
5 of the polypeptides can be used to generate antibodies binding the whole native polypeptides. Such antibodies can then be used to isolate the polypeptide from tissue expressing that polypeptide.

IV. Methods for *De Novo* Identification of Biallelic Markers

10 Large fragments of human DNA, carrying genes of interest involved in CNS disorders; were cloned, sequenced and screened for biallelic markers. Biallelic markers within the candidate genes themselves as well as markers located on the same genomic fragment were identified. It will be clear to one of skill in the art that large fragments of human genomic DNA may be obtained from any appropriate source and may be cloned into a number of suitable
15 vectors.

In a preferred embodiment of the invention, BAC (Bacterial Artificial Chromosomes) vectors were used to construct DNA libraries covering the entire human genome. Specific amplification primers were designed for each candidate gene and the BAC library was screened by PCR until there was at least one positive BAC clone per candidate gene. Genomic sequence,
20 screened for biallelic markers, was generated by sequencing ends of BAC subclones. Details of a preferred embodiment are provided in Example 1. As a preferred alternative to sequencing the ends of an adequate number of BAC subclones, high throughput deletion-based sequencing vectors, which allow the generation of a high quality sequence information covering fragments of about 6kb, may be used. Having sequence fragments longer than 2.5 or 3kb enhances the
25 chances of identifying biallelic markers therein. Methods of constructing and sequencing a nested set of deletions are disclosed in the related U.S. Patent Application entitled "High Throughput DNA Sequencing Vector" (Serial No. 09/058,746).

In another embodiment of the invention, genomic sequences of candidate genes were available in public databases allowing direct screening for biallelic markers.

30 Any of a variety of methods can be used to screen a genomic fragment for single nucleotide polymorphisms such as differential hybridization with oligonucleotide probes, detection of changes in the mobility measured by gel electrophoresis or direct sequencing of the amplified nucleic acid. A preferred method for identifying biallelic markers involves comparative sequencing of genomic DNA fragments from an appropriate number of unrelated individuals.

35 In a first embodiment, DNA samples from unrelated individuals are pooled together, following which the genomic DNA of interest is amplified and sequenced. The nucleotide sequences thus obtained are then analyzed to identify significant polymorphisms. One of the

major advantages of this method resides in the fact that the pooling of the DNA samples substantially reduces the number of DNA amplification reactions and sequencing reactions, which must be carried out. Moreover, this method is sufficiently sensitive so that a biallelic marker obtained thereby usually demonstrates a sufficient frequency of its less common allele to
5 be useful in conducting association studies. Usually, the frequency of the least common allele of a biallelic marker identified by this method is at least 10%.

In a second embodiment, the DNA samples are not pooled and are therefore amplified and sequenced individually. This method is usually preferred when biallelic markers need to be identified in order to perform association studies within candidate genes. Preferably, highly
10 relevant gene regions such as promoter regions or exon regions may be screened for biallelic markers. A biallelic marker obtained using this method may show a lower degree of informativeness for conducting association studies, e.g. if the frequency of its less frequent allele may be less than about 10%. Such a biallelic marker will however be sufficiently informative to conduct association studies and it will further be appreciated that including less informative
15 biallelic markers in the genetic analysis studies of the present invention, may allow in some cases the direct identification of causal mutations, which may, depending on their penetrance, be rare mutations.

The following is a description of the various parameters of a preferred method used by the inventors for the identification of the biallelic markers of the present invention.

20 A. Genomic DNA Samples

The genomic DNA samples from which the biallelic markers of the present invention are generated are preferably obtained from unrelated individuals corresponding to a heterogeneous population of known ethnic background. The number of individuals from whom DNA samples are obtained can vary substantially, preferably from about 10 to about 1000, more preferably
25 from about 50 to about 200 individuals. Usually, DNA samples are collected from at least about 100 individuals in order to have sufficient polymorphic diversity in a given population to identify as many markers as possible and to generate statistically significant results.

As for the source of the genomic DNA to be subjected to analysis, any test sample can be foreseen without any particular limitation. These test samples include biological samples, which
30 can be tested by the methods of the present invention described herein, and include human and animal body fluids such as whole blood, serum, plasma, cerebrospinal fluid, urine, lymph fluids, and various external secretions of the respiratory, intestinal and genitourinary tracts, tears, saliva, milk, white blood cells, myelomas and the like; biological fluids such as cell culture supernatants; fixed tissue specimens including tumor and non-tumor tissue and lymph node
35 tissues; bone marrow aspirates and fixed cell specimens. The preferred source of genomic DNA used in the present invention is from peripheral venous blood of each donor. Techniques to prepare genomic DNA from biological samples are well known to the skilled technician. Details

of a preferred embodiment are provided in Example 1. The person skilled in the art can choose to amplify pooled or unpooled DNA samples.

B. DNA Amplification

The identification of biallelic markers in a sample of genomic DNA may be facilitated through the use of DNA amplification methods. DNA samples can be pooled or unpooled for the amplification step. DNA amplification techniques are well known to those skilled in the art. Various methods to amplify DNA fragments carrying biallelic markers are further described herein. The PCR technology is the preferred amplification technique used to identify new biallelic markers.

In a first embodiment, biallelic markers are identified using genomic sequence information generated by the inventors. Genomic DNA fragments, such as the inserts of the BAC clones described above, are sequenced and used to design primers for the amplification of 500 bp fragments. These 500 bp fragments are amplified from genomic DNA and are scanned for biallelic markers. Primers may be designed using the OSP software (Hillier L. and Green P., 1991). All primers may contain, upstream of the specific target bases, a common oligonucleotide tail that serves as a sequencing primer. Those skilled in the art are familiar with primer extensions, which can be used for these purposes.

In another embodiment of the invention, genomic sequences of candidate genes are available in public databases allowing direct screening for biallelic markers. Preferred primers, useful for the amplification of genomic sequences encoding the candidate genes, focus on promoters, exons and splice sites of the genes. A biallelic marker present in these functional regions of the gene has a higher probability to be a causal mutation.

Preferred primers include those disclosed in Table 13.

C. Sequencing of Amplified Genomic DNA and Identification of Single Nucleotide Polymorphisms

The amplification products generated as described above, are then sequenced using any method known and available to the skilled technician. Methods for sequencing DNA using either the dideoxy-mediated method (Sanger method) or the Maxam-Gilbert method are widely known to those of ordinary skill in the art. Such methods are for example disclosed in Maniatis et al. (Molecular Cloning, A Laboratory Manual, Cold Spring Harbor Press, Second Edition, 1989). Alternative approaches include hybridization to high-density DNA probe arrays as described in Chee et al. (Science 274, 610, 1996).

Preferably, the amplified DNA is subjected to automated dideoxy terminator sequencing reactions using a dye-primer cycle sequencing protocol. The products of the sequencing reactions are run on sequencing gels and the sequences are determined using gel image analysis. The polymorphism search is based on the presence of superimposed peaks in the electrophoresis pattern resulting from different bases occurring at the same position. Because each dideoxy

terminator is labeled with a different fluorescent molecule, the two peaks corresponding to a biallelic site present distinct colors corresponding to two different nucleotides at the same position on the sequence. However, the presence of two peaks can be an artifact due to background noise. To exclude such an artifact, the two DNA strands are sequenced and a comparison between the peaks is carried out. In order to be registered as a polymorphic sequence, the polymorphism has to be detected on both strands.

The above procedure permits those amplification products, which contain biallelic markers to be identified. The detection limit for the frequency of biallelic polymorphisms detected by sequencing pools of 100 individuals is approximately 0.1 for the minor allele, as verified by sequencing pools of known allelic frequencies. However, more than 90% of the biallelic polymorphisms detected by the pooling method have a frequency for the minor allele higher than 0.25. Therefore, the biallelic markers selected by this method have a frequency of at least 0.1 for the minor allele and less than 0.9 for the major allele. Preferably at least 0.2 for the minor allele and less than 0.8 for the major allele, more preferably at least 0.3 for the minor allele and less than 0.7 for the major allele, thus a heterozygosity rate higher than 0.18, preferably higher than 0.32, more preferably higher than 0.42.

In another embodiment, biallelic markers are detected by sequencing individual DNA samples; the frequency of the minor allele of such a biallelic marker may be less than 0.1.

The markers carried by the same fragment of genomic DNA, such as the insert in a BAC clone, need not necessarily be ordered with respect to one another within the genomic fragment to conduct association studies. However, in some embodiments of the present invention, the order of biallelic markers carried by the same fragment of genomic DNA are determined.

D. Validation of the Biallelic Markers of the Present Invention

The polymorphisms are evaluated for their usefulness as genetic markers by validating that both alleles are present in a population. Validation of the biallelic markers is accomplished by genotyping a group of individuals by a method of the invention and demonstrating that both alleles are present. Microsequencing is a preferred method of genotyping alleles. The validation by genotyping step may be performed on individual samples derived from each individual in the group or by genotyping a pooled sample derived from more than one individual. The group can be as small as one individual if that individual is heterozygous for the allele in question. Preferably the group contains at least three individuals, more preferably the group contains five or six individuals, so that a single validation test will be more likely to result in the validation of more of the biallelic markers that are being tested. It should be noted, however, that when the validation test is performed on a small group it may result in a false negative result if as a result of sampling error none of the individuals tested carries one of the two alleles. Thus, the validation process is less useful in demonstrating that a particular initial result is an artifact, than it is at demonstrating that there is a *bona fide* biallelic marker at a particular position in a

sequence. For an indication of whether a particular biallelic marker has been validated see Table 7. All of the genotyping, haplotyping, association, and interaction study methods of the invention may optionally be performed solely with validated biallelic markers.

E. Evaluation of the Frequency of the Biallelic Markers of the Present Invention

5 The validated biallelic markers are further evaluated for their usefulness as genetic markers by determining the frequency of the least common allele at the biallelic marker site. The determination of the least common allele is accomplished by genotyping a group of individuals by a method of the invention and demonstrating that both alleles are present. This determination of frequency by genotyping step may be performed on individual samples derived
10 from each individual in the group or by genotyping a pooled sample derived from more than one individual. The group must be large enough to be representative of the population as a whole. Preferably the group contains at least 20 individuals, more preferably the group contains at least 50 individuals, most preferably the group contains at least 100 individuals. Of course the larger the group the greater the accuracy of the frequency determination because of reduced sampling
15 error. For an indication of the frequency for the less common allele of a particular biallelic marker of the invention see Table 7. A biallelic marker wherein the frequency of the less common allele is 30% or more is termed a "high quality biallelic marker." All of the genotyping, haplotyping, association, and interaction study methods of the invention may optionally be performed solely with high quality biallelic markers.

20

V. Methods of Genotyping an Individual for Biallelic Markers

Methods are provided to genotype a biological sample for one or more biallelic markers of the present invention, all of which may be performed *in vitro*. Such methods of genotyping comprise determining the identity of a nucleotide at a CNS disorder-related biallelic marker by
25 any method known in the art. These methods find use in genotyping case-control populations in association studies as well as individuals in the context of detection of alleles of biallelic markers which, are known to be associated with a given trait, in which case both copies of the biallelic marker present in individual's genome are determined so that an individual may be classified as homozygous or heterozygous for a particular allele.

30 These genotyping methods can be performed nucleic acid samples derived from a single individual or pooled DNA samples.

Genotyping can be performed using similar methods as those described above for the identification of the biallelic markers, or using other genotyping methods such as those further described below. In preferred embodiments, the comparison of sequences of amplified genomic
35 fragments from different individuals is used to identify new biallelic markers whereas microsequencing is used for genotyping known biallelic markers in diagnostic and association study applications.

A. Source of DNA for Genotyping

Any source of nucleic acids, in purified or non-purified form, can be utilized as the starting nucleic acid, provided it contains or is suspected of containing the specific nucleic acid sequence desired. DNA or RNA may be extracted from cells, tissues, body fluids and the like as described herein. While nucleic acids for use in the genotyping methods of the invention can be derived from any mammalian source, the test subjects and individuals from which nucleic acid samples are taken are generally understood to be human.

B. Amplification of DNA Fragments Comprising Biallelic Markers

Methods and polynucleotides are provided to amplify a segment of nucleotides comprising one or more biallelic marker of the present invention. It will be appreciated that amplification of DNA fragments comprising biallelic markers may be used in various methods and for various purposes and is not restricted to genotyping. Nevertheless, many genotyping methods, although not all, require the previous amplification of the DNA region carrying the biallelic marker of interest. Such methods specifically increase the concentration or total number of sequences that span the biallelic marker or include that site and sequences located either distal or proximal to it. Diagnostic assays may also rely on amplification of DNA segments carrying a biallelic marker of the present invention.

Amplification of DNA may be achieved by any method known in the art. The established PCR (polymerase chain reaction) method or by developments thereof or alternatives. Amplification methods which can be utilized herein include but are not limited to Ligase Chain Reaction (LCR) as described in EP A 320 308 and EP A 439 182, Gap LCR (Wolcott, M.J., *Clin. Microbiol. Rev.* 5:370-386), the so-called "NASBA" or "3SR" technique described in Guatelli J.C. et al. (*Proc. Natl. Acad. Sci. USA* 87:1874-1878, 1990) and in Compton J. (*Nature* 350:91-92, 1991), Q-beta amplification as described in European Patent Application no 4544610, strand displacement amplification as described in Walker et al. (*Clin. Chem.* 42:9-13, 1996) and EP A 684 315 and, target mediated amplification as described in PCT Publication WO 9322461.

LCR and Gap LCR are exponential amplification techniques, both depend on DNA ligase to join adjacent primers annealed to a DNA molecule. In Ligase Chain Reaction (LCR), probe pairs are used which include two primary (first and second) and two secondary (third and fourth) probes, all of which are employed in molar excess to target. The first probe hybridizes to a first segment of the target strand and the second probe hybridizes to a second segment of the target strand, the first and second segments being contiguous so that the primary probes abut one another in 5' phosphate-3'hydroxyl relationship, and so that a ligase can covalently fuse or ligate the two probes into a fused product. In addition, a third (secondary) probe can hybridize to a portion of the first probe and a fourth (secondary) probe can hybridize to a portion of the second probe in a similar abutting fashion. Of course, if the target is initially double stranded, the secondary probes also will hybridize to the target complement in the first instance. Once the

ligated strand of primary probes is separated from the target strand, it will hybridize with the third and fourth probes which can be ligated to form a complementary, secondary ligated product. It is important to realize that the ligated products are functionally equivalent to either the target or its complement. By repeated cycles of hybridization and ligation, amplification of the target sequence is achieved. A method for multiplex LCR has also been described (WO 9320227). Gap LCR (GLCR) is a version of LCR where the probes are not adjacent but are separated by 2 to 3 bases.

For amplification of mRNAs, it is within the scope of the present invention to reverse transcribe mRNA into cDNA followed by polymerase chain reaction (RT-PCR); or, to use a single enzyme for both steps as described in U.S. Patent No. 5,322,770 or, to use Asymmetric Gap LCR (RT-AGLCR) as described by Marshall R.L. et al. (*PCR Methods and Applications* 4:80-84, 1994). AGLCR is a modification of GLCR that allows the amplification of RNA.

Some of these amplification methods are particularly suited for the detection of single nucleotide polymorphisms and allow the simultaneous amplification of a target sequence and the identification of the polymorphic nucleotide as it is further described herein.

The PCR technology is the preferred amplification technique used in the present invention. A variety of PCR techniques are familiar to those skilled in the art. For a review of PCR technology, see Molecular Cloning to Genetic Engineering White, B.A. Ed. in *Methods in Molecular Biology* 67: Humana Press, Totowa (1997) and the publication entitled "PCR Methods and Applications" (1991, Cold Spring Harbor Laboratory Press). In each of these PCR procedures, PCR primers on either side of the nucleic acid sequences to be amplified are added to a suitably prepared nucleic acid sample along with dNTPs and a thermostable polymerase such as Taq polymerase, Pfu polymerase, or Vent polymerase. The nucleic acid in the sample is denatured and the PCR primers are specifically hybridized to complementary nucleic acid sequences in the sample. The hybridized primers are extended. Thereafter, another cycle of denaturation, hybridization, and extension is initiated. The cycles are repeated multiple times to produce an amplified fragment containing the nucleic acid sequence between the primer sites. PCR has further been described in several patents including US Patents 4,683,195, 4,683,202 and 4,965,188.

The identification of biallelic markers as described above allows the design of appropriate oligonucleotides, which can be used as primers to amplify DNA fragments comprising the biallelic markers of the present invention. Amplification can be performed using the primers initially used to discover new biallelic markers which are described herein or any set of primers allowing the amplification of a DNA fragment comprising a biallelic marker of the present invention. Primers can be prepared by any suitable method. As for example, direct chemical synthesis by a method such as the phosphodiester method of Narang S.A. et al. (*Methods Enzymol.* 68:90-98, 1979), the phosphodiester method of Brown E.L. et al. (*Methods*

Enzymol. 68:109-151, 1979), the diethylphosphoramidite method of Beaucage et al. (*Tetrahedron Lett.* 22:1859-1862, 1981) and the solid support method described in EP 0 707 592.

In some embodiments the present invention provides primers for amplifying a DNA fragment containing one or more biallelic markers of the present invention. Preferred
5 amplification primers are listed in Table 13. It will be appreciated that the primers listed are merely exemplary and that any other set of primers which produce amplification products containing one or more biallelic markers of the present invention.

The primers are selected to be substantially complementary to the different strands of each specific sequence to be amplified. The length of the primers of the present invention can
10 range from 8 to 100 nucleotides, preferably from 8 to 50, 8 to 30 or more preferably 8 to 25 nucleotides. Shorter primers tend to lack specificity for a target nucleic acid sequence and generally require cooler temperatures to form sufficiently stable hybrid complexes with the template. Longer primers are expensive to produce and can sometimes self-hybridize to form
15 hairpin structures. The formation of stable hybrids depends on the melting temperature (T_m) of the DNA. The T_m depends on the length of the primer, the ionic strength of the solution and the G+C content. The higher the G+C content of the primer, the higher is the melting temperature because G:C pairs are held by three H bonds whereas A:T pairs have only two. The G+C content of the amplification primers of the present invention preferably ranges between 10 and 75 %, more preferably between 35 and 60 %, and most preferably between 40 and 55 %. The
20 appropriate length for primers under a particular set of assay conditions may be empirically determined by one of skill in the art.

The spacing of the primers determines the length of the segment to be amplified. In the context of the present invention amplified segments carrying biallelic markers can range in size from at least about 25 bp to 35 kbp. Amplification fragments from 25-3000 bp are typical,
25 fragments from 50-1000 bp are preferred and fragments from 100-600 bp are highly preferred. It will be appreciated that amplification primers for the biallelic markers may be any sequence which allow the specific amplification of any DNA fragment carrying the markers. Amplification primers may be labeled or immobilized on a solid support as described in I.

C. Methods of Genotyping DNA samples for Biallelic Markers

30 Any method known in the art can be used to identify the nucleotide present at a biallelic marker site. Since the biallelic marker allele to be detected has been identified and specified in the present invention, detection will prove simple for one of ordinary skill in the art by employing any of a number of techniques. Many genotyping methods require the previous amplification of the DNA region carrying the biallelic marker of interest. While the
35 amplification of target or signal is often preferred at present, ultrasensitive detection methods which do not require amplification are also encompassed by the present genotyping methods. Methods well-known to those skilled in the art that can be used to detect biallelic polymorphisms

include methods such as, conventional dot blot analyzes, single strand conformational polymorphism analysis (SSCP) described by Orita et al. (*Proc. Natl. Acad. Sci. U.S.A* 86:27776-2770, 1989), denaturing gradient gel electrophoresis (DGGE), heteroduplex analysis, mismatch cleavage detection, and other conventional techniques as described in Sheffield, V.C. et al. (*Proc. Natl. Acad. Sci. USA* 49:699-706, 1991), White et al. (*Genomics* 12:301-306, 1992), Grompe, M. et al. (*Proc. Natl. Acad. Sci. USA* 86:5855-5892, 1989) and Grompe, M. (*Nature Genetics* 5:111-117, 1993). Another method for determining the identity of the nucleotide present at a particular polymorphic site employs a specialized exonuclease-resistant nucleotide derivative as described in US patent 4,656,127.

Preferred methods involve directly determining the identity of the nucleotide present at a biallelic marker site by sequencing assay, enzyme-based mismatch detection assay, or hybridization assay. The following is a description of some preferred methods. A highly preferred method is the microsequencing technique. The term "sequencing assay" is used herein to refer to polymerase extension of duplex primer/template complexes and includes both traditional sequencing and microsequencing.

i) Sequencing assays

The nucleotide present at a polymorphic site can be determined by sequencing methods. In a preferred embodiment, DNA samples are subjected to PCR amplification before sequencing as described above. DNA sequencing methods are described herein.

Preferably, the amplified DNA is subjected to automated dideoxy terminator sequencing reactions using a dye-primer cycle sequencing protocol. Sequence analysis allows the identification of the base present at the biallelic marker site.

ii) Microsequencing assays

In microsequencing methods, a nucleotide at the polymorphic site that is unique to one of the alleles in a target DNA is detected by a single nucleotide primer extension reaction. This method involves appropriate microsequencing primers which, hybridize just upstream of a polymorphic base of interest in the target nucleic acid. A polymerase is used to specifically extend the 3' end of the primer with one single ddNTP (chain terminator) complementary to the selected nucleotide at the polymorphic site. Next the identity of the incorporated nucleotide is determined in any suitable way.

Typically, microsequencing reactions are carried out using fluorescent ddNTPs and the extended microsequencing primers are analyzed by electrophoresis on ABI 377 sequencing machines to determine the identity of the incorporated nucleotide as described in EP 412 883. Alternatively capillary electrophoresis can be used in order to process a higher number of assays simultaneously. An example of a typical microsequencing procedure that can be used in the context of the present invention is provided in Example 2.

Different approaches can be used to detect the nucleotide added to the microsequencing primer. A homogeneous phase detection method based on fluorescence resonance energy transfer has been described by Chen and Kwok (*Nucleic Acids Research* 25:347-353 1997) and Chen et al. (*Proc. Natl. Acad. Sci. USA* 94/20 10756-10761, 1997). In this method amplified genomic

5 DNA fragments containing polymorphic sites are incubated with a 5'-fluorescein-labeled primer in the presence of allelic dye-labeled dideoxynucleoside triphosphates and a modified Taq polymerase. The dye-labeled primer is extended one base by the dye-terminator specific for the allele present on the template. At the end of the genotyping reaction, the fluorescence intensities of the two dyes in the reaction mixture are analyzed directly without separation or purification.

10 All these steps can be performed in the same tube and the fluorescence changes can be monitored in real time. Alternatively, the extended primer may be analyzed by MALDI-TOF Mass Spectrometry. The base at the polymorphic site is identified by the mass added onto the microsequencing primer (see Haff L.A. and Smirnov I.P., *Genome Research*, 7:378-388, 1997).

Microsequencing may be achieved by the established microsequencing method or by

15 developments or derivatives thereof. Alternative methods include several solid-phase microsequencing techniques. The basic microsequencing protocol is the same as described previously, except that the method is conducted as a heterogeneous phase assay, in which the primer or the target molecule is immobilized or captured onto a solid support. To simplify the primer separation and the terminal nucleotide addition analysis, oligonucleotides are attached to

20 solid supports or are modified in such ways that permit affinity separation as well as polymerase extension. The 5' ends and internal nucleotides of synthetic oligonucleotides can be modified in a number of different ways to permit different affinity separation approaches, e.g., biotinylation. If a single affinity group is used on the oligonucleotides, the oligonucleotides can be separated from the incorporated terminator reagent. This eliminates the need of physical or size separation.

25 More than one oligonucleotide can be separated from the terminator reagent and analyzed simultaneously if more than one affinity group is used. This permits the analysis of several nucleic acid species or more nucleic acid sequence information per extension reaction. The affinity group need not be on the priming oligonucleotide but could alternatively be present on the template. For example, immobilization can be carried out via an interaction between

30 biotinylated DNA and streptavidin-coated microtitration wells or avidin-coated polystyrene particles. In the same manner oligonucleotides or templates may be attached to a solid support in a high-density format. In such solid phase microsequencing reactions, incorporated ddNTPs can be radiolabeled (Syvänen, *Clinica Chimica Acta* 226:225-236, 1994) or linked to fluorescein (Livak and Hainer, *Human Mutation* 3:379-385, 1994). The detection of radiolabeled ddNTPs

35 can be achieved through scintillation-based techniques. The detection of fluorescein-linked ddNTPs can be based on the binding of anti-fluorescein antibody conjugated with alkaline phosphatase, followed by incubation with a chromogenic substrate (such as *p*-nitrophenyl

phosphate). Other possible reporter-detection pairs include: ddNTP linked to dinitrophenyl (DNP) and anti-DNP alkaline phosphatase conjugate (Harju et al., *Clin. Chem.* 39/11 2282-2287, 1993) or biotinylated ddNTP and horseradish peroxidase-conjugated streptavidin with *o*-phenylenediamine as a substrate (WO 92/15712). As yet another alternative solid-phase
5 microsequencing procedure, Nyren et al. (*Analytical Biochemistry* 208:171-175, 1993) described a method relying on the detection of DNA polymerase activity by an enzymatic luminometric inorganic pyrophosphate detection assay (ELIDA).

Pastinen et al. (*Genome research* 7:606-614, 1997) describe a method for multiplex detection of single nucleotide polymorphism in which the solid phase minisequencing principle
10 is applied to an oligonucleotide array format. High-density arrays of DNA probes attached to a solid support (DNA chips) are further described herein.

In one aspect the present invention provides polynucleotides and methods to genotype one or more biallelic markers of the present invention by performing a microsequencing assay. Preferred microsequencing primers include those being featured in Table 12. It will be
15 appreciated that the microsequencing primers listed in Table 12 are merely exemplary and that, any primer having a 3' end immediately adjacent to a polymorphic nucleotide may be used. Similarly, it will be appreciated that microsequencing analysis may be performed for any biallelic marker or any combination of biallelic markers of the present invention. One aspect of the present invention is a solid support which includes one or more microsequencing primers
20 listed in Table 12, or fragments comprising at least 8, at least 12, at least 15, or at least 20 consecutive nucleotides thereof and having a 3' terminus immediately upstream of the corresponding biallelic marker, for determining the identity of a nucleotide at a biallelic marker site.

iii) Mismatch detection assays based on polymerases and ligases

In one aspect the present invention provides polynucleotides and methods to determine
25 the allele of one or more biallelic markers of the present invention in a biological sample, by mismatch detection assays based on polymerases and/or ligases. These assays are based on the specificity of polymerases and ligases. Polymerization reactions places particularly stringent requirements on correct base pairing of the 3' end of the amplification primer and the joining of
30 two oligonucleotides hybridized to a target DNA sequence is quite sensitive to mismatches close to the ligation site, especially at the 3' end. The terms "enzyme based mismatch detection assay" are used herein to refer to any method of determining the allele of a biallelic marker based on the specificity of ligases and polymerases. Preferred methods are described below. Methods, primers and various parameters to amplify DNA fragments comprising biallelic markers of the
35 present invention are further described herein.

1. Allele specific amplification

Discrimination between the two alleles of a biallelic marker can also be achieved by allele specific amplification, a selective strategy, whereby one of the alleles is amplified without amplification of the other allele. This is accomplished by placing a polymorphic base at the 3' end of one of the amplification primers. Because the extension forms from the 3' end of the primer, a mismatch at or near this position has an inhibitory effect on amplification. Therefore, under appropriate amplification conditions, these primers only direct amplification on their complementary allele. Designing the appropriate allele-specific primer and the corresponding assay conditions are well within the ordinary skill in the art.

2. Ligation/amplification based methods

The "Oligonucleotide Ligation Assay" (OLA) uses two oligonucleotides which are designed to be capable of hybridizing to abutting sequences of a single strand of target molecules. One of the oligonucleotides is biotinylated, and the other is detectably labeled. If the precise complementary sequence is found in a target molecule, the oligonucleotides will hybridize such that their termini abut, and create a ligation substrate that can be captured and detected. OLA is capable of detecting biallelic markers and may be advantageously combined with PCR as described by Nickerson D.A. et al. (*Proc. Natl. Acad. Sci. U.S.A.* 87:8923-8927, 1990). In this method, PCR is used to achieve the exponential amplification of target DNA, which is then detected using OLA.

Other methods which are particularly suited for the detection of biallelic markers include LCR (ligase chain reaction), Gap LCR (GLCR) which are described herein. As mentioned above LCR uses two pairs of probes to exponentially amplify a specific target. The sequences of each pair of oligonucleotides, is selected to permit the pair to hybridize to abutting sequences of the same strand of the target. Such hybridization forms a substrate for a template-dependant ligase. In accordance with the present invention, LCR can be performed with oligonucleotides having the proximal and distal sequences of the same strand of a biallelic marker site. In one embodiment, either oligonucleotide will be designed to include the biallelic marker site. In such an embodiment, the reaction conditions are selected such that the oligonucleotides can be ligated together only if the target molecule either contains or lacks the specific nucleotide(s) that is complementary to the biallelic marker on the oligonucleotide. In an alternative embodiment, the oligonucleotides will not include the biallelic marker, such that when they hybridize to the target molecule, a "gap" is created as described in WO 90/01069. This gap is then "filled" with complementary dNTPs (as mediated by DNA polymerase), or by an additional pair of oligonucleotides. Thus at the end of each cycle, each single strand has a complement capable of serving as a target during the next cycle and exponential allele-specific amplification of the desired sequence is obtained.

Ligase/Polymerase-mediated Genetic Bit AnalysisTM is another method for determining the identity of a nucleotide at a preselected site in a nucleic acid molecule (WO 95/21271). This

method involves the incorporation of a nucleoside triphosphate that is complementary to the nucleotide present at the preselected site into the terminus of a primer molecule, and their subsequent ligation to a second oligonucleotide. The reaction is monitored by detecting a specific label attached to the reaction's solid phase or by detection in solution.

5 iv) Hybridization assay methods

A preferred method of determining the identity of the nucleotide present at a biallelic marker site involves nucleic acid hybridization. The hybridization probes, which can be conveniently used in such reactions, preferably include the probes defined herein. Any hybridization assay may be used including Southern hybridization, Northern hybridization, dot blot hybridization and solid-phase hybridization (see Sambrook et al., Molecular Cloning – A Laboratory Manual, Second Edition, Cold Spring Harbor Press, N.Y., 1989).

Hybridization refers to the formation of a duplex structure by two single stranded nucleic acids due to complementary base pairing. Hybridization can occur between exactly complementary nucleic acid strands or between nucleic acid strands that contain minor regions of mismatch. Specific probes can be designed that hybridize to one form of a biallelic marker and not to the other and therefore are able to discriminate between different allelic forms. Allele-specific probes are often used in pairs, one member of a pair showing perfect match to a target sequence containing the original allele and the other showing a perfect match to the target sequence containing the alternative allele. Hybridization conditions should be sufficiently stringent that there is a significant difference in hybridization intensity between alleles, and preferably an essentially binary response, whereby a probe hybridizes to only one of the alleles. Stringent, sequence specific hybridization conditions, under which a probe will hybridize only to the exactly complementary target sequence are well known in the art (Sambrook et al., Molecular Cloning – A Laboratory Manual, Second Edition, Cold Spring Harbor Press, N.Y., 1989).

Stringent conditions are sequence dependent and will be different in different circumstances. Generally, stringent conditions are selected to be about 5°C lower than the thermal melting point (T_m) for the specific sequence at a defined ionic strength and pH. By way of example and not limitation, procedures using conditions of high stringency are as follows: Prehybridization of filters containing DNA is carried out for 8 h to overnight at 65°C in buffer composed of 6X SSC, 50 mM Tris-HCl (pH 7.5), 1 mM EDTA, 0.02% PVP, 0.02% Ficoll, 0.02% BSA, and 500 µg/ml denatured salmon sperm DNA. Filters are hybridized for 48 h at 65°C, the preferred hybridization temperature, in prehybridization mixture containing 100 µg/ml denatured salmon sperm DNA and 5-20 X 10⁶ cpm of ³²P-labeled probe. Alternatively, the hybridization step can be performed at 65°C in the presence of SSC buffer, 1 x SSC corresponding to 0.15M NaCl and 0.05 M Sodium citrate. Subsequently, filter washes can be done at 37°C for 1 h in a solution containing 2X SSC, 0.01% PVP, 0.01% Ficoll, and 0.01% BSA, followed by a wash in 0.1X SSC at 50°C for 45 min. Alternatively, filter washes can be performed in a solution containing 2

x SSC and 0.1% SDS, or 0.5 x SSC and 0.1% SDS, or 0.1 x SSC and 0.1% SDS at 68°C for 15 minute intervals. Following the wash steps, the hybridized probes are detectable by autoradiography. By way of example and not limitation, procedures using conditions of intermediate stringency are as follows: Filters containing DNA are prehybridized, and then
5 hybridized at a temperature of 60°C in the presence of a 5 x SSC buffer and labeled probe. Subsequently, filters washes are performed in a solution containing 2x SSC at 50°C and the hybridized probes are detectable by autoradiography. Other conditions of high and intermediate stringency which may be used are well known in the art and as cited in Sambrook et al. (Molecular Cloning - A Laboratory Manual, Second Edition, Cold Spring Harbor Press, N.Y.,
10 1989) and Ausubel et al. (Current Protocols in Molecular Biology, Green Publishing Associates and Wiley-Interscience, N.Y., 1989).

Although such hybridizations can be performed in solution, it is preferred to employ a solid-phase hybridization assay. The target DNA comprising a biallelic marker of the present invention may be amplified prior to the hybridization reaction. The presence of a specific allele
15 in the sample is determined by detecting the presence or the absence of stable hybrid duplexes formed between the probe and the target DNA. The detection of hybrid duplexes can be carried out by a number of methods. Various detection assay formats are well known which utilize detectable labels bound to either the target or the probe to enable detection of the hybrid duplexes. Typically, hybridization duplexes are separated from unhybridized nucleic acids and
20 the labels bound to the duplexes are then detected. Those skilled in the art will recognize that wash steps may be employed to wash away excess target DNA or probe. Standard heterogeneous assay formats are suitable for detecting the hybrids using the labels present on the primers and probes.

Two recently developed assays allow hybridization-based allele discrimination with no
25 need for separations or washes (see Landegren U. et al., *Genome Research*, 8:769-776, 1998). The TaqMan assay takes advantage of the 5' nuclease activity of Taq DNA polymerase to digest a DNA probe annealed specifically to the accumulating amplification product. TaqMan probes are labeled with a donor-acceptor dye pair that interacts via fluorescence energy transfer. Cleavage of the TaqMan probe by the advancing polymerase during amplification dissociates the
30 donor dye from the quenching acceptor dye, greatly increasing the donor fluorescence. All reagents necessary to detect two allelic variants can be assembled at the beginning of the reaction and the results are monitored in real time (see Livak et al., *Nature Genetics*, 9:341-342, 1995). In an alternative homogeneous hybridization-based procedure, molecular beacons are used for allele discriminations. Molecular beacons are hairpin-shaped oligonucleotide probes that report
35 the presence of specific nucleic acids in homogeneous solutions. When they bind to their targets they undergo a conformational reorganization that restores the fluorescence of an internally quenched fluorophore (Tyagi et al., *Nature Biotechnology*, 16:49-53, 1998).

The polynucleotides provided herein can be used in hybridization assays for the detection of biallelic marker alleles in biological samples. These probes are characterized in that they preferably comprise between 8 and 50 nucleotides, and in that they are sufficiently complementary to a sequence comprising a biallelic marker of the present invention to hybridize thereto and preferably sufficiently specific to be able to discriminate the targeted sequence for only one nucleotide variation. The GC content in the probes of the invention usually ranges between 10 and 75 %, preferably between 35 and 60 %, and more preferably between 40 and 55 %. The length of these probes can range from 10, 15, 20, or 30 to at least 100 nucleotides, preferably from 10 to 50, more preferably from 18 to 35 nucleotides. A particularly preferred probe is 25 nucleotides in length. Preferably the biallelic marker is within 4 nucleotides of the center of the polynucleotide probe. In particularly preferred probes the biallelic marker is at the center of said polynucleotide. Shorter probes may lack specificity for a target nucleic acid sequence and generally require cooler temperatures to form sufficiently stable hybrid complexes with the template. Longer probes are expensive to produce and can sometimes self-hybridize to form hairpin structures. Methods for the synthesis of oligonucleotide probes have been described above and can be applied to the probes of the present invention.

Preferably the probes of the present invention are labeled or immobilized on a solid support. Labels and solid supports are further described in I. Detection probes are generally nucleic acid sequences or uncharged nucleic acid analogs such as, for example peptide nucleic acids which are disclosed in International Patent Application WO 92/20702; morpholino analogs which are described in U.S. Patents Numbered 5,185,444; 5,034,506 and 5,142,047. The probe may have to be rendered "non-extendable" in that additional dNTPs cannot be added to the probe. In and of themselves analogs usually are non-extendable and nucleic acid probes can be rendered non-extendable by modifying the 3' end of the probe such that the hydroxyl group is no longer capable of participating in elongation. For example, the 3' end of the probe can be functionalized with the capture or detection label to thereby consume or otherwise block the hydroxyl group. Alternatively, the 3' hydroxyl group simply can be cleaved, replaced or modified, U.S. Patent Application Serial No. 07/049,061 filed April 19, 1993 describes modifications, which can be used to render a probe non-extendable.

The probes of the present invention are useful for a number of purposes. They can be used in Southern hybridization to genomic DNA or Northern hybridization to mRNA. The probes can also be used to detect PCR amplification products. By assaying the hybridization to an allele specific probe, one can detect the presence or absence of a biallelic marker allele in a given sample.

High-Throughput parallel hybridizations in array format are specifically encompassed within "hybridization assays" and are described below.

i. Hybridization to addressable arrays of oligonucleotides

Hybridization assays based on oligonucleotide arrays rely on the differences in hybridization stability of short oligonucleotides to perfectly matched and mismatched target sequence variants. Efficient access to polymorphism information is obtained through a basic structure comprising high-density arrays of oligonucleotide probes attached to a solid support (the chip) at selected positions. Each DNA chip can contain thousands to millions of individual synthetic DNA probes arranged in a grid-like pattern and miniaturized to the size of a dime.

The chip technology has already been applied with success in numerous cases. For example, the screening of mutations has been undertaken in the BRCA1 gene, in *S. cerevisiae* mutant strains, and in the protease gene of HIV-1 virus (Hacia et al., *Nature Genetics*, 14(4):441-447, 1996; Shoemaker et al., *Nature Genetics*, 14(4):450-456, 1996 ; Kozal et al., *Nature Medicine*, 2:753-759, 1996). Chips of various formats for use in detecting biallelic polymorphisms can be produced on a customized basis by Affymetrix (GeneChip™), Hyseq (HyChip and HyGnostics), and Protogene Laboratories.

In general, these methods employ arrays of oligonucleotide probes that are complementary to target nucleic acid sequence segments from an individual which, target sequences include a polymorphic marker. EP785280 describes a tiling strategy for the detection of single nucleotide polymorphisms. Briefly, arrays may generally be "tiled" for a large number of specific polymorphisms. By "tiling" is generally meant the synthesis of a defined set of oligonucleotide probes which is made up of a sequence complementary to the target sequence of interest, as well as preselected variations of that sequence, e.g., substitution of one or more given positions with one or more members of the basis set of monomers, i.e. nucleotides. Tiling strategies are further described in PCT application No. WO 95/11995. In a particular aspect, arrays are tiled for a number of specific, identified biallelic marker sequences. In particular the array is tiled to include a number of detection blocks, each detection block being specific for a specific biallelic marker or a set of biallelic markers. For example, a detection block may be tiled to include a number of probes, which span the sequence segment that includes a specific polymorphism. To ensure probes that are complementary to each allele, the probes are synthesized in pairs differing at the biallelic marker. In addition to the probes differing at the polymorphic base, monosubstituted probes are also generally tiled within the detection block. These monosubstituted probes have bases at and up to a certain number of bases in either direction from the polymorphism, substituted with the remaining nucleotides (selected from A, T, G, C and U). Typically the probes in a tiled detection block will include substitutions of the sequence positions up to and including those that are 5 bases away from the biallelic marker. The monosubstituted probes provide internal controls for the tiled array, to distinguish actual hybridization from artefactual cross-hybridization. Upon completion of hybridization with the target sequence and washing of the array, the array is scanned to determine the position on the array to which the target sequence hybridizes. The hybridization data from the scanned array is

then analyzed to identify which allele or alleles of the biallelic marker are present in the sample. Hybridization and scanning may be carried out as described in PCT application No. WO 92/10092 and WO 95/11995 and US patent No. 5,424,186.

Thus, in some embodiments, the chips may comprise an array of nucleic acid sequences of fragments of about 15 nucleotides in length. In further embodiments, the chip may comprise an array including at least one of the sequences selected from the group consisting of SEQ ID No. 1-130 and the sequences complementary thereto, or a fragment thereof at least about 8 consecutive nucleotides, preferably 10, 15, 20, more preferably 25, 30, 40, 47, or 50 consecutive nucleotides. In some embodiments, the chip may comprise an array of at least 2, 3, 4, 5, 6, 7, 8 or more of these polynucleotides of the invention. Solid supports and polynucleotides of the present invention attached to solid supports are further described in I.

v) Integrated systems

Another technique, which may be used to analyze polymorphisms, includes multicomponent integrated systems, which miniaturize and compartmentalize processes such as PCR and capillary electrophoresis reactions in a single functional device. An example of such technique is disclosed in US patent 5,589,136, which describes the integration of PCR amplification and capillary electrophoresis in chips.

Integrated systems can be envisaged mainly when microfluidic systems are used. These systems comprise a pattern of microchannels designed onto a glass, silicon, quartz, or plastic wafer included on a microchip. The movements of the samples are controlled by electric, electroosmotic or hydrostatic forces applied across different areas of the microchip. For genotyping biallelic markers, the microfluidic system may integrate nucleic acid amplification, microsequencing, capillary electrophoresis and a detection method such as laser-induced fluorescence detection.

VI. Methods of Genetic Analysis Using the Biallelic Markers of the Present Invention

Different methods are available for the genetic analysis of complex traits (see Lander and Schork, *Science*, 265, 2037-2048, 1994). The search for disease-susceptibility genes is conducted using two main methods: the linkage approach in which evidence is sought for cosegregation between a locus and a putative trait locus using family studies, and the association approach in which evidence is sought for a statistically significant association between an allele and a trait or a trait causing allele (Khoury J. et al., *Fundamentals of Genetic Epidemiology*, Oxford University Press, NY, 1993). In general, the biallelic markers of the present invention find use in any method known in the art to demonstrate a statistically significant correlation between a genotype and a phenotype. The biallelic markers may be used in parametric and non-parametric linkage analysis methods. Preferably, the biallelic markers of the present invention are used to identify genes associated with detectable traits using association studies, an approach

which does not require the use of affected families and which permits the identification of genes associated with complex and sporadic traits.

The genetic analysis using the biallelic markers of the present invention may be conducted on any scale. The whole set of biallelic markers of the present invention or any subset of biallelic markers of the present invention may be used. In some embodiments a subset of biallelic markers corresponding to one or several candidate genes of the present invention may be used. In other embodiments a subset of biallelic markers corresponding to CNS disorder candidate genes may be used. Alternatively, a subset of biallelic markers of the present invention localised on a specific chromosome segment may be used. Further, any set of genetic markers including a biallelic marker of the present invention may be used. A set of biallelic polymorphisms that, could be used as genetic markers in combination with the biallelic markers of the present invention, has been described in WO 98/20165. As mentioned above, it should be noted that the biallelic markers of the present invention may be included in any complete or partial genetic map of the human genome. These different uses are specifically contemplated in the present invention and claims.

A. Linkage Analysis

Linkage analysis is based upon establishing a correlation between the transmission of genetic markers and that of a specific trait throughout generations within a family. Thus, the aim of linkage analysis is to detect marker loci that show cosegregation with a trait of interest in pedigrees.

i. Parametric methods

When data are available from successive generations there is the opportunity to study the degree of linkage between pairs of loci. Estimates of the recombination fraction enable loci to be ordered and placed onto a genetic map. With loci that are genetic markers, a genetic map can be established, and then the strength of linkage between markers and traits can be calculated and used to indicate the relative positions of markers and genes affecting those traits (Weir, B.S., *Genetic data Analysis II: Methods for Discrete population genetic Data*, Sinauer Assoc., Inc., Sunderland, MA, USA, 1996). The classical method for linkage analysis is the logarithm of odds (lod) score method (see Morton N.E., *Am.J. Hum. Genet.*, 7:277-318, 1955; Ott J., *Analysis of Human Genetic Linkage*, John Hopkins University Press, Baltimore, 1991). Calculation of lod scores requires specification of the mode of inheritance for the disease (parametric method). Generally, the length of the candidate region identified using linkage analysis is between 2 and 20Mb. Once a candidate region is identified as described above, analysis of recombinant individuals using additional markers allows further delineation of the candidate region. Linkage analysis studies have generally relied on the use of a maximum of 5,000 microsatellite markers, thus limiting the maximum theoretical attainable resolution of linkage analysis to about 600 kb on average.

Linkage analysis has been successfully applied to map simple genetic traits that show clear Mendelian inheritance patterns and which have a high penetrance (i.e., the ratio between the number of trait positive carriers of allele *a* and the total number of *a* carriers in the population). However, parametric linkage analysis suffers from a variety of drawbacks. First, it is limited by its reliance on the choice of a genetic model suitable for each studied trait. Furthermore, as already mentioned, the resolution attainable using linkage analysis is limited, and complementary studies are required to refine the analysis of the typical 2Mb to 20Mb regions initially identified through linkage analysis. In addition, parametric linkage analysis approaches have proven difficult when applied to complex genetic traits, such as those due to the combined action of multiple genes and/or environmental factors. It is very difficult to model these factors adequately in a lod score analysis. In such cases, too large an effort and cost are needed to recruit the adequate number of affected families required for applying linkage analysis to these situations, as recently discussed by Risch, N. and Merikangas, K. (*Science*, 273:1516-1517, 1996).

ii. Non-parametric methods

The advantage of the so-called non-parametric methods for linkage analysis is that they do not require specification of the mode of inheritance for the disease, they tend to be more useful for the analysis of complex traits. In non-parametric methods, one tries to prove that the inheritance pattern of a chromosomal region is not consistent with random Mendelian segregation by showing that affected relatives inherit identical copies of the region more often than expected by chance. Affected relatives should show excess "allele sharing" even in the presence of incomplete penetrance and polygenic inheritance. In non-parametric linkage analysis the degree of agreement at a marker locus in two individuals can be measured either by the number of alleles identical by state (IBS) or by the number of alleles identical by descent (IBD). Affected sib pair analysis is a well-known special case and is the simplest form of these methods.

The biallelic markers of the present invention may be used in both parametric and non-parametric linkage analysis. Preferably biallelic markers may be used in non-parametric methods which allow the mapping of genes involved in complex traits. The biallelic markers of the present invention may be used in both IBD- and IBS- methods to map genes affecting a complex trait. In such studies, taking advantage of the high density of biallelic markers, several adjacent biallelic marker loci may be pooled to achieve the efficiency attained by multi-allelic markers (Zhao et al., *Am. J. Hum. Genet.*, 63:225-240, 1998).

However, both parametric and non-parametric linkage analysis methods analyse affected relatives, they tend to be of limited value in the genetic analysis of drug responses or in the analysis of side effects to treatments. This type of analysis is impractical in such cases due to the lack of availability of familial cases. In fact, the likelihood of having more than one individual in a family being exposed to the same drug at the same time is extremely low.

B. Population Association Studies

The present invention comprises methods for identifying one or several genes among a set of candidate genes that are associated with a detectable trait using the biallelic markers of the present invention. In one embodiment the present invention comprises methods to detect an association between a biallelic marker allele or a biallelic marker haplotype and a trait. Further, the invention comprises methods to identify a trait causing allele in linkage disequilibrium with any biallelic marker allele of the present invention.

As described above, alternative approaches can be employed to perform association studies: genome-wide association studies, candidate region association studies and candidate gene association studies. In a preferred embodiment, the biallelic markers of the present invention are used to perform candidate gene association studies. The candidate gene analysis clearly provides a short-cut approach to the identification of genes and gene polymorphisms related to a particular trait when some information concerning the biology of the trait is available. Further, the biallelic markers of the present invention may be incorporated in any map of genetic markers of the human genome in order to perform genome-wide association studies. Methods to generate a high-density map of biallelic markers has been described in US Provisional Patent application serial number 60/082,614. The biallelic markers of the present invention may further be incorporated in any map of a specific candidate region of the genome (a specific chromosome or a specific chromosomal segment for example).

As mentioned above, association studies may be conducted within the general population and are not limited to studies performed on related individuals in affected families. Association studies are extremely valuable as they permit the analysis of sporadic or multifactor traits. Moreover, association studies represent a powerful method for fine-scale mapping enabling much finer mapping of trait causing alleles than linkage studies. Studies based on pedigrees often only narrow the location of the trait causing allele. Association studies using the biallelic markers of the present invention can therefore be used to refine the location of a trait causing allele in a candidate region identified by Linkage Analysis methods. Moreover, once a chromosome segment of interest has been identified, the presence of a candidate gene such as a candidate gene of the present invention, in the region of interest can provide a shortcut to the identification of the trait causing allele. Biallelic markers of the present invention can be used to demonstrate that a candidate gene is associated with a trait. Such uses are specifically contemplated in the present invention and claims.

i. Determining the frequency of a biallelic marker allele or of a biallelic marker haplotype in a population

Association studies explore the relationships among frequencies for sets of alleles between loci.

1) Determining the frequency of an allele in a population

Allelic frequencies of the biallelic markers in a population can be determined using one of the methods described above under the heading "Methods for genotyping an individual for biallelic markers", or any genotyping procedure suitable for this intended purpose. Genotyping pooled samples or individual samples can determine the frequency of a biallelic marker allele in a population. One way to reduce the number of genotypings required is to use pooled samples. A major obstacle in using pooled samples is in terms of accuracy and reproducibility for determining accurate DNA concentrations in setting up the pools. Genotyping individual samples provides higher sensitivity, reproducibility and accuracy and; is the preferred method used in the present invention. Preferably, each individual is genotyped separately and simple gene counting is applied to determine the frequency of an allele of a biallelic marker or of a genotype in a given population.

2) Determining the frequency of a haplotype in a population

The gametic phase of haplotypes is unknown when diploid individuals are heterozygous at more than one locus. Using genealogical information in families gametic phase can sometimes be inferred (Perlin et al., *Am. J. Hum. Genet.*, 55:777-787, 1994). When no genealogical information is available different strategies may be used. One possibility is that the multiple-site heterozygous diploids can be eliminated from the analysis, keeping only the homozygotes and the single-site heterozygote individuals, but this approach might lead to a possible bias in the sample composition and the underestimation of low-frequency haplotypes. Another possibility is that single chromosomes can be studied independently, for example, by asymmetric PCR amplification (see Newton et al., *Nucleic Acids Res.*, 17:2503-2516, 1989; Wu et al., *Proc. Natl. Acad. Sci. USA*, 86:2757, 1989) or by isolation of single chromosome by limit dilution followed by PCR amplification (see Ruano et al., *Proc. Natl. Acad. Sci. USA*, 87:6296-6300, 1990). Further, a sample may be haplotyped for sufficiently close biallelic markers by double PCR amplification of specific alleles (Sarkar, G. and Sommer S.S., *Biotechniques*, 1991). These approaches are not entirely satisfying either because of their technical complexity, the additional cost they entail, their lack of generalisation at a large scale, or the possible biases they introduce. To overcome these difficulties, an algorithm to infer the phase of PCR-amplified DNA genotypes introduced by Clark A.G. (*Mol. Biol. Evol.*, 7:111-122, 1990) may be used. Briefly, the principle is to start filling a preliminary list of haplotypes present in the sample by examining unambiguous individuals, that is, the complete homozygotes and the single-site heterozygotes. Then other individuals in the same sample are screened for the possible occurrence of previously recognized haplotypes. For each positive identification, the complementary haplotype is added to the list of recognized haplotypes, until the phase information for all individuals is either resolved or identified as unresolved. This method assigns a single haplotype to each multiheterozygous individual, whereas several haplotypes are possible when there are more than one heterozygous site. Alternatively, one can use methods estimating haplotype frequencies in a population without

assigning haplotypes to each individual. Preferably, a method based on an expectation-maximization (EM) algorithm (Dempster et al., *J. R. Stat. Soc.*, 39B: 1-38, 1977) leading to maximum-likelihood estimates of haplotype frequencies under the assumption of Hardy-Weinberg proportions (random mating) is used (see Excoffier L. and Slatkin M., *Mol. Biol. Evol.*, 12(5): 921-927, 1995). The EM algorithm is a generalized iterative maximum-likelihood approach to estimation that is useful when data are ambiguous and/or incomplete. The EM algorithm is used to resolve heterozygotes into haplotypes. Haplotype estimations are further described below under the heading "Statistical methods". Any other method known in the art to determine or to estimate the frequency of a haplotype in a population may also be used.

ii. Linkage disequilibrium analysis

Linkage disequilibrium is the non-random association of alleles at two or more loci and represents a powerful tool for mapping genes involved in disease traits (see Ajioka R.S. et al., *Am. J. Hum. Genet.*, 60:1439-1447, 1997). Biallelic markers, because they are densely spaced in the human genome and can be genotyped in more numerous numbers than other types of genetic markers (such as RFLP or VNTR markers), are particularly useful in genetic analysis based on linkage disequilibrium. The biallelic markers of the present invention may be used in any linkage disequilibrium analysis method known in the art.

Briefly, when a disease mutation is first introduced into a population (by a new mutation or the immigration of a mutation carrier), it necessarily resides on a single chromosome and thus on a single "background" or "ancestral" haplotype of linked markers. Consequently, there is complete disequilibrium between these markers and the disease mutation: one finds the disease mutation only in the presence of a specific set of marker alleles. Through subsequent generations recombinations occur between the disease mutation and these marker polymorphisms, and the disequilibrium gradually dissipates. The pace of this dissipation is a function of the recombination frequency, so the markers closest to the disease gene will manifest higher levels of disequilibrium than those further away. When not broken up by recombination, "ancestral" haplotypes and linkage disequilibrium between marker alleles at different loci can be tracked not only through pedigrees but also through populations. Linkage disequilibrium is usually seen as an association between one specific allele at one locus and another specific allele at a second locus.

The pattern or curve of disequilibrium between disease and marker loci is expected to exhibit a maximum that occurs at the disease locus. Consequently, the amount of linkage disequilibrium between a disease allele and closely linked genetic markers may yield valuable information regarding the location of the disease gene. For fine-scale mapping of a disease locus, it is useful to have some knowledge of the patterns of linkage disequilibrium that exist between markers in the studied region. As mentioned above the mapping resolution achieved through the analysis of linkage disequilibrium is much higher than that of linkage studies. The

high density of biallelic markers combined with linkage disequilibrium analysis provides powerful tools for fine-scale mapping. Different methods to calculate linkage disequilibrium are described below under the heading "Statistical Methods".

iii. Population-based case-control studies of trait-marker associations

5 As mentioned above, the occurrence of pairs of specific alleles at different loci on the same chromosome is not random and the deviation from random is called linkage disequilibrium. Association studies focus on population frequencies and rely on the phenomenon of linkage disequilibrium. If a specific allele in a given gene is directly involved in causing a particular trait, its frequency will be statistically increased in an affected (trait positive) population, when
10 compared to the frequency in a trait negative population or in a random control population. As a consequence of the existence of linkage disequilibrium, the frequency of all other alleles present in the haplotype carrying the trait-causing allele will also be increased in trait positive individuals compared to trait negative individuals or random controls. Therefore, association between the trait and any allele (specifically a biallelic marker allele) in linkage disequilibrium with the trait-
15 causing allele will suffice to suggest the presence of a trait-related gene in that particular region. Case-control populations can be genotyped for biallelic markers to identify associations that narrowly locate a trait causing allele. As any marker in linkage disequilibrium with one given marker associated with a trait will be associated with the trait. Linkage disequilibrium allows the relative frequencies in case-control populations of a limited number of genetic polymorphisms
20 (specifically biallelic markers) to be analyzed as an alternative to screening all possible functional polymorphisms in order to find trait-causing alleles. Association studies compare the frequency of marker alleles in unrelated case-control populations, and represent powerful tools for the dissection of complex traits.

1) Case-control populations (inclusion criteria)

25 Population-based association studies do not concern familial inheritance but compare the prevalence of a particular genetic marker, or a set of markers, in case-control populations. They are case-control studies based on comparison of unrelated case (affected or trait positive) individuals and unrelated control (unaffected or trait negative or random) individuals. Preferably the control group is composed of unaffected or trait negative individuals. Further, the
30 control group is ethnically matched to the case population. Moreover, the control group is preferably matched to the case-population for the main known confusion factor for the trait under study (for example age-matched for an age-dependent trait). Ideally, individuals in the two samples are paired in such a way that they are expected to differ only in their disease status. In the following "trait positive population", "case population" and "affected population" are used
35 interchangeably.

An important step in the dissection of complex traits using association studies is the choice of case-control populations (see Lander and Schork, *Science*, 265, 2037-2048, 1994). A

major step in the choice of case-control populations is the clinical definition of a given trait or phenotype. Any genetic trait may be analyzed by the association method proposed here by carefully selecting the individuals to be included in the trait positive and trait negative phenotypic groups. Four criteria are often useful: clinical phenotype, age at onset, family history and severity. The selection procedure for continuous or quantitative traits (such as blood pressure for example) involves selecting individuals at opposite ends of the phenotype distribution of the trait under study, so as to include in these trait positive and trait negative populations individuals with non-overlapping phenotypes. Preferably, case-control populations consist of phenotypically homogeneous populations. Trait positive and trait negative populations consist of phenotypically uniform populations of individuals representing each between 1 and 98%, preferably between 1 and 80%, more preferably between 1 and 50%, and more preferably between 1 and 30%, most preferably between 1 and 20% of the total population under study, and selected among individuals exhibiting non-overlapping phenotypes. The clearer the difference between the two trait phenotypes, the greater the probability of detecting an association with biallelic markers. The selection of those drastically different but relatively uniform phenotypes enables efficient comparisons in association studies and the possible detection of marked differences at the genetic level, provided that the sample sizes of the populations under study are significant enough.

In preferred embodiments, a first group of between 50 and 300 trait positive individuals, preferably about 100 individuals, are recruited according to their phenotypes. A similar number of trait negative individuals are included in such studies.

In the present invention, typical examples of inclusion criteria include a CNS disorder or the evaluation of the response to a drug acting on a CNS disorder or side effects to treatment with drugs acting on a CNS disorder.

Suitable examples of association studies using biallelic markers including the biallelic markers of the present invention, are studies involving the following populations:

a case population suffering from a CNS disorder and a healthy unaffected control population, or

a case population treated with agents acting on a CNS disorder suffering from side-effects resulting from the treatment and a control population treated with the same agents showing no side-effects, or

a case population treated with agents acting on a CNS disorder showing a beneficial response and a control population treated with same agents showing no beneficial response.

2) Association analysis

The general strategy to perform association studies using biallelic markers derived from a region carrying a candidate gene is to scan two groups of individuals (case-control populations)

in order to measure and statistically compare the allele frequencies of the biallelic markers of the present invention in both groups.

If a statistically significant association with a trait is identified for at least one or more of the analyzed biallelic markers, one can assume that: either the associated allele is directly responsible for causing the trait (the associated allele is the trait causing allele), or more likely the associated allele is in linkage disequilibrium with the trait causing allele. The specific characteristics of the associated allele with respect to the candidate gene function usually gives further insight into the relationship between the associated allele and the trait (causal or in linkage disequilibrium). If the evidence indicates that the associated allele within the candidate gene is most probably not the trait causing allele but is in linkage disequilibrium with the real trait causing allele, then the trait causing allele can be found by sequencing the vicinity of the associated marker.

Association studies are usually run in two successive steps. In a first phase, the frequencies of a reduced number of biallelic markers from one or several candidate genes are determined in the trait positive and trait negative populations. In a second phase of the analysis, the identity of the candidate gene and the position of the genetic loci responsible for the given trait is further refined using a higher density of markers from the relevant region. However, if the candidate gene under study is relatively small in length, as it is the case for many of the candidate genes analyzed included in the present invention, a single phase may be sufficient to establish significant associations.

3) Haplotype analysis

As described above, when a chromosome carrying a disease allele first appears in a population as a result of either mutation or migration, the mutant allele necessarily resides on a chromosome having a set of linked markers: the ancestral haplotype. This haplotype can be tracked through populations and its statistical association with a given trait can be analyzed. Complementing single point (allelic) association studies with multi-point association studies also called haplotype studies increases the statistical power of association studies. Thus, a haplotype association study allows one to define the frequency and the type of the ancestral carrier haplotype. A haplotype analysis is important in that it increases the statistical power of an analysis involving individual markers.

In a first stage of a haplotype frequency analysis, the frequency of the possible haplotypes based on various combinations of the identified biallelic markers of the invention is determined. The haplotype frequency is then compared for distinct populations of trait positive and control individuals. The number of trait positive individuals, which should be, subjected to this analysis to obtain statistically significant results usually ranges between 30 and 300, with a preferred number of individuals ranging between 50 and 150. The same considerations apply to the number of unaffected individuals (or random control) used in the study. The results of this

first analysis provide haplotype frequencies in case-control populations, for each evaluated haplotype frequency a p-value and an odd ratio are calculated. If a statistically significant association is found the relative risk for an individual carrying the given haplotype of being affected with the trait under study can be approximated.

5 4) Interaction analysis

The biallelic markers of the present invention may also be used to identify patterns of biallelic markers associated with detectable traits resulting from polygenic interactions. The analysis of genetic interaction between alleles at unlinked loci requires individual genotyping using the techniques described herein. The analysis of allelic interaction among a selected set of
10 biallelic markers with appropriate level of statistical significance can be considered as a haplotype analysis. Interaction analysis consists in stratifying the case-control populations with respect to a given haplotype for the first loci and performing a haplotype analysis with the second loci with each subpopulation.

Statistical methods used in association studies are further described below in IV.C.

15 iv. Testing for linkage in the presence of association

The biallelic markers of the present invention may further be used in TDT (transmission/disequilibrium test). TDT tests for both linkage and association and is not affected by population stratification. TDT requires data from affected individuals and their parents or data from unaffected sibs instead of from parents (see Spielmann S. et al., *Am. J. Hum. Genet.*,
20 52:506-516, 1993; Schaid D.J. et al., *Genet. Epidemiol.*, 13:423-450, 1996; Spielmann S. and Ewens W.J., *Am. J. Hum. Genet.*, 62:450-458, 1998). Such combined tests generally reduce the false – positive errors produced by separate analyses.

C. Statistical Methods

In general, any method known in the art to test whether a trait and a genotype show a
25 statistically significant correlation may be used.

i. Methods in linkage analysis

Statistical methods and computer programs useful for linkage analysis are well-known to those skilled in the art (see Terwilliger J.D. and Ott J., *Handbook of Human Genetic Linkage*, John Hopkins University Press, London, 1994; Ott J., *Analysis of Human Genetic Linkage*, John
30 Hopkins University Press, Baltimore, 1991).

ii. Methods to estimate haplotype frequencies in a population

As described above, when genotypes are scored, it is often not possible to distinguish heterozygotes so that haplotype frequencies cannot be easily inferred. When the gametic phase is not known, haplotype frequencies can be estimated from the multilocus genotypic data. Any
35 method known to person skilled in the art can be used to estimate haplotype frequencies (see Lange K., *Mathematical and Statistical Methods for Genetic Analysis*, Springer, New York, 1997; Weir, B.S., *Genetic data Analysis II: Methods for Discrete population genetic Data*, Sinauer

Assoc., Inc., Sunderland, MA, USA, 1996). Preferably, maximum-likelihood haplotype frequencies are computed using an Expectation- Maximization (EM) algorithm (see Dempster et al., *J. R. Stat. Soc.*, 39B:1-38, 1977; Excoffier L. and Slatkin M., *Mol. Biol. Evol.*, 12(5): 921-927, 1995). This procedure is an iterative process aiming at obtaining maximum-likelihood estimates of haplotype frequencies from multi-locus genotype data when the gametic phase is unknown. Haplotype estimations are usually performed by applying the EM algorithm using for example the EM-HAPLO program (Hawley M.E. et al., *Am. J. Phys. Anthropol.*, 18:104, 1994) or the Arlequin program (Schneider et al., *Arlequin: a software for population genetics data analysis*, University of Geneva, 1997). The EM algorithm is a generalized iterative maximum likelihood approach to estimation and is briefly described below.

In what follows, phenotypes will refer to multi-locus genotypes with unknown haplotypic phase. Genotypes will refer to mutli-locus genotypes with known haplotypic phase.

Suppose one has a sample of N unrelated individuals typed for K markers. The data observed are the unknown-phase K -locus phenotypes that can be categorized with F different phenotypes. Further, suppose that we have H possible haplotypes (in the case of K biallelic markers, we have for the maximum number of possible haplotypes $H=2^K$).

For phenotype j with c_j possible genotypes, we have:

$$P_j = \sum_{i=1}^{c_j} P(\text{genotype}(i)) = \sum_{i=1}^{c_j} P(h_k, h_l). \quad \text{Equation 1}$$

Here, P_j is the probability of the j^{th} phenotype, and $P(h_k, h_l)$ is the probability of the i^{th} genotype composed of haplotypes h_k and h_l . Under random mating (*i.e.* Hardy-Weinberg Equilibrium), $P(h_k, h_l)$ is expressed as:

$$\begin{aligned} P(h_k, h_l) &= P(h_k)^2 \text{ for } h_k = h_l, \text{ and} \\ P(h_k, h_l) &= 2P(h_k)P(h_l) \text{ for } h_k \neq h_l. \end{aligned} \quad \text{Equation 2}$$

The E-M algorithm is composed of the following steps: First, the genotype frequencies are estimated from a set of initial values of haplotype frequencies. These haplotype frequencies are denoted $P_1^{(0)}, P_2^{(0)}, P_3^{(0)}, \dots, P_H^{(0)}$. The initial values for the haplotype frequencies may be obtained from a random number generator or in some other way well known in the art. This step is referred to the Expectation step. The next step in the method, called the Maximization step, consists of using the estimates for the genotype frequencies to re-calculate the haplotype frequencies. The first iteration haplotype frequency estimates are denoted by $P_1^{(1)}, P_2^{(1)}, P_3^{(1)}, \dots, P_H^{(1)}$. In general, the Expectation step at the s^{th} iteration consists of calculating the probability of placing each phenotype into the different possible genotypes based on the haplotype frequencies of the previous iteration:

$$P(h_k, h_l)^{(s)} = \frac{n_j}{N} \left[\frac{P_j(h_k, h_l)^{(s)}}{P_j} \right], \quad \text{Equation 3}$$

where n_j is the number of individuals with the j^{th} phenotype and $P_j(h_k, h_l)^{(s)}$ is the probability of genotype $h_k h_l$ in phenotype j . In the Maximization step, which is equivalent to the gene-counting method (Smith, *Ann. Hum. Genet.*, 21:254-276, 1957), the haplotype frequencies are re-estimated based on the genotype estimates:

$$P_i^{(s+1)} = \frac{1}{2} \sum_{j=1}^F \sum_{l=1}^{c_l} \delta_{il} P_j(h_k, h_l)^{(s)}. \quad \text{Equation 4}$$

Here, δ_{il} is an indicator variable which counts the number of occurrences that haplotype i is present in l^{th} genotype; it takes on values 0, 1, and 2.

The E-M iterations cease when the following criterion has been reached. Using Maximum Likelihood Estimation (MLE) theory, one assumes that the phenotypes j are distributed multinomially. At each iteration s , one can compute the likelihood function L . Convergence is achieved when the difference of the log-likelihood between two consecutive iterations is less than some small number, preferably 10^{-7} .

iii. Methods to calculate linkage disequilibrium between markers

A number of methods can be used to calculate linkage disequilibrium between any two genetic positions, in practice linkage disequilibrium is measured by applying a statistical association test to haplotype data taken from a population.

Linkage disequilibrium between any pair of biallelic markers comprising at least one of the biallelic markers of the present invention (M_i, M_j) having alleles (a_i/b_i) at marker M_i and alleles (a_j/b_j) at marker M_j can be calculated for every allele combination ($a_i a_j$; $a_i b_j$; $b_i a_j$ and $b_i b_j$), according to the Piazza formula :

$$\Delta_{a_i a_j} = \sqrt{\theta 4} - \sqrt{(\theta 4 + \theta 3)(\theta 4 + \theta 2)}, \text{ where :}$$

$\theta 4 = - - =$ frequency of genotypes not having allele a_i at M_i and not having allele a_j at M_j

$\theta 3 = - + =$ frequency of genotypes not having allele a_i at M_i and having allele a_j at M_j

$\theta 2 = + - =$ frequency of genotypes having allele a_i at M_i and not having allele a_j at M_j

Linkage disequilibrium (LD) between pairs of biallelic markers (M_i, M_j) can also be calculated for every allele combination ($a_i a_j$; $a_i b_j$; $b_i a_j$ and $b_i b_j$), according to the maximum-likelihood estimate (MLE) for delta (the composite genotypic disequilibrium coefficient), as described by Weir (Weir B.S., *Genetic Data Analysis*, Sinauer Ass. Eds, 1996). The MLE for the composite linkage disequilibrium is:

$$D_{a_i a_j} = (2n_1 + n_2 + n_3 + n_4/2)/N - 2(\text{pr}(a_i) \cdot \text{pr}(a_j))$$

Where $n_1 = \Sigma$ phenotype ($a/a_i, a_j/a_j$), $n_2 = \Sigma$ phenotype ($a/a_i, a_j/b_j$), $n_3 = \Sigma$ phenotype ($a/b_i, a_j/a_j$), $n_4 = \Sigma$ phenotype ($a/b_i, a_j/b_j$) and N is the number of individuals in the sample.

This formula allows linkage disequilibrium between alleles to be estimated when only genotype, and not haplotype, data are available.

Another means of calculating the linkage disequilibrium between markers is as follows. For a couple of biallelic markers, $M_i (a_i/b_i)$ and $M_j (a_j/b_j)$, fitting the Hardy-Weinberg equilibrium, one can estimate the four possible haplotype frequencies in a given population according to the approach described above.

The estimation of gametic disequilibrium between a_i and a_j is simply:

$$D_{aiaj} = pr(haplotype(a_i, a_j)) - pr(a_i).pr(a_j).$$

Where $pr(a_i)$ is the probability of allele a_i and $pr(a_j)$ is the probability of allele a_j and where $pr(haplotype(a_i, a_j))$ is estimated as in Equation 3 above.

For a couple of biallelic marker only one measure of disequilibrium is necessary to describe the association between M_i and M_j .

Then a normalised value of the above is calculated as follows:

$$D'_{aiaj} = D_{aiaj} / \max (-pr(a_i).pr(a_j), -pr(b_i).pr(b_j)) \text{ with } D_{aiaj} < 0$$

$$D'_{aiaj} = D_{aiaj} / \max (pr(b_i).pr(a_j), pr(a_i).pr(b_j)) \text{ with } D_{aiaj} > 0$$

The skilled person will readily appreciate that other LD calculation methods can be used without undue experimentation.

Linkage disequilibrium among a set of biallelic markers having an adequate heterozygosity rate can be determined by genotyping between 50 and 1000 unrelated individuals, preferably between 75 and 200, more preferably around 100.

iv. Testing for association

Methods for determining the statistical significance of a correlation between a phenotype and a genotype, in this case an allele at a biallelic marker or a haplotype made up of such alleles, may be determined by any statistical test known in the art and with any accepted threshold of statistical significance being required. The application of particular methods and thresholds of significance are well within the skill of the ordinary practitioner of the art.

Testing for association is performed by determining the frequency of a biallelic marker allele in case and control populations and comparing these frequencies with a statistical test to determine if there is a statistically significant difference in frequency which would indicate a correlation between the trait and the biallelic marker allele under study. Similarly, a haplotype analysis is performed by estimating the frequencies of all possible haplotypes for a given set of biallelic markers in case and control populations, and comparing these frequencies with a statistical test to determine if there is a statistically significant correlation between the haplotype and the phenotype (trait) under study. Any statistical tool useful to test for a statistically significant association between a genotype and a phenotype may be used. Preferably the statistical test employed is a chi-square test with one degree of freedom. A p-value is then

determined (the P-value is the probability that a statistic as large or larger than the observed one would occur by chance).

1) Statistical significance

In preferred embodiments, significance for diagnostic purposes, either as a positive basis
5 for further diagnostic tests or as a preliminary starting point for early preventive therapy, the p value related to a biallelic marker association is preferably about 1×10^{-2} or less, more preferably about 1×10^{-4} or less, for a single biallelic marker analysis and about 1×10^{-3} or less, still more preferably 1×10^{-6} or less and most preferably of about 1×10^{-8} or less, for a haplotype analysis involving several markers. These values are believed to be applicable to any
10 association studies involving single or multiple marker combinations.

The skilled person can use the range of values set forth above as a starting point in order to carry out association studies with biallelic markers of the present invention. In doing so, significant associations between the biallelic markers of the present invention and CNS disorders can be revealed and used for diagnosis and drug screening purposes.

2) Phenotypic permutation

In order to confirm the statistical significance of the first stage haplotype analysis described above, it might be suitable to perform further analyses in which genotyping data from case-control individuals are pooled and randomized with respect to the trait phenotype. Each individual genotyping data is randomly allocated to two groups, which contain the same number
20 of individuals as the case-control populations used to compile the data obtained in the first stage. A second stage haplotype analysis is preferably run on these artificial groups, preferably for the markers included in the haplotype of the first stage analysis showing the highest relative risk coefficient. This experiment is re-iterated preferably at least between 100 and 10000 times. The repeated iterations allow the determination of the percentage of obtained haplotypes with a
25 significant p-value level.

3) Assessment of statistical association

To address the problem of false positives similar analysis may be performed with the same case-control populations in random genomic regions. Results in random regions and the candidate region are compared as described in US Provisional Patent Application entitled
30 "Methods, software and apparatus for identifying genomic regions harbouring a gene associated with a detectable trait".

v. Evaluation of risk factors

The association between a risk factor (in genetic epidemiology the risk factor is the presence or the absence of a certain allele or haplotype at marker loci) and a disease is measured
35 by the odds ratio (OR) and by the relative risk (RR). If $P(R^+)$ is the probability of developing the disease for individuals with risk factor R and $P(R^-)$ is the probability for individuals without the risk factor, then the relative risk is simply the ratio of the two probabilities, that is:

$$RR = P(R^+)/P(R^-)$$

In case-control studies, direct measures of the relative risk cannot be obtained because of the sampling design. However, the odds ratio allows a good approximation of the relative risk for low-incidence diseases and can be calculated:

$$OR = \left[\frac{F^+}{1-F^+} \right] / \left[\frac{F^-}{1-F^-} \right]$$

$$5 \quad OR = [F^+/(1-F^+)] / [F^-/(1-F^-)]$$

F^+ is the frequency of the exposure to the risk factor in cases and F^- is the frequency of the exposure to the risk factor in controls. F^+ and F^- are calculated using the allelic or haplotype frequencies of the study and further depend on the underlying genetic model (dominant, recessive, additive...).

10 One can further estimate the attributable risk (AR) which describes the proportion of individuals in a population exhibiting a trait due to a given risk factor. This measure is important in quantitating the role of a specific factor in disease etiology and in terms of the public health impact of a risk factor. The public health relevance of this measure lies in estimating the proportion of cases of disease in the population that could be prevented if the exposure of interest
15 were absent. AR is determined as follows:

$$AR = P_E(RR-1) / (P_E(RR-1)+1)$$

AR is the risk attributable to a biallelic marker allele or a biallelic marker haplotype. P_E is the frequency of exposure to an allele or a haplotype within the population at large; and RR is the relative risk which is approximated with the odds ratio when the trait under study has a relatively
20 low incidence in the general population.

D. Association of Biallelic Markers of the Invention with Major Depression

In the context of the present invention, an association between biallelic marker alleles from candidate genes of the present invention and a CNS disorder was demonstrated. The considered CNS disorder was major depression.

25 Depression is a serious medical illness that affects 340 million people worldwide. In contrast to the normal emotional experiences of sadness, loss, or passing mood states, clinical depression is persistent and can interfere significantly with an individual's ability to function. Many neurochemical findings are coming to light implicating a biological basis for the depression, at least for certain subtypes. Abnormalities of monoamine function as well as over
30 stimulation of the HPA axis have been recognized in depression for many years. Patterns of clustering and segregation in depressive families have suggested a genetic component to depression. However, the lack of a defined and specific depression phenotype and of suitable markers for genetic analysis is proving to be a major hurdle for reliably identifying genes associated with depression. As a result, psychiatrists today have to choose antidepressant

medications by intuition and trial and error; a situation that can put suicidal patients in jeopardy for weeks or months until the right compound is selected. Clearly, there is a strong need to successfully identify genes involved in depression; thus allowing researchers to understand the etiology of depression and address its cause, rather than symptoms.

5 As mentioned above, both the nervous system and endocrine system play a major role in the etiology of depression. More specifically, the neurotransmitters dopamine, norepinephrine and serotonin as well as the hormones corticotrophin releasing factor, glucocorticoids, mineralocorticoids and various neuropeptides are thought to play a major role in the pathophysiology of depression.

10 In order to investigate and identify a genetic origin of depression, a candidate gene scan for depression was conducted. The rationale of this approach was to: 1) select candidate genes potentially involved in the pathophysiology of interest, in this case major depression, 2) to identify biallelic markers in those genes and finally 3) to measure the frequency of biallelic marker alleles in order to determine if some alleles are more frequent in depressed populations
15 than in non-affected populations. Results were further validated by haplotype studies. Significant associations between biallelic marker alleles from the serotonin receptor 6 (5HTR6), serotonin 7 (5HTR7), serotonin transporter (5HTT), dopamine receptor 3 (DRD3), norepinephrine transporter (NET), guanine nucleotide binding protein, $\beta 3$ (Gbeta3), glucocorticoid receptor (GRL), drug metabolizing enzyme cytochrome P450 3A4 (CYP3A4) and
20 Wolfram Syndrome 1 (WFS1) genes and depression were demonstrated in the context of the present invention. Association studies are further described in Examples 3, 4 and 5.

This information is extremely valuable. The knowledge of a potential genetic predisposition, even if this predisposition is not absolute, might contribute in a very significant manner to treatment efficacy of depressed patients and to the development of diagnostic tools.

25 E. Identification of Biallelic Markers in Linkage Disequilibrium with the Biallelic Markers of the Invention

Once a first biallelic marker has been identified in a genomic region of interest, the practitioner of ordinary skill in the art, using the teachings of the present invention, can easily identify additional biallelic markers in linkage disequilibrium with this first marker. As
30 mentioned before any marker in linkage disequilibrium with a first marker associated with a trait will be associated with the trait. Therefore, once an association has been demonstrated between a given biallelic marker and a trait, the discovery of additional biallelic markers associated with this trait is of great interest in order to increase the density of biallelic markers in this particular region. The causal gene or mutation will be found in the vicinity of the marker or set of markers
35 showing the highest correlation with the trait.

Identification of additional markers in linkage disequilibrium with a given marker involves: (a) amplifying a genomic fragment comprising a first biallelic marker from a plurality

of individuals; (b) identifying of second biallelic markers in the genomic region harboring said first biallelic marker; (c) conducting a linkage disequilibrium analysis between said first biallelic marker and second biallelic markers; and (d) selecting said second biallelic markers as being in linkage disequilibrium with said first marker. Subcombinations comprising steps (b) and (c) are also contemplated.

Methods to identify biallelic markers and to conduct linkage disequilibrium analysis are described herein and can be carried out by the skilled person without undue experimentation. The present invention then also concerns biallelic markers which are in linkage disequilibrium with the specific biallelic markers shown in Table 7 and which are expected to present similar characteristics in terms of their respective association with a given trait.

F. Identification of Functional Mutations

Once a positive association is confirmed with a biallelic marker of the present invention, the associated candidate gene can be scanned for mutations by comparing the sequences of a selected number of trait positive and trait negative individuals. In a preferred embodiment, functional regions such as exons and splice sites, promoters and other regulatory regions of the candidate gene are scanned for mutations. Preferably, trait positive individuals carry the haplotype shown to be associated with the trait and trait negative individuals do not carry the haplotype or allele associated with the trait. The mutation detection procedure is essentially similar to that used for biallelic site identification.

The method used to detect such mutations generally comprises the following steps: (a) amplification of a region of the candidate gene comprising a biallelic marker or a group of biallelic markers associated with the trait from DNA samples of trait positive patients and trait negative controls; (b) sequencing of the amplified region; (c) comparison of DNA sequences from trait-positive patients and trait-negative controls; and (d) determination of mutations specific to trait-positive patients. Subcombinations which comprise steps (b) and (c) are specifically contemplated.

It is preferred that candidate polymorphisms be then verified by screening a larger population of cases and controls by means of any genotyping procedure such as those described herein, preferably using a microsequencing technique in an individual test format. Polymorphisms are considered as candidate mutations when present in cases and controls at frequencies compatible with the expected association results.

VII. Biallelic Markers of the Invention in Methods of Genetic Diagnostics

The biallelic markers of the present invention can also be used to develop diagnostics tests capable of identifying individuals who express a detectable trait as the result of a specific genotype or individuals whose genotype places them at risk of developing a detectable trait at a subsequent time. The trait analyzed using the present diagnostics may be any detectable trait,

including a CNS disorder, a response to an agent acting on a CNS disorder or side effects to an agent acting on a CNS disorder.

The diagnostic techniques of the present invention may employ a variety of methodologies to determine whether a test subject has a biallelic marker pattern associated with an increased risk of developing a detectable trait or whether the individual suffers from a detectable trait as a result of a particular mutation, including methods which enable the analysis of individual chromosomes for haplotyping, such as family studies, single sperm DNA analysis or somatic hybrids.

The present invention provides diagnostic methods to determine whether an individual is at risk of developing a disease or suffers from a disease resulting from a mutation or a polymorphism in a candidate gene of the present invention. The present invention also provides methods to determine whether an individual is likely to respond positively to an agent acting on a CNS disorder or whether an individual is at risk of developing an adverse side effect to an agent acting on a CNS disorder.

These methods involve obtaining a nucleic acid sample from the individual and, determining, whether the nucleic acid sample contains at least one allele or at least one biallelic marker haplotype, indicative of a risk of developing the trait or indicative that the individual expresses the trait as a result of possessing a particular candidate gene polymorphism or mutation (trait-causing allele).

Preferably, in such diagnostic methods, a nucleic acid sample is obtained from the individual and this sample is genotyped using methods described herein. The diagnostics may be based on a single biallelic marker or on a group of biallelic markers.

In each of these methods, a nucleic acid sample is obtained from the test subject and the biallelic marker pattern of one or more of the biallelic markers listed in Table 7 is determined.

In one embodiment, PCR amplification is conducted on the nucleic acid sample to amplify regions in which polymorphisms associated with a detectable phenotype have been identified. The amplification products are sequenced to determine whether the individual possesses one or more polymorphisms associated with a detectable phenotype. The primers used to generate amplification products may comprise the primers listed in Table 13. Alternatively, the nucleic acid sample is subjected to microsequencing reactions as described above to determine whether the individual possesses one or more polymorphisms associated with a detectable phenotype resulting from a mutation or a polymorphism in a candidate gene. The primers used in the microsequencing reactions may include the primers listed in Table 12. In another embodiment, the nucleic acid sample is contacted with one or more allele specific oligonucleotide probes which, specifically hybridize to one or more candidate gene alleles associated with a detectable phenotype. The probes used in the hybridization assay may include the probes listed in Table 14.

In a preferred embodiment the identity of the nucleotide present at, at least one, 5HTR6 related biallelic marker selected from the group consisting of 99-27207-117, 99-28110-75, and 99-28134-215, is determined and the detectable trait is depression.

5 In a preferred embodiment the identity of the nucleotide present at, at least one, 5HTR7 related biallelic marker selected from the group consisting of 99-32181-192 and 99-28106-185, is determined and the detectable trait is depression.

In a preferred embodiment the identity of the nucleotide present at, at least one, GRL related biallelic marker selected from the group consisting of 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, and 99-30853-364, is determined and the detectable trait is
10 depression.

In a preferred embodiment the identity of the nucleotide present at, at least one, NET related biallelic marker selected from the group consisting of 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, and 16-50-196, is determined and the detectable trait is depression.

15 In a preferred embodiment the identity of the nucleotide present at, at least one, DRD3 related biallelic marker selected from the group consisting of 8-19-372, is determined and the detectable trait is depression.

In a preferred embodiment the identity of the nucleotide present at, at least one, CYP3A4 related biallelic marker selected from the group consisting of 12-254-180, 10-214-279, and 10-217-91, is determined and the detectable trait is depression.
20

In a preferred embodiment the identity of the nucleotide present at, at least one, 5HTT related biallelic marker selected from the group consisting of 18-194-130, 18-186-391, 18-198-252, and 18-242-300, is determined and the detectable trait is depression.

In a preferred embodiment the identity of the nucleotide present at, at least one, Gbeta3 related biallelic marker selected from the group consisting of 20-205-302, 19-58-162, 19-9-45, 19-22-74, and 19-88-185, is determined and the detectable trait is depression.
25

In a preferred embodiment the identity of the nucleotide present at, at least one, WFS1 related biallelic marker selected from the group consisting of 19-18-310, 19-19-174, 19-17-188, and 19-16-127, is determined and the detectable trait is depression.

30 Diagnostic kits comprising polynucleotides of the present invention are further described in section I.

These diagnostic methods are extremely valuable as they can, in certain circumstances, be used to initiate preventive treatments or to allow an individual carrying a significant haplotype to foresee warning signs such as minor symptoms. In diseases in which attacks may be extremely violent and sometimes fatal if not treated on time, such as asthma, the knowledge of a
35 potential predisposition, even if this predisposition is not absolute, might contribute in a very significant manner to treatment efficacy. Similarly, a diagnosed predisposition to a potential side

effect could immediately direct the physician toward a treatment for which such side effects have not been observed during clinical trials.

5 Diagnostics, which analyze and predict response to a drug or side effects to a drug, may be used to determine whether an individual should be treated with a particular drug. For example, if the diagnostic indicates a likelihood that an individual will respond positively to treatment with a particular drug, the drug may be administered to the individual. Conversely, if the diagnostic indicates that an individual is likely to respond negatively to treatment with a particular drug, an alternative course of treatment may be prescribed. A negative response may be defined as either the absence of an efficacious response or the presence of toxic side effects.

10 Clinical drug trials represent another application for the markers of the present invention. One or more markers indicative of response to an agent acting on a CNS disorder or to side effects to an agent acting on a CNS disorder may be identified using the methods described above. Thereafter, potential participants in clinical trials of such an agent may be screened to identify those individuals most likely to respond favorably to the drug and exclude those likely to
15 experience side effects. In that way, the effectiveness of drug treatment may be measured in individuals who respond positively to the drug, without lowering the measurement as a result of the inclusion of individuals who are unlikely to respond positively in the study and without risking undesirable safety problems.

20 VIII. DNA Typing Methods and Systems

The present invention also encompasses a DNA typing system having a much higher discriminatory power than currently available typing systems. The systems and associated methods are particularly applicable in the identification of individuals for forensic science and paternity determinations. These applications have become increasingly important; in forensic
25 science, for example, the identification of individuals by polymorphism analysis has become widely accepted by courts as evidence.

While forensic geneticists have developed many techniques to compare homologous segments of DNA to determine if the segments are identical or if they differ in one or more nucleotides, each technique still has certain disadvantages. In particular, the techniques vary
30 widely in terms of expense of analysis, time required to carry out an analysis and statistical power.

RFLP analysis methods

The best known and most widespread method in forensic DNA typing is the restriction fragment length polymorphism (RFLP) analysis. In RFLP testing, a repetitive DNA sequence referred to as a variable number tandem repeat (VNTR) which varies between individuals is
35 analyzed. The core repeat is typically a sequence of about 15 base pairs in length, and highly polymorphic VNTR loci can have an average of about 20 alleles. DNA restriction sites located

n either site of the VNTR are exploited to create DNA fragments from about 0.5Kb to less than 10Kb which are then separated by electrophoresis, indicating the number of repeats found in the individual at the particular loci. RFLP methods generally consist of (1) extraction and isolation of DNA, (2) restriction endonuclease digestion; (3) separation of DNA fragments by electrophoresis; (4) capillary transfer; (5) hybridization with radiolabelled probes; (6) autoradiography; and (7) interpretation of results (Lee, H.C. et al., Am. J. Forensic. Med. Pathol. 15(4): 269-282 (1994)). RFLP methods generally combine analysis at about 5 loci and have much higher discriminate potential than other available test due the highly polymorphic nature of the VNTRs. However, autoradiography is costly and time consuming and an analysis generally takes weeks or months for turnaround. Additionally, a large amount of sample DNA is required, which is often not available at a crime scene. Furthermore, the reliability of the system and its credibility as evidence is decreased because the analysis of tightly spaced bands on electrophoresis results in a high rate of error.

PCR methods

PCR based methods offer an alternative to RFLP methods. In a first method called AmpFLP, DNA fragments containing VNTRs are amplified and then separated electrophoretically, without the restriction step of RFLP method. While this method allows small quantities of sample DNA to be used, decreases analysis time by avoiding autoradiography, and retains high discriminatory potential, it nevertheless requires electrophoretic separation which takes substantial time and introduces an significant error rate. In another AmpFLP method, short tandem repeats (STRs) of 2 to 8 base pairs are analyzed. STRs are more suitable to analysis of degraded DNA samples since they require smaller amplified fragments but have the disadvantage of requiring separation of the amplified fragments. While STRs are far less informative than longer repeats, similar discriminatory potential can be achieved if enough STRs are used in a single analysis.

Other methods include sequencing of mitochondrial DNA, which is especially suitable for situations where sample DNA is very degraded or in small quantities. However, only a small region of 1Kb of the mitochondrial DNA referred to as the D-Loop locus has been found useful for typing because of its polymorphic nature, resulting in lower discriminatory potential than with RFLP or AmpFLP methods. Furthermore, DNA sequencing is expensive to carry out on a large number of samples.

Further available methods include dot-blot methods, which involve using allele specific oligonucleotide probes which hybridize sequence specifically to one allele of a polymorphic site. Systems include the HLA DQ-alpha kit developed by Cetus Corp. which has a discriminatory value of about 1 in 20, and a dot-blot strip referred to as the Polymarker strip combining five genetic loci for a discriminatory value of about one in a few thousand. (Weedn, V., Clinics in Lab. Med. 16(1): 187-196 (1996)).

In addition to difficulties in analysis and time consuming laboratory procedures, it remains desirable for all DNA typing systems to have a higher discriminatory power. Several applications exist in which even the most discriminating tests need improvement in order to remove the considerable remaining doubt resulting from such analyses. Table 3 below lists characteristics of currently available forensic testing systems (Weedn, (1996)) and compares them with the method of the invention.

Table 3

<i>Test type</i>	<i>Technology</i>	<i>Turnaround time</i>	<i>Discriminatory potential</i>	<i>Sensitivity (amount DNA)</i>	<i>Sample</i>
RFLP	VNTR (autoradiography)	Weeks or months	10^6 to 10^9	10ng	Highly intact DNA
AmpFLP	VNTR (PCR based)	Days	10^3 to 10^6	100pg	Moderate degradation
Dot blot (ex. HLADQA1)	Sequence specific oligonucleotide probes	Days	10^1 to 10^3	1ng	Moderate degradation
Mitochondrial DNA	D-loop sequence (PCR based)	Days	10^2	1pg	Severe degradation
Present marker set	Biallelic Markers (set of 13, set of 100, set of 200, set of 270)	Hours to Days (throughput dependent)	10^6 , 10^{47} , 10^{238}	100pg	Moderate degradation

Applications

As described above, an important application of DNA typing tests is to determine whether a DNA sample (e.g. from a crime scene) originated from an individual suspected of leaving said DNA sample.

There are several applications for DNA typing which require a particularly powerful genotyping system. In a first application, a high powered typing system is advantageous when for example a suspect is identified by searching a DNA profile database such as that maintained by the U.S. Federal Bureau of Investigation. Since databases may contain large numbers of data entries that are expected to increase consistently, currently used forensic systems can be expected to identify several matching DNA profiles due to their relative lack of power. While database searches generally reinforce the evidence by excluding other possible suspects, low powered typing systems resulting in the identification of several individuals may often tend to diminish the overall case against a defendant.

In another application, a target population is systematically tested to identify an individual having the same DNA profile as that of a DNA sample. In such a situation, a defendant is chosen at random based on DNA profile from a large population of innocent individuals. Since the population tested can often be large enough that at least one positive match is identified, and it is usually not possible to exhaustively test a population, the usefulness of the evidence will depend on the level of significance of the forensic test. In order to render such an application useful as a sole or primary source of evidence, DNA typing systems of extremely high discriminatory potential are required.

In yet another application, it is desirable to be able to discriminate between related individuals. Because related individuals will be expected to share a large portion of alleles at polymorphic sites, a very high powered DNA typing assay would be required to discriminate between them. This can have important effects if a sample is found to match the defendant's DNA profile and no evidence that the perpetrator is a relative can be found.

Accordingly, there is a need in this art for a rapid, simple, inexpensive and accurate technique having a very high resolution value to determine relationships between individuals and differences in degree of relationships. Also, there is a need in the art for a very accurate genetic relationship test procedure which uses very small amounts of an original DNA sample, yet produces very accurate results.

The present invention thus involves methods for the identification of individuals comprising determining the identity of the nucleotides at set of genetic markers in a biological sample, wherein said set of genetic markers comprises at least one CNS disorder-related marker. The present invention provides an extensive set of biallelic markers allowing a higher discriminatory potential than the genetic markers used in current forensic typing systems. Also, biallelic markers can be genotyped in individuals with much higher efficiency and accuracy than the genetic markers used in current forensic typing systems. In preferred embodiments, the invention comprises determining the identity of a nucleotide at a CNS disorder-related marker by single nucleotide primer extension, which does not require electrophoresis as in techniques described above and results in lower rate of experimental error. As shown in Table 3, above, in comparison with PCR based VNTR based methods which allow discriminatory potential of thousands to millions, and RFLP based methods which allow discriminatory potential of merely millions to billions under optimal assumptions, the biallelic marker based method of the present invention provides a radical increase in discriminatory potential.

Any suitable set of genetic markers and biallelic markers of the invention may be used, and may be selected according to the discriminatory power desired. Biallelic markers, sets of biallelic markers, probes, primers, and methods for determining the identity of said biallelic markers are further described herein.

Discriminatory potential of biallelic marker typing

Calculating discriminatory potential

The discriminatory potential of the forensic test can be determined in terms of the profile frequency, also referred to as the random match probability, by applying the product rule. The product rule involves multiplying the allelic frequencies of all the individual alleles tested, and multiplying by an additional factor of 2 for each heterozygous locus.

In one example discussed below, the discriminatory potential of biallelic marker typing can be considered in the context of forensic science. In order to determine the discriminatory potential with respect to the numbers of biallelic markers to be used in a genetic typing system, the formulas and calculations below assume that (1) the population under study is sufficiently large (so that we can assume no consanguinity); (2) all markers chosen are not correlated, so that the product rule (Lander and Budlowle (1992)) can be applied; and (3) the ceiling rule can be applied or that the allelic frequencies of markers in the population under study are known with sufficient accuracy.

As noted in Weir, B.S., *Genetic data Analysis II: Methods for Discrete population genetic Data*, Sinauer Assoc., Inc., Sunderland, MA, USA, 1996, the example assumes a crime has been committed and a sample of DNA from the perpetrator (P) is available for analysis. The genotype of this DNA sample can be determined for several genetic markers, and the profile A of the perpetrator can thereby be determined.

In this example, one suspect (S) is available for typing. The same set of genetic markers, such as the biallelic markers of the invention, are typed and the same profile A is obtained for (S) and (P). Two hypotheses are thus presented as follows:

- (1) either S is P (event C)
- (2) either S is not P (event \bar{C}).

The ratio L of both probabilities can then be calculated using the following equation:

$$L = \frac{\text{pr}(S = A, P = A / C)}{\text{pr}(S = A, P = A / \bar{C})}$$

L can then further be calculated by the following equation:

$$L = \frac{1}{\text{pr}(P = A / S = A, \bar{C})} \quad (1) \text{ Equation 1}$$

These probabilities as well as L can be calculated in several settings, notably for different kinship coefficients between P and S for a genetic marker (see Weir, (1996)).

Assuming that all genetic markers chosen are independent of each other, the global ratio L for a set of genetic markers will be the product over each genetic marker of all L.

It is further possible to estimate the mean number of biallelic markers or VNTRs required to have a ratio L equal to 10^8 or 10^6 by calculating the expectancy of the random variable L using the following equation:

$$E(L) = \prod_{i=1}^N E(L_i) \text{ where } N \text{ is the number of loci}$$

$$E(L_i) = \sum_{j=1}^{G_i} pr(P = A_{ij} / S = A_{ij}, \bar{C}) \cdot L_{ij}, \text{ where } A_{ij} \text{ is the genotype } j \text{ at the } i\text{th marker,}$$

L_{ij} the ratio associated with such genotype, G_i being the number of genotypes at locus i .

From equation 1, it can easily be derived that the expectancy of L_i is G_i , the number of possible genotypes of this marker.

The general expectancy for a set of genetic markers can then be expressed by the following equation:

$$E(L) = \prod_{i=1}^N G_i \quad (2) \text{ Equation 2}$$

Biallelic marker-based DNA typing systems

Using the equations described above, it is possible to select biallelic marker-based DNA typing systems having a desired discriminatory potential.

Using biallelic markers, $E(L)$ can thus be expressed as 3^N . When using VNTR-based DNA typing systems, assuming the VNTRs have 10 alleles, $E(L)$ can be expressed as 55^N .

Based on these results, the number of biallelic markers or VNTRs needed to obtain, in mean, a ratio of at least 10^6 or 10^8 can be calculated, and are set forth below in Table 4.

Table 4

Marker sets	$L=10^6$	$L=10^8$
Biallelic	13	17
5-allele markers (e.g. VNTR)	5	7
10-allele markers (e.g. VNTR)	4	5

15

Thus, in a first embodiment, DNA typing systems and methods of the invention may comprise genotyping a set of at least 13 or at least 17 biallelic markers to obtain a ratio of at least 10^6 or 10^8 , assuming a flat distribution of L across the biallelic markers. In preferred embodiments, a greater number of biallelic markers is genotyped to obtain a higher L value.

Preferably at least 1, 2, 3, 4, 5, 10, 13, 15, 17, 20, 25, 30, 40, 50, 70, 85, 100, 150, 200, 250 or all of the CNS disorder-related markers are genotyped. Said DNA typing systems of the invention would result in L values as listed in Table 5 below as an indication of the discriminate potential of the systems of the invention.

Table 5

Number of biallelic markers	L
-----------------------------	-----

50	$7.2 * 10^{23}$
100	$5 * 10^{47}$
271	3^{271}

In situations where the distribution of L is not flat, such as in the worst case when the perpetrator is homozygous for the major allele at each genetic locus and L thus takes the lowest value, a larger number of biallelic markers is required for the same discriminatory potential.

- 5 Therefore, in preferred embodiments, DNA typing systems and methods of the invention using a larger number of biallelic markers allow for uneven distributions of L across the biallelic markers. For example, assuming unrelated individuals, a set of independent markers having an allelic frequency of 0.1/0.9, and the genetic profile of a homozygote at each genetic loci for the major allele, 66 biallelic markers are required to obtain a ratio of 10^6 , and 88 biallelic markers are
- 10 required to obtain a ratio of 10^8 . Thus, in preferred embodiments based on the use of markers having a major allele of sufficiently high frequency, this is a first estimation of the upper bound of markers required in a DNA typing system.

- In further embodiments, it is also desirable to have the ability to discriminate between relatives. Although unrelated individuals have a low probability of sharing genetic profiles, the
- 15 probability is greatly increased for relatives. For example, the DNA profile of a suspect matches the DNA profile of a sample at a crime scene, and the probability of obtaining the same DNA profile if left by an untyped relative is required. Table 6 below (Weir (1996)) lists probabilities for several different types of relationships, assuming alleles A_i and A_j , and population
- 20 frequencies p_i and p_j , and lists likelihood ratios assuming genetic loci having allele frequencies of 0.1.

Table 6

Genotype	Relationship	$\Pr(p=A S=A)$	L
$A_i A_j$	Full brothers	$(1+p_i+p_j+2p_i p_j)/4$	3.3
	Father and son	$(p_i+p_j)/2$	10.0
	Half brothers	$(p_i+p_j+4p_i p_j)/4$	16.7
	Uncle and nephew	$(1+p_i+p_j+2p_i p_j)/4$	16.7
	First cousins	$(1+p_i+p_j+12p_i p_j)/8$	25.0
	Unrelated	$2p_i p_j$	50.0
$A_j A_j$	Full brothers	$(1+p_i)^2/4$	3.3

Father and son	p_i	10.0
Half brothers	$p_i (1+p_i)/2$	18.2
Uncle and nephew	$p_i (1+p_i)/2$	18.2
First cousins	$p_i (1+3p_i)/4$	30.8
Unrelated	p_i^2	100.0

In one example, where the suspect is the full brother of the perpetrator, the number of required biallelic markers will be 187 assuming the profile is that of a homozygote for the major allele at each biallelic marker.

5 In yet further embodiments, the DNA typing systems and methods of the present invention may further take into account effects of subpopulations on the discriminatory potential. In embodiments described above for example, DNA typing systems consider close familial relationships, but do not take into account membership in the same population. While population membership is expected to have little effect, the invention may further comprise genotyping a
10 larger set of biallelic markers to achieve higher discriminatory potential. Alternatively, a larger set of biallelic markers may be optimized for typing selected populations; alternatively, the ceiling principle may be used to study allele frequencies from individuals in various populations of interest, taking for any particular genotype the maximum allele frequency found among the populations.

15 The invention thus encompasses methods for genotyping comprising determining the identity of a nucleotide at least 13, 15, 17, 20, 25, 30, 40, 50, 66, 70, 85, 88, 100, 187, 200, or 250, 500, 700, 1000 or 2000 biallelic markers in a biological sample, wherein at least 1, 2, 3, 4, 5, 10, 13, 17, 20, 25, 30, 40, 50, 70, 85, 100, 150, 200, 250 or all of said biallelic markers are CNS disorder-related markers selected from the group consisting of SEQ ID NOS: 1-271.

20 Any markers known in the art may be used with the CNS disorder-related markers of the present invention in the DNA typing methods and systems described herein, for example in anyone of the following web sites offering collections of SNPs and information about those SNPs:

The Genetic Annotation Initiative (<http://cgap.nci.nih.gov/GAI/>). An NIH run site
25 which contains information on candidate SNPs thought to be related to cancer and tumorigenesis generally.

dbSNP Polymorphism Repository (<http://www.ncbi.nlm.nih.gov/SNP/>). A more comprehensive NIH-run database containing information on SNPs with broad applicability in biomedical research.

30 *HUGO Mutation Database Initiative*
(<http://ariel.ucs.unimelb.edu.au:80/~cotton/mdi.htm>). A database meant to provide systematic

access to information about human mutations including SNPs. This site is maintained by the Human Genome Organisation (HUGO).

Human SNP Database (<http://www-genome.wi.mit.edu/SNP/human/index.html>).

Managed by the Whitehead Institute for Biomedical Research Genome Institute, this site contains information about SNPs resulting from the many Whitehead research projects on mapping and sequencing.

SNPs in the Human-Genome SNP database (<http://www.ihc.wustl.edu/SNP/>). This website provides access to SNPs that have been organized by chromosomes and cytogenetic location. The site is run by Washington University.

10 *HGBase* (<http://hgbase.cgr.ki.se/>). HGBASE is an attempt to summarize all known sequence variations in the human genome, to facilitate research into how genotypes affect common diseases, drug responses, and other complex phenotypes, and is run by the Karolinska Institute of Sweden.

The SNP Consortium Database (<http://snp.cshl.org/db/snp/map>). A collection of SNPs and related information resulting from the collaborative effort of a number of large pharmaceutical and information processing companies.

GeneSNPs (<http://www.genome.utah.edu/genesnps/>). Run by the University of Utah, this site contains information about SNPs resulting from the U. S. National Institute of Environmental Health's initiative to understand the relationship between genetic variation and response to environmental stimuli and xenobiotics.

In addition, biallelic markers provided in the following patents and patent applications may also be used with the map-related biallelic markers of the invention in the DNA typing methods and systems described above: US Serial No. 60/206,615, filed 24 March 2000; US Serial No. 60/216,745, filed 30 June 2000; WIPO Serial No. PCT/IB00/00184, filed 11 February 2000; WIPO Serial No. PCT/IB98/01193, filed 17 July 1998; PCT Publication No. WO 99/54500, filed 21 April 1999; and WIPO Serial No. PCT/IB00/00403, filed 24 March 2000.

Biallelic markers, sets of biallelic markers, probes, primers, and methods for determining the identity of a nucleotide at said biallelic markers are also encompassed and are further described herein, and may encompass any further limitation described in this disclosure, alone or in any combination.

Forensic matching by microsequencing is further described in Example 6 below.

Throughout this application, various publications, patents, and published patent applications are cited. The disclosures of the publications, patents, and published patent specifications referenced in this application are hereby incorporated by reference into the present disclosure to more fully describe the state of the art to which this invention pertains.

EXAMPLES

Several of the methods of the present invention are described in the following examples, which are offered by way of illustration and not by way of limitation. Many other modifications and variations of the invention as herein set forth can be made without departing from the spirit and scope thereof and therefore only such limitations should be imposed as are indicated by the appended claims.

Example 1: *De Novo* Identification of Biallelic Markers

The biallelic markers set forth in this application were isolated from human genomic sequences. To identify biallelic markers, genomic fragments were amplified, sequenced and compared in a plurality of individuals.

DNA samples

Donors were unrelated and healthy. They represented a sufficient diversity for being representative of a French heterogeneous population. The DNA from 100 individuals was extracted and tested for the *de novo* identification of biallelic markers.

DNA samples were prepared peripheral venous blood as follows. 30 ml of peripheral venous blood were taken from each donor in the presence of EDTA. Cells (pellet) were collected after centrifugation for 10 minutes at 2000 rpm. Red cells were lysed in a lysis solution (50 ml final volume: 10 mM Tris pH7.6; 5 mM MgCl₂; 10 mM NaCl). The solution was centrifuged (10 minutes, 2000 rpm) as many times as necessary to eliminate the residual red cells present in the supernatant, after resuspension of the pellet in the lysis solution. The pellet of white cells was lysed overnight at 42°C with 3.7 ml of lysis solution composed of: (a) 3 ml TE 10-2 (Tris-HCl 10 mM, EDTA 2 mM) / NaCl 0.4 M; (b) 200 µl SDS 10%; and (c) 500 µl proteinase K (2 mg proteinase K in TE 10-2 / NaCl 0.4 M).

For the extraction of proteins, 1 ml saturated NaCl (6M) (1/3.5 v/v) was added. After vigorous agitation, the solution was centrifuged for 20 minutes at 10000 rpm. For the precipitation of DNA, 2 to 3 volumes of 100% ethanol were added to the previous supernatant, and the solution was centrifuged for 30 minutes at 2000 rpm. The DNA solution was rinsed three times with 70% ethanol to eliminate salts, and centrifuged for 20 minutes at 2000 rpm. The pellet was dried at 37°C, and resuspended in 1 ml TE 10-1 or 1 ml water. The DNA concentration was evaluated by measuring the optical density (OD) at 260 nm (1 unit OD = 50 µg/ml DNA). To determine the presence of proteins in the DNA solution, the OD 260 / OD 280 ratio was determined. Only DNA preparations having a OD 260 / OD 280 ratio between 1.8 and 2 were used in the subsequent examples described below. DNA pools were constituted by mixing equivalent quantities of DNA from each individual.

Amplification of genomic DNA by PCR

Amplification of specific genomic sequences was carried out on pooled DNA samples obtained as described above.

Amplification primers

5 The primers used for the amplification of human genomic DNA fragments were defined with the OSP software (Hillier & Green, 1991). Preferably, primers included, upstream of the specific bases targeted for amplification, a common oligonucleotide tail useful for sequencing. Primers PU contain the following additional PU 5' sequence : TGTAACACGACGGCCAGT; primers RP contain the following RP 5' sequence : CAGGAAACAGCTATGACC. Primers are
10 listed in Table 12.

Amplification

PCR assays were performed using the following protocol:

	Final volume	25 µl
15	DNA	2 ng/µl
	MgCl ₂	2 mM
	dNTP (each)	200 µM
	primer (each)	2.9 ng/µl
	Ampli Taq Gold DNA polymerase	0.05 unit/µl
20	PCR buffer (10x = 0.1 M TrisHCl pH8.3 0.5M KCl)	1x

DNA amplification was performed on a Genius II thermocycler. After heating at 94°C for 10 min, 40 cycles were performed. Cycling times and temperatures were: 30 sec at 94°C, 55°C for 1 min and 30 sec at 72°C. Holding for 7 min at 72°C allowed final elongation. The
25 quantities of the amplification products obtained were determined on 96-well microtiter plates, using a fluorometer and Picogreen as intercalant agent (Molecular Probes).

Sequencing of amplified genomic DNA and identification of biallelic polymorphisms

Sequencing of the amplified DNA was carried out on ABI 377 sequencers. The
30 sequences of the amplification products were determined using automated dideoxy terminator sequencing reactions with a dye terminator cycle sequencing protocol. The products of the sequencing reactions were run on sequencing gels and the sequences were determined using gel image analysis (ABI Prism DNA Sequencing Analysis software 2.1.2 version).

The sequence data were further evaluated to detect the presence of biallelic markers
35 within the amplified fragments. The polymorphism search was based on the presence of superimposed peaks in the electrophoresis pattern resulting from different bases occurring at the same position. However, the presence of two peaks can be an artifact due to background noise.

To exclude such an artifact, the two DNA strands were sequenced and a comparison between the two strands was carried out. In order to be registered as a polymorphic sequence, the polymorphism had to be detected on both strands. Further, some biallelic single nucleotide polymorphisms were confirmed by microsequencing as described below.

5 Biallelic markers were identified in the analyzed fragments and are shown in Table 7.

Example 2: Genotyping of Biallelic Markers

The biallelic markers identified as described above were further confirmed and their respective frequencies were determined through microsequencing. Microsequencing was carried
10 out on individual DNA samples obtained as described herein.

Microsequencing primers

Amplification of genomic DNA fragments from individual DNA samples was performed as described in Example 1 using the same set of PCR primers (Table 12). Microsequencing was
15 carried out on the amplified fragments using specific primers. See Table 13. The preferred primers used in microsequencing had about 19 nucleotides in length and hybridized just upstream of the considered polymorphic base.

The microsequencing reactions were performed as follows: 5 µl of PCR products were added to 5 µl purification mix (2U SAP (Shrimp alkaline phosphate) (Amersham E70092X)); 2U
20 Exonuclease I (Amersham E70073Z); and 1 µl SAP buffer (200 mM Tris-HCl pH8, 100 mM MgCl₂) in a microtiter plate. The reaction mixture was incubated 30 minutes at 37°C, and denatured 10 minutes at 94°C afterwards. To each well was then added 20 µl of microsequencing reaction mixture containing: 10 pmol microsequencing oligonucleotide (19mers, GENSET, crude synthesis, 5 OD), 1 U Thermosequenase (Amersham E79000G), 1.25
25 µl Thermosequenase buffer (260 mM Tris HCl pH 9.5, 65 mM MgCl₂), and the two appropriate fluorescent ddNTPs complementary to the nucleotides at the polymorphic site corresponding to both polymorphic bases (11.25 nM TAMRA-ddTTP ; 16.25 nM ROX-ddCTP ; 1.675 nM REG-ddATP ; 1.25 nM RHO-ddGTP ; Perkin Elmer, Dye Terminator Set 401095). After 4 minutes at 94°C, 20 PCR cycles of 15 sec at 55°C, 5 sec at 72°C, and 10 sec at 94°C were carried out in a
30 Tetrad PTC-225 thermocycler (MJ Research). The microtiter plate was centrifuged 10 sec at 1500 rpm. The unincorporated dye terminators were removed by precipitation with 19 µl MgCl₂ 2mM and 55 µl 100 % ethanol. After 15 minute incubation at room temperature, the microtiter plate was centrifuged at 3300 rpm 15 minutes at 4°C. After discarding the supernatants, the microplate was evaporated to dryness under reduced pressure (Speed Vac). Samples were
35 resuspended in 2.5 µl formamide EDTA loading buffer and heated for 2 min at 95°C. 0.8 µl microsequencing reaction were loaded on a 10 % (19:1) polyacrylamide sequencing gel. The

data were collected by an ABI PRISM 377 DNA sequencer and processed using the GENESCAN software (Perkin Elmer).

Frequency of biallelic markers

Frequencies are reported for the less common allele only and are shown in Table 7.

5

Example 3: Association Study Between Major Depression and the Biallelic Markers of Candidate Genes

Collection of DNA samples from affected and non-affected individuals

- 10 The disease trait followed in this association study was major depression, a complex disorder believed to involve several neurotransmitter pathways including those utilizing norepinephrine and serotonin. The depressed patient population consists of 140 individuals that participated in a clinical study for the evaluation of the anti-depressant compound Reboxetine (Montgomery S.A. and Schatzberg A.F.; *Journal Clin. Psychiatry* 59(suppl 14): 3-7, 1998).
- 15 Approximately 90% of these individuals were from a Caucasian ethnic background. The control population consisted of 94 individuals from a Caucasian population that had been found not to have any personal or family evidence of psychiatric disease.

Genotyping of affected and control individuals

- 20 The general strategy was to individually determine allele frequencies of biallelic markers in all individuals from each population described above. Allele frequencies of the biallelic markers were determined by performing microsequencing reactions on amplified DNA fragments obtained from genomic PCR performed on DNA samples from each individual. Genomic PCR and microsequencing were performed as detailed above in Examples 1 and 2.

Frequency of the biallelic markers alleles and genotypes of candidate gene and association with major depression

- 25 Frequencies of biallelic marker alleles were compared in the case-control populations described above. The data in Table 15 show the p-value obtained for each marker typed for each candidate gene for individual alleles and genotypes. Nine markers from 7 of 19 candidate genes
- 30 were significant at the 5% level for allele frequency differences while seven markers from 6 of 19 candidate genes were significant at the 5% level for genotype frequency differences. In 4 cases, the same marker was significant at the 5% level for both allele and genotype frequency differences. This occurred for markers from the genes 5HTR6, 5HTR7, NET, and Gbeta3. These genes all participate in the mechanism of either serotonin or norepinephrine
- 35 neurotransmission.

Haplotype frequency analysis

The results of the haplotype analysis using combinations of 2, 3, and 4 biallelic markers from each gene are shown in Tables 17 and 18. Haplotype analyses for the candidate genes were performed by estimating the frequencies of all 2, 3, and 4 marker haplotypes in the depressed and control populations. Haplotype estimations were performed by applying the Expectation-

5 Maximization (EM) algorithm (Excoffier and Slatkin, *Mol. Biol. Evol.*, 12:921-927, 1995). Estimated haplotype frequencies in the depressed and control populations were compared by means of permutation tests based on individual haplotypes (Permutation test) as well as the distribution of frequencies from all possible haplotypes derived from a particular combination of given markers (Omnibus LR test).

10 The results of the Omnibus LR test are shown in Table 16. Listed are the top 10 marker combinations for each category of 4, 3, and 2 marker combinations and boxed in a double line border are the top 5% of each category (by p-value based on phenotypic reiteration of at least 1000 simulations). It is remarkable that several of the same genes identified by single marker association tests also appear in the top 5% of the Omnibus LR test. In particular, markers from

15 the genes NET and Gbeta3 appear as top 5% in each category of combinations for the Omnibus LR test.

The results of the Permutation test for individual haplotypes are shown in Table 17. Listed are the top 20 haplotypes for each category of 4, 3, and 2 marker haplotypes and boxed in a double line border are the top 1% of each category (by p-value based on phenotypic reiteration

20 of at least 1000 simulations). Again it is remarkable that several of the same genes identified by single marker association tests and Omnibus LR test also contribute haplotypes that appear in the top 1% of the Permutation test for individual haplotypes. Of all genes, only NET contributes to the top percentiles of each category of testing (individual markers for allele and genotype frequencies, Omnibus LR 4,3 and 2 marker combinations, and Permutation test for individual 4,

25 3, and 2 marker haplotypes). However several other genes contribute to several testing categories including previously mentioned Gbeta3 and 5HTR7 as well as WFS1, GRL, 5HTT and DRD3.

Two preferred haplotypes can be constructed from markers derived from the NET gene. One consists of markers 99-28788/300, 99-32061/304, and 99-32121/242 each manifesting the G

30 allele. The GGG haplotype is present in only 1% of depressed cases vs. 7% of controls. While this haplotype is low in overall frequency, the p-value by permutation test is 2×10^{-4} and the p-value for this group of markers is 2×10^{-3} by Omnibus LR test suggesting that the result is highly significant. A second haplotype consists of markers 16-3/199, 16-28/93, and 16-50/196 manifesting alleles TCT respectively. The haplotype TCT is present in only 30% of cases vs.

35 43% of controls. The p-value by permutation test is 9×10^{-4} and the p-value for this group of markers is 8.9×10^{-4} by Omnibus LR test, also indicating a high level of significance.

Another example of a preferred haplotype comes from markers 16-16/285, 16-17/121, and 16-106/364 which are derived from the gene Gbeta3. The haplotype TTC is present in 21% of cases vs. 35% of controls. The p-value by permutation test is 1×10^{-3} and the p-value for this group of markers is 1×10^{-4} by Omnibus LR test, indicating a high level of significance.

5

Example 4: Association Study Between Major Depression and the Biallelic Markers of Candidate Genes

The association analysis of Example 3 was repeated using a different population set as described below. In general, these estimates agreed with the frequencies observed in the first screening within a few percent. Statistical assessments of haplotype frequency differences between depressed cases and controls were made by Omnibus LR tests and individual haplotype tests.

For Omnibus analyses, WFS1 marker combinations showed the most significant ($p < 0.01$) differences between the depressed cases and controls for 2, 3, and 4 locus haplotypes. Strongest among these associations were combinations of markers spanning the core exonic region of the WFS1 gene including 19-17/188, 19-19/174, and 24-243/346. Several NET marker combinations showed significant associations ($p < 0.05$) including those from the 5' flanking region and those from the exonic region. When compared to the distribution of Omnibus p-values observed in the 1st screening, 11 WFS1 marker combinations would have been among the top 5% of observed Omnibus p-values whereas 2 NET marker combinations would have been among the top 5%.

For individual haplotypes, haplotype GT from WFS1 markers 19-17/188 and 24-243/346 showed an 11% difference (37% cases vs. 26% controls, $p < 0.001$). A similar difference was observed for haplotype GC from WFS1 markers 19-17/188 and 19-19/174 and GCT from all three markers ($p < 0.005$). Several NET haplotypes showed $> 10\%$ frequency differences between cases and controls ($p < 0.01$). When compared to the distribution of individual haplotype p-values observed in the first screening, 6 WFS1 marker combinations would have been among the top 1% of observed individual haplotype p-values.

Frequency of the biallelic markers alleles and genotypes of candidate gene and association with major depression

Frequencies of biallelic marker alleles were compared in the case-control populations described above. The data in Table 18 show the p-value obtained for each marker typed for each candidate gene for individual alleles and genotypes. Nine markers from 7 of 19 candidate genes were significant at the 5% level for allele frequency differences while seven markers from 6 of 19 candidate genes were significant at the 5% level for genotype frequency differences. In 4 cases, the same marker was significant at the 5% level for both allele and genotype frequency differences. This occurred for markers from the genes 5HTR6, 5HTR7, and WFS1.

Haplotype frequency analysis

The results of the haplotype analysis using combinations of 2, 3, and 4 biallelic markers from each gene are shown in Tables 19 and 20. Haplotype analyses for the candidate genes were performed by estimating the frequencies of all 2, 3, and 4 marker haplotypes in the depressed and control populations. Haplotype estimations were performed by applying the Expectation-Maximization (EM) algorithm (Excoffier and Slatkin, *Mol. Biol. Evol.*, 12:921-927, 1995). Estimated haplotype frequencies in the depressed and control populations were compared by means of permutation tests based on individual haplotypes (Permutation test) as well as the distribution of frequencies from all possible haplotypes derived from a particular combination of given markers (Omnibus LR test).

The results of the Omnibus LR test are shown in Table 19. Listed are the top 10 marker combinations for each category of 4, 3, and 2 marker combinations and boxed in a double line border are the top 5% of each category (by p-value based on phenotypic reiteration of at least 1000 simulations). It is remarkable that several of the same genes identified by single marker association tests also appear in the top 5% of the Omnibus LR test. In particular, markers from the gene WFS1 appears as top 5% in each category of combinations for the Omnibus LR test.

The results of the Permutation test for individual haplotypes are shown in Table 20. Listed are the top 20 haplotypes for each category of 4, 3, and 2 marker haplotypes and boxed in a double line border are the top 1% of each category (by p-value based on phenotypic reiteration of at least 1000 simulations). Again it is remarkable that several of the same genes identified by single marker association tests and Omnibus LR test also contribute haplotypes that appear in the top 1% of the Permutation test for individual haplotypes. Of all genes, WFS1 contributes to the top percentiles of nearly all categories of testing (individual markers for allele and genotype frequencies, Omnibus LR 4,3 and 2 marker combinations, and Permutation test for individual 3 and 2 marker haplotypes). However several other genes contribute to several testing categories including previously mentioned 5HTR7 as well as NET, GRL, 5HTT and DRD3.

A preferred haplotype can be constructed from markers derived from the WFS1 gene. This consists of markers 19-17/188, 19-19/174, and 24-243/176 manifesting alleles GCT respectively. The GCT haplotype is present in 34% of depressed cases vs. 24% of controls. While this haplotype is low in overall frequency, the p-value by permutation test is 3×10^{-3} and the p-value for this group of markers is 1×10^{-3} by Omnibus LR test suggesting that the result is highly significant.

Example 5: Response to Reboxetine in Depressed Patients

Single point analyses were also performed on data from the candidate genes to determine Reboxetine response among depressed patients as compared to controls. Two markers from NET

(99-32061/304 and 99-32121/242) showed allelic and genotypic association ($p < 0.05$). A single marker from Gbeta3 (18-355/67) showed allelic association with drug response ($p = 0.05$).

Multipoint analyses on the data revealed Omnibus LR-based associations to be minimal for these genes with only two marker combinations from NET achieving a level of significance of $p < 0.05$. At the individual haplotype level, a number of NET haplotypes achieved this level of significance with 10-15% responder/non-responder differences in haplotype frequencies. Also of note is the observation that a few individual haplotypes from Gbeta3 showed a remarkable level of significance ($p < 0.0005$) corresponding to a nearly infinite relative risk (15-20% in non-responders vs. 0% in responders). This difference in estimated haplotype frequency is based largely on the observation that one particular haplotype cannot be unambiguously detected in the 204 responder haplotypes although there are at least 9 copies in 182 non-responder haplotypes.

In conclusion, modest association is present between NET and drug response. In addition, select individual haplotypes from Gbeta3 show a strong statistical association with drug response.

Example 6: Forensic Matching by Microsequencing

DNA samples are isolated from forensic specimens of, for example, hair, semen, blood or skin cells by conventional methods. A panel of PCR primers based on a number of the sequences of SEQ ID NOS: 1 to 542 is then utilized according to the methods described herein to amplify DNA of approximately 500 bases in length from the forensic specimen. The alleles present at each of the selected biallelic markers site according to biallelic markers SEQ ID NOS: 1 to 542 are then identified according Example 2. A simple database comparison of the analysis results determines the differences, if any, between the sequences from a subject individual or from a database and those from the forensic sample. In a preferred method, statistically significant differences between the suspect's DNA sequences and those from the sample conclusively prove a lack of identity. This lack of identity can be proven, for example, with only one sequence. Identity, on the other hand, should be demonstrated with a large number of sequences, all matching. Preferably, a minimum of 13, 17, 20, 25, 30, 40, 50, 66, 70, 85, 88, 100, 187, 200 or 250 biallelic markers are used to test identity between the suspect and the sample.

In accordance with the regulations relating to Sequence Listings, the following codes have been used in the Sequence Listing to indicate the locations of biallelic markers within the sequences and to identify each of the alleles present at the polymorphic base. The code "r" in the sequences indicates that one allele of the polymorphic base is a guanine, while the other allele is an adenine. The code "y" in the sequences indicates that one allele of the polymorphic base is a thymine, while the other allele is a cytosine. The code "m" in the sequences indicates that one

allele of the polymorphic base is an adenine, while the other allele is an cytosine. The code "k" in the sequences indicates that one allele of the polymorphic base is a guanine, while the other allele is a thymine. The code "s" in the sequences indicates that one allele of the polymorphic base is a guanine, while the other allele is a cytosine. The code "w" in the sequences indicates that one
5 allele of the polymorphic base is an adenine, while the other allele is an thymine.

TABLE 7A

GENE	BIALLELIC MARKER ID	SEQ ID NO.	BIALLELIC MARKER POSITION IN SEQ ID NO.	VALIDATION MICRO- SEQUENCING	GENOTYPING LEAST COMMON ALLELE FREQUENCY	
5HTR6	99-27199-207	1	207	Y	T	0.30
5HTR6	99-27207-117	2	117	Y	C	0.37
5HTR6	99-27213-53	3	53	Y		
5HTR6	99-27218-333	4	333	Y		
5HTR6	99-28108-233	5	233	Y		
5HTR6	99-28109-275	6	275	N		
5HTR6	99-28110-75	7	74	Y	T	0.48
5HTR6	99-28125-81	8	81	Y		
5HTR6	99-28134-215	9	215	Y	T	0.37
5HTR6	99-28137-96	10	96	Y		
5HTR6	99-32204-305	11	305	N		
5HTR7	99-28149-118	12	118	Y	C	0.31
5HTR7	99-28160-285	13	285	Y	G	0.49
5HTR7	99-28171-458	14	457	Y	A	0.38
5HTR7	99-28173-395	15	395	Y		
5HTR7	99-32177-113	16	113	Y		
5HTR7	99-32181-192	17	192	Y	C	0.38
5HTR7	99-32193-258	18	257	Y	T	0.65
CHRNA7	99-28722-90	19	90	Y	C	0.32
CHRNA7	99-28730-351	20	351	Y	A	0.38
CHRNA7	99-32306-409	21	407	Y	G	0.33
CRFR1	99-27088-246	22	246	Y	A	0.38
CRFR1	99-27090-203	23	204	Y	G	0.22
CRFR1	99-27091-220	24	221	Y	A	0.49
CRFR1	99-27093-145	25	145	N		
CRFR1	99-27094-406	26	406	Y	T	0.21
CRFR1	99-27096-410	27	410	N		
CRFR1	99-27097-83	28	83	Y	T	0.47
CRFR1	99-27098-162	29	162	N		
CRFR1	99-27550-48	30	48	Y	A	0.26
CRFR1	99-27558-335	31	335	Y		
CRFR1	99-27561-106	32	106	Y		
CRFR1	99-27562-366	33	364	N		
MLR	16-31-738	34	738	Y	G	0.47
MLR	99-27110-301	35	300	Y		
MLR	99-27563-400	36	400	Y	A	0.44
MLR	99-27573-443	37	443	Y		
MLR	99-28732-133	38	133	Y	A	0.31
MLR	99-28735-56	39	56	Y	T	0.30
MLR	99-28736-399	40	399	Y		
MLR	99-28738-319	41	319	Y	C	0.37
MLR	99-28739-364	42	364	Y		
CRFR2	99-27875-185	43	185	Y	C	0.40
CRFR2	99-27880-176	44	176	Y	T	0.44
CRFR2	99-28747-371	45	373	Y	C	0.44
CRFR2	99-28753-353	46	352	Y	C	0.39
CRFR2	99-28755-206	47	207	Y	G	0.41
CRFR2	99-32333-366	48	366	N	C	
GRL	16-38-323	49	323	Y	A	0.33
GRL	99-28484-179	50	179	Y	A	0.40

TABLE 7A (cont)

GRL	99-30853-364	51	364	Y	G	0.42
GRL	99-28485-198	52	198	Y	G	0.20
GRL	99-30858-354	53	354	Y	T	0.16
GRL	99-32002-313	54	311	Y	A	0.48
GRL	18-15-366	55	366	Y		
GRL	18-20-174	56	174	Y	G	0.27
GRL	18-31-178	57	178	Y	C	0.35
GRL	18-38-395	58	395	Y	T	0.37
MAOA	18-2-192	59	192	Y	T	0.32
MAOB	99-26921-210	60	211	Y	G	0.48
MAOA	16-215-80	61	250	Y	T	0.33
MAOA-B	18-132-368	62	368	Y	C	0.34
MAOA	18-133-293	63	292	Y	A	0.27
5HTR2c	18-12-191	64	191	Y	A	0.14
5HTR2c	18-11-137	65	138	Y	G	0.27
5HTR2c	18-93-96	66	96	Y		
TH	16-115-343	67	343	Y	C	0.24
TH	16-42-140	68	140	Y	G	0.30
TH	18-251-176	69	176	Y	T	0.43
TH	18-269-44	70	44	Y	A	0.38
CRF	16-218-624	71	624	N		
CRF	18-393-330	72	330	Y		
CRF	18-394-402	73	402	Y		
DRD4	16-217-55	74	55	Y		
DRD4	18-284-139	75	139	Y		
DRD4	18-285-305	76	305	Y		
DRD4	18-289-239	77	239	Y		
DRD4	18-291-91	78	91	Y		
5HTT	18-186-391	79	391	Y	T	0.47
5HTT	18-194-130	80	130	Y	T	0.48
5HTT	18-198-252	81	252	Y	A	0.49
5HTT	18-242-300	82	299	Y	G	0.46
DRD3	8-15-126	83	1501	Y	G	0.30
DRD3	8-19-372	84	1501	Y	A	0.28
DRD3	99-2409-298	85	428	Y	A	0.40
DRD3	99-339-54	86	1501	Y	G	0.46
CYP3A4-7	12-254-180	87	311	Y	G	0.46
CYP3A4-7	10-214-279	88	1501	Y	C	0.12
CYP3A4-7	10-217-91	89	1501	Y	T	0.07
NET	99-28779-168	90	168	Y		
NET	99-28788-300	91	300	Y	A	0.47
NET	99-32052-262	92	263	Y		
NET	99-32121-242	93	244	Y	G	0.48
NET	99-32059-169	94	169	N		
NET	99-32061-304	95	304	Y	A	0.39
NET	99-32065-303	96	303	Y		
NET	99-32123-118	97	118	Y		
NET	99-32148-315	98	314	Y		
NET	16-2-76	99	95	Y	A	0.27
NET	16-28-93	100	120	Y	C	0.44
NET	16-3-199	101	342	Y	C	0.32
NET	16-50-197	102	197	Y	C	0.21
NET	16-1-59	103	181	Y		
NET	16-2-187	104	206	Y		
TACR1	99-28761-311	105	311	Y	A	0.22

TABLE 7A (cont)

TACR1	99-28771-86	106	86	Y	T	0.48
TACR1	99-28791-291	107	291	Y	A	0.26
TACR1	99-32077-66	108	66	Y		
TACR1	99-32078-466	109	467	Y		
TACR1	99-32376-426	110	426	Y		
TACR1	99-32361-419	111	420	Y	T	0.48
DRD2	16-21-228	112	228	Y	A	0.16
DRD2	16-22-156	113	156	Y	C	0.45
DRD2	16-23-404	114	404	Y	G	0.47
DRD2	16-24-175	115	175	Y	A	0.16
DRD2	16-25-286	116	286	Y	T	0.37
DRD2	16-25-279	117	279	Y		
DRD2	16-23-393	118	393	Y		
Gbeta3	16-106-364	119	364	Y	T	0.01
Gbeta3	16-16-285	120	285	Y	T	0.38
Gbeta3	16-17-121	121	121	Y	T	0.36
Gbeta3	16-84-185	122	185	Y	C	0.40
Gbeta3	16-87-74	123	74	Y	A	0.34
Gbeta3	16-91-333	124	333	Y	A	0.43
WFS1	16-128-142	125	142	Y	C	0.27
WFS1	16-133-205	126	245	Y	G	0.34
WFS1	16-135-181	127	232	Y	A	0.28
WFS1	16-145-405	128	455	Y	C	0.11
WFS1	16-177-320	129	320	Y	A	0.07
WFS1	16-4-354	130	354	Y	C	0.36

TABLE 7B

GENE	BIALLELIC MARKER ID	SEQ ID NO.	BIALLELIC MARKER POSITION IN SEQ ID NO.	VALIDATION MICRO- SEQUENCING	GENOTYPING LEAST COMMON ALLELE FREQUENCY	
5HTR6	99-27199-207	131	24	Y	T	0.30
5HTR6	99-27207-117	132	24	Y	C	0.37
5HTR6	99-27213-53	133	24	Y		
5HTR6	99-27218-333	134	24	Y		
5HTR6	99-28108-233	135	24	Y		
5HTR6	99-28109-275	136	24	N		
5HTR6	99-28110-75	137	24	Y	T	0.48
5HTR6	99-28125-81	138	24	Y		
5HTR6	99-28134-215	139	24	Y	T	0.37
5HTR6	99-28137-96	140	24	Y		
5HTR6	99-32204-305	141	24	N		
5HTR7	99-28149-118	142	24	Y	C	0.31
5HTR7	99-28160-285	143	24	Y	G	0.49
5HTR7	99-28171-458	144	24	Y	A	0.38
5HTR7	99-28173-395	145	24	Y		
5HTR7	99-32177-113	146	24	Y		
5HTR7	99-32181-192	147	24	Y	C	0.38
5HTR7	99-32193-258	148	24	Y	T	0.65
CHRNA7	99-28722-90	149	24	Y	C	0.32
CHRNA7	99-28730-351	150	24	Y	A	0.38
CHRNA7	99-32306-409	151	24	Y	G	0.33
CRFR1	99-27088-246	152	24	Y	A	0.38
CRFR1	99-27090-203	153	24	Y	G	0.22

TABLE 7B (cont)

CRFR1	99-27091-220	154	24	Y	A	0.49
CRFR1	99-27093-145	155	24	N		
CRFR1	99-27094-406	156	24	Y	T	0.21
CRFR1	99-27096-410	157	24	N		
CRFR1	99-27097-83	158	24	Y	T	0.47
CRFR1	99-27098-162	159	24	N		
CRFR1	99-27550-48	160	24	Y	A	0.26
CRFR1	99-27558-335	161	24	Y		
CRFR1	99-27561-106	162	24	Y		
CRFR1	99-27562-366	163	24	N		
MLR	16-31-738	164	24	Y	G	0.47
MLR	99-27110-301	165	24	Y		
MLR	99-27563-400	166	24	Y	A	0.44
MLR	99-27573-443	167	24	Y		
MLR	99-28732-133	168	24	Y	A	0.31
MLR	99-28735-56	169	24	Y	T	0.30
MLR	99-28736-399	170	24	Y		
MLR	99-28738-319	171	24	Y	C	0.37
MLR	99-28739-364	172	24	Y		
CRFR2	99-27875-185	173	24	Y	C	0.40
CRFR2	99-27880-176	174	24	Y	T	0.44
CRFR2	99-28747-371	175	24	Y	C	0.44
CRFR2	99-28753-353	176	24	Y	C	0.39
CRFR2	99-28755-206	177	24	Y	G	0.41
CRFR2	99-32333-366	178	24	N	C	
GRL	16-38-323	179	24	Y	A	0.33
GRL	99-28484-179	180	24	Y	A	0.40
GRL	99-30853-364	181	24	Y	G	0.42
GRL	99-28485-198	182	24	Y	G	0.20
GRL	99-30858-354	183	24	Y	T	0.16
GRL	99-32002-313	184	24	Y	A	0.48
GRL	18-15-366	185	24	Y		
GRL	18-20-174	186	24	Y	G	0.27
GRL	18-31-178	187	24	Y	C	0.35
GRL	18-38-395	188	24	Y	T	0.37
MAOA	18-2-192	189	24	Y	T	0.32
MAOB	99-26921-210	190	24	Y	G	0.48
MAOA	16-215-80	191	24	Y	T	0.33
MAOA-B	18-132-368	192	24	Y	C	0.34
MAOA	18-133-293	193	24	Y	A	0.27
5HTR2c	18-12-191	194	24	Y	A	0.14
5HTR2c	18-11-137	195	24	Y	G	0.27
5HTR2c	18-93-96	196	24	Y		
TH	16-115-343	197	24	Y	C	0.24
TH	16-42-140	198	24	Y	G	0.30
TH	18-251-176	199	24	Y	T	0.43
TH	18-269-44	200	24	Y	A	0.38
CRF	16-218-624	201	24	N		
CRF	18-393-330	202	24	Y		
CRF	18-394-402	203	24	Y		
DRD4	16-217-55	204	24	Y		
DRD4	18-284-139	205	24	Y		
DRD4	18-285-305	206	24	Y		
DRD4	18-289-239	207	24	Y		
DRD4	18-291-91	208	24	Y		

TABLE 7B (cont)

5HTT	18-186-391	209	24	Y	T	0.47
5HTT	18-194-130	210	24	Y	T	0.48
5HTT	18-198-252	211	24	Y	A	0.49
5HTT	18-242-300	212	24	Y	G	0.46
DRD3	8-15-126	213	24	Y	G	0.30
DRD3	8-19-372	214	24	Y	A	0.28
DRD3	99-2409-298	215	24	Y	A	0.40
DRD3	99-339-54	216	24	Y	G	0.46
CYP3A4-7	12-254-180	217	24	Y	G	0.46
CYP3A4-7	10-214-279	218	24	Y	C	0.12
CYP3A4-7	10-217-91	219	24	Y	T	0.07
NET	99-28779-168	220	24	Y		
NET	99-28788-300	221	24	Y	A	0.47
NET	99-32052-262	222	24	Y		
NET	99-32121-242	223	24	Y	G	0.48
NET	99-32059-169	224	24	N		
NET	99-32061-304	225	24	Y	A	0.39
NET	99-32065-303	226	24	Y		
NET	99-32123-118	227	24	Y		
NET	99-32148-315	228	24	Y		
NET	16-2-76	229	24	Y	A	0.27
NET	16-28-93	230	24	Y	C	0.44
NET	16-3-199	231	24	Y	C	0.32
NET	16-50-197	232	24	Y	C	0.21
NET	16-1-59	233	24	Y		
NET	16-2-187	234	24	Y		
TACR1	99-28761-311	235	24	Y	A	0.22
TACR1	99-28771-86	236	24	Y	T	0.48
TACR1	99-28791-291	237	24	Y	A	0.26
TACR1	99-32077-66	238	24	Y		
TACR1	99-32078-466	239	24	Y		
TACR1	99-32376-426	240	24	Y		
TACR1	99-32361-419	241	24	Y	T	0.48
DRD2	16-21-228	242	24	Y	A	0.16
DRD2	16-22-156	243	24	Y	C	0.45
DRD2	16-23-404	244	24	Y	G	0.47
DRD2	16-24-175	245	24	Y	A	0.16
DRD2	16-25-286	246	24	Y	T	0.37
DRD2	16-25-279	247	24	Y		
DRD2	16-23-393	248	24	Y		
Gbeta3	16-106-364	249	24	Y	T	0.01
Gbeta3	16-16-285	250	24	Y	T	0.38
Gbeta3	16-17-121	251	24	Y	T	0.36
Gbeta3	16-84-185	252	24	Y	C	0.40
Gbeta3	16-87-74	253	24	Y	A	0.34
Gbeta3	16-91-333	254	24	Y	A	0.43
WFS1	16-128-142	255	24	Y	C	0.27
WFS1	16-133-205	256	24	Y	G	0.34
WFS1	16-135-181	257	24	Y	A	0.28
WFS1	16-145-405	258	24	Y	C	0.11
WFS1	16-177-320	259	24	Y	A	0.07
WFS1	16-4-354	260	24	Y	C	0.36

TABLE 7C

GENE	BIALLELIC MARKER ID	SEQ ID NO.	BIALLELIC MARKER POSITION IN SEQ ID NO.	VALIDATION MICRO- SEQUENCING	GENOTYPING LEAST COMMON ALLELE FREQUENCY	
MAO A/B	18-473-362	261	362	Y	C	0.43
MAO A/B	99-12361-88	262	88	Y	C	0.36
MAO A/B	99-12368-335	263	335	Y	C	0.36
MAO A/B	99-12370-67	264	67	Y	A	0.29
NET	99-32148-315	265	314	Y	C	0.27
NET	19-46-322	266	322	Y	C	0.31
NET	19-47-315	267	315	Y	T	0.14
NET	19-51-347	268	346	Y		
NET	99-32052-262	269	263	Y	T	0.38
CYP3A4/7	10-213-292	270	1501	Y	G	0.11
5HTT	18-419-135	271	135	Y		
5HTT	18-424-419	272	419	Y		
5HTT	18-429-289	273	290	Y		
5HTT	18-246-256	274	256	Y	C	0.48
Gbeta3	18-355-67	275	68	Y	C	0.49
Gbeta3	18-353-267	276	266	Y	T	0.27
Gbeta3	18-338-305	277	306	Y	G	0.3
WFS1	24-243-346	278	1501	Y	T	0.3
WFS1	99-62531-351	279	1501	Y	T	0.36
WFS1	99-54279-152	280	1501	Y	G	0.44
DRD2	18-168-245	281	245	Y	A	0.45
DRD2	18-171-291	282	291	Y	C	0.37
DRD2	18-172-346	283	346	Y	T	0.45
DRD2	18-177-406	284	406	Y	T	0.37
HM74	18-298-338	285	338	Y	G	0.49
HM74	18-298-110	286	110	Y		
HM74	18-299-105	287	104	Y		
HM74	18-884-30	288	31	Y	C	0.26
HM74	18-299-343	289	342	Y		
HM74	99-61513-139	290	140	Y	A	0.26
HM74	99-61514-179	291	179	Y	G	0.27
HM74	99-61516-323	292	323	Y	C	0.33
CRHBP	18-204-70	293	70	Y	C	0.20
CRHBP	18-207-441	294	442	Y	C	0.41
CRHBP	18-210-65	295	65	Y		
CRHBP	18-212-200	296	200	Y	T	0.31
CRHBP	18-229-334	297	334	Y	T	0.33
CRHBP	18-230-332	298	332	Y	T	0.32
AVPR1A	18-966-378	299	378	Y	C	0.41
AVPR1A	18-987-308	300	307	Y	A	0.35
AVPR1A	18-1169-118	301	118	Y		
AVPR1A	18-1172-138	302	138	Y	G	0.16
AVPR1A	18-1173-92	303	92	Y	T	0.32
AVPR1A	18-1174-387	304	387	Y	C	0.21
AVPR1A	18-1175-416	305	416	Y	G	0.21
AVPR1A	18-542-146	306	146	Y	G	0.21
5HT1A	8-42-211	307	1501	Y	G	0.46
5HT1A	8-45-389	308	1501	Y	G	0.01
5HT1A	18-994-270	309	270	Y	C	0.25
5HT1A	18-912-165	310	165	Y	T	0.46
5HT1A	18-991-124	311	124	Y	T	0.45

TABLE 7 (cont)

5HT1A	18-920-219	312	219	Y		
5HT1A	18-911-312	313	312	Y		
5HT1A	99-65963-368	314	368	Y		
5HT1A	99-65966-225	315	225	Y		
5HT1A	99-65968-75	316	75	Y		
5HT1A	99-5069-331	317	1501	Y		
5HT1A	99-5070-176	318	175	Y	T	0.02
GABRG2	18-511-348	319	348	Y		
GABRG2	18-523-352	320	352	Y	C	0.49
GABRG2	18-545-478	321	480	Y	G	0.45
GABRG2	18-522-194	322	194	Y	G	0.32
GABRG2	18-524-284	323	284	Y	C	0.36
ADRB1R	18-626-52	324	52	Y	G	0.36
ADRB1R	18-629-189	325	189	Y	T	0.40
ADRB1R	18-1131-71	326	71	Y	T	0.41
ADRB1R	18-534-126	327	126	Y		
ADRB1R	18-596-59	328	59	Y		
ADRB1R	18-597-27	329	27	Y	A	0.20
GABRA5	18-730-203	330	203	Y	G	0.48
GABRA5	18-734-89	331	89	Y	C	0.48
GABRA5	18-895-321	332	321	Y	A	0.27
GABRA5	18-896-69	333	69	Y		
GABRA5	18-903-58	334	58	Y		
GOLF	18-590-216	335	216	Y	G	0.42
GOLF	18-817-436	336	433	Y	T	0.41
GOLF	18-829-85	337	85	Y	G	0.39
GOLF	18-832-387	338	387	Y		
GOLF	18-833-259	339	259	Y		
GOLF	18-839-271	340	271	Y	C	0.40
GOLF	18-770-194	341	194	Y	T	0.37
GOLF	18-771-302	342	302	Y	G	0.30
GOLF	18-827-53	343	53	Y	G	0.34
GOLF	18-768-318	344	318	Y	G	0.31
GOLF	18-769-26	345	26	Y	A	0.17
SLC6A3	18-709-321	346	320	Y	C	0.46
SLC6A3	18-714-280	347	281	Y	T	0.17
SLC6A3	18-843-271	348	271	Y	C	0.37
SLC6A3	18-850-265	349	265	Y	T	0.34
SLC6A3	18-853-296	350	296	Y	T	0.23
SLC6A3	18-867-331	351	332	Y	C	0.48
SLC6A3	18-877-73	352	73	Y		
SLC6A3	18-856-85	353	85	Y	C	0.42
SLC6A3	18-861-101	354	101	Y	T	0.33
PDE4b	18-635-323	355	323	Y		
PDE4b	18-636-205	356	205	Y	A	0.36
PDE4b	18-649-427	357	427	Y	C	0.46
PDE4b	18-1134-316	358	316	Y	G	0.38
PDE4b	18-633-316	359	316	Y		
COMT	18-489-425	360	425	Y		
COMT	18-492-212	361	212	Y	C	0.41
COMT	18-488-156	362	156	Y	T	0.45
COMT	18-491-266	363	266	Y	T	0.42
COMT	18-497-141	364	141	Y	T	0.43
COMT	18-503-174	365	174	Y	C	0.31
COMT	18-490-95	366	95	Y	A	0.31

TABLE 7C (c nt)

NPY1R	18-699-115	367	114	Y		
NPY1R	18-1099-293	368	293	Y		
NPY1R	18-1105-22	369	22	Y		
SLC1	18-562-418	370	418	Y	C	0.49
SLC1	18-564-204	371	204	Y	C	0.50
SEF2-1B	18-1032-262	372	261	Y	C	0.33
SEF2-1B	18-1035-412	373	412	Y	C	0.50
SEF2-1B	18-1036-293	374	293	Y	C	0.34
SEF2-1B	18-1038-95	375	95	Y	T	0.34
SEF2-1B	18-1040-361	376	361	Y	G	0.44
SEF2-1B	18-748-356	377	356	Y	T	0.47
BDNF	18-937-181	378	179	Y	A	0.26
BDNF	18-942-175	379	175	Y	T	0.29
BDNF	18-1213-221	380	221	Y		
BDNF	18-937-147	381	145	Y		
BDNF	18-946-408	382	407	Y	C	0.20
GAP43	18-787-133	383	133	Y	A	0.39
GAP43	18-1149-239	384	239	Y	A	0.49
GAP43	18-1159-291	385	291	Y	G	0.23
GAP43	18-1135-273	386	273	Y	T	0.43
GAP43	18-1136-108	387	108	Y		
GAP43	18-1147-68	388	68	Y		
GAP43	18-1157-295	389	295	Y		
GAP43	18-802-460	390	459	Y	A	0.32
CLOCK	18-1064-110	391	109	Y	C	0.36
CLOCK	18-1068-327	392	327	Y	T	0.32
CLOCK	18-1069-365	393	365	Y	A	0.23
CLOCK	18-1073-367	394	367	Y	A	0.35
CLOCK	18-1070-272	395	272	Y	T	0.36
CLOCK	18-1057-35	396	35	Y		
CLOCK	18-1062-415	397	415	Y		
CLOCK	18-1082-165	398	165	Y		
CLOCK	18-1080-361	399	363	Y	C	0.18
HSP70	18-506-297	400	297	Y		
HSP70	18-570-38	401	38	Y		

TABLE 7D

GENE	BIALLELIC MARKER ID	SEQ ID NO.	BIALLELIC MARKER POSITION IN SEQ ID NO.	VALIDATION MICRO- SEQUENCING	GENOTYPING LEAST COMMON ALLELE FREQUENCY	
MAO A/B	18-473-362	402	24	Y	C	0.43
MAO A/B	99-12361-88	403	24	Y	C	0.36
MAO A/B	99-12368-335	404	24	Y	C	0.36
MAO A/B	99-12370-67	405	24	Y	A	0.29
NET	99-32148-315	406	24	Y	C	0.27
NET	19-46-322	407	24	Y	C	0.31
NET	19-47-315	408	24	Y	T	0.14
NET	19-51-347	409	24	Y		
NET	99-32052-262	410	24	Y	T	0.38
CYP3A4/7	10-213-292	411	24	Y	G	0.11
5HTT	18-419-135	412	24	Y		
5HTT	18-424-419	413	24	Y		
5HTT	18-429-289	414	24	Y		
5HTT	18-246-256	415	24	Y	C	0.48

TABLE 7D (cont)

Gbeta3	18-355-67	416	24	Y	C	0.49
Gbeta3	18-353-267	417	24	Y	T	0.27
Gbeta3	18-338-305	418	24	Y	G	0.3
WFS1	24-243-346	419	24	Y	T	0.3
WFS1	99-62531-351	420	24	Y	T	0.36
WFS1	99-54279-152	421	24	Y	G	0.44
DRD2	18-168-245	422	24	Y	A	0.45
DRD2	18-171-291	423	24	Y	C	0.37
DRD2	18-172-346	424	24	Y	T	0.45
DRD2	18-177-406	425	24	Y	T	0.37
HM74	18-298-338	426	24	Y	G	0.49
HM74	18-298-110	427	24	Y		
HM74	18-299-105	428	24	Y		
HM74	18-884-30	429	24	Y	C	0.26
HM74	18-299-343	430	24	Y		
HM74	99-61513-139	431	24	Y	A	0.26
HM74	99-61514-179	432	24	Y	G	0.27
HM74	99-61516-323	433	24	Y	C	0.33
CRHBP	18-204-70	434	24	Y	C	0.20
CRHBP	18-207-441	435	24	Y	C	0.41
CRHBP	18-210-65	436	24	Y		
CRHBP	18-212-200	437	24	Y	T	0.31
CRHBP	18-229-334	438	24	Y	T	0.33
CRHBP	18-230-332	439	24	Y	T	0.32
AVPR1A	18-966-378	440	24	Y	C	0.41
AVPR1A	18-987-308	441	24	Y	A	0.35
AVPR1A	18-1169-118	442	24	Y		
AVPR1A	18-1172-138	443	24	Y	G	0.16
AVPR1A	18-1173-92	444	24	Y	T	0.32
AVPR1A	18-1174-387	445	24	Y	C	0.21
AVPR1A	18-1175-416	446	24	Y	G	0.21
AVPR1A	18-542-146	447	24	Y	G	0.21
5HT1A	8-42-211	448	24	Y	G	0.46
5HT1A	8-45-389	449	24	Y	G	0.01
5HT1A	18-994-270	450	24	Y	C	0.25
5HT1A	18-912-165	451	24	Y	T	0.46
5HT1A	18-991-124	452	24	Y	T	0.45
5HT1A	18-920-219	453	24	Y		
5HT1A	18-911-312	454	24	Y		
5HT1A	99-65963-368	455	24	Y		
5HT1A	99-65966-225	456	24	Y		
5HT1A	99-65968-75	457	24	Y		
5HT1A	99-5069-331	458	24	Y		
5HT1A	99-5070-176	459	24	Y	T	0.02
GABRG2	18-511-348	460	24	Y		
GABRG2	18-523-352	461	24	Y	C	0.49
GABRG2	18-545-478	462	24	Y	G	0.45
GABRG2	18-522-194	463	24	Y	G	0.32
GABRG2	18-524-284	464	24	Y	C	0.36
ADRB1R	18-626-52	465	24	Y	G	0.36
ADRB1R	18-629-189	466	24	Y	T	0.40
ADRB1R	18-1131-71	467	24	Y	T	0.41
ADRB1R	18-534-126	468	24	Y		
ADRB1R	18-596-59	469	24	Y		
ADRB1R	18-597-27	470	24	Y	A	0.20

TABLE 7D (nt)

GABRA5	18-730-203	471	24	Y	G	0.48
GABRA5	18-734-89	472	24	Y	C	0.48
GABRA5	18-895-321	473	24	Y	A	0.27
GABRA5	18-896-69	474	24	Y		
GABRA5	18-903-58	475	24	Y		
GOLF	18-590-216	476	24	Y	G	0.42
GOLF	18-817-436	477	24	Y	T	0.41
GOLF	18-829-85	478	24	Y	G	0.39
GOLF	18-832-387	479	24	Y		
GOLF	18-833-259	480	24	Y		
GOLF	18-839-271	481	24	Y	C	0.40
GOLF	18-770-194	482	24	Y	T	0.37
GOLF	18-771-302	483	24	Y	G	0.30
GOLF	18-827-53	484	24	Y	G	0.34
GOLF	18-768-318	485	24	Y	G	0.31
GOLF	18-769-26	486	24	Y	A	0.17
SLC6A3	18-709-321	487	24	Y	C	0.46
SLC6A3	18-714-280	488	24	Y	T	0.17
SLC6A3	18-843-271	489	24	Y	C	0.37
SLC6A3	18-850-265	490	24	Y	T	0.34
SLC6A3	18-853-296	491	24	Y	T	0.23
SLC6A3	18-867-331	492	24	Y	C	0.48
SLC6A3	18-877-73	493	24	Y		
SLC6A3	18-856-85	494	24	Y	C	0.42
SLC6A3	18-861-101	495	24	Y	T	0.33
PDE4b	18-635-323	496	24	Y		
PDE4b	18-636-205	497	24	Y	A	0.36
PDE4b	18-649-427	498	24	Y	C	0.46
PDE4b	18-1134-316	499	24	Y	G	0.38
PDE4b	18-633-316	500	24	Y		
COMT	18-489-425	501	24	Y		
COMT	18-492-212	502	24	Y	C	0.41
COMT	18-488-156	503	24	Y	T	0.45
COMT	18-491-266	504	24	Y	T	0.42
COMT	18-497-141	505	24	Y	T	0.43
COMT	18-503-174	506	24	Y	C	0.31
COMT	18-490-95	507	24	Y	A	0.31
NPY1R	18-699-115	508	24	Y		
NPY1R	18-1099-293	509	24	Y		
NPY1R	18-1105-22	510	24	Y		
SLC1	18-562-418	511	24	Y	C	0.49
SLC1	18-564-204	512	24	Y	C	0.496
SEF2-1B	18-1032-262	513	24	Y	C	0.33
SEF2-1B	18-1035-412	514	24	Y	C	0.50
SEF2-1B	18-1036-293	515	24	Y	C	0.34
SEF2-1B	18-1038-95	516	24	Y	T	0.34
SEF2-1B	18-1040-361	517	24	Y	G	0.44
SEF2-1B	18-748-356	518	24	Y	T	0.47
BDNF	18-937-181	519	24	Y	A	0.26
BDNF	18-942-175	520	24	Y	T	0.29
BDNF	18-1213-221	521	24	Y		
BDNF	18-937-147	522	24	Y		
BDNF	18-946-408	523	24	Y	C	0.20
GAP43	18-787-133	524	24	Y	A	0.39
GAP43	18-1149-239	525	24	Y	A	0.49

TABLE 7D (nt)

GAP43	18-1159-291	526	24	Y	G	0.23
GAP43	18-1135-273	527	24	Y	T	0.43
GAP43	18-1136-108	528	24	Y		
GAP43	18-1147-68	529	24	Y		
GAP43	18-1157-295	530	24	Y		
GAP43	18-802-460	531	24	Y	A	0.32
CLOCK	18-1064-110	532	24	Y	C	0.36
CLOCK	18-1068-327	533	24	Y	T	0.32
CLOCK	18-1069-365	534	24	Y	A	0.23
CLOCK	18-1073-367	535	24	Y	A	0.35
CLOCK	18-1070-272	536	24	Y	T	0.36
CLOCK	18-1057-35	537	24	Y		
CLOCK	18-1062-415	538	24	Y		
CLOCK	18-1082-165	539	24	Y		
CLOCK	18-1080-361	540	24	Y	C	0.18
HSP70	18-506-297	541	24	Y		
HSP70	18-570-38	542	24	Y		

TABLE 8

SEQ ID NO.	BIALLELIC MARKER ID	1 ST ALLELE	2 ND ALLELE	POSITION RANGE OF PREFERRED SEQUENCE
12	99-28149-118	C	T	[1-478]
13	99-28160-285	A	G	[1-456]
14	99-28171-458	A	G	[1-48],[141-514]
15	99-28173-395	C	T	[1-550]
16	99-32177-113	C	T	[1-466]
17	99-32181-192	C	T	[1-449]
18	99-32193-258	G	T	[1-458]
20	99-28730-351	A	G	[1-452]
21	99-32306-409	G	C	[1-455]
28	99-27097-83	C	T	[1-273]
29	99-27098-162	C	T	[226-421]
32	99-27561-106	A	G	[1-465]
33	99-27562-366	G	T	[1-470]
35	99-27110-301	G	C	[1-455]
37	99-27573-443	G	T	[1-513]
38	99-28732-133	A	G	[1-411]
40	99-28736-399	C	T	[1-453]
41	99-28738-319	C	T	[1-458]
42	99-28739-364	C	T	[1-509]
62	18-132-368	C	T	[1-480]
64	18-12-191	A	C	[1-450]
65	18-11-137	A	G	[1-157],[348-390]
66	18-93-96	G	T	[1-454]
69	18-251-176	C	T	[104-494]
72	18-393-330	G	C	[1-93],[146-479]
73	18-394-402	A	C	[1-21],[119-518]
75	18-284-139	C	T	[146-450]
76	18-285-305	A	G	[1-520]
77	18-289-239	C	T	[1-486]
78	18-291-91	C	T	[1-453]
80	18-194-130	C	T	[1-460]
81	18-198-252	A	G	[1-316],[349-459]
82	18-242-300	A	G	[224-476]
85	99-2409-298	A	G	[117-127],[160-359],[395-711]
86	99-339-54	G	C	[1-247],[293-1514],[1544-2128],[2159-3001]
98	99-32148-315	G	C	[1-24]
108	99-32077-66	A	G	[37-63]
110	99-32376-426	A	G	[235-470]

TABLE 9A

SEQ. ID NO.	BIALLELIC MARKER ID	ORIGINAL ALLELE	ALTERNATIVE ALLELE
1	99-27199-207	T	C
2	99-27207-117	C	T
3	99-27213-53	A	G
4	99-27218-333	T	G
6	99-28109-275	G	A
7	99-28110-75	C	T
8	99-28125-81	A	C
9	99-28134-215	C	T
10	99-28137-96	A	G
11	99-32204-305	G	A
19	99-28722-90	T	C
22	99-27088-246	G	A
23	99-27090-203	G	A
24	99-27091-220	G	A
25	99-27093-145	T	C
26	99-27094-406	T	C
27	99-27096-410	G	A
30	99-27550-48	A	G
31	99-27558-335	C	T
34	16-31-738	C	G
39	99-28735-56	C	T
43	99-27875-185	T	C
44	99-27880-176	T	C
46	99-28753-353	T	C
47	99-28755-206	A	G
48	99-32333-366	T	C
49	16-38-323	A	C
50	99-28484-179	A	T
51	99-30853-364	G	A
52	99-28485-198	G	T
53	99-30858-354	T	C
54	99-32002-313	G	A
55	18-15-366	C	T
56	18-20-174	G	A
59	18-2-192	G	T
60	99-26921-210	G	A
63	18-133-293	C	A
68	16-42-140	A	G
70	18-269-44	A	G
71	16-218-624	G	C
74	16-217-55	A	G
88	10-214-79	C	T
90	99-28779-168	T	C
91	99-28788-300	G	A

TABLE 9B

94	99-32059-169	T	C
95	99-32061-304	A	G
96	99-32065-303	T	G
97	99-32123-118	G	A
99	16-2-76	A	G
101	16-3-199	C	T
102	16-50-197	C	T
103	16-1-59	C	T
104	16-2-187	A	G
105	99-28761-311	A	G
106	99-28771-86	T	C
109	99-32078-466	C	T
111	99-32361-419	T	G
112	16-21-228	G	A
117	16-25-279	G	C
118	16-23-393	G	T
119	16-106-364	T	C
122	16-84-185	T	C
124	16-91-333	G	A
126	16-133-205	A	G
127	16-135-181	T	A
128	16-145-405	C	T
129	16-177-320	A	G

TABLE 10

SEQ ID NO.	BIALLELIC MARKER ID	1ST ALLELE	2ND ALLELE
5	99-28108-233	A	C
36	99-27563-400	A	G
45	99-28747-371	C	T
61	16-215-80	C	T
67	16-115-343	A	C
79	18-186-391	G	T
83	8-15-126	A	G
87	12-254-180	A	G
92	99-32052-262	C	T
93	99-32121-242	A	G
100	16-28-93	A	C
107	99-28791-291	A	G
113	16-22-156	C	T
114	16-23-404	A	G
115	16-24-175	A	C
116	16-25-286	C	T
120	16-16-285	C	T
121	16-17-121	C	T
123	16-87-74	A	G
125	16-128-142	C	G
130	16-4-354	C	T

TABLE 11

SEQ. ID NO.	POSITION RANGE OF PREFERRED SEQUENCE
1	[103-147]
7	[1-25]
8	[508-518]
9	[398-432]
10	[295-364]
11	[301-342]
23	[246-287]
25	[369-413]
30	[126-153],[182-468]
31	[271-313],[443-452]
34	[408-461]
39	[147-235],[438-457]
43	[498-549]
46	[432-448]
49	[263-320]
54	[472-489]
59	[280-321]
63	[486-505]
71	[258-437],[669-927]
74	[90-165]
79	[1-82],[150-191]
83	[1-16],[144-498],[620-800],[1300-1366], [1823-1908],[2336-2365],[2398-3001]
88	[1-1297],[1998-2689],[2895-2965]
92	[255-348],[493-499]
93	[445-467]
94	[1-16],[396-438]
96	[246-288]
97	[1-91],[420-541]
111	[443-457]
121	[130-181]
122	[160-399]
123	[144-145],[351-435]
128	[283-551]
129	[375-458]

TABLE 12

SEQ ID NO.	POSITION RANGE OF MICROSEQUENCING PRIMERS	COMPLEMENTARY POSITION RANGE OF MICROSEQUENCING PRIMERS
1	188-206*	208-227
2	98-116*	118-136*
3	34-52*	54-73
4	314-332*	334-353
5	214-232*	234-253
6	255-274	276-295
7	54-73	75-94
8	62-80*	82-101
9	196-214*	216-235
10	77-95*	97-116
11	285-304	306-325
12	98-117	119-137*
13	266-284*	286-305
14	438-456*	458-477
15	375-394	396-414*
16	93-112	114-132*
17	172-191	193-212
18	238-256*	258-277
19	71-89*	91-110
20	332-350*	352-370*
21	387-406	408-427
22	226-245	247-266
23	185-203*	205-224
24	201-220	222-241
25	125-144	146-165
26	387-405*	407-426
27	390-409	411-430
28	63-82	84-103
29	142-161	163-182
30	28-47	49-67*
31	316-334*	336-355
32	87-105*	107-126
33	344-363	365-384
34	715-737*	739-761*
35	281-299*	301-319*
36	381-399*	401-420
37	423-442	444-462*
38	114-132*	134-153
39	36-55	57-76
40	379-398	400-418*
41	299-318	320-338*
42	345-363*	365-384
43	165-184	186-204*

TABLE 12 (c nt)

44	156-175	177-195*
45	353-372	374-392*
46	332-351	353-371*
47	187-206	208-226*
48	346-365	367-386
49	300-322*	324-346*
50	160-178*	180-199
51	345-363*	365-384
52	179-197*	199-217*
53	334-353	355-373*
54	292-310*	312-331
55	347-365*	367-385*
56	155-173*	175-194
57	158-177	179-197*
58	375-394	396-414*
59	172-191	193-211*
60	192-210*	212-231
61	231-249*	251-270
62	348-367	369-387*
63	273-291*	293-311*
64	172-190*	192-210*
65	118-137	139-157*
66	77-95*	97-115*
67	320-342*	344-366*
68	121-139*	141-163*
69	157-175*	177-196
70	25-43*	45-64
71	601-623*	625-644
72	311-329*	331-349*
73	382-401	403-421*
74	32-54*	56-74*
75	120-138*	140-159
76	286-304*	306-325
77	219-238	240-258*
78	71-90	92-110*
79	371-390	392-410*
80	110-129	131-149*
81	233-251*	253-272
82	280-298*	300-319
83	1481-1500	1502-1520*
84	1481-1500	1502-1520*
85	408-427	429-447*
86	1482-1500*	1502-1521
87	292-310*	312-331
88	1482-1500*	1502-1521
89	1482-1500*	1502-1521
90	149-167*	169-187*

TABLE 12 (cont.)

91	281-299*	301-320
92	244-262*	264-282*
93	225-243*	245-264
94	149-168	170-189
95	285-303*	305-324
96	284-302*	304-322*
97	99-117*	119-138
98	294-313	315-333*
99	76-94*	96-114*
100	101-119*	121-143*
101	323-341*	343-361*
102	178-196*	198-216*
103	158-180*	182-200*
104	183-205*	207-225*
105	292-310*	312-331
106	67-85*	87-106
107	272-290*	292-311
108	47-65*	67-85*
109	448-466*	468-486*
110	407-425*	427-446
111	400-419	421-439*
112	205-227*	229-251*
113	133-155*	157-175*
114	381-403*	405-427*
115	156-174*	176-194*
116	267-285*	287-305*
117	260-278*	280-298*
118	370-392*	394-416*
119	345-363*	365-383*
120	265-284	286-304*
121	102-120*	122-140*
122	162-184*	186-208*
123	51-73*	75-97*
124	310-332*	334-356*
125	123-141*	143-161*
126	222-244*	246-268*
127	209-231*	233-251*
128	436-454*	456-474*
129	297-319*	321-343*
130	335-353*	355-373*
261	343-361*	363-382
262	68-87	89-107*
263	316-334*	336-355
264	48-66*	68-87

TABLE 12 (c nt.)

265	295-313*	315-333*
266	302-321	323-341*
267	296-314*	316-334*
268	327-345*	347-366
269	244-262*	264-282*
270	1482-1500*	1502-1521
271	115-134	136-154*
272	400-418*	420-439
273	271-289*	291-309*
274	237-255*	257-276
275	48-67	69-87*
276	246-265	267-285*
277	287-305*	307-326
278	1482-1500*	1502-1521
279	1482-1500*	1502-1521
280	1482-1500*	1502-1521
281	225-244	246-264*
282	271-290	292-310*
283	327-345*	347-366
284	387-405*	407-426
285	319-337*	339-357*
286	91-109*	111-130
287	85-103*	105-124
288	12-30*	32-50*
289	323-341*	343-362
290	121-139*	141-160
291	160-178*	180-199
292	304-322*	324-343
293	50-69	71-89*
294	422-441	443-461*
295	46-64*	66-85
296	181-199*	201-220
297	314-333	335-353*
298	313-331*	333-352
299	358-377	379-397*
300	288-306*	308-327
301	99-117*	119-138
302	119-137*	139-158
303	72-91	93-111*
304	368-386*	388-407
305	397-415*	417-436
306	127-145*	147-165*
307	1481-1500	1482-1500*
308	1481-1500	1502-1520*
309	250-269	271-289*
310	146-164*	166-184*
311	105-123*	125-144
312	199-218	220-238*
313	293-311*	313-331*
314	349-367*	369-388
315	206-224*	226-245
316	56-74*	76-95
317	1482-1500*	1502-1521

TABLE. 12 (cont.)

318	156-174*	176-194*
319	328-347	349-367*
320	332-351	353-371*
321	461-479*	481-500
322	175-193*	195-214
323	265-283*	285-304
324	33-51*	53-72
325	169-188	190-208*
326	51-70	72-90*
327	106-125	127-145*
328	40-58*	60-79
329	7-26	28-46*
330	184-202*	204-223
331	70-88*	90-108*
332	302-320*	322-341
333	50-68*	70-89
334	39-57*	59-77*
335	197-215*	217-236
336	414-432*	434-452*
337	66-84*	86-105
338	368-386*	388-407
339	239-258	260-278*
340	252-270*	272-291
341	175-193*	195-213*
342	283-301*	303-321*
343	33-52	54-72*
344	299-317*	319-338
345	6-25	27-45*
346	300-319	321-339*
347	262-280*	282-300*
348	252-270*	272-290*
349	246-264*	266-284*
350	277-295*	297-315*
351	313-331*	333-352
352	54-72*	74-93
353	66-84*	86-104*
354	82-100*	102-120*
355	304-322*	324-343
356	186-204*	206-225
357	408-426*	428-447
358	297-315*	317-336
359	297-315*	317-336
360	406-424*	426-445
361	193-211*	213-231*
362	137-155*	157-175*
363	247-265*	267-285*
364	122-140*	142-160*
365	155-173*	175-194
366	75-94	96-114*
367	95-113*	115-134
368	274-292*	294-312*
369	3-21*	23-42
370	399-417*	419-438

TABLE 12 (cont.)

371	185-203*	205-224
372	242-260*	262-281
373	393-411*	413-431*
374	274-292*	294-313
375	75-94	96-114*
376	342-360*	362-381
377	336-355	357-375*
378	160-178*	180-198*
379	156-174*	176-195
380	202-220*	222-241
381	126-144*	146-165
382	387-406	408-426*
383	113-132	134-152*
384	220-238*	240-259
385	272-290*	292-311
386	254-272*	274-293
387	89-107*	109-128
388	49-67*	69-88
389	276-294*	296-315
390	440-458*	460-479
391	89-108	110-128*
392	307-326	328-346*
393	345-364	366-384*
394	348-366*	368-387
395	253-271*	273-292
396	16-34*	36-54*
397	396-414*	416-435
398	146-164*	166-185
399	343-362	364-382*
400	278-296*	298-317
401	19-37*	39-58

TABLE 13

SEQ ID NO.	POSITION RANGE OF AMPLIFICATION PRIMERS	COMPLEMENTARY POSITION RANGE OF AMPLIFICATION PRIMERS
1	1-20	431-450
2	1-21	432-452
3	1-18	446-464
4	1-20	528-546
5	1-18	394-413
6	1-18	434-454
7	1-18	530-549
8	1-18	500-518
9	1-20	453-472
10	1-18	529-546
11	1-20	384-401
12	1-19	459-478
13	1-19	439-456
14	1-18	494-514
15	1-18	532-550
16	1-19	446-466
17	1-18	432-449
18	1-19	438-458
19	1-17	429-449
20	1-18	435-451
21	1-18	437-454
22	1-19	510-527
23	1-20	431-451
24	1-20	455-473
25	1-20	453-472
26	1-20	436-455
27	1-18	432-450
28	1-18	486-504
29	1-19	404-421
30	1-19	448-468
31	1-18	432-452
32	1-19	446-465
33	1-19	450-470
34	1-25	975-1003
35	1-18	438-455
36	1-18	526-546
37	1-18	496-513
38	1-19	391-410
39	1-19	438-456
40	1-20	434-452
41	1-18	441-457
42	1-17	489-508
43	1-18	531-549

TABLE 13 (cont)

44	1-18	444-462
45	1-19	478-496
46	1-20	427-447
47	1-17	452-470
48	1-20	520-540
49	1-28	389-416
50	1-17	488-505
51	1-17	465-485
52	1-17	449-466
53	1-17	456-473
54	1-19	472-488
55	1-20	507-525
56	1-17	408-425
57	1-19	437-457
58	1-19	456-473
59	1-19	450-468
60	1-21	431-451
61	171-188	284-303
62	1-18	461-479
63	1-17	487-504
64	1-18	431-449
65	1-18	516-535
66	1-17	436-453
67	1-24	533-553
68	1-18	154-171
69	1-19	474-493
70	1-17	457-477
71	1-22	906-927
72	1-18	459-479
73	1-20	500-518
74	1-20	568-587
75	1-17	430-449
76	1-17	499-519
77	1-17	466-485
78	1-17	432-452
79	1-18	442-459
80	1-17	439-459
81	1-17	438-458
82	1-17	455-475
83	1376-1395	1792-1810
84	1130-1148	1534-1552
85	131-148	560-580
86	1448-1467	1883-1902
87	132-152	586-603
88	1225-1244	1747-1764
89	1414-1430	1759-1775
90	1-17	390-409

TABLE 13 (cont)

91	1-17	458-478
92	1-18	478-498
93	1-17	448-466
94	1-17	448-468
95	1-19	430-449
96	1-17	469-486
97	1-20	520-540
98	1-18	428-448
99	20-39	240-260
100	28-47	354-374
101	143-162	374-393
102	1-20	227-245
103	123-142	290-309
104	20-39	240-260
105	1-18	446-465
106	1-18	444-461
107	1-18	432-451
108	1-18	471-488
109	1-17	470-488
110	1-18	449-469
111	1-18	442-456
112	1-25	399-424
113	1-24	458-481
114	1-26	455-478
115	1-22	405-428
116	1-22	412-433
117	1-22	412-433
118	1-26	455-478
119	1-22	723-742
120	1-19	516-535
121	1-19	508-529
122	1-22	525-540
123	1-22	504-525
124	1-19	641-665
125	1-20	308-327
126	41-59	472-490
127	52-71	482-501
128	51-69	523-540
129	1-22	472-492
130	1-20	740-759
261	1-21	482-502
262	1-21	438-457
263	1-20	482-502
264	1-19	441-461
265	1-18	428-448
266	1-19	409-426
267	1-19	403-422
268	1-19	401-419
269	1-18	478-498

TABLE 13(cont.)

270	1211-1229	1588-1606
271	1-18	448-465
272	1-20	507-527
273	1-18	434-451
274	1-17	466-486
275	1-19	436-453
276	1-18	452-471
277	1-18	450-468
278	1156-1173	1652-1672
279	1149-1166	1591-1608
280	1170-1187	1635-1652
281	1-18	440-460
282	1-18	433-453
283	1-17	538-558
284	1-17	450-467
285	1-18	439-456
286	1-18	439-456
287	1-20	431-451
288	1-20	431-451
289	1-20	431-451
290	1-19	458-476
291	1-18	497-517
292	1-18	419-436
293	1-17	487-504
294	1-17	443-463
295	1-18	438-455
296	1-18	463-483
297	1-20	464-484
298	1-19	439-456
299	1-18	458-478
300	1-18	443-463
301	1-18	442-460
302	1-18	457-475
303	1-18	515-533
304	1-18	443-463
305	1-19	434-451
306	1-21	430-450
307	1263-1281	1694-1711
308	1114-1133	1516-1533
309	1-19	481-498
310	1-18	447-467
311	1-20	444-463
312	1-19	534-551
313	1-19	437-457
314	1-19	459-477
315	1-19	486-502
316	1-18	432-452
317	1171-1189	1702-1719
318	1-18	476-493
319	1-20	430-450
320	1-20	455-475
321	1-21	489-509
322	1-21	457-477

TABLE 13 (cont.)

323	1-19	430-450
324	1-21	485-505
325	1-20	466-486
326	1-21	437-457
327	1-19	497-517
328	1-20	495-514
329	1-20	450-470
330	1-18	456-476
331	1-20	433-453
332	1-19	435-455
333	1-19	544-561
334	1-18	442-459
335	1-20	434-453
336	1-21	514-534
337	1-20	464-483
338	1-21	580-597
339	1-18	441-461
340	1-20	430-450
341	1-18	479-496
342	1-21	461-481
343	1-21	429-449
344	1-21	409-429
345	1-21	430-450
346	1-20	433-453
347	1-19	495-514
348	1-20	433-451
349	1-20	443-460
350	1-20	440-459
351	1-18	445-463
352	1-18	432-449
353	1-19	430-450
354	1-19	462-480
355	1-21	445-465
356	1-18	473-493
357	1-18	570-589
358	1-20	412-432
359	1-20	412-432
360	1-20	515-533
361	1-20	465-485
362	1-18	550-570
363	1-20	430-450
364	1-21	416-435
365	1-20	455-475
366	1-20	481-501
367	1-21	428-448
368	1-19	459-478
369	1-18	456-476
370	1-20	475-495
371	1-18	456-476
372	1-20	447-467
373	1-21	447-466
374	1-18	467-484
375	1-18	466-484

TABLE 13 (c nt.)

376	1-19	437-455
377	1-20	383-403
378	1-20	428-448
379	1-20	431-449
380	1-18	434-452
381	1-20	428-448
382	1-19	453-473
383	1-21	480-497
384	1-21	532-552
385	1-20	480-500
386	1-18	429-449
387	1-21	433-450
388	1-21	430-450
389	1-21	576-595
390	1-21	549-569
391	1-18	438-455
392	1-19	496-516
393	1-19	455-472
394	1-20	441-458
395	1-19	455-475
396	1-18	449-469
397	1-18	557-577
398	1-18	433-453
399	1-18	475-494
400	1-20	491-511
401	1-21	380-400

TABLE 14

SEQ ID NO.	POSITION RANGE OF PROBES
1	195-219
2	105-129
3	41-65
4	321-345
5	221-245
6	263-287
7	62-86
8	69-93
9	203-227
10	84-108
11	293-317
12	106-130
13	273-297
14	445-469
15	383-407
16	101-125
17	180-204
18	245-269
19	78-102
20	339-363
21	395-419
22	234-258
23	192-216
24	209-233
25	133-157
26	394-418
27	398-422
28	71-95
29	150-174
30	36-60
31	323-347
32	94-118
33	352-376
34	726-750
35	288-312
36	388-412
37	431-455
38	121-145
39	44-68
40	387-411
41	307-331
42	352-376
43	173-197
44	164-188
45	361-385

TABLE 14 (cont.)**TABLE 14 (cont.)**

46	340-364
47	195-219
48	354-378
49	311-335
50	167-191
51	352-376
52	186-210
53	342-366
54	299-323
55	354-378
56	162-186
57	166-190
58	383-407
59	180-204
60	199-223
61	238-262
62	356-380
63	280-304
64	179-203
65	126-150
66	84-108
67	331-355
68	128-152
69	164-188
70	32-56
71	612-636
72	318-342
73	390-414
74	43-67
75	127-151
76	293-317
77	227-251
78	79-103
79	379-403
80	118-142
81	240-264
82	287-311
83	1489-1513
84	1489-1513
85	416-440
86	1489-1513
87	299-323
88	1489-1513
89	1489-1513
90	156-180
91	288-312
92	251-275
93	232-256
94	157-181
95	292-316
96	291-315
97	106-130

98	302-326
99	83-107
100	108-132
101	330-354
102	185-209
103	169-193
104	194-218
105	299-323
106	74-98
107	279-303
108	54-78
109	455-479
110	414-438
111	408-432
112	216-240
113	144-168
114	392-416
115	163-187
116	274-298
117	267-291
118	381-405
119	352-376
120	273-297
121	109-133
122	173-197
123	62-86
124	321-345
125	130-154
126	233-257
127	220-244
128	443-467
129	308-332
130	342-366
261	350-374
262	76-100
263	323-347
264	55-79
265	302-326
266	310-334
267	303-327
268	334-358
269	251-275
270	1489-1513
271	123-147
272	407-431
273	278-302
274	244-268
275	56-80
276	254-278
277	294-318
278	1489-1513
279	1489-1513
280	1489-1513

TABLE 14 (cont.)

281	233-257
282	279-303
283	334-358
284	394-418
285	326-350
286	98-122
287	92-116
288	19-43
289	330-354
290	128-152
291	167-191
292	311-335
293	58-82
294	430-454
295	53-77
296	188-212
297	322-346
298	320-344
299	366-390
300	295-319
301	106-130
302	126-150
303	80-104
304	375-399
305	404-428
306	134-158
307	1489-1513
308	1489-1513
309	258-282
310	153-177
311	112-136
312	207-231
313	300-324
314	356-380
315	213-237
316	63-87
317	1489-1513
318	163-187
319	336-360
320	340-364
321	468-492
322	182-206
323	272-296
324	40-64
325	177-201
326	59-83
327	114-138
328	47-71
329	15-39
330	191-215
331	77-101
332	309-333
333	57-81

TABLE 14 (cont.)

334	46-70
335	204-228
336	421-445
337	73-97
338	375-399
339	247-271
340	259-283
341	182-206
342	290-314
343	41-65
344	306-330
345	14-38
346	308-332
347	269-293
348	259-283
349	253-277
350	284-308
351	320-344
352	61-85
353	73-97
354	89-113
355	311-335
356	193-217
357	415-439
358	304-328
359	304-328
360	413-437
361	200-224
362	144-168
363	254-278
364	129-153
365	162-186
366	83-107
367	102-126
368	281-305
369	10-34
370	406-430
371	192-216
372	249-273
373	400-424
374	281-305
375	83-107
376	349-373
377	344-368
378	167-191
379	163-187
380	209-233
381	133-157
382	395-419
383	121-145
384	227-251
385	279-303
386	261-285

TABLE 14 (cont.)

387	96-120
388	56-80
389	283-307
390	447-471
391	97-121
392	315-339
393	353-377
394	355-379
395	260-284
396	23-47
397	403-427
398	153-177
399	351-375
400	285-309
401	26-50

TABLE 15

Gene	Marker	Allele 1	Allele 2	Allele 1 Frequencies		Genotype Frequencies										Numbers	
				Cases	Control s	p-value	Cases			Control s			p-value	Cases	Control s		
							11	12	22	11	12	22					
5HTR6	99-27199/207	C	T	0.72	0.70	0.71		0.51	0.41	0.08	0.48	0.45	0.07	0.83	140	94	
5HTR6	99-27207/117	C	T	0.48	0.37	0.02		0.24	0.47	0.29	0.13	0.47	0.40	0.08	139	93	
5HTR6	99-28110/75	C	T	0.64	0.52	0.01		0.41	0.45	0.14	0.27	0.51	0.22	0.05	139	90	
5HTR6	99-28134/215	C	T	0.51	0.63	0.01		0.26	0.50	0.24	0.42	0.43	0.15	0.04	136	93	
5HTR7	99-28160/285	A	G	0.49	0.51	0.73		0.27	0.44	0.29	0.24	0.53	0.23	0.37	140	91	
5HTR7	99-28171/458	A	G	0.34	0.38	0.44		0.13	0.42	0.45	0.17	0.42	0.41	0.74	136	90	
5HTR7	99-28173/395	C	T	0.51	0.55	0.33		0.27	0.47	0.26	0.27	0.57	0.16	0.18	137	94	
5HTR7	99-32181/192	C	T	0.28	0.38	0.02		0.09	0.38	0.54	0.13	0.51	0.36	0.04	136	85	
5HTR7	99-32193/258	G	T	0.70	0.65	0.26		0.53	0.34	0.12	0.41	0.48	0.11	0.12	137	85	
CHRNA7	99-28722/90	C	T	0.27	0.32	0.27		0.00	0.54	0.46	0.01	0.62	0.37	0.22	140	94	
CHRNA7	99-28730/351	A	G	0.32	0.38	0.17		0.04	0.55	0.41	0.03	0.69	0.28	0.09	139	94	
CHRNA7	99-32306/409	C	G	0.62	0.67	0.31		0.26	0.72	0.01	0.34	0.66	0.00	0.25	137	91	
CRFR1	99-27088/246	A	G	0.42	0.38	0.31		0.20	0.44	0.36	0.15	0.45	0.40	0.57	138	93	
CRFR1	99-27091/220	A	G	0.44	0.49	0.32		0.19	0.50	0.31	0.24	0.50	0.26	0.59	137	92	
CRFR1	99-27097/83	C	T	0.55	0.53	0.73		0.34	0.41	0.24	0.26	0.56	0.19	0.11	140	90	
CRFR1	99-27550/48	A	G	0.20	0.26	0.17		0.04	0.32	0.64	0.07	0.38	0.55	0.38	138	91	
MLR	19-26/204/A23	C	G	0.55	0.53	0.70		0.28	0.55	0.18	0.28	0.50	0.22	0.69	137	92	
MLR	99-27563/400	A	G	0.46	0.44	0.79		0.19	0.54	0.28	0.21	0.46	0.33	0.54	138	89	
MLR	99-28732/133	A	G	0.39	0.31	0.09		0.16	0.47	0.37	0.09	0.44	0.47	0.23	137	86	
MLR	99-28735/56	C	T	0.71	0.70	0.87		0.50	0.41	0.09	0.50	0.40	0.10	0.93	136	88	
CRFR2	99-27875/185	C	T	0.36	0.40	0.30		0.16	0.39	0.45	0.16	0.49	0.35	0.25	140	94	
CRFR2	99-27880/176	C	T	0.53	0.56	0.47		0.30	0.46	0.24	0.32	0.47	0.20	0.76	139	93	
CRFR2	99-28747/371	C	T	0.39	0.44	0.34		0.16	0.47	0.37	0.23	0.42	0.35	0.39	138	91	
CRFR2	99-28755/206	A	G	0.56	0.59	0.65		0.32	0.50	0.19	0.37	0.44	0.19	0.68	139	93	

TABLE 15 (cont.)

GRL	99-30853/364	A	G	0.56	0.58	0.62	0.35	0.41	0.24	0.39	0.39	0.23	0.87	139	93
GRL	99-30858/354	C	T	0.76	0.84	0.04	0.59	0.34	0.06	0.71	0.27	0.02	0.13	140	89
GRL	99-28485/198	G	T	0.19	0.20	0.68	0.04	0.30	0.66	0.01	0.38	0.61	0.25	134	89
GRL	99-32002/313	A	G	0.48	0.48	0.97	0.23	0.51	0.26	0.16	0.65	0.19	0.10	140	94
GRL	18-20/174	A	G	0.76	0.73	0.38	0.57	0.39	0.04	0.53	0.39	0.07	0.55	140	94
GRL	18-31/178	C	T	0.30	0.35	0.21	0.11	0.38	0.51	0.15	0.40	0.45	0.49	140	94
GRL	18-38/395	A	T	0.59	0.63	0.38	0.36	0.46	0.18	0.36	0.54	0.10	0.17	140	94
MAO A/B	18-2/192	G	T	0.70	0.68	0.66	0.56	0.26	0.17	0.56	0.24	0.20	0.78	140	93
MAO A/B	19-25/407	C	T	0.67	0.67	1.00	0.54	0.26	0.20	0.54	0.24	0.21	0.96	138	90
MAO A/B	99-26921/210	A	G	0.48	0.52	0.47	0.33	0.30	0.37	0.31	0.41	0.28	0.20	139	93
MAO A/B	18-133/293	A	C	0.30	0.27	0.46	0.16	0.29	0.55	0.14	0.26	0.60	0.77	140	92
NET	19-56/140	A	G	0.34	0.27	0.11	0.12	0.44	0.44	0.02	0.49	0.48	0.03	134	93
NET	18-14/241	C	T	0.35	0.32	0.64	0.12	0.46	0.43	0.10	0.45	0.45	0.88	136	91
NET	19-28/136	A	C	0.68	0.56	0.01	0.44	0.48	0.08	0.28	0.57	0.15	0.02	140	93
NET	19-44/251	C	T	0.24	0.21	0.40	0.09	0.31	0.60	0.02	0.38	0.60	0.11	140	93
NET	99-28788/300	A	G	0.49	0.47	0.65	0.22	0.54	0.24	0.21	0.51	0.28	0.85	140	94
NET	99-32061/304	A	G	0.41	0.39	0.71	0.16	0.51	0.34	0.14	0.51	0.35	0.92	140	94
NET	99-32121/242	A	G	0.61	0.52	0.07	0.36	0.49	0.15	0.29	0.47	0.24	0.16	140	94
TACR1	99-28761/311	A	G	0.25	0.22	0.38	0.07	0.36	0.56	0.01	0.41	0.57	0.09	140	94
TACR1	99-28771/86	C	T	0.48	0.52	0.33	0.24	0.46	0.29	0.23	0.57	0.19	0.16	140	94
TACR1	99-28791/291	A	G	0.28	0.26	0.58	0.09	0.39	0.53	0.04	0.43	0.53	0.42	140	94
TACR1	99-32361/419	G	T	0.53	0.52	0.79	0.29	0.49	0.23	0.26	0.52	0.22	0.84	140	94
DRD3	8-15/126	A	G	0.64	0.70	0.16	0.43	0.42	0.15	0.47	0.47	0.08	0.13	140	94
DRD3	8-19/372	A	G	0.23	0.28	0.22	0.09	0.29	0.62	0.03	0.50	0.47	0.004	140	94
DRD3	99-2409/298	A	G	0.36	0.40	0.30	0.14	0.44	0.42	0.11	0.60	0.30	0.07	140	94
DRD3	99-339/54	C	G	0.55	0.54	0.93	0.34	0.42	0.24	0.28	0.53	0.19	0.25	140	94
CYP3A4	12-254/180	A	G	0.43	0.54	0.02	0.19	0.47	0.34	0.32	0.45	0.23	0.08	140	94
CYP3A4	10-214/279	C	T	0.14	0.12	0.55	0.02	0.23	0.75	0.02	0.19	0.79	0.79	140	94
CYP3A4	10-217/91	C	T	0.89	0.93	0.16	0.79	0.19	0.02	0.86	0.13	0.01	0.39	140	94

TABLE 15 (cont)

5HTT	18-194/130	C	T	0.54	0.52	0.67	0.31	0.44	0.24	0.20	0.63	0.17	0.02	140	94
5HTT	18-198/252	A	G	0.52	0.49	0.57	0.29	0.47	0.24	0.20	0.59	0.21	0.20	140	94
5HTT	18-242/300	A	G	0.46	0.54	0.09	0.24	0.44	0.32	0.27	0.54	0.19	0.09	140	94
5HTT	18-186/391	G	T	0.50	0.53	0.52	0.27	0.45	0.28	0.26	0.54	0.20	0.31	140	94
DRD2	19-23/215	A	G	0.21	0.16	0.24	0.05	0.31	0.64	0.04	0.24	0.72	0.44	139	93
DRD2	19-5/377	A	G	0.55	0.53	0.76	0.30	0.50	0.20	0.26	0.55	0.19	0.78	139	93
DRD2	19-6/171	A	C	0.22	0.16	0.15	0.06	0.32	0.62	0.04	0.24	0.72	0.34	138	92
DRD2	19-7/275	C	T	0.70	0.63	0.12	0.49	0.43	0.08	0.38	0.52	0.11	0.24	135	93
DRD2	19-4/118	C	T	0.46	0.45	0.79	0.21	0.50	0.29	0.17	0.56	0.27	0.63	140	93
Gbeta3	19-58/162	C	T	0.70	0.62	0.07	0.49	0.42	0.09	0.36	0.51	0.13	0.16	139	91
Gbeta3	19-9/45	C	T	0.71	0.64	0.12	0.49	0.43	0.08	0.40	0.47	0.13	0.28	139	92
Gbeta3	19-88/185	C	T	0.43	0.40	0.50	0.24	0.38	0.38	0.25	0.29	0.46	0.41	133	92
Gbeta3	19-22/74	A	G	0.33	0.34	0.79	0.09	0.49	0.43	0.14	0.40	0.46	0.30	140	94
Gbeta3	20-205/302	C	T	0.94	0.99	0.002	0.88	0.12	0.00	0.99	0.01	0.00	0.002	140	94
WFS1	19-19/174	C	T	0.43	0.36	0.15	0.17	0.51	0.32	0.11	0.51	0.39	0.30	139	94
WFS1	19-16/127	C	G	0.33	0.27	0.19	0.09	0.49	0.43	0.05	0.44	0.51	0.38	140	94
WFS1	19-17/188	A	G	0.58	0.66	0.07	0.32	0.51	0.16	0.43	0.46	0.11	0.18	140	93
WFS1	19-18/310	A	G	0.14	0.07	0.04	0.02	0.23	0.75	0.01	0.13	0.86	0.12	140	94
TH	19-15/324	A	C	0.69	0.76	0.10	0.51	0.37	0.12	0.60	0.32	0.08	0.31	132	91
TH	18-251/176	C	T	0.58	0.57	0.87	0.36	0.44	0.20	0.29	0.57	0.14	0.11	140	94
TH	18-269/44	A	G	0.36	0.38	0.71	0.11	0.51	0.39	0.15	0.46	0.39	0.58	140	94
5HTR2c	18-12/191	A	C	0.15	0.14	0.73	0.66	0.17	0.77	0.03	0.21	0.76	0.40	137	94

TABLE 16A**OMNIBUS LR RANK of HAPLOTYPES**

OMNIBUS LR Rank of 4-locus combinations

Gene	Cases	Controls	Marker1	Marker2	Marker3	Marker4	p-value	-log p-value
NET	Genset	Argent	19-58/140	99-28788/300	99-32061/304	99-32121/242	0.001	3.00
NET	Genset	Argent	19-28/136	99-28788/300	99-32061/304	99-32121/242	0.001	3.00
Gbeta3	Genset	Argent	19-58/162	19-9/45	19-22/74	20-205/302	0.002	2.70
NET	Genset	Argent	16-3/199	19-28/136	99-32061/304	99-32121/242	0.002	2.70
Gbeta3	Genset	Argent	19-58/162	19-9/45	19-88/185	20-205/302	0.003	2.52
NET	Genset	Argent	19-58/140	19-28/136	99-32061/304	99-32121/242	0.003	2.52
NET	Genset	Argent	19-58/140	16-3/199	99-32061/304	99-32121/242	0.005	2.30
NET	Genset	Argent	19-28/136	16-50/196	99-32061/304	99-32121/242	0.010	2.00
5HT _{2A}	Genset	Argent	18-186/391	18-194/430	18-198/252	18-242/300	0.013	1.89
NET	Genset	Argent	19-58/140	16-50/196	99-32061/304	99-32121/242	0.014	1.85

92 total combinations

TABLE 16B

OMNIBUS LR Rank of 3-locus combinations

Gene	Cases	Controls	Marker1	Marker2	Marker3	Marker4	p-value	-log p-value
Gbeta3	Genset	Argent	19-58/162	19-9/45	20-205/302	0	0.0001	4.00
WFS1	Genset	Argent	19-19/174	19-17/188	19-18/310	0	0.0003	3.55
NET	Genset	Argent	16-3/199	19-28/136	16-50/196	0	0.0009	3.05
NET	Genset	Argent	19-28/136	99-32061/304	99-32121/242	0	0.001	3.00
WFS1	Genset	Argent	19-19/174	19-16/127	19-17/188	0	0.001	3.00
Gbeta3	Genset	Argent	19-58/162	19-22/74	20-205/302	0	0.002	2.70
NET	Genset	Argent	99-28788/300	99-32061/304	99-32121/242	0	0.002	2.70
NET	Genset	Argent	19-58/140	99-32061/304	99-32121/242	0	0.004	2.40
NET	Genset	Argent	16-3/199	19-28/136	16-50/196	0	0.004	2.40
Gbeta3	Genset	Argent	19-9/45	19-22/74	20-205/302	0	0.006	2.22

136 total combinations

TABLE 16 C

OMNIBUS LR Rank of 2-locus combinations

Gene	Cases	Controls	Marker1	Marker2	Marker3	Marker4	p-value	-log p-value
Gbeta3	Genset	Argent	19-58/162	20-205/302	0	0	0.00003	4.52
WFS1	Genset	Argent	19-19/174	19-17/188	0	0	0.00021	3.68
Gbeta3	Genset	Argent	19-9/45	20-205/302	0	0	0.001	3.00
NET	Genset	Argent	99-32061/304	99-32121/242	0	0	0.003	2.52
Gbeta3	Genset	Argent	19-22/74	20-205/302	0	0	0.006	2.22
5HTR7	Genset	Argent	99-28106/185	99-32181/192	0	0	0.007	2.15
DRD3	Genset	Argent	8-15/126	99-2409/298	0	0	0.014	1.87
Gbeta3	Genset	Argent	19-88/185	20-205/302	0	0	0.014	1.85
5HTR7	Genset	Argent	99-32181/192	99-32193/258	0	0	0.015	1.82
5HTT	Genset	Argent	18-186/394	18-242/300	0	0	0.016	1.80

125 total combinations

TABLE 17A

Rank of Permutation Tests for Individual Haplotypes

4-Locus Combination

EM Methods											Permutation Test				Omnibus LR		
Gene	Marker1	Marker2	Marker3	Marker4	Haplotyp e	Case	Control	Differenc e	Odds Ratio	Chi- Square	number	p-value	-log p- value	LR statistic	p-value	-log p- value	
NET	19-58/140	19-14/241	19-28/138	18-50/198	GTCT	0.28	0.41	-0.13	0.56	4.02	100000	0.002	2.61	19.59	0.075	1.12	
GRL	18-20/174	99-32002/313	18-31/178	18-38/395	AGCA	0.06	0.17	-0.12	0.28	8.19	100000	0.003	2.57	16.09	0.360	0.44	
GRL	18-20/174	18-31/178	18-38/395	99-30858/354	GTAC	0.11	0.22	-0.10	0.46	4.56	100000	0.003	2.55	25.70	0.045	1.35	
GRL	18-20/174	18-38/395	99-30853/384	99-30858/354	GAAC	0.03	0.12	-0.09	0.26	6.37	1000	0.003	2.52	21.83	0.078	1.11	
GRL	99-32002/313	18-31/178	18-38/395	99-30858/354	GCAC	0.06	0.14	-0.09	0.36	4.91	1000	0.003	2.52	20.00	0.159	0.80	
GRL	99-32002/313	18-31/178	18-38/395	99-30858/354	GTAI	0.13	0.05	0.09	3.26	4.77	1000	0.003	2.52	20.00	0.159	0.80	
5HTT	18-188/391	18-194/130	18-198/252	18-242/300	GCAA	0.02	0.08	-0.06	0.27	4.13	1000	0.003	2.52	25.66	0.013	1.89	
NET	19-28/136	99-28788/300	99-32061/304	99-32121/242	AGGG	0.01	0.05	-0.04	0.14	4.28	1000	0.004	2.40	31.97	0.001	3.00	
GRL	99-32002/313	18-31/178	99-30853/384	99-30858/354	GTAI	0.18	0.08	0.10	2.42	4.20	1000	0.004	2.38	16.19	0.314	0.50	
5HT7	99-28108/185	99-28171/458	99-28173/395	99-32181/192	AACC	0.27	0.38	-0.11	0.60	2.90	1000	0.005	2.30	13.67	0.034	1.47	
NET	19-14/241	19-28/136	18-50/198	99-32061/304	TCTG	0.17	0.28	-0.11	0.53	3.88	1000	0.006	2.22	20.75	0.084	1.08	
GRL	18-31/178	18-38/395	99-30853/384	99-30858/354	TAAT	0.14	0.05	0.09	3.06	4.68	1000	0.006	2.22	22.38	0.090	1.05	
DRD3	8-15/126	8-18/372	99-2409/298	99-339/54	GGAG	0.06	0.01	0.06	9.29	4.64	1000	0.006	2.22	23.14	0.045	1.35	
GRL	18-20/174	99-32002/313	18-38/395	99-30858/354	GAAC	0.06	0.15	-0.09	0.34	5.65	1000	0.007	2.15	18.83	0.175	0.76	
NET	18-50/196	99-28788/300	99-32061/304	99-32121/242	TGGG	0.01	0.05	-0.05	0.10	5.15	1000	0.008	2.10	24.11	0.034	1.47	
NET	19-58/140	16-50/196	99-28788/300	99-32121/242	A7AA	0.18	0.06	0.12	3.45	6.78	1000	0.009	2.05	19.07	0.240	0.62	
NET	19-14/241	16-50/196	99-32061/304	99-32121/242	TTGG	0.00	0.06	-0.05	0.08	5.70	1000	0.009	2.05	27.52	0.053	1.28	
5HT7	99-28106/185	99-28173/395	99-32181/192	99-32183/258	ACCG	0.27	0.38	-0.11	0.60	2.65	1000	0.012	1.92	14.10	0.023	1.64	
5HT7	99-28171/458	99-28173/395	99-32181/192	99-32183/258	ACCG	0.27	0.38	-0.11	0.61	2.56	1000	0.012	1.92	10.14	0.087	1.17	
NET	19-14/241	99-28788/300	99-32061/304	99-32121/242	TGGG	0.01	0.05	-0.04	0.15	3.82	1000	0.012	1.92	25.41	0.025	1.60	

846 Total Haplotypes

TABLE 17B

3-Locus Combination

Gene	Marker1	Marker2	Marker3	Marker4	EM Methods					Permutation Test				Omnibus LR		
					Haplotyp e	Case	Control	difference	Odds Ratio	Chi- Square	Number	p-value	-log p- value	LR statistic	p-value	-log p- value
NET	99- 28788/300	99- 32061/304	99- 32121/242	0	GGG	0.01	0.07	-0.07	0.08	7.92	100000	0.0002	3.77	22.06	0.002	2.65
WFS1	19-19/174	19-17/188	19-18/310	0	CAG	0.01	0.07	-0.06	0.11	6.51	100000	0.0002	3.68	25.36	0.000	3.55
NET	16-50/196	99- 32061/304	99- 32121/242	0	TGG	0.00	0.07	-0.07	0.06	8.34	100000	0.0008	3.11	21.73	0.012	1.91
NET	19-14/241	19-28/136	16-50/196	0	TCT	0.30	0.43	-0.14	0.55	4.53	100000	0.0009	3.05	20.54	0.001	3.05
GRL	18-20/174	18-38/395	99- 30858/354	0	GAC	0.11	0.23	-0.11	0.44	5.18	100000	0.001	2.98	15.29	0.049	1.31
Gbeta3	19-58/162	19-9/45	20-205/302	0	TTC	0.21	0.35	-0.13	0.51	4.89	10000	0.001	2.96	28.52	0.000	4.00
cyp3a4	12-254/180	10-214/279	10-217/91	0	ATC	0.38	0.52	-0.14	0.57	4.41	1000	0.002	2.70	14.23	0.042	1.38
NET	19-14/241	99- 32061/304	99- 32121/242	0	TGG	0.01	0.06	-0.05	0.08	6.12	1000	0.002	2.70	20.70	0.015	1.82
GRL	99- 32002/313	18-31/178	99- 30858/354	0	GTT	0.18	0.09	0.10	0.09	4.09	1000	0.003	2.52	9.36	0.188	0.73
GRL	18-31/178	99- 30853/364	99- 30858/354	0	TAT	0.19	0.10	0.10	2.24	3.83	1000	0.003	2.52	12.79	0.109	0.86
5HTT	18-186/391	18-194/130	18-242/300	0	GCA	0.02	0.08	-0.06	0.27	4.08	1000	0.003	2.52	18.07	0.028	1.55
5HTT	18-186/391	18-198/252	18-242/300	0	GAA	0.02	0.09	-0.06	0.24	5.11	1000	0.003	2.52	17.54	0.031	1.51
DRD3	8-15/126	8-19/372	99-2409/298	0	GGA	0.11	0.04	0.08	3.28	4.31	100000	0.003	2.46	11.57	0.038	1.42
WFS1	19-19/174	19-17/188	18-145/405	0	TGT	0.01	0.06	-0.04	0.24	3.44	100000	0.004	2.41	25.29	0.001	3.27
NET	19-56/140	19-14/241	19-28/136	0	GTC	0.30	0.41	-0.11	0.61	2.92	1000	0.004	2.40	7.06	0.355	0.45
NET	19-56/140	99- 32061/304	99- 32121/242	0	GGG	0.01	0.07	-0.07	0.11	6.87	1000	0.004	2.40	24.66	0.004	2.40
SHTR6	99- 27199/207	99- 27207/117	99- 28134/215	0	CCT	0.26	0.14	0.12	2.17	4.83	1000	0.004	2.40	15.16	0.081	1.09
5HTT	18-194/130	18-198/252	18-242/300	0	CAA	0.02	0.08	-0.06	0.27	4.15	1000	0.004	2.40	16.28	0.021	1.88
WFS1	19-19/174	19-16/127	19-17/188	0	CGA	0.01	0.06	-0.05	0.21	4.02	1000	0.005	2.30	23.24	0.001	3.00
WFS1	19-19/174	19-17/188	19-18/310	0	CGA	0.12	0.08	0.06	2.16	2.32	1000	0.005	2.30	25.36	0.000	3.55

869 Total Haplotypes

TABLE 17C

2-Locus Combination

EM Methods														Permutation Test				Omnibus LR		
Gene	Marker1	Marker2	Marker3	Marker4	Haplotyp e	Case	Control	differe e	Odds Ratio	Chi- Square	number	p-value	-log p- value	LR statistic	p-value	-log p- value				
WFS1	19-18/174	19-17/188	0	0	CA	0.02	0.08	-0.06	0.21	5.19	100000	0.0005	3.30	20.22	0.000	3.68				
Gbeta3	19-58/162	20-205/302	0	0	TC	0.25	0.38	-0.13	0.53	4.68	100000	0.0009	3.04	21.82	0.000	4.52				
DRD3	8-15/126	99-2409/298	0	0	AA	0.23	0.37	-0.13	0.52	4.95	100000	0.0012	2.93	10.17	0.014	1.87				
WFS1	19-19/174	19-17/188	0	0	CG	0.41	0.28	0.13	1.79	4.09	100000	0.0016	2.79	20.22	0.0002	3.68				
NET	19-14/241	19-28/136	0	0	TC	0.31	0.43	-0.12	0.59	3.46	1000	0.002	2.70	8.47	0.044	1.36				
NET	99-32061/304	99-32121/242	0	0	GG	0.01	0.09	-0.08	0.15	7.53	1000	0.002	2.70	19.47	0.003	2.52				
Gbeta3	19-9/45	20-205/302	0	0	TC	0.24	0.36	-0.12	0.58	3.58	1000	0.002	2.70	17.27	0.001	3.00				
GRL	18-31/178	99-30858/354	0	0	TT	0.20	0.10	0.10	2.31	4.19	1000	0.003	2.52	8.22	0.028	1.54				
5HTT	18-186/394	18-242/300	0	0	GA	0.03	0.11	-0.08	0.25	6.36	1000	0.003	2.52	13.34	0.016	1.80				
5HTT	18-198/252	18-242/300	0	0	AA	0.02	0.09	-0.06	0.24	4.92	1000	0.003	2.52	10.72	0.021	1.68				
CHRNA7	99-28722/90	99-32308/409	0	0	CC	0.07	0.29	-0.22	0.19	19.25	1000	0.003	2.52	9.19	0.042	1.38				
DRD3	8-15/126	99-2409/298	0	0	GA	0.13	0.04	0.09	3.58	5.16	100000	0.003	2.49	10.17	0.014	1.87				
WFS1	19-19/174	19-17/188	0	0	TG	0.01	0.06	-0.04	0.24	3.46	100000	0.004	2.45	20.22	0.000	3.68				
5HTT7	99-32181/192	99-32193/258	0	0	TG	0.42	0.28	0.14	1.87	4.16	1000	0.004	2.40	9.27	0.015	1.82				
GRL	18-38/395	99-30858/354	0	0	AC	0.44	0.58	-0.14	0.58	4.11	1000	0.004	2.40	8.98	0.023	1.64				
CRFR1	99-27091/220	99-27550/48	0	0	GG	0.36	0.25	0.11	1.72	3.20	1000	0.004	2.40	9.03	0.022	1.66				
cyp3a4	12-254/180	10-214/279	0	0	AT	0.39	0.52	-0.13	0.60	3.69	1000	0.005	2.30	7.10	0.085	1.07				
NET	19-56/140	19-14/241	0	0	GT	0.35	0.46	-0.10	0.65	2.43	1000	0.005	2.30	5.05	0.134	0.87				
CHRNA7	99-28722/90	99-28730/351	0	0	TG	0.55	0.36	0.19	2.17	8.05	1000	0.005	2.30	3.95	0.214	0.67				
cyp3a4	12-254/180	10-217/91	0	0	AC	0.41	0.53	-0.13	0.60	3.57	100000	0.006	2.26	7.40	0.084	1.08				

485 Total Haplotype

Table 18A

Gene	Marker	Allele 1	Allele 2	Allele 1 Frequencies			Genotype Frequencies								Numbers		
				Cases	Controls	Chi Square	p-value	Cases		Controls		Chi-square	p-value	Cases	Controls		
								11	12	22	11					12	22
5HTR6	99-27199-207	C	T	0.72	0.70	0.14	0.71	0.51	0.41	0.08	0.48	0.45	0.07	0.36	0.83	140	94
5HTR6	99-27207-117	C	T	0.48	0.37	5.78	0.02	0.24	0.47	0.29	0.13	0.47	0.40	5.79	0.06	139	93
5HTR6	99-28110-75	C	T	0.64	0.52	5.93	0.01	0.41	0.45	0.14	0.27	0.51	0.22	5.91	0.05	139	90
5HTR6	99-28134-215	C	T	0.51	0.63	6.43	0.01	0.26	0.50	0.24	0.42	0.43	0.15	6.58	0.04	136	93
5HTR7	99-28160-285	A	G	0.49	0.51	0.12	0.73	0.27	0.44	0.29	0.24	0.53	0.23	1.96	0.37	140	91
5HTR7	99-28171-458	A	G	0.34	0.38	0.61	0.44	0.13	0.42	0.45	0.17	0.42	0.41	0.61	0.74	136	90
5HTR7	99-28173-395	C	T	0.51	0.55	0.94	0.33	0.27	0.47	0.26	0.27	0.57	0.16	3.46	0.18	137	94
5HTR7	99-32181-192	C	T	0.28	0.38	5.50	0.02	0.09	0.38	0.54	0.13	0.51	0.36	6.25	0.04	136	85
5HTR7	99-32193-258	G	T	0.70	0.65	1.29	0.26	0.53	0.34	0.12	0.41	0.48	0.11	4.30	0.12	137	85
CHRNA7	99-28722-90	C	T	0.27	0.32	1.24	0.27	0.00	0.54	0.46	0.01	0.62	0.37	2.99	0.22	140	94
CHRNA7	99-28730-351	A	G	0.32	0.38	1.86	0.17	0.04	0.55	0.41	0.03	0.69	0.28	4.93	0.09	139	94
CHRNA7	99-32306-409	C	G	0.62	0.67	1.02	0.31	0.26	0.72	0.01	0.34	0.66	0.00	2.77	0.25	137	91
CRFR1	99-27088-246	A	G	0.42	0.38	1.04	0.31	0.20	0.44	0.36	0.15	0.45	0.40	1.12	0.57	138	93
CRFR1	99-27091-220	A	G	0.44	0.49	1.00	0.32	0.19	0.50	0.31	0.24	0.50	0.26	1.04	0.59	137	92
CRFR1	99-27097-83	C	T	0.55	0.53	0.12	0.73	0.34	0.41	0.24	0.26	0.56	0.19	4.40	0.11	140	90
CRFR1	99-27550-48	A	G	0.20	0.26	1.93	0.17	0.04	0.32	0.64	0.07	0.38	0.55	1.92	0.38	138	91
MLR	16-31-738-A23	C	G	0.55	0.53	0.15	0.70	0.28	0.55	0.18	0.28	0.50	0.22	0.75	0.69	137	92
MLR	99-27563-400	A	G	0.46	0.44	0.07	0.79	0.19	0.54	0.28	0.21	0.46	0.33	1.25	0.54	138	89
MLR	99-28732-133	A	G	0.39	0.31	2.94	0.09	0.16	0.47	0.37	0.09	0.44	0.47	2.98	0.23	137	86
MLR	99-28735-56	C	T	0.71	0.70	0.03	0.87	0.50	0.41	0.09	0.50	0.40	0.10	0.14	0.93	136	88
CRFR2	99-27875-185	C	T	0.36	0.40	1.06	0.30	0.16	0.39	0.45	0.16	0.49	0.35	2.76	0.25	140	94
CRFR2	99-27880-176	C	T	0.53	0.56	0.52	0.47	0.30	0.46	0.24	0.32	0.47	0.20	0.55	0.76	139	93
CRFR2	99-28747-371	C	T	0.39	0.44	0.90	0.34	0.16	0.47	0.37	0.23	0.42	0.35	1.88	0.39	138	91
CRFR2	99-28755-206	A	G	0.56	0.59	0.21	0.65	0.32	0.50	0.19	0.37	0.44	0.19	0.77	0.68	139	93

Table 18B

Gene	Marker	Allele 1	Allele 2	Allele 1 Frequencies			Genotype Frequencies								Numbers			
				Cases	Controls	Chi Square	p-value	Cases		Controls				Chi-square	p-value			
								11	12	11	12	22	22					
GRL	99-30853-364	A	G	0.56	0.58	0.24	0.62	0.35	0.41	0.24	0.39	0.39	0.23	0.23	0.29	0.87	139	93
GRL	99-30858-354	C	T	0.76	0.84	4.10	0.04	0.59	0.34	0.06	0.71	0.27	0.02	0.02	4.04	0.13	140	89
GRL	99-28485-198	G	T	0.19	0.20	0.17	0.68	0.04	0.30	0.66	0.01	0.38	0.61	0.61	2.75	0.25	134	89
GRL	99-32002-313	A	G	0.48	0.48	0.00	0.97	0.23	0.51	0.28	0.16	0.65	0.19	0.19	4.61	0.10	140	94
GRL	18-20-174	A	G	0.76	0.73	0.76	0.38	0.57	0.39	0.04	0.53	0.39	0.07	0.07	1.18	0.55	140	94
GRL	18-31-178	C	T	0.30	0.35	1.55	0.21	0.11	0.38	0.51	0.15	0.40	0.45	0.45	1.41	0.49	140	94
GRL	18-38-395	A	T	0.59	0.63	0.76	0.38	0.36	0.46	0.18	0.36	0.54	0.10	0.10	3.49	0.17	140	94
MAO A-B	18-2-192	G	T	0.70	0.68	0.19	0.66	0.56	0.26	0.17	0.56	0.24	0.20	0.20	0.50	0.78	140	93
MAO A-B	18-215-80	C	T	0.67	0.67	0.00	1.00	0.54	0.26	0.20	0.54	0.24	0.21	0.21	0.08	0.96	138	90
MAO A-B	99-26921-210	A	G	0.48	0.52	0.52	0.47	0.33	0.30	0.37	0.31	0.41	0.28	0.28	3.17	0.20	139	93
MAO A-B	18-133-293	A	C	0.30	0.27	0.55	0.46	0.16	0.29	0.55	0.14	0.26	0.60	0.60	0.52	0.77	140	92
NET	99-28788-300	A	G	0.49	0.47	0.25	0.62	0.23	0.51	0.26	0.21	0.53	0.27	0.27	0.32	0.85	314	178
NET	99-32061-304	A	G	0.43	0.40	0.32	0.57	0.19	0.47	0.34	0.14	0.52	0.34	0.34	1.41	0.50	320	86
NET	99-32121-242	A	G	0.57	0.54	0.78	0.38	0.34	0.47	0.19	0.30	0.48	0.22	0.22	0.74	0.69	313	181
NET	99-32148-315	C	G	0.31	0.27	2.08	0.15	0.09	0.46	0.46	0.09	0.36	0.55	0.55	4.23	0.12	315	181
NET	19-28-136	A	C	0.68	0.61	4.35	0.04	0.44	0.47	0.09	0.37	0.49	0.14	0.14	4.77	0.09	322	183
NET	19-29-303	C	T	0.21	0.19	0.77	0.38	0.05	0.33	0.63	0.02	0.34	0.64	0.64	3.52	0.17	326	183
NET	19-46-322	C	T	0.31	0.31	0.01	0.92	0.07	0.48	0.45	0.07	0.47	0.45	0.45	0.03	0.99	317	177
NET	99-32065-303	G	T	0.42	0.43	0.04	0.85	0.18	0.49	0.34	0.14	0.57	0.29	0.29	3.02	0.22	317	182
NET	99-32131-312	C	T	0.68	0.71	0.62	0.43	0.47	0.42	0.11	0.49	0.43	0.08	0.08	1.12	0.57	315	178
TACR1	99-28761-311	A	G	0.25	0.22	0.78	0.38	0.07	0.36	0.56	0.01	0.41	0.57	0.57	4.81	0.09	140	94
TACR1	99-28771-86	C	T	0.48	0.52	0.96	0.33	0.24	0.46	0.29	0.23	0.57	0.19	0.19	3.65	0.16	140	94
TACR1	99-28791-291	A	G	0.28	0.28	0.31	0.58	0.09	0.39	0.53	0.04	0.43	0.53	0.53	1.76	0.42	140	94
TACR1	99-32361-419	G	T	0.53	0.52	0.07	0.79	0.29	0.49	0.23	0.26	0.52	0.22	0.22	0.34	0.84	140	94

Table 18B (cont)

DRD3	8-15-126	A	G	0.64	0.70	1.99	0.16	0.43	0.42	0.15	0.47	0.47	0.06	4.10	0.13	140	94
DRD3	8-19-372	A	G	0.23	0.28	1.48	0.22	0.09	0.29	0.62	0.03	0.50	0.47	11.32	0.004	140	94
DRD3	99-2409-298	A	G	0.36	0.40	1.06	0.30	0.14	0.44	0.42	0.11	0.60	0.30	5.31	0.07	140	94
DRD3	99-339-54	C	G	0.55	0.54	0.01	0.93	0.34	0.42	0.24	0.28	0.53	0.19	2.77	0.25	140	94

Table 18C

Gene	Marker	Allele 1	Allele 2	Allele 1 Frequencies				Genotype Frequencies								Numbers	
				Cases		Controls		Chl		square		p-value		Cases		Controls	
				Chl		Square		p-value		11		12		11		12	
				Cases	Controls	Cases	Controls	Cases	Controls	11	12	11	12	11	12	11	12
CYP3A4	12-254-180	A	G	0.43	0.54	5.86	0.02	0.19	0.47	0.34	0.32	0.45	0.23	5.73	0.06	140	94
CYP3A4	10-214-279	C	T	0.14	0.12	0.35	0.55	0.02	0.23	0.75	0.02	0.19	0.79	0.46	0.79	140	94
CYP3A4	10-217-91	C	T	0.89	0.93	2.01	0.16	0.79	0.19	0.02	0.86	0.13	0.01	1.88	0.39	140	94
5HTT	18-194-130	C	T	0.54	0.52	0.18	0.87	0.31	0.44	0.24	0.20	0.63	0.17	7.73	0.02	140	94
5HTT	18-198-252	A	G	0.52	0.49	0.32	0.57	0.29	0.47	0.24	0.20	0.59	0.21	3.19	0.20	140	94
5HTT	18-242-300	A	G	0.46	0.54	2.89	0.09	0.24	0.44	0.32	0.27	0.54	0.19	4.89	0.09	140	94
5HTT	18-186-391	G	T	0.50	0.53	0.41	0.52	0.27	0.45	0.28	0.26	0.54	0.20	2.37	0.31	140	94
DRD2	18-21-228	A	G	0.21	0.16	1.40	0.24	0.05	0.31	0.64	0.04	0.24	0.72	1.65	0.44	139	93
DRD2	16-23-404	A	G	0.55	0.53	0.09	0.76	0.30	0.50	0.20	0.26	0.55	0.19	0.50	0.78	139	93
DRD2	16-24-175	A	C	0.22	0.16	2.07	0.15	0.06	0.32	0.62	0.04	0.24	0.72	2.19	0.34	138	92
DRD2	18-25-288	C	T	0.70	0.63	2.41	0.12	0.49	0.43	0.08	0.38	0.52	0.11	2.87	0.24	135	93
DRD2	16-22-156	C	T	0.46	0.45	0.07	0.79	0.21	0.50	0.29	0.17	0.56	0.27	0.94	0.63	140	93
Gbeta3	19-58-162	C	T	0.68	0.63	2.24	0.13	0.45	0.47	0.09	0.41	0.43	0.15	4.35	0.11	229	182
Gbeta3	19-9-45	C	T	0.69	0.66	0.60	0.44	0.45	0.48	0.07	0.45	0.42	0.12	4.45	0.11	321	185
Gbeta3	18-355-67	C	T	0.47	0.49	0.43	0.51	0.20	0.55	0.26	0.25	0.47	0.27	2.95	0.23	311	173
Gbeta3	18-353-267	C	T	0.78	0.73	3.58	0.06	0.60	0.37	0.03	0.54	0.38	0.08	6.14	0.05	302	180
Gbeta3	18-388-305	A	G	0.65	0.70	2.05	0.15	0.43	0.44	0.13	0.47	0.45	0.08	2.78	0.25	319	174

Table 18C (cont)

WFS1	19-17-188	A	G	0.57	0.66	8.62	0.003	0.32	0.50	0.18	0.43	0.47	0.10	8.92	0.01	318	180
WFS1	19-19-174	C	T	0.40	0.31	7.66	0.006	0.16	0.48	0.36	0.09	0.43	0.47	7.61	0.02	311	173
WFS1	24-243-346	C	T	0.62	0.70	5.29	<0.02	0.37	0.50	0.13	0.48	0.43	0.09	5.70	0.06	321	166
WFS1	99-62531-351	C	T	0.59	0.64	2.77	0.10	0.34	0.51	0.16	0.40	0.49	0.11	2.92	0.23	316	177
WFS1	99-54279-152	C	G	0.59	0.56	0.79	0.37	0.33	0.52	0.15	0.32	0.49	0.20	1.63	0.44	306	174
TH	16-115-343	A	C	0.69	0.76	2.67	0.10	0.51	0.37	0.12	0.60	0.32	0.08	2.37	0.31	132	91
TH	18-251-176	C	T	0.58	0.57	0.02	0.87	0.36	0.44	0.20	0.29	0.57	0.14	4.43	0.11	140	94
TH	18-269-44	A	G	0.36	0.38	0.14	0.71	0.11	0.51	0.39	0.15	0.46	0.39	1.09	0.58	140	94
5HTR2c	18-12-191	A	C	0.15	0.14	0.12	0.73	0.66	0.17	0.77	0.03	0.21	0.76	1.84	0.40	137	94

Table 19

OMNIBUS LR Rank of Haplotypes

	GENE	Affected	Control	Marker1	Marker2	Marker3	Marker4	p-value	-log p-value
1	WFS1	288	148	19-17-188	19-19-174	24-243-346	99-62531-351	0.003	2.49
2		277	154	19-17-188	19-19-174	24-243-346	99-54279-152	0.003	2.47
3	WFS1	274	157	19-17-188	19-19-174	99-62531-351	99-54279-152	0.007	2.17
4	5HTT	140	94	18-186-391	18-194-130	18-198-252	18-242-300	0.013	1.89
5	NET	293	79	99-32061-304	99-32121-242	19-28-136	99-32131-312	0.020	1.69
6	WFS1	283	148	19-17-188	24-243-346	99-62531-351	99-54279-152	0.023	1.65
7	NET	290	78	99-32061-304	99-32121-242	19-28-136	19-46-322	0.032	1.50
8	NET	292	73	99-32061-304	19-28-136	19-46-322	99-32131-312	0.035	1.45
9	NET	291	85	99-32061-304	99-32121-242	19-28-136	99-32065-303	0.038	1.42
10	NET	291	76	99-28788-300	99-32061-304	19-28-136	99-32131-312	0.040	1.40

	GENE	Affected	Control	Marker1	Marker2	Marker3	Marker4	p-value	-log p-value
1	WFS1	297	158	19-17-188	19-19-174	24-243-346		0.001	3.00
2	WFS1	282	166	19-17-188	19-19-174	99-54279-152		0.001	2.85
3	WFS1	291	156	19-17-188	24-243-346	99-54279-152		0.002	2.62
4	WFS1	293	167	19-17-188	19-19-174	99-62531-351		0.005	2.34
5	WFS1	302	150	19-17-188	24-243-346	99-62531-351		0.008	2.11
6	NET	302	79	99-32061-304	19-28-136	99-32131-312		0.017	1.76
7	NET	309	170	19-28-136	19-29-303	19-46-322		0.027	1.57
8	WFS1	287	159	19-17-188	99-62531-351	99-54279-152		0.027	1.56
9	NET	300	85	99-32061-304	99-32121-242	19-28-136		0.037	1.44
10	Gbet53	217	167	19-58-162	19-9-45	18-355-67		0.039	1.41

Table 19 (cont)

Table 20A
Rank of Permutation Tests for Individual Haplotypes

EIM methods										Permutation Test				Omnibus LR	
Gene	Marker1	Marker2	Marker3	Marker4	Haplotype	Case	Control	difference	Square	Chi-Square	number	Permutation Test			Omnibus LR
												p-value	-log p-value	-log p-value	
1	GRL	18-20-174	99-32002-313	18-31-178	18-38-395	AGCA	0.06	0.17	-0.12	16.39	100000	0.003	2.57	0.360	0.44
2	GRL	18-20-174	18-31-178	18-38-395	99-30858-354	GTAC	0.11	0.22	-0.10	9.13	100000	0.003	2.55	0.045	1.35
3	GRL	18-20-174	18-38-395	99-30853-364	99-30858-354	GAAC	0.03	0.12	-0.09	12.74	1000	0.003	2.52	0.078	1.11
4	GRL	99-32002-313	18-31-178	18-38-395	99-30858-354	GCAC	0.06	0.14	-0.09	9.82	1000	0.003	2.52	0.159	0.80
5	GRL	99-32002-313	18-31-178	18-38-395	99-30858-354	GTAT	0.13	0.05	0.09	9.55	1000	0.003	2.52	0.159	0.80
6	5HTT	18-186-391	18-194-130	18-198-252	18-242-300	GCAA	0.02	0.08	-0.06	8.26	1000	0.003	2.52	0.013	1.89
7	GRL	99-32002-313	18-31-178	99-30853-364	99-30858-354	GTAT	0.18	0.08	0.10	8.40	1000	0.004	2.38	0.314	0.50
8	5HTT7	99-28108-185	99-28171-458	99-28173-395	99-32181-192	AACC	0.27	0.38	-0.11	2.90	1000	0.005	2.30	0.034	1.47
9	NET	99-32121-242	99-32148-315	19-46-322	99-32131-312	AGTT	0.02	0.07	-0.05	13.54	5000	0.006	2.25	0.273	0.56
10	GRL	18-31-178	18-38-395	99-30853-364	99-30858-354	TAAT	0.14	0.05	0.09	9.35	1000	0.006	2.22	0.090	1.05
11	DRD3	8-15-128	8-19-372	99-2409-298	99-339-54	GGAG	0.06	0.01	0.06	9.29	1000	0.006	2.22	0.045	1.35
12	NET	99-32061-304	19-28-136	19-46-322	99-32065-303	GCTT	0.18	0.30	-0.12	11.71	5000	0.007	2.15	0.155	0.81
13	NET	99-28788-300	99-32061-304	99-32121-242	19-28-136	AGAC	0.16	0.28	-0.11	9.89	5000	0.007	2.14	0.073	1.14
14	GRL	18-20-174	99-32002-313	18-38-395	99-30858-354	GAAC	0.06	0.15	-0.09	11.29	1000	0.007	2.15	0.175	0.78
15	NET	99-32061-304	99-32121-242	19-28-136	99-32065-303	GACT	0.18	0.29	-0.11	10.22	5000	0.008	2.11	0.038	1.42
16	NET	99-32061-304	99-32148-315	19-29-303	99-32065-303	ACTG	0.11	0.03	0.08	9.73	5000	0.008	2.11	0.484	0.33
17	NET	99-32061-304	19-28-136	19-29-303	19-46-322	GCTT	0.17	0.29	-0.12	11.84	5000	0.008	2.10	0.186	0.73
18	NET	99-32061-304	99-32121-242	19-28-136	19-46-322	GACT	0.18	0.30	-0.12	11.06	5000	0.009	2.07	0.032	1.50
19	NET	99-32061-304	99-32148-315	19-28-136	19-46-322	GGCT	0.11	0.22	-0.11	12.79	5000	0.009	2.07	0.218	0.66
20	NET	99-28788-300	99-32061-304	99-32148-315	19-28-136	AGGC	0.11	0.21	-0.10	11.33	5000	0.009	2.06	0.140	0.85

Table 20B
Rank of Permutation Tests for Individual Haplotypes

EM methods				Chi-Square				Permutation Test				Omnibus LR	
Gene	Marker1	Marker2	Marker3	Haplotype	Case	Control	difference	Square	number	p-value	-log p-value	-log p-value	
1	18-20-174	18-38-395	99-30858-354	GAC	0.11	0.23	-0.11	10.35	100000	0.001	2.98	0.05	1.31
2	WFS1 19-17-188	19-19-174	99-62531-351	ACC	0.01	0.05	-0.04	12.09	5000	0.002	2.80	0.00	2.34
3	cyp3a4 12-254-180	10-214-279	10-217-91	ATC	0.38	0.52	-0.14	8.82	1000	0.002	2.70	0.04	1.38
4	WFS1 19-17-188	19-19-174	24-243-346	GCT	0.34	0.24	0.10	9.80	5000	0.003	2.52	0.00	3.00
5	GRL 99-32002-313	18-31-178	99-30858-354	GTT	0.18	0.09	0.10	8.18	1000	0.003	2.52	0.19	0.73
6	GRL 18-31-178	99-30853-364	99-30858-354	TAT	0.19	0.10	0.10	7.65	1000	0.003	2.52	0.11	0.96
7	5HTT 18-186-391	18-194-130	18-242-300	GCA	0.02	0.08	-0.06	8.17	1000	0.003	2.52	0.03	1.55
8	5HTT 18-186-394	18-198-252	18-242-300	GAA	0.02	0.09	-0.06	10.22	1000	0.003	2.52	0.03	1.51
9	DRD3 8-15-128	8-19-372	99-2409-298	GGA	0.11	0.04	0.08	8.62	100000	0.003	2.46	0.04	1.42
10	WFS1 19-17-188	24-243-346	99-54279-152	ATG	0.01	0.04	-0.03	9.90	5000	0.004	2.36	0.00	2.62
11	5HTR8 99-27199-207	99-27207-117	99-28134-215	CCT	0.26	0.14	0.12	9.66	1000	0.004	2.40	0.08	1.09
12	5HTT 18-194-130	18-198-252	18-242-300	CAA	0.02	0.08	-0.06	8.29	1000	0.004	2.40	0.02	1.88
13	NET 99-32061-304	99-32148-315	19-29-303	ACT	0.11	0.03	0.08	10.38	5000	0.006	2.25	0.38	0.42
14	NET 99-32148-315	19-28-136	19-29-303	GCT	0.21	0.30	-0.09	9.23	5000	0.006	2.24	0.42	0.38
15	cyp3a4 12-254-180	10-214-279	10-217-91	GTC	0.48	0.36	0.12	6.41	1000	0.008	2.22	0.04	1.38
16	NET 99-32061-304	19-28-138	19-46-322	GCT	0.17	0.29	-0.12	11.46	5000	0.007	2.18	0.05	1.33
17	5HTR7 99-28171-458	99-28173-395	99-32181-192	ACC	0.27	0.38	-0.11	5.71	1000	0.007	2.15	0.05	1.28
18	GRL 99-32002-313	18-31-178	18-38-395	GCA	0.07	0.18	-0.11	14.17	1000	0.007	2.15	0.25	0.61
19	GRL 18-31-178	18-38-395	99-30858-354	TAT	0.14	0.05	0.09	8.81	1000	0.008	2.10	0.06	1.25
20	CHRNA7 99-28722-90	99-28730-351	99-32306-409	CAC	0.01	0.05	-0.05	10.75	1000	0.008	2.10	0.04	1.46

Table 20C
Rank of Permutation Tests for Individual Haplotypes

				EIM methods			Permutation Test				Omnibus LR		
Gene	Marker1	Marker2	Haplotype	Case	Control	difference	Chi-Square	number	p-value	-log p-value	-log p-value		
1	WFS1	19-17-188	24-243-346	GT	0.37	0.26	0.11	12.09	5000	0.0006	3.22	0.001	2.92
2	WFS1	19-17-188	19-19-174	GC	0.38	0.27	0.11	11.49	5000	0.0012	2.92	0.001	2.92
3	DRD3	8-15-128	99-2409-298	AA	0.23	0.37	-0.13	9.91	100000	0.0012	2.93	0.014	1.87
4	WFS1	19-17-188	99-62531-351	AC	0.44	0.55	-0.11	10.05	5000	0.002	2.74	0.012	1.94
5	WFS1	19-17-188	24-243-346	AT	0.02	0.05	-0.03	8.82	5000	0.003	2.52	0.001	2.92
6	GRL	18-31-178	99-30858-354	TT	0.20	0.10	0.10	8.38	1000	0.003	2.52	0.029	1.54
7	5HTT	18-186-394	18-242-300	GA	0.03	0.11	-0.08	12.72	1000	0.003	2.52	0.016	1.80
8	5HTT	18-198-252	18-242-300	AA	0.02	0.09	-0.06	9.84	1000	0.003	2.52	0.021	1.68
9	CHRNA7	99-28722-90	99-32306-409	CC	0.07	0.29	-0.22	19.25	1000	0.003	2.52	0.042	1.38
10	Gbeta3	19-58-162	19-9-45	CT	0.06	0.01	0.04	10.37	5000	0.003	2.49	0.008	2.11
11	DRD3	8-15-126	99-2409-298	GA	0.13	0.04	0.09	10.32	100000	0.003	2.49	0.014	1.87
12	5HTR7	99-32181-192	99-32193-258	TG	0.42	0.28	0.14	8.33	1000	0.004	2.40	0.015	1.82
13	GRL	18-38-395	99-30858-354	AC	0.44	0.58	-0.14	8.22	1000	0.004	2.40	0.023	1.64
14	CRFR1	99-27091-220	99-27550-48	GG	0.36	0.25	0.11	6.39	1000	0.004	2.40	0.022	1.66
15	cyp3a4	12-254-180	10-214-279	AT	0.39	0.52	-0.13	7.37	1000	0.005	2.30	0.085	1.07
16	CHRNA7	99-28722-90	99-28730-351	TG	0.55	0.36	0.19	8.05	1000	0.005	2.30	0.214	0.67
17	cyp3a4	12-254-180	10-217-91	AC	0.41	0.53	-0.13	7.14	100000	0.006	2.26	0.084	1.08
18	NET	99-32061-304	19-28-136	GC	0.17	0.27	-0.11	9.91	5000	0.006	2.22	0.039	1.41
19	5HTT	18-194-133	18-242-300	CA	0.02	0.08	-0.06	9.41	1000	0.006	2.22	0.03	1.51
20	5HTR6	99-27207-117	99-28110-75	TT	0.32	0.44	-0.12	6.64	1000	0.006	2.22	0.06	1.22

WHAT IS CLAIMED IS:

1. An isolated polynucleotide comprising a contiguous span of at least 12 nucleotides of a sequence selected from the group consisting of the sequences described in Table 7 and the complements thereof.
2. The polynucleotide according to claim 1, wherein said span includes a CNS disorder-related biallelic marker in said sequence.
3. An isolated polynucleotide comprising a contiguous span of at least 12 nucleotides of a sequence selected from the group consisting of the sequences described in Table 9 and the complements thereof, wherein said span includes a CNS disorder-related biallelic marker in said sequence with the alternative allele present at said biallelic marker.
4. An isolated polynucleotide consisting essentially of a contiguous span of 8 to 50 nucleotides of a sequence selected from the group consisting of the sequences described in Table 9 and the complements thereof, wherein said span includes a CNS disorder-related biallelic marker in said sequence with the original allele present at said biallelic marker.
5. An isolated polynucleotide consisting essentially of a contiguous span of 8 to 50 nucleotides of a sequence selected from the group consisting of the sequences described in Table 10 and the complements thereof, wherein said span includes a CNS disorder-related biallelic marker in said sequence.
6. The polynucleotide according to any one of claims 2 to 5, wherein said contiguous span is 18 to 35 nucleotides in length and said biallelic marker is within 4 nucleotides of the center of said polynucleotide.
7. The polynucleotide according to claim 6, wherein said polynucleotide consists of said contiguous span and said contiguous span is 25 nucleotides in length and said biallelic marker is at the center of said polynucleotide.
8. A polynucleotide for use in a hybridization assay for determining the identity of a nucleotide at a CNS disorder-related biallelic marker.
9. A polynucleotide for use in a sequencing assay for determining the identity of a nucleotide at a CNS disorder-related biallelic marker.

10. A polynucleotide for use in an allele specific amplification assay for determining the identity of a CNS disorder-related biallelic marker.

5 11. A polynucleotide for use in amplifying a segment of nucleotides comprising a CNS disorder-related biallelic marker.

12. A use according to any one of claims 8 to 11, wherein said polynucleotide is selected from the sequences described in Table 7.

10

13. A method of genotyping an individual comprising: (a) obtaining a biological sample comprising a nucleic acid from said individual; (b) determining the identity of a polymorphic base at a biallelic marker from said nucleic acid; wherein said biallelic marker is selected from any one biallelic marker of Table 7; wherein the identity of the polymorphic base
15 determines the genotype of the individual at said position.

14. A method according to claim 13, wherein said CNS disorder-related biallelic marker is selected from the biallelic markers described in Table 7.

20 15. The method according to claim 14, wherein said CNS disorder-related biallelic marker is selected from the group consisting of 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 99-28106-185, 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, 99-30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252,
25 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-185, 19-18-310, 19-19-174, 19-17-188, 19-16-127, 99-32148-315, 19-46-322, 99-32131-312, 99-32065-303, 19-44-251, 19-29-303, 18-355-67, 18-353-267, 18-338-305, 16-88-185, 24-243-346, 99-62531-351, 99-54279-152, 99-28171-458, 99-28173-395, 18-186-394, 8-15-126, 99-2409-298, 99-28722-90 and 99-32306-409.

30

16. The method according to claim 14, wherein said CNS disorder-related biallelic marker is selected from the group consisting of 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, 20-205-302, 24-243-346, 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 19-17-188 and 19-19-174.

35

17. The method according to claim 13, wherein said biological sample is derived from a single subject.

18. The method according to claim 17, wherein the identity of the nucleotides at said biallelic marker is determined for both copies of said biallelic marker present in said subject's genome.

5

19. The method according claim 13, wherein said biological sample is derived from multiple subjects.

20. The method according to claim 13, further comprising amplifying a portion of said sequence comprising the biallelic marker prior to said determining step.

10

21. A method of determining the frequency in a population of an allele of a CNS disorder-related biallelic marker, comprising:

- a) genotyping individuals from said population for said biallelic marker according to the method of claim 13; and
- b) determining the proportional representation of said biallelic marker in said population.

15

22. The method according to claim 21, wherein said CNS disorder-related biallelic marker is selected from the biallelic markers described in Table 7.

20

23. The method according to claim 22, wherein said CNS disorder-related biallelic marker is selected from the group consisting of 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 99-28106-185, 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, 99-30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252, 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-185, 19-18-310, 19-19-174, 19-17-188, 19-16-127, 99-32148-315, 19-46-322, 99-32131-312, 99-32065-303, 19-44-251, 19-29-303, 18-355-67, 18-353-267, 18-338-305, 16-88-185, 24-243-346, 99-62531-351, 99-54279-152, 99-28171-458, 99-28173-395, 18-186-394, 8-15-126, 99-2409-298, 99-28722-90 and 99-32306-409.

25

30

24. The method according to claim 22, wherein said CNS disorder-related biallelic marker is selected from the group consisting of 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, 20-205-302, 24-243-346, 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 19-17-188 and 19-19-174.

35

25. The method of detecting an association between an allele and a phenotype, comprising the steps of:

- a) determining the frequency of at least one CNS disorder-related biallelic marker allele in a trait positive population according to the method of claim 21;
- b) determining the frequency of said CNS disorder-related biallelic marker allele in a control population according to the method of claim 21; and
- c) determining whether a statistically significant association exists between said allele and said phenotype.

26. The method of estimating the frequency of a haplotype for a set of biallelic markers in a population, comprising:

- a) genotyping each individual in said population for at least one CNS disorder-related biallelic marker according to claim 13;
- b) genotyping each individual in said population for a second biallelic marker by determining the identity of the nucleotides at said second biallelic marker for both copies of said second biallelic marker present in the genome; and
- c) applying a haplotype determination method to the identities of the nucleotides determined in steps a) and b) to obtain an estimate of said frequency.

27. The method according to claim 26, wherein said haplotype determination method is selected from the group consisting of asymmetric PCR amplification, double PCR amplification of specific alleles, the Clark method, or an expectation maximization algorithm.

28. The method according to claim 26, wherein said CNS disorder-related biallelic marker is selected from the biallelic markers described in Table 7.

29. The method according to claim 28, wherein said CNS disorder-related biallelic marker is selected from the group consisting of 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 99-28106-185, 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, 99-30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252, 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-185, 19-18-310, 19-19-174, 19-17-188, 19-16-127, 99-32148-315, 19-46-322, 99-32131-312, 99-32065-303, 19-44-251, 19-29-303, 18-355-67, 18-353-267, 18-338-305, 16-88-185, 24-243-346, 99-62531-351, 99-54279-152, 99-28171-458, 99-28173-395, 18-186-394, 8-15-126, 99-2409-298, 99-28722-90 and 99-32306-409.

30. The method according to claim 28, wherein said CNS disorder-related biallelic marker is selected from the group consisting of 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, 20-205-302, 24-243-346, 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 19-17-188 and 19-19-174.

5

31. The method according to claim 28, wherein said haplotype comprises one of the following sets of biallelic markers:

- 99-28106-185, and 99-32181-192;
- 18-20-174, 99-32002-313, 18-31-178, and 18-38-395;
- 10 18-20-174, 18-31-178, 18-38-395, and 99-30858-354;
- 18-20-174, 18-38-395, 99-30853-364, and 99-30858-354;
- 99-32002-313, 18-31-178, 18-38-395, and 99-30858-354;
- 18-20-174, 18-38-395, and 99-30858-354;
- 99-32002-313, 18-31-178, and 99-30858-354;
- 15 18-31-178, 99-30853-364, and 99-30858-354;
- 19-56-140, 99-28788-300, 99-32061-304, and 99-32121-242;
- 19-28-136, 99-28788-300, 99-32061-304, and 99-32121-242;
- 19-14-241, 19-28-136, 99-32061-304, and 99-32121-242;
- 19-56-140, 19-28-136, 99-32061-304, and 99-32121-242;
- 20 19-14-241, 19-28-136, and 16-50-196;
- 19-28-136, 99-32061-304, and 99-32121-242;
- 99-28788-300, 99-32061-304, and 99-32121-242;
- 99-32061-304, and 99-32121-242;
- 19-56-140, 19-14-241, 19-28-136, and 16-50-196;
- 25 99-28788-300, 99-32061-304, and 99-32121-242;
- 16-50-196, 99-32061-304, and 99-32121-242;
- 19-14-241, 19-28-136, and 16-50-196;
- 19-14-241, 99-32061-304, and 99-32121-242;
- 19-14-241, and 19-28-136;
- 30 99-32061-304, and 99-32121-242;
- 8-15/126, and 99-2409/298;
- 12-254/180, 10-214/279, and 10-217/91;
- 18-186/391, 18-194/130, and 18-242/300;
- 18-186/394, 18-198/252, and 18-242/300;
- 35 19-58-162, 19-9-45, 19-22-74, and 20-205-302;
- 19-58-162, 19-9-45, 19-88-185, and 20-205-302;
- 19-58-162, 19-9-45, and 20-205-302;

- 19-58-162, 19-22-74, and 20-205-302;
 19-58-162, and 20-205-302;
 19-9-45, and 20-205-302;
 19-22-74, and 20-205-302;
 5 19-19-174, 19-17-188, and 19-18-310;
 19-19-174, 19-16-127, and 19-17-188;
 19-19-174, and 19-17-188; and
 19-17-188, 19-19-174, 24-243-346, and 99-62531-351;
 19-17-188, 19-19-174, 24-243-346, and 99-54279-152;
 10 19-17-188, 19-19-174, 99-62531-351, and 99-54279-152;
 99-32002-313, 18-31-178, 99-30853-364, and 99-30858-354;
 99-32121-242, 99-32148-315, 19-46-322, and 99-32131-312;
 99-28106-185, 99-28171-458, 99-28173-395, and 99-32181-192;
 18-186-391, 18-194-130, 18-198-252, and 18-242-300.
 15 19-17-188, 19-19-174, and 24-243-346;
 19-17-188, 19-19-174, and 99-54279-152;
 19-17-188, 24-243-346, and 99-54279-152;
 19-17-188, 19-19-174, and 99-62531-351;
 19-17-188, 24-243-346, and 99-62531-351;
 20 99-32061-304, 19-28-136, and 99-32131-312;
 12-254-180, 10-214-279, and 10-217-91;
 18-186-391, 18-194-130, and 18-242-300;
 18-186-394, 18-198-252, and 18-242-300;
 8-15-126, 8-19-372, and 99-2409-298.
 25 19-17-188, and 19-19-174;
 19-17-188, and 24-243-346;
 19-17-188, and 99-62531-351;
 19-17-188, and 99-54279-152;
 19-58-162, and 19-9-45;
 30 8-15-126, and 99-2409-298;
 18-31-178, and 99-30858-354;
 18-186-394, and 18-242-300;
 18-198-252, and 18-242-300; and
 99-28722-90, and 99-32306-409.
 35

32. The method according to claim 28, wherein said CNS disorder-related biallelic marker comprises one of the following sets of biallelic markers:

99-28788-300, 99-32061-304, and 99-32121-242;
19-14-241, 19-28-136, and 16-50-196;
19-17-188, 19-19-174, and 24-243-176; and
19-58-162, 19-9-45, and 20-205-302.

5

33. The method of detecting an association between a haplotype and a phenotype, comprising the steps of:

a) estimating the frequency of at least one haplotype in a trait positive population according to the method of claim 26;

10

b) estimating the frequency of said haplotype in a control population according to the method of claim 26; and

c) determining whether a statistically significant association exists between said haplotype and said phenotype.

15

34. The method according to either claim 25 or 33, wherein said control population is a trait negative population.

35. The method according to either claim 25 or 33, wherein said case control population is a random population.

20

36. The method according to claim 56, wherein said CNS disorder-related biallelic marker is selected from the group consisting of 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 99-28106-185, 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, 99-30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252, 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-185, 19-18-310, 19-19-174, 19-17-188, and 19-16-127.

25

37. The method according to claim 33, wherein said CNS disorder-related biallelic marker is selected from the group consisting of 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, and 20-205-302.

30

38. The method according to claim 33, wherein said haplotype comprises one of the following sets of biallelic markers:

35

99-28106-185, and 99-32181-192;
18-20-174, 99-32002-313, 18-31-178, and 18-38-395;
18-20-174, 18-31-178, 18-38-395, and 99-30858-354;

- 18-20-174, 18-38-395, 99-30853-364, and 99-30858-354;
 99-32002-313, 18-31-178, 18-38-395, and 99-30858-354;
 18-20-174, 18-38-395, and 99-30858-354;
 99-32002-313, 18-31-178, and 99-30858-354;
 5 18-31-178, 99-30853-364, and 99-30858-354;
 19-56-140, 99-28788-300, 99-32061-304, and 99-32121-242;
 19-28-136, 99-28788-300, 99-32061-304, and 99-32121-242;
 19-14-241, 19-28-136, 99-32061-304, and 99-32121-242;
 19-56-140, 19-28-136, 99-32061-304, and 99-32121-242;
 10 19-14-241, 19-28-136, and 16-50-196;
 19-28-136, 99-32061-304, and 99-32121-242;
 99-28788-300, 99-32061-304, and 99-32121-242;
 99-32061-304, and 99-32121-242;
 19-56-140, 19-14-241, 19-28-136, and 16-50-196;
 15 99-28788-300, 99-32061-304, and 99-32121-242;
 16-50-196, 99-32061-304, and 99-32121-242;
 19-14-241, 19-28-136, and 16-50-196;
 19-14-241, 99-32061-304, and 99-32121-242;
 19-14-241, and 19-28-136;
 20 99-32061-304, and 99-32121-242;
 8-15/126, and 99-2409/298;
 12-254/180, 10-214/279, and 10-217/91;
 18-186/391, 18-194/130, and 18-242/300;
 18-186/394, 18-198/252, and 18-242/300;
 25 19-58-162, 19-9-45, 19-22-74, and 20-205-302;
 19-58-162, 19-9-45, 19-88-185, and 20-205-302;
 19-58-162, 19-9-45, and 20-205-302;
 19-58-162, 19-22-74, and 20-205-302;
 19-58-162, and 20-205-302;
 30 19-9-45, and 20-205-302;
 19-22-74, and 20-205-302;
 19-19-174, 19-17-188, and 19-18-310;
 19-19-174, 19-16-127, and 19-17-188;
 19-19-174, and 19-17-188; and
 35 19-17-188, 19-19-174, 24-243-346, and 99-62531-351;
 19-17-188, 19-19-174, 24-243-346, and 99-54279-152;
 19-17-188, 19-19-174, 99-62531-351, and 99-54279-152;

99-32002-313, 18-31-178, 99-30853-364, and 99-30858-354;
 99-32121-242, 99-32148-315, 19-46-322, and 99-32131-312;
 99-28106-185, 99-28171-458, 99-28173-395, and 99-32181-192;
 18-186-391, 18-194-130, 18-198-252, and 18-242-300.
 5 19-17-188, 19-19-174, and 24-243-346;
 19-17-188, 19-19-174, and 99-54279-152;
 19-17-188, 24-243-346, and 99-54279-152;
 19-17-188, 19-19-174, and 99-62531-351;
 19-17-188, 24-243-346, and 99-62531-351;
 10 99-32061-304, 19-28-136, and 99-32131-312;
 12-254-180, 10-214-279, and 10-217-91;
 18-186-391, 18-194-130, and 18-242-300;
 18-186-394, 18-198-252, and 18-242-300;
 8-15-126, 8-19-372, and 99-2409-298.
 15 19-17-188, and 19-19-174;
 19-17-188, and 24-243-346;
 19-17-188, and 99-62531-351;
 19-17-188, and 99-54279-152;
 19-58-162, and 19-9-45;
 20 8-15-126, and 99-2409-298;
 18-31-178, and 99-30858-354;
 18-186-394, and 18-242-300;
 18-198-252, and 18-242-300; and
 99-28722-90, and 99-32306-409.

25

39. The method according to claim 33, wherein said haplotype comprises one of the following sets of biallelic markers:

99-28788-300, 99-32061-304, and 99-32121-242;
 19-14-241, 19-28-136, and 16-50-196;
 30 19-17-188, 19-19-174, and 24-243-176; and
 19-58-162, 19-9-45, and 20-205-302.

40. The method according to either claim 25 or 33, wherein said phenotype is a CNS disorder.

35

41. The method according to either claim 25 or 33, wherein said phenotype is a response to an agent acting on a CNS disorder.

42. The method according to either claim 25 or 33, wherein said phenotype is a side effect to an agent acting on a CNS disorder.

5 43. The method according to claim 25, wherein the identity of the nucleotides at all of the biallelic markers described in Table 7 is determined in steps a) and b).

44. The method of administering a drug or treatment comprising:
a) obtaining a nucleic acid sample from an individual;
10 b) determining the identity of the polymorphic base of at least one CNS disorder-related biallelic marker according to the method of claim 13 which is associated with a positive response to said drug or treatment, or at least one CNS disorder-related marker which is associated with a negative response to said drug or treatment; and
c) administering said drug or treatment to said individual if said nucleic acid
15 sample contains at least one biallelic marker associated with a positive response to said drug or treatment, or if said nucleic acid sample lacks at least one biallelic marker associated with a negative response to said drug or treatment.

45. The method of selecting an individual for inclusion in a clinical trial of a drug or
20 treatment comprising:
a) obtaining a nucleic acid sample from an individual;
b) determining the identity of the polymorphic base of at least one CNS disorder-related biallelic marker according to the method of claim 13 which is associated with a
25 positive response to said drug or treatment, or at least one biallelic marker associated with a negative response to said drug or treatment in said nucleic acid sample; and
c) including said individual in said clinical trial if said nucleic acid sample contains at least one biallelic marker which is associated with a positive response to said
drug or treatment, or if said nucleic acid sample lacks at least one biallelic marker associated with a negative response to said drug or treatment.

30 46. The diagnostic kit comprising a polynucleotide according to any one of claims 2, 3, 4 and 5.

47. The use of a polynucleotide in a hybridization assay for determining the identity
35 of a nucleotide at a CNS disorder-related biallelic marker.

48. The use of a polynucleotide in a sequencing assay for determining the identity of a nucleotide at a CNS disorder-related biallelic marker.

49. The use of a polynucleotide in an allele specific amplification assay for
5 determining the identity of a CNS disorder-related biallelic marker.

50. The use of a polynucleotide in amplifying a segment of nucleotides comprising a CNS disorder-related biallelic marker.

10

SEQUENCE LISTING

<110> GENSET

<120> BIALLELIC MARKERS DERIVED FROM GENOMIC REGIONS CARRYING
GENES INVOLVED IN CENTRAL NERVOUS SYSTEM DISORDERS.

<130> 75.W01

<150> 60/175,854

<151> 2000-01-13

<160> 544

<170> Patent.pm

<210> 1

<211> 450

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 207

<223> 99-27199-207 : polymorphic base C or T

<220>

<221> misc_binding

<222> 188..206

<223> 99-27199-207.mis1

<220>

<221> misc_binding

<222> 208..227

<223> 99-27199-207.mis2, potential complement

<220>

<221> primer_bind

<222> 1..20

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 431..450

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 195..219

<223> 99-27199-207 potential probe

<400> 1

tataagaggc ttgattcagg ttctggaact cagtaggtag aagcctccat gcctatccat	60
gcatgtttgc gtgtttgcat gtgtgtacat gcacatttgc acatgattgt ccacgttcac	120
gtgtgtgcat gtgtatgtgt gtgacattca tctcctccac tgctgttgga gtccctccca	180
gcaccaatg tggccaggga cactgayggc cttttctggg gtcttttgcc agattgccaa	240
ggaatcatcg aggacgtcat cctgctgggt ggcctgtgg agggagaagc caagcattgg	300
gagcctttcc ggaaggtggt gtccgggagg atcatcaacg gctactgcag gtctgtccaa	360
acctcgtgcc agcggggaag tgacaatgct tacggagcac ttagtatgcc caggctctgt	420
gttggggaca catatttgag acctaattccc	450

<210> 2

<211> 452


```

<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 117
<223> 99-27207-117 : polymorphic base C or T

<220>
<221> misc_binding
<222> 98..116
<223> 99-27207-117.mis1

<220>
<221> misc_binding
<222> 118..136
<223> 99-27207-117.mis2, complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 432..452
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 105..129
<223> 99-27207-117 potential probe

<400> 2
ccaaaaagaa atcacagcaa cgtgaagggtt aaggctaact tttcaaacat cagaatcctg      60
acaatgggttg cagtagcttt caaggagaca tgggtgtgtgg ccagcccctc cagggcygtg      120
tggacagctt tttgtgtatt ttcctgggtg actcacagca tcaaagggag aaaggaggta      180
gtaattgttc agcacttgac atgtgcttga acacttcgta atcgcaatct gtgccaggca      240
gtggcaccat ctcccctttt tagatgaaga aaccgaggca ccgagataaa aagtaacttg      300
ctcaaggcaa ttttaggaagt tgtaaaacca accaacacat atggaatgtg tattatctgc      360
taggctcatt taatatctca tctgaccttc cagataccca tctgatgtag gtaccactcc      420
cagctccaat tgtgagattc agaggggaga aa                                     452

<210> 3
<211> 464
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 53
<223> 99-27213-53 : polymorphic base A or G

<220>
<221> misc_binding
<222> 34..52
<223> 99-27213-53.mis1

<220>
<221> misc_binding
<222> 54..73
<223> 99-27213-53.mis2, potential complement

```

```

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 446..464
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 41..65
<223> 99-27213-53 potential probe

<400> 3
tatgtagact ctttccccag gaaaaggctt cacacatgta attgtttatg carcgtagg      60
gactctcaga ttctgtggtc tctggaagga tctgagaccc agggaagcca tagcaactgt      120
tcagccagga gacctggctc tcagtttgat tctgctacta accctctgtg tggccttggg      180
cacgtgtctt tccctccctg gacaccagca cacattttct ttttttacct atacaattaa      240
gggattgaat gatacgtaaa tttctcttga ctgtaagggt ttgtgtttct gggagggtgag      300
ttcatcactg ggccgaccaa ggtgactctt tgcagctgag gtctagagtg tgacgtacca      360
cccctctgct cctgggtccc tgtctgagcc ctaaggccac cgggcttccc tcacttggtt      420
agtgacttca cctctcctct ctgtgcctca tttcttcac tctc                        464

<210> 4
<211> 546
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 333
<223> 99-27218-333 : polymorphic base G or T

<220>
<221> misc_binding
<222> 314..332
<223> 99-27218-333.mis1

<220>
<221> misc_binding
<222> 334..353
<223> 99-27218-333.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 528..546
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 321..345
<223> 99-27218-333 potential probe

<400> 4
gaagagtaga ggtaaaagag ttaaaatgat taacacattt accctgatct tggctattgt      60
gggtcgtagg tgggtcttat tgtgggtcgt ggctattgta ggtctgataa tcaatattca      120

```

tgtttatata	tgtaatagta	atcattaatg	tgtacttctt	gaaacaattt	agtaccaggt	180
atttgtgtaa	gccttggcag	ggggtggcac	acaggtgaat	aggcactggc	cctaccctcg	240
aggggcttac	tgcttgagg	aatgtgaaaa	ggatgaggga	catttgaccc	ccattttgga	300
aaatatgcag	atattttaata	ggtaggaccag	gtkggggagt	gtgtttcact	ccttgaagggt	360
gtcccaaagg	agagggatac	tttggttcct	tctgggaatg	atgagaatga	ccatcactta	420
ttgagcactt	aaccgcatgc	caggcacggg	gctgagcatg	ttatatttta	catcattatc	480
tcatatcctt	gtaagatatt	tctccatttt	tacaatggaa	gctcatgggtg	gcagaatccc	540
tccttt						546

<210> 5

<211> 413

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 233

<223> 99-28108-233 : polymorphic base A or C

<220>

<221> misc_binding

<222> 214..232

<223> 99-28108-233.mis1

<220>

<221> misc_binding

<222> 234..253

<223> 99-28108-233.mis2, potential complement

<220>

<221> primer_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 394..413

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 221..245

<223> 99-28108-233 potential probe

<400> 5

catgcctggt	cttccatcca	cactccaggg	ctgcccacca	gctgacaggc	accatcaact	60
ggcagcaaca	gagcaggcgc	aggtacaaag	aaggcagctc	actcctgctc	ttaggagatc	120
caatcagatc	tgccctgtac	agccatgtag	gctgtgcgct	gcataactcc	agggacatga	180
gtcacacaga	cacaatgtga	gtgtgctccc	ccgtcatgca	acatctggac	acmactaaca	240
gagcatgggt	aatacatgct	gaattgcatt	cagtatggct	gtgaactagg	cctggggaca	300
agaatgaatt	ttacatggaa	agaatttcct	gtagcaggaa	cagaggggat	aacaacagca	360
ataaataata	ataagaagaa	gctaccactt	cttgagcatg	taccacatac	caa	413

<210> 6

<211> 454

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 275

<223> 99-28109-275 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 255..274
 <223> 99-28109-275.mis1, potential

 <220>
 <221> misc_binding
 <222> 276..295
 <223> 99-28109-275.mis2, potential complement

 <220>
 <221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

 <220>
 <221> primer_bind
 <222> 434..454
 <223> downstream amplification primer, complement

 <220>
 <221> misc_binding
 <222> 263..287
 <223> 99-28109-275 potential probe

<400> 6
 caatgtcatc gacaaccctt ggggggtgtg tctccatcga tcagcagagg ttggcaagca 60
 cctggccac atcctgctct cccggcagca ggtacctggg aatggctgtg tgggcgtggc 120
 attgagcaag aggggaagtc aggtgctgac ttgttcacag atatcagcct tagaggcaag 180
 gctacttggg gataactcaa tgggttttggg ggtgtgggca gtccttgctg cctctccagt 240
 tcaagtaatg aatgtgtcct aggatgaaca gtaaraatta tagactctgc agctctagca 300
 ggtatttagg taaggactga ataacagggc atctgcaggt aggaacaagt ctgggggact 360
 ctggcagaag caaaagtggc tcctatgtat cagctcttca ttcaagtgtt taggataatc 420
 actgggctca tttgggtgat atttcagtgg aaac 454

<210> 7
 <211> 549
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 74
 <223> 99-28110-75 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 54..73
 <223> 99-28110-75.mis1, potential

<220>
 <221> misc_binding
 <222> 75..94
 <223> 99-28110-75.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 530..549

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 62..86

<223> 99-28110-75 potential probe

<400> 7

aaccacttct	cactcacctc	tgtgcccaca	gccagccccg	cacatcgtgg	ggtttccgtg	60
ggaaccagat	cccygcaggt	acaaatgggg	cccagccctt	cctgtttcct	gcctcaaaag	120
acaccccaac	ttacccaaac	agaggctgcc	atcacccacc	tccatctgcc	ccagtgactc	180
cttccaagcc	catcaggccc	ctttgggttc	tttcacttct	tggacctcaa	tttcctcatg	240
tataaaatga	ggctaataaa	gagacctata	ccacgtgggc	tggctgtgtg	gctttgataa	300
tacatgtaac	aggcttattg	gcacagggtt	agaggccact	accagaagct	acagagatgt	360
gtgaatgcag	gcagtactga	agcagtgggt	aacagcccag	gttcatccgg	ctctaccact	420
cacatgccgt	ggcaccgcct	gcagcctcag	ttttcacacc	tgtacaacgg	gttactacca	480
ctatgcagga	cctctatgag	gatcaaata	cttaccgccg	aaaacatgtg	agttgttggc	540
tactgcggt						549

<210> 8

<211> 518

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 81

<223> 99-28125-81 : polymorphic base A or C

<220>

<221> misc_binding

<222> 62..80

<223> 99-28125-81.mis1

<220>

<221> misc_binding

<222> 82..101

<223> 99-28125-81.mis2, potential complement

<220>

<221> primer_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 500..518

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 69..93

<223> 99-28125-81 potential probe

<400> 8

ggggagtgtt	gttaaaagta	cagattcyta	agccctaccc	cagatctcct	gcatgtggga	60
ccgaggaagc	tgtaattcca	maagctctct	gggaccttga	tggtccctaa	actctaagaa	120
ccactgtccc	gctgtgactg	tcaagtctcc	acatgaccct	gttgctgttg	ggctgtttca	180
agttcatttg	accttgggct	ttaaagggtc	ctccttgtga	ggaggaacag	gtaccctgag	240
gctgaccctc	agatctctga	gctggaaagg	acctctggat	accagctcct	ttggctcctc	300
cggcaggatc	caaaagtctg	ggcctgggca	ctggactgga	atctgcacat	ctatcaggag	360
caatgggggg	atgttgagc	acccattgat	catgggctga	tttagaagga	ggccgtgagg	420
aaggggtgca	ggctggaagc	atgggcgggc	ttcggggaga	ggtgtgtggc	tggaagacag	480

tggttctgcta gctcgtgccc tccttcccac ttcatggg

518

<210> 9
 <211> 472
 <212> DNA
 <213> Homo Sapiens
 <220>
 <221> allele
 <222> 215
 <223> 99-28134-215 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 196..214
 <223> 99-28134-215.mis1

<220>
 <221> misc_binding
 <222> 216..235
 <223> 99-28134-215.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..20
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 453..472
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 203..227
 <223> 99-28134-215 potential probe

<400> 9
 tggatggatg gggcttctac tcaggccagt ctagaggggc tcagttttgg gtttaatctt 60
 ccctcctgcc ccaaagtctg agtcacagct ttggctgaaa ccccgaggt cctccttctc 120
 aaaccccaaa ggggttgctc ctttctagcc ctgcagccgc cagccttcac gggccccctc 180
 ctctggctgg agggctctgc accctgtttg ggtayaggct cctgcacgct ggcggcctcc 240
 tggtctagca ccctgccctg tctccaaggc agcactcaga aagctcagcc taggcccctc 300
 cagcccctcc ctccaccacc aaagactaac acagaagcct ctgagacctt gttcaaagac 360
 ctccctgtgg yccwatcttt gtttttcagt ctgtgtccac tcgcccattg cccttcccc 420
 agctccaacc agccaagccg ccccgagctc tcctgtcacc ctgctgctct ca 472

<210> 10
 <211> 546
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 96
 <223> 99-28137-96 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 77..95
 <223> 99-28137-96.mis1

<220>

```

<221> misc_binding
<222> 97..116
<223> 99-28137-96.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 529..546
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 84..108
<223> 99-28137-96 potential probe

<400> 10
caggaatgct gctattacca ccgctggcca caaggggtcc cagccctgca ggcagccgca      60
ccaaggctcg aaaagcagtc ccagctctta gcaggrcaga ctctgccagg cagagaaggc      120
gccctgaatg gccggccccc agagaaagct gctgagctca tggttatccc tgggtccaca      180
accatttggc actgtaggag caacgataac ccgcatatga tcaactgtgca cgttgttatt      240
gcagacagca gagagaaagg ccccagggac cagcagctct gcgtgcagtc tgcgttctgc      300
tcccaggctt attctcattg gctgtgtgac cttgggcaag ccccatcccc tctctgacct      360
tgtttctctg tcttccaagg gaaatcgctg tgatctctaa gggccttttc agcaacagcc      420
ttgccaacaa caaaagcacc tgaagtagcc tttatgttgg agggatatct gagccatcct      480
tgctattcac caciaactgt cagcttactg aagtttttaa ttcttctgcc agattgtcat      540
tgtcct                                           546

<210> 11
<211> 401
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 305
<223> 99-32204-305 : polymorphic base A or G

<220>
<221> misc_binding
<222> 285..304
<223> 99-32204-305.mis1, potential

<220>
<221> misc_binding
<222> 306..325
<223> 99-32204-305.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 384..401
<223> downstream amplification primer, complement

<220>
<221> misc_binding

```

<222> 293..317

<223> 99-32204-305 potential probe

<400> 11

gtttggttta	cttagccatc	ccctcccaaa	atacatacct	cattaccacc	ccaaggtaat	60
cccagtaaat	tgcatgtggg	caaattataa	tcactgtggt	agcagtagct	aacatttatc	120
caggggtcac	tggtgccaga	cagtgttacc	atgccattta	acctgcccaa	ctcacctgtg	180
aggcaggtcc	tggtattatc	cacatgttat	ctcagaggga	aatgaagctg	agaggtaaag	240
tgaggacaca	aagccaattt	ccaggggaac	caggactccc	ccaggtgggt	ggacttcaga	300
gtccractct	taaccccatc	ctccactgcc	tcctcttgcc	accttgtaaa	tcaaaataac	360
gatactagct	aacatcggtt	ttagtctcat	gtagttgagc	c		401

<210> 12

<211> 478

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 118

<223> 99-28149-118 : polymorphic base C or T

<220>

<221> misc_binding

<222> 98..117

<223> 99-28149-118.mis1, potential

<220>

<221> misc_binding

<222> 119..137

<223> 99-28149-118.mis2, complement

<220>

<221> primer_bind

<222> 1..19

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 459..478

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 106..130

<223> 99-28149-118 potential probe

<400> 12

cagcaaattg	ctagtgaact	tgcaactttt	tcacctttt	cttcatctta	atgaactagg	60
aaggatcatt	tctagatggc	tttgccctgaa	taagcccaca	tacgatactg	tgaccttyga	120
tgggaggagc	tagcatgtga	tgtaaggcc	aagtccatgg	aatggacagc	aatgcacaac	180
agataattcc	tcatgtctca	cgacagtgg	aagattccca	gtggctgctt	tggtgagagc	240
ttttaattgg	ggttccttagg	aacttgtatt	attatttaaa	ccagagtgtg	agctcctaga	300
gaacaccggc	tgcatgggtc	cttttttaag	tactccacta	tcttgcgat	aatgagtcct	360
ccttacagtt	tggtgagtc	ataagtacat	gttgaaacta	gcatacagg	gtacagcata	420
ggggacctgg	ccaaattctg	ctcgttggtta	gtcaccagct	ggatgtccac	attcatca	478

<210> 13

<211> 456

<212> DNA

<213> Homo Sapiens

<220>

<221> allele
 <222> 285
 <223> 99-28160-285 : polymorphic base A or G

 <220>
 <221> misc_binding
 <222> 266..284
 <223> 99-28160-285.mis1

 <220>
 <221> misc_binding
 <222> 286..305
 <223> 99-28160-285.mis2, potential complement

 <220>
 <221> primer_bind
 <222> 1..19
 <223> upstream amplification primer

 <220>
 <221> primer_bind
 <222> 439..456
 <223> downstream amplification primer, complement

 <220>
 <221> misc_binding
 <222> 273..297
 <223> 99-28160-285 potential probe

 <400> 13
 caaaagagtc aaagcagagg ccttgagaat tgcttgagaa tttatgctac tttcaggagc 60
 tttttgtggt ataacaatgc agagcataga aggaggaagg aaatgggtatt tgtttcaaag 120
 gatcattatt tacttctggt ttcagtagtc agttagccag tagatatact gagaaactta 180
 agaaagtccc catcatctct gttgaagaag gataagttgg tgcacgatga caatataaca 240
 ttatattgca tcatagtgtt atggatcaag tgctagggga tcgcrataat gggagtaagt 300
 agctgggggtg ggggtgcagat aggaaggacc ttacagtaga ggtgacactt gagcaaggctc 360
 ttaagggata aataggagtt tgctaggcta tgaagtgggg actagaagtg cagacacttt 420
 ctgtcttctc cactttggcc tggtactcta tttccc 456

 <210> 14
 <211> 514
 <212> DNA
 <213> Homo Sapiens

 <220>
 <221> allele
 <222> 457
 <223> 99-28171-458 : polymorphic base A or G

 <220>
 <221> misc_binding
 <222> 438..456
 <223> 99-28171-458.mis1

 <220>
 <221> misc_binding
 <222> 458..477
 <223> 99-28171-458.mis2, potential complement

 <220>
 <221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 494..514
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 445..469
 <223> 99-28171-458 potential probe

<400> 14
 ggaagggttg ggattgtgaa rgagggccca ggagctctat agcataccaa acactccatt 60
 tgtgtacttt gcagctcttt tcccttttgt catcttcact gtatgcttag ggcaccataa 120
 tttcaattat gcaatttcct ctaaaatctc ccacaaacct cttctggagt ctaagtaact 180
 tgtcatcgca tttctgtcat gtgatagatg tgtttctaaa aaattggatt ccactccttt 240
 tcttgaataa tcacatgact tcagattatt tagcatttta tgacataagc agtttgatac 300
 ctgctttggc ccagcagttt tgggatgggg tagatgttaa ttatctccat atgcaggtaa 360
 tacagtagaa tcttaggtag ttcattgggtc acacagttaa atgactctct caaggggttg 420
 acaagggatt tgtactcaag ctttgattcc aaatctctg ttatttccta ctgggaaatg 480
 ctttttaag ttactttaca gcagaactct ttgt 514

<210> 15
 <211> 550
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 395
 <223> 99-28173-395 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 375..394
 <223> 99-28173-395.mis1, potential

<220>
 <221> misc_binding
 <222> 396..414
 <223> 99-28173-395.mis2, complement

<220>
 <221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 532..550
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 383..407
 <223> 99-28173-395 potential probe

<400> 15
 agagccaatg agatacacgt tcaactagga cagaaatact atcttaacaa atgtcattcc 60
 cagaaataat caacacaggt gaaagaatta gagatgggga aaagtcaaaa aatgagagag 120
 ggaaagggtt cagtgtggaa aatagcattt aaattctaac caactagaa tcagacatat 180
 aggaaaatct aaaataaaat ctgggagcct tgaagccgga ggaagaatta aggaaatctg 240
 tgttcgggag ggaaaagcag aaggggcctt caagtacaac tgaattaaat caagatggac 300

tgccagttct	agaaaaagac	aagtttctcc	attccccgta	aatgctcagg	agtaaacc	360
agtagtcaca	gctgggccag	tcccaactta	tactytgggc	aatcgaaact	catttgccaa	420
gcagagactt	ggaccatact	gcctagaaca	tgctaccat	tctttcttta	ttcttttgaa	480
agagtactgc	cactcaagtg	acttttgcaa	ttgagagtct	gattatcatc	tctatgctga	540
aaatccttca						550

<210> 16
 <211> 466
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 113
 <223> 99-32177-113 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 93..112
 <223> 99-32177-113.mis1, potential

<220>
 <221> misc_binding
 <222> 114..132
 <223> 99-32177-113.mis2, complement

<220>
 <221> primer_bind
 <222> 1..19
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 446..466
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 101..125
 <223> 99-32177-113 potential probe

cccagaaata	gaaaccaact	atcaggcaaa	gccttcgtga	ggcaatttgg	ggttgtaaca	60
ctacattacc	tacaaatcaa	tggaatattt	aggagaaatt	aaaaagggat	gaygtactct	120
gttcaaaaaa	aaggtttgaa	acccagcaga	ttcctgtggg	ctttgcatcc	ccagccctag	180
gcatctctgt	ttaaagaggc	agcttagtga	taagggagga	ggagagaatt	tctaagaagg	240
ggtagaagtg	tagacttata	tttatatata	tttttaaaaa	gtttttattg	tttagcagct	300
tcagtaaggt	ataatttcaa	gatcataaaa	ttaccaggga	taagtgggta	tagataagta	360
tatagggtcat	ttattttgag	tgaattttta	gagttttgta	tctatcaaca	caattcagtt	420
ttagaacatt	ttttaatatc	tcttacttca	ttttgggttg	ctgtaa		466

<210> 17
 <211> 449
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 192
 <223> 99-32181-192 : polymorphic base C or T

<220>
 <221> misc_binding

```

<222> 172..191
<223> 99-32181-192.mis1, potential

<220>
<221> misc_binding
<222> 193..212
<223> 99-32181-192.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 432..449
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 180..204
<223> 99-32181-192 potential probe

<400> 17
gtcagacatt cctcatggsc aaacctgata ccactccttt cttgctgtgt actcctaacc      60
tctatcagcc tccctgtcct catcacccag gagtaggggt gggggtgtga gtgtgcccac      120
agagtgggtca tggggattaa atgagatgaa tcatgcatag cccttggcac ccaacaatgg      180
gattgctact gycagttcct atgctcctct acttggggtat tgccttcacg gctgacaccc      240
atggcctttct ttctgggatg tgtggccttc atcaaaaatg tgtttattta gtgaaaaaaaa      300
aaaaaaggac cctgagattt tcattttaatt ttgcctatgt tctcacactg ctccatagca      360
cagcactgat gatactaaaa agctaactcc tggatctaag ctgctaagac cttcacatca      420
ctggcagttt gctaattgctg gtgttctgc      449

<210> 18
<211> 458
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 257
<223> 99-32193-258 : polymorphic base G or T

<220>
<221> misc_binding
<222> 238..256
<223> 99-32193-258.mis1

<220>
<221> misc_binding
<222> 258..277
<223> 99-32193-258.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 438..458
<223> downstream amplification primer, complement

```

```

<220>
<221> misc_binding
<222> 245..269
<223> 99-32193-258 potential probe

<400> 18
gaaggagatg agattagaga agtggtgcaa attatattgg gattcagacc aggtaaagag      60
tttggacttt attctaagtg cggcagaacc actgggagact ttgaaacata gggtgaaatg      120
gtctggcttt taattttaat ggttcattgt ggttactttg tggagaatga aatggaggag      180
ggtgagaatg aaaacttgga gaccaatggg aaggtcttcta cgtagtcaa ggcaagagggt      240
aatcgtagct tggactkggt tggagtagtg gagacagaga caactggaga aattccggat      300
ctgtcttgga ggtgtatcgg caggccttgc tgatggactg gatgtaggcg ctgaggggaga      360
caggcatgaa ggatgactct tgtgcttttg gctcaagcaa ttcagtagat ggtgatactg      420
tttaccaaga catgatggtg gtagaattgg tggtaaaa      458

<210> 19
<211> 450
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 90
<223> 99-28722-90 : polymorphic base C or T

<220>
<221> misc_binding
<222> 71..89
<223> 99-28722-90.mis1

<220>
<221> misc_binding
<222> 91..110
<223> 99-28722-90.mis2, potential complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 429..449
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 78..102
<223> 99-28722-90 potential probe

<400> 19
atacgataca ctctgccaag tccattttga attccatggc ctgaatcatt aactttcaaa      60
gccaaagcat ttaaaagata aaattatccy cttggcactc ctcaaactgt gctcttgacc      120
tcttctgtta ggctacagtt ttgtttctgg ctgtgcaaat gtcacataat gccactgcac      180
ccggcagtat cttcttcata gcaacagatc ataataaaag tccctcggag gctgtttgtg      240
tttcacatac acatggaatg aaagaaaaat gcagtgtgct atataaagcg agagaaatgc      300
ataagcttca tctttcattt gcagccaatt ggttttaata agcttttatg ctgagagggtg      360
aataattagc atatgttctt aattaagatt gttctagagc agtagagtgc tccaggctcg      420
taaaaatggt tttgtgtctc aatgtcttaa      450

<210> 20
<211> 452
<212> DNA

```

<213> Homo Sapiens

<220>

<221> allele

<222> 351

<223> 99-28730-351 : polymorphic base A or G

<220>

<221> misc_binding

<222> 332..350

<223> 99-28730-351.mis1

<220>

<221> misc_binding

<222> 352..370

<223> 99-28730-351.mis2, complement

<220>

<221> primer_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 435..451

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 339..363

<223> 99-28730-351 potential probe

<400> 20

attcttggta	tcctacacga	aatctattta	tatccaacat	aactaatgtt	ctgaggaacc	60
cactttatga	aacaggattt	tgtactgcta	ttagtggtga	gtcacaataa	gaagggaaag	120
ataccaaacg	tcgcattgtg	agaggtcata	cagagatggg	tccaaatgga	atcaggagtt	180
gaaaggcata	gagatgtccc	tagaaactgg	aggagaccac	caagttgttc	taaagccagg	240
agaagaatct	aacattggcc	tgaaagctaa	agcctacctg	tgggtacaaa	ttggacaaag	300
gatactttgc	tggacagtca	gaaattcagc	tgtggagcac	caggctggca	rtgagctctg	360
ccctcaggca	cgccacatag	gcagcaccag	gactgaggac	atctgaggct	gagaacggat	420
gtaagaacca	tcttggtggt	gtgagatgaa	tt			452

<210> 21

<211> 455

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 407

<223> 99-32306-409 : polymorphic base G or C

<220>

<221> misc_binding

<222> 387..406

<223> 99-32306-409.mis1, potential

<220>

<221> misc_binding

<222> 408..427

<223> 99-32306-409.mis2, potential complement

<220>

```

<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 437..454
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 395..419
<223> 99-32306-409 potential probe

<220>
<221> misc_feature
<222> 162
<223> n=a, g, c or t

<400> 21
catttgcacc tgcactcccc tgaccttgca ctgtggtaga ccagttgctc tctaagtctg      60
ctgtctcagtt gtcactctgag atagtccttt attgtcttga ggtgggggcta tgtctccttt      120
tgtctaggat ttttattggt tttactgcag aatatcatca angatttatc tttttcactg      180
aagatgcata aagggtaaac attctgaggg ctaggatgac tgaaaatgtg tttatttggc      240
atcgacactc agtataattt ttttttacca ggtgtagaat tctaagttta waataatttc      300
ctctgtggac tttgaagtta ctgcctcatt gtttccagtg ttactaatga gaaatctsat      360
gcgagtttga ctgtgatttc tttacagatg ccctgttttg ttcccttstct tctaaaacat      420
cacaatgatg catttagggg tgggtgattt tttta      455

<210> 22
<211> 527
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 246
<223> 99-27088-246 : polymorphic base A or G

<220>
<221> misc_binding
<222> 226..245
<223> 99-27088-246.mis1, potential

<220>
<221> misc_binding
<222> 247..266
<223> 99-27088-246.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 510..527
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 234..258
<223> 99-27088-246 potential probe

```

```

<400> 22
gttttttctta gcttgctggt gtttttaact caataaaatg tcaattaact tcgtgagctt      60
tcctttaact ctatataatc tttgcgtttg aatggctgcc aatcaaacgc aaagatagat      120
gttttctttg aatatgggcc aatttcctgt tatgcacctt gttgtcagga tcagctagat      180
tatggtgtag taacaatgtc gatattctca tggcttgaca aaagtttggg ttccgctcat      240
gctacrtggt ctgtgagatc agtggggagc tcggagtttc cacagttacc agcaaacgga      300
gagaattctg gagggcctcg aacaggcaag caaatgatct agcccggaag tgatgtttgt      360
cacttttcctt cacatctcat tgggtctgaac tggtcacatg accccaggca accccagagg      420
gccaggaaat tcgggctcct tgtgcttgcc aggaaaggag agtggccctg ttgaaaccgc      480
ctgtgactga gacagtgaag gaaatttgac ctaaccaact ccatctt      527

```

```

<210> 23
<211> 451
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 204
<223> 99-27090-203 : polymorphic base A or G

```

```

<220>
<221> misc_binding
<222> 185..203
<223> 99-27090-203.mis1

```

```

<220>
<221> misc_binding
<222> 205..224
<223> 99-27090-203.mis2, potential complement

```

```

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

```

```

<220>
<221> primer_bind
<222> 431..451
<223> downstream amplification primer, complement

```

```

<220>
<221> misc_binding
<222> 192..216
<223> 99-27090-203 potential probe

```

```

<400> 23
gaactctcct ctaatagaac ttccaagttg gcccgcagg cactatthttg gtgcagagga      60
acccgtcaag cttgacttta aatctggctc tgccactaaa tcaccaggg cctttcctct      120
ttgggcccc gtttccctgt ctgtaaaatg agaggattga acagggcagt ccctagagtc      180
tgttcagaag ttctcagact gggrrttggg ttcttgactt ttctatthttg tctactgttg      240
tgtcatcaca cacacaccca cgcacagagt ggagtggagga ttctggctgc acagcaggat      300
ggcccagatg ataggaggag gcagggggcg atcactggct gggaggatgg ctgggaaaag      360
aggaggaagg ggaaaggcac gcgaggtcac aaatgcacca aaaggcattt cctggcmtag      420
ccctgtgcct cccttctaaa gagccatcac a                                451

```

```

<210> 24
<211> 473
<212> DNA
<213> Homo Sapiens

```

```

<220>

```



```

<221> allele
<222> 221
<223> 99-27091-220 : polymorphic base A or G

<220>
<221> misc_binding
<222> 201..220
<223> 99-27091-220.mis1, potential

<220>
<221> misc_binding
<222> 222..241
<223> 99-27091-220.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 455..473
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 209..233
<223> 99-27091-220 potential probe

<400> 24
atcagcggat ggtgaagagg agatcagcgg atggtgggag gaaaaatgca ggaaatctct 60
ggacttttca tggaagtatg attcaggaat aaggcagaag ccctcacaaa cttccacag 120
agcaagagggt ggcacaggca cagattctgc tacagagcag acctttccag agaggaaagg 180
ttggtttggg aattttaaga agcatttttc ttgcataac rcaacaccag tcctctgtgt 240
ttagaaaatg cctgtgtgaa ccatcacatt caagagaggg acacaagtgt cagggttcta 300
ggcagccaag ggaagactag ccctttgcct ggaatttggc ttcattttct gacgaatcaa 360
gatttgctct gctcctctgt gcacgccagg acattaagat gcgagaataa gaacttatag 420
cctgtatatt tgccatctaa ttagtgtctt gggtcctaag tgctttgtgc cga 473

<210> 25
<211> 472
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 145
<223> 99-27093-145 : polymorphic base C or T

<220>
<221> misc_binding
<222> 125..144
<223> 99-27093-145.mis1, potential

<220>
<221> misc_binding
<222> 146..165
<223> 99-27093-145.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

```

<220>
 <221> primer_bind
 <222> 453..472
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 133..157
 <223> 99-27093-145 potential probe

<400> 25
 aggctaggag atgaggagtg gggctgggct gcctctgcac atcatcaaag ccaacactca 60
 gtctaatacca aatcttgcta gagcatagaa cataaggtag aatgagtctt taagcaactg 120
 ggagtcattct cgaggtaaacc agaaytccaa gagtaacgaa ggcccagagt gaattttattt 180
 tgagagagtt tcctgttgga gtagcagaca ctctgcagta gtgtttttct ctctcctggg 240
 tgggactgcc ctgcctatat gcacttaagg catagagttt cctgttcttg cctcttctca 300
 gaggccttgca ttgaaactca aatgtattct cagaaatttc tctccacaca atgacatata 360
 gcctctgtgc ttttactctc tttgtcttct tctttctctc aaccattggt ttccacccat 420
 cctctttttc cttaaacttct taagattggt ggccatttcc ctttctccct cc 472

<210> 26
 <211> 455
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 406
 <223> 99-27094-406 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 387..405
 <223> 99-27094-406.mis1

<220>
 <221> misc_binding
 <222> 407..426
 <223> 99-27094-406.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..20
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 436..455
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 394..418
 <223> 99-27094-406 potential probe

<400> 26
 ttatagggtcc caagaagcag ggcctagaaa ccaagagctt gacacgcagt caaactccaa 60
 agcagtgtgt gagtgaagga aggaaagacg ggtgttgaaa agcagggtgac tttgagaagg 120
 gaggggtccc tggcagcacc tcccttctct cccgtttcta ggctctaggg tggggctgaa 180
 tgatcatgag gcacaaaagg ggtgacatg caagtgtga gaagcactga gctcacaacg 240
 gccctcatca tcttctcaga gccaccaagg agctactggc caccaaggag ctactccata 300
 ggcttctctg ttggaattac agaaccact tgaaccaga gatcaagtcc agccctatcc 360

accaggcatc ccaggagaag ccaagaccct atgccagtt ccgccyggcc accaaggccc 420
 ttctgaagga gcaccctcat tggggaacct ctcca 455

<210> 27
 <211> 450
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 410
 <223> 99-27096-410 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 390..409
 <223> 99-27096-410.mis1, potential

<220>
 <221> misc_binding
 <222> 411..430
 <223> 99-27096-410.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 432..450
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 398..422
 <223> 99-27096-410 potential probe

<400> 27
 gagtggagag atttgtagct cagctgcaag ttttatttgg agccttgggg ctgccaggct 60
 gtgcacggaa gtgaggcatt agccagtga tgaacctcgt gctctgccag cttcagcttc 120
 agtgccgttt tgattttctc tactagttag aagatagtaa atcacatgaa gtcttgaaaa 180
 cttggttctg aaaggagcgc cagtggctgg gactggtgat ggagtggagg agcaagaggc 240
 atctgagaaa ggccaaaagc actttggttt gatttcagag aagatgacat gttcagttca 300
 cccattttac catatgcttc gactgtagtt cccactgttt cagggtgcta gttggttggtg 360
 agaagtggag gaagccaaga accctccccg ggaaaatggt tttcatcacr cacaccaact 420
 gcatttattt gcaaattcttc acactgcccg 450

<210> 28
 <211> 504
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 83
 <223> 99-27097-83 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 63..82
 <223> 99-27097-83.mis1, potential

```

<220>
<221> misc_binding
<222> 84..103
<223> 99-27097-83.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 486..504
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 71..95
<223> 99-27097-83 potential probe

<220>
<221> misc_feature
<222> 213
<223> n=a, g, c or t

<400> 28
gttcttttca ctacctcctg cttaattttt aatttctaag attagaccct tcatctatcc      60
atgacacctg cctgtcatcc ccygaaaaaa ggtgaacgcc gttcagaaat ttttctagcc      120
tgagctcact ccagttcac ttatttttgc tttgtcatgg ctgcccagtc ccacttgta      180
gaccaggaat aggtcatggc tgcggggact acnacctgtc gctgctgcaa gggccggcct      240
ctgtttccgg ggctgagtgg gggccagacc tgccaggagc accatcttct gtgggtcctg      300
cctggatgtc acatcccggc cccaagaagt cactgcaaac cttcgtatta ttgagcttca      360
catcctagaa tttgctgtca ctgtggctgc tgcataaagt tgcctgaga gaaacgggca      420
ttgtcattaa cagggaaatt gatggtctgg gggaaaagtc atcctcattc tcttgcagat      480
ctatgggtga ttgagactgg ctga                                           504

<210> 29
<211> 421
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 162
<223> 99-27098-162 : polymorphic base C or T

<220>
<221> misc_binding
<222> 142..161
<223> 99-27098-162.mis1, potential

<220>
<221> misc_binding
<222> 163..182
<223> 99-27098-162.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind

```

<222> 404..421
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 150..174
 <223> 99-27098-162 potential probe

<400> 29
 atttctgccc agtttggtgc aggggagctg ggtagttgcc gacttttcct atcttgatcc 60
 ctactcagtg taacaattta tctgtacaac tgattccatc accaggatct ttagacccct 120
 ctgggtcattc agccaatcac aagcactcat ccacaggaca cygccgatga tgccatttac 180
 tgagcagtta ctatgtgctt ggccctagtg agtaccgggt tagcttgtgt gaaccccatg 240
 gcaaccctg agacaggtac catcatactc caagttgtgg atgacaaaaa actctccaag 300
 cagctaaaca atatggctta ggtctcacag tgagcagggg gctgggattt gtgcccagga 360
 ggcccgatca gagcctacct ccttaaccat taggccaac tgctccaca tgcagaacac 420
 t 421

<210> 30
 <211> 468
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 48
 <223> 99-27550-48 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 28..47
 <223> 99-27550-48.mis1, potential

<220>
 <221> misc_binding
 <222> 49..67
 <223> 99-27550-48.mis2, complement

<220>
 <221> primer_bind
 <222> 1..19
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 448..468
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 36..60
 <223> 99-27550-48 potential probe

<400> 30
 tgtgtgtgtg gggatatgtg gaacatthttt catgcttgat gtgagccrga agaaaaatga 60
 gcttctctat ttgataagtg tggacctgcc cacagcacta aatttggttc tgccgtcacc 120
 ggcgcgatga agcagcagcc tggtttagag gcttgccctt ggtttcaa atttctcca 180
 ggctcatggt acatatgacc cattcacaga ggctggaggg catggcttct ccagtcctta 240
 gcaactaaaga cgtgtctttt ggctcctgca cgactagcac aggcagtaga accagatggg 300
 ggatgctctg aggttgacga ggcaggaagg caagcgggag agagcttggg cctggacaga 360
 gggatgagct ggctccctcc ccagctgtga aatctctgag tctcagtttg cttctctgca 420
 aaatgaggat aataatcccc acctcgggac tgaggattaa cgaggcaa 468

<210> 31
 <211> 452
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 335
 <223> 99-27558-335 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 316..334
 <223> 99-27558-335.mis1

<220>
 <221> misc_binding
 <222> 336..355
 <223> 99-27558-335.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 432..452
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 323..347
 <223> 99-27558-335 potential probe

<400> 31
 gtcaaataca cactcgtcta cattcaaatt tcacattttt cccctcttaa gataacagta 60
 taattgagaa ctgacagga cctaatagaca gtatgggtccc ctcacactga atggtcacat 120
 ttgcctaaat tgaaataacg tatgctagaa acaatcttaa gcagatctgt cattttaact 180
 atatgtgatg tagagttgaa tgttcattcc agataattta gtcaatgtag gtaactaatg 240
 gctcacacta attcaggcca agaaaatgca ttccctctct ttcttctgt ccctttctct 300
 tgctgaaaga gaaatctcat ggccgcatat gttayacaat catgcccact tatgtaggat 360
 cacagaaggc agaatagcag agaagaaaga aaactggaga gttgggtcct gatcctagcc 420
 atcttgtatg accttagaca attcattacc tt 452

<210> 32
 <211> 465
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 106
 <223> 99-27561-106 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 87..105
 <223> 99-27561-106.mis1

<220>
 <221> misc_binding
 <222> 107..126

<223> 99-27561-106.mis2, potential complement

<220>

<221> primer_bind

<222> 1..19

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 446..465

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 94..118

<223> 99-27561-106 potential probe

<400> 32

cagtcactca aacaatgtca caaagaaccc ttgacagga atgtatcctg tgttgactct	60
actttgctct gagtagtctt tccccagggtg atgataaaaa tggtertcac cgccaggctt	120
gtgtcctggt tagtaggaat atacaagaag agctcagtaa atgctggccc caccactaag	180
caaaaacaaa acttttggtt ttgttattgt tgttttaaat aacagcttag acctttcttc	240
tttccttggt attctctttc atctgtaatc cagttttcta cttctgaagt atagaatgtt	300
ctgatgattt attcttcatt acccacaact tgcacatgtt tatttaaaaa tgccaggatt	360
gcctggccgt tgtgtgctgt taacctttgt ttgctgttag tggatccctg aagttcaggc	420
tcccagggga gcagataatg ggtatccagt tcctgcaata tccac	465

<210> 33

<211> 470

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 364

<223> 99-27562-366 : polymorphic base G or T

<220>

<221> misc_binding

<222> 344..363

<223> 99-27562-366.mis1, potential

<220>

<221> misc_binding

<222> 365..384

<223> 99-27562-366.mis2, potential complement

<220>

<221> primer_bind

<222> 1..19

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 450..470

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 352..376

<223> 99-27562-366 potential probe

<400> 33

ttcctccacc	accacttttc	tcataccggt	gttcagagac	ccccaaagsc	ccctyamamt	60
cccagaaaca	ccccctggc	cactcctaac	ttgccatgcc	caggagttag	gtgcttccac	120
tagtgacatg	gagctggcgt	ttggggggca	cctcagcagg	tgacgggaag	agaagacccc	180
agcctcacca	gctgggctgc	agcagggaga	ggagtcctca	tgttccagca	gggactctca	240
gctgtttttc	tgtaaaacca	tggttctcaa	ctggggggcca	ctgagatgtc	tagagagatg	300
tttttgtttt	cacaactcgg	ggaggggtgct	actgacatct	tgtgggtaga	ggccaggaat	360
gctkttaaac	atcctacaag	gaaggcacag	gacagtctcc	tacatcaaaa	tatgaccacg	420
ccccaatgtc	accactgctg	gggttgacac	tggcactgct	atcttaatta		470

<210> 34

<211> 1003

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 738

<223> 16-31-738 : polymorphic base C or G

<220>

<221> misc_binding

<222> 715..737

<223> 16-31-738.mis1

<220>

<221> misc_binding

<222> 739..761

<223> 16-31-738.mis2, complement

<220>

<221> primer_bind

<222> 1..25

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 975..1003

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 726..750

<223> 16-31-738 potential probe

<400> 34

ccactttgga	taaagtccct	ctaactagca	gcttttaact	gcctttgcga	tgggaggtct	60
accacccttc	ctttacccaa	agatgaattt	cggatcattt	tctgtacaat	ttttaaagga	120
cgtttgaata	atatttcttt	ctttatcatt	gcggaagctc	ccaaatctca	gcggaaggtg	180
agcgcataag	ggcagttgaa	ggagatatag	atcctataga	tcctgtataa	aagggggtct	240
ggaattctgc	atttcccggt	cgctagcatt	cgcgaaactc	ttgagacagc	gtacgcttcc	300
tatggcatca	gttgggaattt	aagggaagg	gagaagggtg	ctcggcgtgc	ggccgcggcg	360
taccggagct	gcactttgca	gggagaagtg	gctgcgtaat	ccggagcaca	gtcagtatgg	420
tgctgtgtgc	ttgttgtttt	gttttgtttt	ccacttttct	cccccttttc	ccgccacacc	480
actatttttg	aaagtttggc	cactttggat	aaatgccctc	taactagcag	cttttaactg	540
cctttgctgc	gggaggtcta	ccacccttcc	tttaccctaa	gatgaatttc	ggatcatttt	600
ctgtacaatt	tttaaaggac	gtttgaataa	tatttctttc	tttatcattg	cggacgctcc	660
caaactctcag	ccggaggtgt	agcgcataag	ggcagttgaa	ggagatatag	atcctaatag	720
atcctgtata	aaagggggtc	tggaatttcg	tgcatttccc	gttcgctagc	attcgcgaaa	780
ctcttgagac	aggctacgct	tcctatggca	tcagttggaa	ttttaagggc	aagggagaag	840
gggacgaagc	ttcttttggg	ggcatcctta	ctctgctact	gaattttagg	tgcgtggctt	900
tgccacttca	atttaaaaag	accaggttta	aataataatg	gtttatggca	ccatcagttt	960
taattattta	ttatgacata	ggagtttaga	aaacttttga	tag		1003

<210> 35
 <211> 455
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 300
 <223> 99-27110-301 : polymorphic base G or C

<220>
 <221> misc_binding
 <222> 281..299
 <223> 99-27110-301.mis1

<220>
 <221> misc_binding
 <222> 301..319
 <223> 99-27110-301.mis2, complement

<220>
 <221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 438..455
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 288..312
 <223> 99-27110-301 potential probe

<400> 35
 ttcacattgg gtggcagctg gtcgaaacat tcctgtcagt gactgcagga cagtaacctt 60
 cagacctcga atgcccccta attttctgaa atgaagttac agttcctttt ctgttcaact 120
 agcaagctaa agttcagccc tcttacctga ttccacactg atcatctgga aggaaggtag 180
 gattcaagga gaactctttg agtgggaagag cagtcagaga tgtaattctg cgcctgttct 240
 cttacagcaa aaccaagaac ttttgctcta agagagtggga ctttgggagt gaactttgts 300
 agatgattag atggtgatgt cctttcttgt taaaggagga aatccatgta ggagcctcag 360
 gatcgcacag gctgaggact gagtgttaaa catggcaggc cttccttcat ggggcttgag 420
 ggatttcctg cagtgcctt ctcctctccc ctgac 455

<210> 36
 <211> 546
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 400
 <223> 99-27563-400 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 381..399
 <223> 99-27563-400.mis1

<220>
 <221> misc_binding
 <222> 401..420

<223> 99-27563-400.mis2, potential complement

<220>

<221> primer_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 526..546

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 388..412

<223> 99-27563-400 potential probe

<400> 36

taaccacact gaaacctctt cggttgctt gaaaccttc tactttttct gtactttttg	60
ttttgttctt ggtctccgc ttggggcatt tgtgggactc cagcacgttt tctggcttct	120
gcttcacact gctccatcg ggaatgacac actgcggtgt ctgcagctcc tggaagggtgt	180
catttgacaa cacatgtggg agaggaggtc cttggagtgc tgcagctttg ggaaagctgc	240
ctcgtttccc ttttcctcta gaagcagaac cagctctacg agagtggagac tgggaacttg	300
atggctcaga gagcatctt tcctccatt ttagaaaatc agattttctc ctgtgggaaa	360
aaaaaattcc atgcactctc tctctgttaa agatcagctr ttcccttctg atcttggaaa	420
gaggttctgc actcctggaa ccggtcacag gaacgcacag atcatggcag gatgcgctgg	480
gacggcccat cttggcaagg ttcagtctga atggcatgga gaccgggaga tagaggggtt	540
ttagat	546

<210> 37

<211> 513

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 443

<223> 99-27573-443 : polymorphic base G or T

<220>

<221> misc_binding

<222> 423..442

<223> 99-27573-443.mis1, potential

<220>

<221> misc_binding

<222> 444..462

<223> 99-27573-443.mis2, complement

<220>

<221> primer_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 496..513

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 431..455

<223> 99-27573-443 potential probe

```

<400> 37
gtctcgtttc attcagtgac attttgaaca cacacgtgtt ccctgtctgc agcaccagg 60
tgctcttcac ctaagatacc ccgtcttctg ctaaaccagt acaccagtgt ccacgagcag 120
tttcccgagg cttctgcact cctcagcatg ctctcagatt gtttcccctg cgggagaact 180
agcacggtgt tcttcagtac cagcatggtc tcttgccag cccctagggt caatcctcca 240
acacggtgac actcagcaac ctagggccaa gtttaccac ttgtctccct atacacaatg 300
ctcctgcacc tgctcaccta ccaggggccc tcccgcccca gcagcctacc ctgtctgcca 360
cagctctgct tcctggcatt cccacctctg cctcaagctt tgcttttctt ctcaagctcc 420
ccgccctgct ctaatcttgc cctccttgg ctcagctcca gttccacctc cccaataact 480
ccccctgtgg cctctctaac ccatacacct tcc 513

```

```

<210> 38
<211> 411
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 133
<223> 99-28732-133 : polymorphic base A or G

```

```

<220>
<221> misc_binding
<222> 114..132
<223> 99-28732-133.mis1

```

```

<220>
<221> misc_binding
<222> 134..153
<223> 99-28732-133.mis2, potential complement

```

```

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

```

```

<220>
<221> primer_bind
<222> 391..410
<223> downstream amplification primer, complement

```

```

<220>
<221> misc_binding
<222> 121..145
<223> 99-28732-133 potential probe

```

```

<400> 38
ctggtgttgt tccccctca cagcataaa ccagtgtacg tgaatcctaa cttgccaaata 60
cctcagagat agggaaatat attttgatgt acagacgctt tatgggcttg tgctggaagg 120
tcacgtgcct tartggcat gagatcctgg tgcaaagtgg atagaaagtg cttctttgta 180
tgcagcgtcc tccccttctg agatggccag tcccccgaa tgtctttaat atctgaactt 240
gagaatgagg atgttgatgt ctaattctag cccaaccta gattgtctat ggctcttcag 300
ttatcctgga aaatcaaaat atattttact atcttgaaagt attggcaagt taggattcat 360
aaacacttgg atgaccagcc acaaggcaat gtggcattgt ggttaagagg c 411

```

```

<210> 39
<211> 457
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele

```

<222> 56
 <223> 99-28735-56 : polymorphic base C or T

 <220>
 <221> misc_binding
 <222> 36..55
 <223> 99-28735-56.mis1, potential

 <220>
 <221> misc_binding
 <222> 57..76
 <223> 99-28735-56.mis2, potential complement

 <220>
 <221> primer_bind
 <222> 1..19
 <223> upstream amplification primer

 <220>
 <221> primer_bind
 <222> 438..456
 <223> downstream amplification primer, complement

 <220>
 <221> misc_binding
 <222> 44..68
 <223> 99-28735-56 potential probe

<400> 39
 ttgtcctgat taccatttct aagactaaag aatctttacg tggtgaaagt cctagycagc 60
 catcattcgg cacaacagtg gcttgtcaaa agggatatga gcaggtcata ccagcctcag 120
 gagggtagag caaagcaaaa aaggaaatct tgccatgtca tgtttcaaag ctcttgtaa 180
 tcttgagatc tcattagaaa tctgtcacag ttttaataga gtcccaccaa gatgtgctct 240
 gcctgctcct ttgcagggtg gtcaggatag gaagcagggc ctccccagtg ccagttcctc 300
 ggggaacaat tcacgagaat ctaaggagtt gtctcccagc agtgccagga aagagtggct 360
 gccaaaatgt tactagtaat taaggactag gcacctgagg gcagcaacta agcacatact 420
 agttattata acatccagta gaacaaatga aactcct 457

<210> 40
 <211> 453
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 399
 <223> 99-28736-399 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 379..398
 <223> 99-28736-399.mis1, potential

<220>
 <221> misc_binding
 <222> 400..418
 <223> 99-28736-399.mis2, complement

<220>
 <221> primer_bind
 <222> 1..20
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 434..452
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 387..411
 <223> 99-28736-399 potential probe

<400> 40
 gtttcttatt actgattctg aacatctgtc acaaagcaga ttttggtcag gacattatga 60
 acaactgcat cattcattac cgggtgaaat aagtgtaca ccaccaggcc actataccac 120
 cagtgcatt catttccac aaaacatcaa cactgaaaca tacactacac atgcacacaa 180
 aatggcatga atacaatgat tattcaatgt atagtctaaa tatttcttat ccttttaatc 240
 cacttgatg aaattccttt tctcaagata gatgaggggt aaaagtgaca ttttctaacc 300
 ttctcctcta ctctgaaatt ctgtgaactt cctctaata gaactaagta gcggtgcagt 360
 ttctctttaa tgataaatga tttgttggtt ttttgtgtc attgcttaga agcagtgagt 420
 gttaaggaca acaccttaa agtggttagct ccc 453

<210> 41
 <211> 458
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 319
 <223> 99-28738-319 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 299..318
 <223> 99-28738-319.mis1, potential

<220>
 <221> misc_binding
 <222> 320..338
 <223> 99-28738-319.mis2, complement

<220>
 <221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 441..457
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 307..331
 <223> 99-28738-319 potential probe

<400> 41
 ggagagacac actgagacat tctcttctag tccagactat gagagcatgt aacacatata 60
 acatgagacc cagcacctag caccgtgtca gacacatgat tatctgtgta atgactgagt 120
 aagcaaattc agagatgtgc tctcaaagcg atctggcagc aagttacttc ctctatgcct 180
 tctactgacct tgactctgac attgttcttc ataccaggat ttttagagac ttctcacttc 240
 atccaaacac cccagctggc agtgctacta gtgtgcagcc accatcaggg aaaagctttg 300
 gattctatgc aaaacaggyc ctcaagggtg taacaatgtg ggggcctgag tggcaagggg 360
 cccagggctg aagtcagagc cctagaggag actcctggct acctagatgc atctgggaaa 420

ttaacccctg ggccttgctc gctgtwacct gcaatacg

458

<210> 42

<211> 509

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 364

<223> 99-28739-364 : polymorphic base C or T

<220>

<221> misc_binding

<222> 345..363

<223> 99-28739-364.mis1

<220>

<221> misc_binding

<222> 365..384

<223> 99-28739-364.mis2, potential complement

<220>

<221> primer_bind

<222> 1..17

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 489..508

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 352..376

<223> 99-28739-364 potential probe

<400> 42

ctcctcctcc	aaaacacacg	gagacactgg	tatttggtg	cacatgtgtg	tacatatgta	60
caaagtgtg	actatgtatg	tgtacgtgtg	tacacgcaca	ctttcttttt	aggaagactc	120
caaatacatc	cgggacttta	gacctggaga	acgtaagtct	cctgggtcag	acgcctacca	180
ggctgtcctc	ttttatccaa	actggcagat	ctgcattggc	tttaggcact	gaccctcatt	240
cacatggctg	tgtgcccaga	gcaggatatcc	tatacccctg	gtgattctca	ttggtctaaa	300
tccttgcaaa	tgatggatgt	agggtaagca	tgtgactcag	ttctgcatac	tgggatgtga	360
ggaygggtaa	actaggaaga	aattcctgga	aaagtgttct	cattcttaaa	ggaacacaag	420
gatgagacac	ctccttcgcg	cagagtgtgg	ccatgataca	tggaactgtg	gtagtcatct	480
cgccccgcca	gggaaacaag	acagaggcc				509

<210> 43

<211> 549

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 185

<223> 99-27875-185 : polymorphic base C or T

<220>

<221> misc_binding

<222> 165..184

<223> 99-27875-185.mis1, potential

```

<220>
<221> misc_binding
<222> 186..204
<223> 99-27875-185.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 531..549
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 173..197
<223> 99-27875-185 potential probe

<400> 43
taagggtaaa ggagagagat ttaagattaa tatagtaaaa accctataaa cctaacttta      60
agttaactat taagtatcta tattaactca tgaaaagttt atcttttaaa aaatatcaac      120
ttcctagctc agatcactga caagggttat aattagtgat caataccatc cccactaata      180
agtaycaagt accagggctc cttggagaaa tgtctgattc caagtctggg acaggaaatg      240
tataagatga gatggcaata tcttgtcata ttaaaggaag ttttcagaga ctacaagggc      300
tgtgtcaaaa ggactcagca gagaactcct agtcaccaa gactggacaa ttttaaccacc      360
aataagataa ctgcaactga ctgaatatca aatatttgaa tctaaagttc acaacagtag      420
gaggaaaaaa cgaaaaggca ggcaggaact cgtgcatttc tgaaggatgt tagggaacca      480
actaatggaa aacagggtta aaaagacaag ggggtgggaga atggatgaag macttattct      540
cacctttct
549

<210> 44
<211> 462
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 176
<223> 99-27880-176 : polymorphic base C or T

<220>
<221> misc_binding
<222> 156..175
<223> 99-27880-176.mis1, potential

<220>
<221> misc_binding
<222> 177..195
<223> 99-27880-176.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 444..462
<223> downstream amplification primer, complement

<220>

```

<221> misc_binding

<222> 164..188

<223> 99-27880-176 potential probe

<400> 44

gtagggtgaa	agttgtggca	ggaggattgt	tctagatata	tagggcagac	aacattgctg	60
aagttggggg	gaggatgtat	cagtaaccaa	ctggagttct	ggaaacaacc	tccgtccagg	120
tatttggggg	gcctatatga	cagaaaggcc	agcaagcaag	cttaccctca	tcactyactt	180
ggcctctatt	caaatagcct	acttttgtct	gatctatcca	gggatgtgtg	ggaaggcata	240
ttggggctgg	tgagttctat	atttctttag	aaatttatta	tgactcagct	gtttatgact	300
taagtttttt	gtgatttcta	tacgttattc	ctggtatcat	ctcttagagt	aatacattcc	360
atataaaata	cgaggtgtag	ctaaacataa	ctttctaagg	ccccaaagtg	ttttcccagc	420
cccagcgccc	acccatttcc	tgtcttctct	tcttactcac	tg		462

<210> 45

<211> 497

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 373

<223> 99-28747-371 : polymorphic base C or T

<220>

<221> misc_binding

<222> 353..372

<223> 99-28747-371.mis1, potential

<220>

<221> misc_binding

<222> 374..392

<223> 99-28747-371.mis2, complement

<220>

<221> primer_bind

<222> 1..19

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 478..496

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 361..385

<223> 99-28747-371 potential probe

<400> 45

agcaacactc	agtgggctcg	tcgccatgac	gccagcctgt	ggaggaaagt	ggggagggga	60
ccaacacagg	acccctgtgg	cagaagctgc	cttggaactg	agaaacatca	ctagaactca	120
tcaagccctc	caccacctg	gtgcagatga	actgaggtct	gaagagggga	gaccacctgc	180
caaaggggag	aaaagcagtc	agtaggatgg	ccgggattag	atctggctct	cagttcctag	240
ttcctatgaa	gtaatgcagg	gagaagacag	ctggctggca	ggatgccagc	agcatccctc	300
cagggggggca	aggggctgcc	tttctctaca	ggcttttagg	gaccagacct	tctcaatcta	360
gatagacaga	atytccctc	ccaggacatc	cccagaagcc	acagagttct	gggggctctc	420
agagatagca	ggagaccacc	acccacagaat	gaggatagcc	attcttggtg	tgagcrggat	480
ttcccctacc	caaggac					497

<210> 46

<211> 448

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 352

<223> 99-28753-353 : polymorphic base C or T

<220>

<221> misc_binding

<222> 332..351

<223> 99-28753-353.mis1, potential

<220>

<221> misc_binding

<222> 353..371

<223> 99-28753-353.mis2, complement

<220>

<221> primer_bind

<222> 1..20

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 427..447

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 340..364

<223> 99-28753-353 potential probe

<400> 46

ccacagccct	cgctattaac	catggggcag	tactccctcc	acaagaggca	ttcggtttgc	60
gaggagagct	tagaggtttg	gaaagaagac	tcatacctcc	ggcctggagg	atcagggagg	120
acttagccct	ctgagctgga	cttctgggga	caggttggtg	tttagcaggt	gagtgtata	180
ggcacaggag	aggccctcta	ggctgagggg	actgagcaaa	ggcaaggaga	caggctgggc	240
tttgtgcctt	gggaggagtg	tggtgtatgg	agaacaggga	gtaggagaaa	gaaacaatga	300
ggctggggag	gggcatggag	gtcaggtgat	gcagggcatt	ctacagggct	tyaccatctg	360
gagaggggagc	ctgggtgagc	ttgtgagcag	agaagctcaa	ttttgggagc	acactgtcct	420
ctggaggaaa	ggagaagtaa	ggggattt				448

<210> 47

<211> 471

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 207

<223> 99-28755-206 : polymorphic base A or G

<220>

<221> misc_binding

<222> 187..206

<223> 99-28755-206.mis1, potential

<220>

<221> misc_binding

<222> 208..226

<223> 99-28755-206.mis2, complement

<220>

```

<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 452..470
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 195..219
<223> 99-28755-206 potential probe

<400> 47
tcttgagggga tatgagggcat tataaaaatt cctgggttgt gggagaatga gtacttatca      60
tcttctcctt tgagttaaat ttttttgtgc ccaattttat agaaatcatg tggatccctt      120
ttgcaaattg atgaatgctg ttagaagctg aacaggcaag gctgtatgtt tggagaagct      180
gggaccctat ccgctgcact cagagcrggg accatccgcc aaggagagaca gggaagggtc      240
tgtgccacct gctggaggga gggcagagga aggcaggag aaggctatgg gtctgctgac      300
aaacccacgc tgcctctgag ggtgagggaa ggttgggctt tcctgaaggg aggggcctcc      360
atttcctgtc tgatgctggc atggcctgtg ctaggtgtcc ccgtgggctc tcattcagcc      420
ttcactgtga gcctccgagg tggacttaga tccattgcta aacagatgag g              471

<210> 48
<211> 541
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 366
<223> 99-32333-366 : polymorphic base C or T

<220>
<221> misc_binding
<222> 346..365
<223> 99-32333-366.mis1, potential

<220>
<221> misc_binding
<222> 367..386
<223> 99-32333-366.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 520..540
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 354..378
<223> 99-32333-366 potential probe

<400> 48
acttagttca ttctttgagg ttaaattgtcc tagaaagaac yayacggttg atgtctaaca      60
ttacgtacac tcaagcttta gaatggccaa gtggatgacg ctgtttcttt caattaacct      120
gacatataca acctctcctt tctagccatt cttctggttg gctttcctag taatctgccc      180

```

```

aggagtgtaa cttctgcagg cagaggtgag gtaaaaatgg tgaagtaagg caaggagata 240
aagaggaaga aggcaaggag cagtgtattca gaagcatcag accgaaaaga aaatttgtgg 300
gagctgatga agacttctta taaacttcta tcttcagcaa tacttgaatg ctaggaaagg 360
ctatayccca gacaactatt atcccattta tgatctgtca agctttcaca gtgaaatcac 420
tcaggattct tatttttttt aaaaaaaccc cagatccctg ggtctcagac ctagtgaatc 480
agcatctcca gagtagaacc taggaattca catctttacc ccaaaagtac cccagacaat 540
t 541

```

<210> 49

<211> 416

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 323

<223> 16-38-323 : polymorphic base A or C

<220>

<221> misc_binding

<222> 300..322

<223> 16-38-323.mis1

<220>

<221> misc_binding

<222> 324..346

<223> 16-38-323.mis2, complement

<220>

<221> primer_bind

<222> 1..28

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 389..416

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 311..335

<223> 16-38-323 potential probe

<400> 49

```

agttgctctt ttatgttttg catcttacct ggtattgcct ttgcccattt cactgctgca 60
atcacttgcc gccctcctaa catgttgagc gtagtcatga tcctccaagt tgagtctgga 120
acagagctat catatcctgc atataacact tcagggttcaa taacctccaa cagtgcaccc 180
agggtagggg tgagttgtgg taacgttgca ggaactattg ttttgttacc aggattttca 240
gaggtttctt gtgagactcc ttagtgggcc tgctgaattc cttttatttt tttctttggt 300
tttcgagctg tgggtattta aamaaatata tagaaatgaa ctgtaatggg aaggctctgcg 360
ctacacagtt tattcaagaa gtattttttac tttctaaaac tattaagatg ggagaa 416

```

<210> 50

<211> 506

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 179

<223> 99-28484-179 : polymorphic base A or T

<220>

<221> misc_binding
 <222> 160..178
 <223> 99-28484-179.mis1

<220>
 <221> misc_binding
 <222> 180..199
 <223> 99-28484-179.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..17
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 488..505
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 167..191
 <223> 99-28484-179 potential probe

<400> 50
 gcggctacaa aatattctggt tactccatcc tagaccagag tttcaagggt cgttatcatt 60
 tgtagcatga tactggatcc tcacagtgtc tgcctttcat tcagggtgcc ggaaacgtct 120
 gcctgaatga atgggtgtaa tttacctgca cattttacat gcttctctag gtgtgtgawt 180
 aactcataat ccattccatga ctttcaccca taatcctcct tgtagcaatt gctttgcttg 240
 caacaaaact aagtagacat atctagcttt atgcatgggt ttctctctct gaactctaac 300
 ataaactcag cctcaggaat tattcggttt ctactacatt tgccattctg attgggaacc 360
 accagcattc aggtattcac ctggaacaag gcattttggt ccaagggttc ctcacttaaa 420
 agcaagcacc ctagcaatag ttcataatgg aacttcttaa cattctcaga atgtttggca 480
 cagctgtgag tgaacacaca ttgagc 506

<210> 51
 <211> 486
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 364
 <223> 99-30853-364 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 345..363
 <223> 99-30853-364.mis1

<220>
 <221> misc_binding
 <222> 365..384
 <223> 99-30853-364.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..17
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 465..485

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 352..376

<223> 99-30853-364 potential probe

<400> 51

tgttctcaag caaggctggc aaactatgac ctgcccgtca aatccaacct gccacctgtc	60
acctaacaat tctgtaactg ctccacata caacatggct gtcatacata atcctatagg	120
tattgttgag agcaggagga aagtttggtt gagtgagtga gagaccttac ccaagccttc	180
ctgtgggtctc taggagtcac ggcagagttc gctgacactg gtctgctttt aaccagcctt	240
gccagtgacc tttcaaattc cctgaggagc aaaaggccaa attgaacctg aaagaaaaca	300
cctctcagtg ttgactgagt tgcagtagaa aatggacctg acaaaacgtt agtacacttt	360
ctcrattggg tttagctcaa atatgttatt aggtcttttt tccagaggaa aatgcttaca	420
cagaccctct tcctcccccac tccttcacct ctacaggaga aaatgaggmw wyacagaaca	480
ctatta	486

<210> 52

<211> 467

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 198

<223> 99-28485-198 : polymorphic base G or T

<220>

<221> misc_binding

<222> 179..197

<223> 99-28485-198.mis1

<220>

<221> misc_binding

<222> 199..217

<223> 99-28485-198.mis2, complement

<220>

<221> primer_bind

<222> 1..17

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 449..466

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 186..210

<223> 99-28485-198 potential probe

<400> 52

gcattataag gcaacacctg gatctgaatt cagctctgcc taattccaaa atctatgcac	60
ctcataacct tgtgactgtt gcctggcagg ggctgcaga gtagcatcca ttaagcttga	120
cagagttttt taagattatg tgggtcactt aacagacagt ctttaaggtaa ggttaaacad	180
caaagttaat ttctgttktc tatctatcct gcccttctta tccttcatat cacaatggag	240
cacaaattat aattaagaga tacaaaagca ttcagtcact tccatttttt tctttagata	300
cttactatat taagtcttaa atgaacatat tggcattcca aattattaag ataatgtcat	360
gctggctcatt gaaatgctaa attaacatga agactacatt tcaaaaatac aaaagtataa	420
ataggagtgt tttgtatatt cataccacga tttttgcct tagagga	467

<210> 53
 <211> 474
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 354
 <223> 99-30858-354 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 334..353
 <223> 99-30858-354.mis1, potential

<220>
 <221> misc_binding
 <222> 355..373
 <223> 99-30858-354.mis2, complement

<220>
 <221> primer_bind
 <222> 1..17
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 456..473
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 342..366
 <223> 99-30858-354 potential probe

<400> 53
 aatctactgg gaaactgtcc atttcaacaa gagcacctca gacagtaact ggaaagagaa 60
 atagctcata ttctcaggaa cgttagtcac cttgaagcag catgattcgt gataacctgga 120
 aaatgcacat ggcagtcact aaaattgggt tctaggata cttttaataa gatttgagag 180
 gagctggatc cattcattcc catggtacct aacacagcac cactacacag caggcctgtc 240
 ccaaatttcc tttgctgctg gagaacatcc tcatggggga gcccacaagc tgcctaggaa 300
 atgggttaac aggagggcac tcagggatct ccttcagttt ctccagccat cttgctgcc 360
 acgcccgaagc ccaggccacc ttcacctctc acctgggcgc ttccactggc cgctgacac 420
 atctgtgcac tggcttccac tcttgctccc agaaccctt cttcacatag cagc 474

<210> 54
 <211> 489
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 311
 <223> 99-32002-313 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 292..310
 <223> 99-32002-313.mis1

<220>
 <221> misc_binding
 <222> 312..331

<223> 99-32002-313.mis2, potential complement

<220>

<221> primer_bind

<222> 1..19

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 472..488

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 299..323

<223> 99-32002-313 potential probe

<400> 54

aagaccacat ttcagcaagg actggctctg aatgacacct ggattctatg gcctttccct	60
ccactttggg aagctcttta gttagacagg tactgtaggc ggcaggagaa aaaaagctaa	120
ttattacttg ttggagtctt gtctcaggca tgctgtgggg ctgtgcaaga ttcgctgctc	180
tgctgctggt gtcattttga tgctacaatt acagagaggc gggttcagcac ccagccgac	240
ggtgtggctg ccaaacacat ttgagcatga caagataaat ttgttagaca ccagcacagg	300
gtgggtgaga rgacatcctg ctgactttat aaagtgatgt ggggcagggt tgtcgaggta	360
agtgatgatt gtcaagtttg ccagagatga tagataactc ctttggcaga acacctagg	420
cattcctttt aaagtcagggt agctaagagg ctgtttggtt tctgcagcgc tgctacctac	480
ttggggaac	489

<210> 55

<211> 526

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 366

<223> 18-15-366 : polymorphic base C or T

<220>

<221> misc_binding

<222> 347..365

<223> 18-15-366.mis1

<220>

<221> misc_binding

<222> 367..385

<223> 18-15-366.mis2, complement

<220>

<221> primer_bind

<222> 1..20

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 507..525

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 354..378

<223> 18-15-366 potential probe

```

<400> 55
atgaaattag aatgacctac atcaaagagc taggaaaagc cattgtcaag agggaaggaa      60
actccagcca gaactggcag cggttttatc aactgacaaa actcttgat tctatgcatg      120
aagtaagtgt caaacataaa gccaaatata agagttttct gggacaaaagt atgttttgat      180
tagtgaatat aattatatac cagcagcgcc cccacccccg cccccagttt gtggatgttg      240
gtgatagctt gagttcaact tatgaacttc agttttgtag acatttttcc taaggccaat      300
tatgaaatat cctttcacct agtcatgtgt atataaaatc accatgttat tacagaattt      360
agtaayactg tttttaaaaa gtatgattaa tccattaaat tagaataatg cacccttcat      420
atattatggg actacagtga ttcatgaaat aattctatat aattctacat acaatcaaag      480
aaatataaaa tgtgttttgt acggaagtgc ttatttttca tctggg                    526

```

<210> 56

<211> 426

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 174

<223> 18-20-174 : polymorphic base A or G

<220>

<221> misc_binding

<222> 155..173

<223> 18-20-174.mis1

<220>

<221> misc_binding

<222> 175..194

<223> 18-20-174.mis2, potential complement

<220>

<221> primer_bind

<222> 1..17

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 408..425

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 162..186

<223> 18-20-174 potential probe

<400> 56

```

ttctctcttc agtgttcatg aaccacagat aagttccttt cccacatttt cacagtcata      60
ggatccagta aggaaggccc gagtgatact tgctgggtca ctgagctggg gatgcctggg      120
ctcagctcca gacatgctgg gtcccaggcc tgagcttggt tcttcaaact aggratacat      180
caattactta attattgctg gtacaaaaca gggctctaagg aaggccaggc tcaagagcac      240
agttaaaaaa gaaatccccct ccacagctgc ccttgccctg gttgggggtg aggccagcag      300
gccctcatt gccaggtagg aagcattaga tacgcctgat gagctagaag ctttcttttt      360
tadacaatga agtagaggca aggtgttcta actccccgtc cagagaagag smaggaaagc      420
tagaac                                           426

```

<210> 57

<211> 458

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 178
 <223> 18-31-178 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 158..177
 <223> 18-31-178.mis1, potential

<220>
 <221> misc_binding
 <222> 179..197
 <223> 18-31-178.mis2, complement

<220>
 <221> primer_bind
 <222> 1..19
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 437..457
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 166..190
 <223> 18-31-178 potential probe

<400> 57
 gtttttgtat gattcagtgt gaattaaatc ccacagtgt aaggacttta ctttcttaat 60
 gtagattttc aaatacacaa ttactgatgt ttataagtag atttattaca ccaaagcacc 120
 tagcaaatc ttgaatggat caggtcttat ttttcagtct tactttgcaa atttaagyca 180
 aataattaag gatttggttaa atatttgtct taatatcaag cttttgcata tcggggccct 240
 cttttataag ctttataagc aatcttttgt tttctctgct tgctcaaagt agctatgttt 300
 gttgtatctg ttagtatttg ctctataaca aacatactgg gtgccttccc acttagattt 360
 ggcaattatc actcctgtaa atgagatatt acataagata ggaaaaagaa cagtatcttt 420
 ccaagaagaa tagtatacct ccatattaac agttttaga 458

<210> 58
 <211> 474
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 395
 <223> 18-38-395 : polymorphic base A or T

<220>
 <221> misc_binding
 <222> 375..394
 <223> 18-38-395.mis1, potential

<220>
 <221> misc_binding
 <222> 396..414
 <223> 18-38-395.mis2, complement

<220>
 <221> primer_bind
 <222> 1..19
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 456..473
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 383..407
 <223> 18-38-395 potential probe

<400> 58
 actgtaattg tatggtaaca tttaactgta caggacttgg gaagttagggt ctagctgtga 60
 gtccaagaaa aggaaatgat tttgttcata agccaacaat ttttgctata aaagcaaagc 120
 aatgtgagtg gggggccctaa aaatccccac tgttttcgcc attctgacta ccaccactc 180
 cccaccaaag gtccctgggg cacaccctgc agaccttatt actttagggc acacattttg 240
 aaaagggctg actttgctaa tttgacttgg cattttgatt aaagttactt tcatattttg 300
 attaaagtta taactgcatg atacaggcat actcttatca ccagtgcctt aagaacatga 360
 aacgggaagc tgatgacttc taaaccattt cacawtgagt ctaaattcac tgcttaataa 420
 taaataacaa tgataataat agtaacagat gtgtaccact cacatatacc acca 474

<210> 59
 <211> 469
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 192
 <223> 18-2-192 : polymorphic base G or T

<220>
 <221> misc_binding
 <222> 172..191
 <223> 18-2-192.mis1, potential

<220>
 <221> misc_binding
 <222> 193..211
 <223> 18-2-192.mis2, complement

<220>
 <221> primer_bind
 <222> 1..19
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 450..468
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 180..204
 <223> 18-2-192 potential probe

<400> 59
 catcaaaata tcccaaaaga tgtttggaat atatgttttt ataagaccta tagattgtga 60
 ttgagtaggt ttgaggtggg gcctgtgtat ttgtattttt caacaagctt ttcaggtgat 120
 tatgataagc aaccagattt agaaaccagt gaataagttc aacgagatga tttgcacagt 180
 ggcctctttt akatcatcact taggttctgt tattttttaga gccaaattaa tcaatcagt 240
 cattgtttta acatccttgc cttacatata ttttccaaaa atttttaatt tttaaaggaa 300
 gaagggaag ggaaagataa tttcctatgt ttgtgtgaac acatccttgg ctcttcta 360
 aatatgaaat acagtaaata atgacttgta actattataa ttgtttttaa cattcatgaa 420

tgaaaactaa ctacaatgtg gggttgattgg attccaggtt tcaactctgc

469

<210> 60
 <211> 451
 <212> DNA
 <213> Homo Sapiens
 <220>
 <221> allele
 <222> 211
 <223> 99-26921-210 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 192..210
 <223> 99-26921-210.mis1

<220>
 <221> misc_binding
 <222> 212..231
 <223> 99-26921-210.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..21
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 431..451
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 199..223
 <223> 99-26921-210 potential probe

<400> 60
 gaggaagatg gggttacttat ccatcaaadc atggttagtca cagactcatg gctgcttttc 60
 ggggggcatt agccccaccc gcactgctca cctgcctggg tttgagccaa gaggagctcc 120
 agtggccaga gaaagcctgc aggcaaaaac ttgcatcaga cagaggcctt aagttcatgt 180
 gtatgaaaat aagtgcgaag gagatttggt rggatccctg caatgtctgc taaaaatgtc 240
 aagactcttg gctggaaacc tggccagaat atggttccac ttcttgaaac cggaaacatt 300
 ggtggccaaa gaagaaggag caggcaaagg aagggagctg gcaaaggaga ctggtggagc 360
 actagcgatt taggagggaa gcaggaaatt gtactatcat gggagtgatg agaagtgcgc 420
 ttttagaatg cccakttaac acatagccca a 451

<210> 61
 <211> 327
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 250
 <223> 16-215-80 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 231..249
 <223> 16-215-80.mis1

<220>

```

<221> misc_binding
<222> 251..270
<223> 16-215-80.mis2, potential complement

<220>
<221> primer_bind
<222> 171..188
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 284..303
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 238..262
<223> 16-215-80 potential probe

<220>
<221> misc_feature
<222> 29
<223> n=a, g, c or t

<400> 61
ccctgcccac cttccaagta actctgtgna acctcttggg tcccttgaag ggtgattcgt      60
caaccccgtag gcaggatttt ctttgcgggc acagagactg ccacaaagtg gagcggctac      120
atggaagggg cagttgaggc tggagaacga gcagctaggg aggtaagcag gaaagcccag      180
gctctctccc tccccatgg tgactttctt tcaggtctta aatgggtctg ggaagggtgac      240
cgagaaagay atctgggtac aagaacctga atcaaaggta agtttggtga ctctgggcac      300
tatctctcct tagaccaatc atggaac                                     327

<210> 62
<211> 480
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 368
<223> 18-132-368 : polymorphic base C or T

<220>
<221> misc_binding
<222> 348..367
<223> 18-132-368.mis1, potential

<220>
<221> misc_binding
<222> 369..387
<223> 18-132-368.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 461..479
<223> downstream amplification primer, complement

<220>

```

<221> misc_binding
 <222> 356..380
 <223> 18-132-368 potential probe

```
<400> 62
ccccaaactaa ttctcccctg ttgttcagaa tgaaattcag aatatagtgt catggaaatt      60
gaactggcct ttttaactgt atcaaactat gtagaaagat tggtagagcat gagaaaacac      120
caaaagattt atcgaagtac acagtgtcct ctggctgttg gcccctgtgc cttgtctgca      180
gattgggggaa tcaccccagg tcgggcaatg cttgctctcc attggcctcc catgtattcg      240
aatttagcatt gagagcaaga gagaggcagg aacgagaaac agggtcctgg aaatttgttc      300
tcttgggggca agtgcattgg cactgatgcc tgaagatttg gatgcagacc agacaacctc      360
ttggggtyct tttctgcatt gaggtttgat ttttattgag ttaaaatctt aacaataaag      420
atattttagg atggggccag actgcaaagt acataaaaagt caggaaggag aacacaaaga      480
```

<210> 63
 <211> 505
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 292
 <223> 18-133-293 : polymorphic base A or C

<220>
 <221> misc_binding
 <222> 273..291
 <223> 18-133-293.mis1

<220>
 <221> misc_binding
 <222> 293..311
 <223> 18-133-293.mis2, complement

<220>
 <221> primer_bind
 <222> 1..17
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 487..504
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 280..304
 <223> 18-133-293 potential probe

```
<400> 63
agatgtgaga agtgtggcta gctgacagcc ccttgctgtg attttcttca ggatctgcct      60
cagcttttagt gtttaacttca caatattctt ggggaaacac aagccaatga ctaaacaataa      120
cagtcttcat aggaaaaccc gcagtgaatg actaagcaag gcagtggatg ggagctagac      180
atttattcca gttgagtaac tccgggcttc tctgagaagt atctttcact ggggaactccc      240
acttggctgg cagagacttt ccagatctgc atctggatag ccctcttctg amgtttcctt      300
tcagaaagag agataaagtt tattttttgt ttgtatgaag atgaatttct tttgccttca      360
caattgaata acaacttacc ttggtaaagg atttttggct caaaataact tttcctctga      420
accgtttctc cccagtgcct aatattgagc aaatgtcaag cctagagaac agttaaaga      480
atatttgacc aacaccaaca tagtc      505
```

<210> 64
 <211> 450
 <212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 191

<223> 18-12-191 : polymorphic base A or C

<220>

<221> misc_binding

<222> 172..190

<223> 18-12-191.mis1

<220>

<221> misc_binding

<222> 192..210

<223> 18-12-191.mis2, complement

<220>

<221> primer_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 431..449

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 179..203

<223> 18-12-191 potential probe

<400> 64

tttgcttagt	tttgactggt	ggagcatcat	attaaagttt	tacatatata	aaaataaagt	60
caacaagggt	ggggaatata	tgcaaaaaca	aaacaaaatc	cctaaatgtg	aacaattggt	120
atcagaacca	cagagaaaaa	aaattcaaac	taatcctagc	attttgaaga	caatgctttg	180
actatatgcc	mttggtggaa	aacattctaa	agataaaaatt	gcaatgaaat	tttaaacatt	240
gcatttcatt	tattggtagt	ggtatgggta	tagaaaattct	gaaattaatt	tcttgtatgg	300
taggatatag	aaaatataaa	taataaatat	atcaatgggt	tggggacaaa	gttactcact	360
gtgagaaaaa	tgaggaaaaa	taaagaattg	gaaagtagca	agagtcctgt	gttcgtgaat	420
tgggattaaa	ggtattgata	tataggagca				450

<210> 65

<211> 536

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 138

<223> 18-11-137 : polymorphic base A or G

<220>

<221> misc_binding

<222> 118..137

<223> 18-11-137.mis1, potential

<220>

<221> misc_binding

<222> 139..157

<223> 18-11-137.mis2, complement

<220>

<221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 516..535
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 126..150
 <223> 18-11-137 potential probe

<400> 65
 tttctcaagt ggctctggca tctgttaaaa tgccaaactc gtggtcctta acaccttggtg 60
 atgctggcac ctctctgcag acttttctca atgtaacctc agaagtggg gaggactggg 120
 gagaagggag gtcctgcrgg gaggagaaaa gggaaagtgg gcaactccac tgaaggctgt 180
 cacacatttg ggggctgttc cgcacagttt taccttcttc tttgggcccc tcctttctct 240
 tccctctcag tccccttggtc agatggttga tggggatcac tgggagttgg ggtgactgtc 300
 aggaagggcag agaggggggtt tgggcagcag gtgggaagtg gggccaggtg gcctctcggg 360
 gttctcccac ctacagttc tggggagttc agggttcttc aagcagagtg atccttaatt 420
 aataaacagc ggggcaggct cgggctccac gtcaggaaaa ctgcagtcag ccacgctggg 480
 ccaccgccc tctgcagagc acacgcaaca gcgcagtcac taaagctgaa ctgagc 536

<210> 66
 <211> 454
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 96
 <223> 18-93-96 : polymorphic base G or T

<220>
 <221> misc_binding
 <222> 77..95
 <223> 18-93-96.mis1

<220>
 <221> misc_binding
 <222> 97..115
 <223> 18-93-96.mis2, complement

<220>
 <221> primer_bind
 <222> 1..17
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 436..453
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 84..108
 <223> 18-93-96 potential probe

<400> 66
 caaatgccaa aggggttcaca atgctgagat ttatcttact gttatatttat aattttgagc 60
 agcatttggt tttagtgggt tgtggcagaa attgtktctc tacagaatat tatcttaaga 120

```

gaacatattg aacataaagt taaaagtttt ccatcccttg aaattcacta gtggttaactt 180
tgaacttcaa gaaaatgtca tttgagtttg ataatgtctc aataaagcct ctctctgatg 240
actaattcctt agtcctctctt cccttctctt acttcatatg gcacttatta tagctttgtc 300
acttgatcta gactactctg cattgctttt tatttttttt tctggaaaca tcaagggttag 360
gaatcatgtg ttatgggtct gtgtcactcg tacctggggc acctaagtgt acatatatat 420
gtgtgtgtgt gcgctctggg ctgtttaacc ttat 454

```

<210> 67

<211> 553

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 343

<223> 16-115-343 : polymorphic base A or C

<220>

<221> misc_binding

<222> 320..342

<223> 16-115-343.mis1

<220>

<221> misc_binding

<222> 344..366

<223> 16-115-343.mis2, complement

<220>

<221> primer_bind

<222> 1..24

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 533..553

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 331..355

<223> 16-115-343 potential probe

<400> 67

```

caccgtcaca ataaaagaaa ctgtggtctc tacacctgcc tggccccaca tctgtgccac 60
agagacagac cctgggatcc tcagactccc acacccccac cccagcctca ctcagagggt 120
tcgccctggc ctccttccct ctctgggaga tggtctggccg ccctggccag gcagctggcc 180
cctccggggc tggtttcccc gctcaccctg agggcccgcc cagctctgag ccccaagcag 240
ctccagaggg tcgggcaccc tggccgagct gccccatctc cgtgggggtgc cctcccaagg 300
tggggagcca cgtgacagtg ggagggcctc tctcaggcct ggmagggagc aggggtcaca 360
aactgtgctg gctgggggtg gtctcagagg tgggcctgca ggcctaacct tccctgctga 420
cagggctccc agcccttgag agaaacaggg atggaggaac agctgccctg atgccctcac 480
ccacccggag caggccctgc gaaccaaggg gaacctcagt gtggcccccga gcatgtgtgc 540
tgatggggag ggt 553

```

<210> 68

<211> 171

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 140

<223> 16-42-140 : polymorphic base A or G


```

<220>
<221> misc_binding
<222> 121..139
<223> 16-42-140.mis1

<220>
<221> misc_binding
<222> 141..163
<223> 16-42-140.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 154..171
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 128..152
<223> 16-42-140 potential probe

<400> 68
cattggggcgc aggcagagcc tcatcgagga cgcccgaag gagcgggagg cggcgggtggc      60
agcagcggcc gctgcagtcc cctcggagcc cggggacccc ctggaggctg tggcctttga      120
ggagaaggag gggaaggccr tgctaaacct gctcttctcc ccgagggcca c                171

<210> 69
<211> 494
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 176
<223> 18-251-176 : polymorphic base C or T

<220>
<221> misc_binding
<222> 157..175
<223> 18-251-176.mis1

<220>
<221> misc_binding
<222> 177..196
<223> 18-251-176.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 474..493
<223> downstream amplification primer, complement

<220>
<221> misc_binding

```

<222> 164..188

<223> 18-251-176 potential probe

<400> 69

gaaacccct	cacacatcct	ggcctctact	cgtacacaat	atcttctttt	ttttaacttg	60
gctgcagtga	aaaagaatat	tttttagtaag	ctacttggtg	tttacctaaa	gcagccttaa	120
gaagcccaga	gcaggggatc	tgtaagtga	acgtagaagt	ggaagacaga	tttgcytctc	180
tcaggcacta	gggcacttgg	ctgtagaggg	gtgagtatgg	caaacatcat	gggaattatg	240
agtagtgcc	ccacatccaa	agctgcacgt	gggttttcct	gggcaaagaa	actcaatgac	300
tgtgcatcaa	gagtgtaccc	agtctgacag	caggaaattg	acagaaacga	acagcccaa	360
gccccagggc	acatggaggc	actcacctca	ggcacracat	ttcagcagga	gccaaaatca	420
aaataataa	tattttatta	caatttttta	aaagacagga	tctaacaggg	ccagatgagg	480
gtaaagcgag	tgaa					494

<210> 70

<211> 478

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 44

<223> 18-269-44 : polymorphic base A or G

<220>

<221> misc_binding

<222> 25..43

<223> 18-269-44.mis1

<220>

<221> misc_binding

<222> 45..64

<223> 18-269-44.mis2, potential complement

<220>

<221> primer_bind

<222> 1..17

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 457..477

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 32..56

<223> 18-269-44 potential probe

<400> 70

ctcatggtca	gttgctcctg	gcttggcmag	atggatggtc	aggracttga	aaggaacaca	60
tttgggaaaa	cggtagcagg	aggtgtgggg	aagtgttgtg	tggttagagg	tctctgaaag	120
ggcagagcgt	gaagatcctc	gcagcccatg	tgacatttgc	caaagggcaa	ccgcctcagc	180
cgaggagaag	ctcagtgacc	aggtagacaa	gatggccctt	tctttgggca	tcagtcaggc	240
tccttcccca	gccaccctgt	cattgtcagc	aggctggtga	agatagagac	tgtggttagca	300
gggatggagg	tcacacatgg	gatcggcaca	ggggctccac	tcaccaaggc	ccatccacta	360
agtgcccgcc	tgccccagtg	ttgcagggga	tctgccagcc	tccaggtgga	gtggatgata	420
tgagacagct	gccggcatgg	aactggcacc	gctgcgcttt	caccaggata	gaggcttg	478

<210> 71

<211> 927

<212> DNA

<213> Homo Sapiens

<220>
 <221> allele
 <222> 624
 <223> 16-218-624 : polymorphic base C or G

 <220>
 <221> misc_binding
 <222> 601..623
 <223> 16-218-624.mis1

 <220>
 <221> misc_binding
 <222> 625..644
 <223> 16-218-624.mis2, potential complement

 <220>
 <221> primer_bind
 <222> 1..22
 <223> upstream amplification primer

 <220>
 <221> primer_bind
 <222> 906..927
 <223> downstream amplification primer, complement

 <220>
 <221> misc_binding
 <222> 612..636
 <223> 16-218-624 potential probe.

<400> 71
 gaatcccttt caccctccat actgtatcca aagatcactt ttttcaaagg tcacctaggc 60
 agaataatca aattaatgct ttttaatttg taatactgaa aagtaaattg caatgtatgc 120
 acacacagat tgaaaatcag gtgccacaga catgagcatg cacagagaat ttctgcattc 180
 tcatgcctta gtttatcaaa taaggaaaat gtataaaaag ctactccaca attggtgtgt 240
 gaatatatta ctttatctaa atgcatcttc tcaggccagg catggtgatt gatgcctata 300
 attccaactg ctcaggagtc tgaggatcgc ttgagtcctg gagttctagg ctgcagttag 360
 tatcacagtg ccttcagcct gggcaagaaa gtgagattct agctctaata tattttaaaa 420
 ttcattcttt caccctcagt tgtgtgcctc tgctggaaaa gaaagtccaa aggttattgt 480
 tacattatgc aaataatat ggcttgcaat caaaagagct ggttccta tctcacttta 540
 ccactaactt gctgagtgc ttcaggtaag tcaacttaact tctctggttc tcatttaaac 600
 caagtgatct ctttaagtca tttstaagt gaaaactgcg tgatttaagt agatatacat 660
 tttggataat gatatggtta gatttgtgtc ccacccaaat ctcatcttga attgtagccc 720
 ccataattcc cacgtgttgt gggagagacc tgggtggagg taactgaatc ataagggtgg 780
 gttgttccca tgctgttctt gtgatagtaa ataagtctca tcagatctga tgggttttaga 840
 aaggggagtt ctctttcaca tgctctctct tgctgtccac catgtaagac gtgtctttgc 900
 ttctccattg ccttctgcca tgattgt 927

<210> 72
 <211> 479
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 330
 <223> 18-393-330 : polymorphic base G or C

<220>
 <221> misc_binding
 <222> 311..329
 <223> 18-393-330.mis1

```

<220>
<221> misc_binding
<222> 331..349
<223> 18-393-330.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 459..479
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 318..342
<223> 18-393-330 potential probe

<220>
<221> misc_feature
<222> 457
<223> n=a, g, c or t

<400> 72
agtgtacttc gtgattgggg caaactctgg gccagatctt gtgggtctgaa attcagactc      60
tgcagtttac taactgtgtg attttgagtg actgcttaat ctctctgggc cccttttctt      120
catctgtaaa gtgggggtaa taatggcatc cacttcttag ggtagttgta accaataaat      180
gagttaatac aggaaaggcc ctttaataac tatgccataa tgtttttgct attattttta      240
ttcctgtaag aaaaggagcc aaagagtggg ataagatgag tttatattga gatcctaaaa      300
gacagaaagc tagtccctgt ttctcaatcs tccttctaaa gtcactttaa ccatcagctc      360
ccatctatgc agacagcaaa ctcagcaaca agaaagagcc cttataactt catctcaagt      420
caccagaaac tcataggaag gcacagaaga ccaagtnaca aactactcct ttcattcct      479

<210> 73
<211> 518
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 402
<223> 18-394-402 : polymorphic base A or C

<220>
<221> misc_binding
<222> 382..401
<223> 18-394-402.mis1, potential

<220>
<221> misc_binding
<222> 403..421
<223> 18-394-402.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind

```

```

<222> 500..518
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 390..414
<223> 18-394-402 potential probe

<400> 73
cttctgagga taacaaacac cmatgggaaa ggcaacttat taaggtagat attacagtct      60
tctaattgtct aaagccagct agacatacat ttaaattccca gcagaaattc tctgaaagggt    120
ttgcctccac cctaggtctt ccaacattag aagaacttca gagagaaagt aggacatttt      180
gtctctcttg ggtatttggg aatcaagggt cagacttggg gtagcattgg gggtcccatg      240
aagaattgaa tacctagggt tatatcaaag cgcgccctac ctatacatgc tccccagtgg      300
cccctgtggc ccaatattcc aagaatgggt cggggaatgg ccagctcccc cacagtcatt      360
tcagattgga gcaggctcct tagaagtcct tgggtgtccga gmcttagtcc cacaatggat      420
gctggatatg ggtcaacatc ctggattcat ggagagagga gggcatgtgg caaaatatag      480
ttaacttaca ttatttcttc ctcattatcc cctcaatt                                518

<210> 74
<211> 587
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 55
<223> 16-217-55 : polymorphic base A or G

<220>
<221> misc_binding
<222> 32..54
<223> 16-217-55.mis1

<220>
<221> misc_binding
<222> 56..74
<223> 16-217-55.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 568..587
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 43..67
<223> 16-217-55 potential probe

<400> 74
aacaggcgac tttgtcaagc ccagtcacct cagtagctgg atttcacctc caggrcagcc      60
agctggacag acaggcagat gcaggctcag ccccttgggt gccgtgggac acacacacac      120
aactgcccac agccactgcc caccacacac acctagtcca gatgctggca ccccccaga      180
aggaggctca cagctcgagc gggagacctg ggctggacaa aaccaggagg aggggagggt      240
gtgtggggac caggcccctg ctgagaaccc tggggggaag cctgaggggg aattggggga      300
tgagagccac actccacacc aggtctggcc ctgagtgagg tcggccttgg tgccagcccc      360
tctgcggcca gagaaaagca gcttagggct gagctggaga cgcggtgtcc ccgactgtgg      420
gggaggggga ctgaggggtt ccccttgatg gacacagtga atccaggcgg ctggggcaga      480

```

gaccagcagc acgggacacg cgtgacctgt gtccttttcg agccgcagac gtcacagtga 540
cgacgtttta gtccttaatc tccccaaatc ggcgggaagg attagag 587

<210> 75
<211> 450
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 139
<223> 18-284-139 : polymorphic base C or T

<220>
<221> misc_binding
<222> 120..138
<223> 18-284-139.mis1

<220>
<221> misc_binding
<222> 140..159
<223> 18-284-139.mis2, potential complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 430..449
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 127..151
<223> 18-284-139 potential probe

<400> 75
gactcctagc ctcattgaag gatgggttaga gaggcacggg gagctatcta gtggcaggcc 60
cacggtatat gtttgctgct ttctacaaat acgagatcaa aggaaaataa agcaggggtg 120
gttcctgtca gtgtggagy agacccggga aagcatcctg gtggctgtca ggccttgctc 180
acggccccctt tctctttcag ggagaggatc ctccacagtg gtatcctgct gcgtgccct 240
ccaggacagc acccagaggc ccgaattgct gctgcacaga gagcactcgg cctcacccca 300
cgttttccct aagttctgtc tagtaattcc actttggaga ggggggtgtt ccttgacaga 360
ttagagagt tgatgtaact tcctcggatc agttctgctg gctccatccc ctacctgctc 420
agccctgcac aaagtggcta agcacgccac 450

<210> 76
<211> 520
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 305
<223> 18-285-305 : polymorphic base A or G

<220>
<221> misc_binding
<222> 286..304
<223> 18-285-305.mis1

<220>
 <221> misc_binding
 <222> 306..325
 <223> 18-285-305.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..17
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 499..519
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 293..317
 <223> 18-285-305 potential probe

<400> 76
 gaggtgggag aaattacagc tgaggtagaa gctgcctcgg aaggccaggt gaagagccac 60
 acctgtcaga tgggcttgtg gcctgcgttg ggcagggact cccagcaggc tgctgtccgg 120
 ccacagttca gcctctgccy gagggccggc cctgcctgtg ctcccttatcc tatagctgca 180
 gggccagctg aaagaagcaa ggcgtttccc tcccccatat cctgtttctcg tagcatttat 240
 ggtgcagtct cccacgcctg actgctgtct acttagaaaa ctgctgaaag ccagttgcat 300
 ttcaratagt gtctgtgccca cttcagagc cttttgtga tcatgtttta tcagcttatt 360
 ttatgtttta tgtgtgggct tcggcgatct ggggacatct ggtcaaccag ggcaggcaac 420
 cttgtttcca agtggcagat gccaggggtgg gtccagtctc cagaaaggga ttttccctgg 480
 gaccattggc acctgttact tgtagtcttt tcagccttgg 520

<210> 77
 <211> 486
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 239
 <223> 18-289-239 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 219..238
 <223> 18-289-239.mis1, potential

<220>
 <221> misc_binding
 <222> 240..258
 <223> 18-289-239.mis2, complement

<220>
 <221> primer_bind
 <222> 1..17
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 466..485
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding

<222> 227..251
 <223> 18-289-239 potential probe

<220>
 <221> misc_feature
 <222> 154,156
 <223> n=a, g, c or t

<400> 77
 taataaagcag ccgtgtccca cagcaaggct gccctgtgtc ccacagcaag gctgcctctc 60
 cagctcaaaa aaaaatcctg gcgacagatc ttgagactct gctgctgtgg gactcttcct 120
 gcacccacca cccagggcct caggaaggag ctgnancagg gtgttttaga aagaccttac 180
 tctataaatg caaaaaccca gacttagtta acaaaagcct attacaaaga cattttctyc 240
 tattgctacc tctccccatt taaatcctgt ctgtacaaaa aaataaaaac attagctggg 300
 catggtggca cgtgcctgtg gtcccagcta ctggggaggc tgaggtgaga gcagtgcctg 360
 agcctgggag gccgaggctg cagcgagccg ggatcctgac gccgccctcc agccccggcca 420
 cagagaaaga cccacagagc ttskccgcag ccctcgtcca gcgcactgag atccctcacc 480
 aaggac 486

<210> 78
 <211> 453
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 91
 <223> 18-291-91 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 71..90
 <223> 18-291-91.mis1, potential

<220>
 <221> misc_binding
 <222> 92..110
 <223> 18-291-91.mis2, complement

<220>
 <221> primer_bind
 <222> 1..17
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 432..452
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 79..103
 <223> 18-291-91 potential probe

<400> 78
 cctccatgca ggaacagcct accctggact ggatccagct ctctcccagg cccaggttgt 60
 gggagaaatg ggggacctcc gcctcccaat ygtgctggct ggaactttcc tgtgctgggg 120
 attcggcggt tgcagccagg gtggccagtc aggggtgccag gctcccatct gaacactgac 180
 agactgtggg ctgtgcagtc tacagcattg ggcacaacct cagcttgcta aaatactcag 240
 tgcaggctgg gtgtgggtgg cacgcctgta atcccagcta ctcgggaggc tgaggcagga 300
 ggatccctta aagctaggga gtcaaagctg cagtgaagcc agatcgtgcc actgcactcc 360
 ggcctgggtg acggagaccc tgtctcaaaa aagaaaagaa aacgagtatt ggggtggagag 420
 aggaccaagc ccaattacta cttagtgcg gct 453

<210> 79
 <211> 460
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 391
 <223> 18-186-391 : polymorphic base G or T

<220>
 <221> misc_binding
 <222> 371..390
 <223> 18-186-391.mis1, potential

<220>
 <221> misc_binding
 <222> 392..410
 <223> 18-186-391.mis2, complement

<220>
 <221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 442..459
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 379..403
 <223> 18-186-391 potential probe

<400> 79
 taggggtcaa ataaatgcat actatgcgga cagacagaga ttttcgattt ttttttttta 60
 gtttaataaa gtttgaaaac tttcaaagct cctgtacaat tccattaata ccagacttgg 120
 caaaacgcta attctgtttg aaaagggtgtt tttttaaaag tagtatattt gaacaatgtc 180
 taagtatgtg ggggtggggag aatccatata cgaatatctt cataaagcaa gttcttaaaa 240
 tttgcaaagc tattaggtta gtgcaaaagt aatcatgggt tttcttttgc accaactaat 300
 atttaccact gaacacgctg gcatttagat cacttccttc tttcagcatg ctagacagta 360
 aagagaatgg gcatgaggtg gcaggaagaa kgaaagagtg aagataatgg agttaggtca 420
 gtgagggata tttcctaaat tccccacttc ttttcctcta 460

<210> 80
 <211> 460
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 130
 <223> 18-194-130 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 110..129
 <223> 18-194-130.mis1, potential

<220>
 <221> misc_binding

<222> 131..149
 <223> 18-194-130.mis2, complement

 <220>
 <221> primer_bind
 <222> 1..17
 <223> upstream amplification primer

 <220>
 <221> primer_bind
 <222> 439..459
 <223> downstream amplification primer, complement

 <220>
 <221> misc_binding
 <222> 118..142
 <223> 18-194-130 potential probe

 <400> 80
 agctggaagc ctgtttggct tactattggt aagaaaaagt taaaatttta atctgtctga 60
 acattatagt acatccaaat caataaaatg ttttagttgt ggtttttcat cagttttaat 120
 cagataatgy cttacttctg tagatatagt ctagtatagt tcaaataaaa agacagttgt 180
 acatagataa gacaaagcat attgtgaaaa tgttgggaaa tttaggttat tttaatgatg 240
 gctgagaatt tgtgaacttt tctcatatgc tattaaactg aattactagt aaatttatgg 300
 taccgagtat atcaaacagt gagggattta aagtaatttt gcaatttgct aaaatttcat 360
 ccttaacata ctggctaaga gtgaaaaagc aagaagagag aaaaggaaaa ggatggaact 420
 aagacaattc tattagaagt ggggagatgg caagaaaatt 460

 <210> 81
 <211> 459
 <212> DNA
 <213> Homo Sapiens

 <220>
 <221> allele
 <222> 252
 <223> 18-198-252 : polymorphic base A or G

 <220>
 <221> misc_binding
 <222> 233..251
 <223> 18-198-252.mis1

 <220>
 <221> misc_binding
 <222> 253..272
 <223> 18-198-252.mis2, potential complement

 <220>
 <221> primer_bind
 <222> 1..17
 <223> upstream amplification primer

 <220>
 <221> primer_bind
 <222> 438..458
 <223> downstream amplification primer, complement

 <220>
 <221> misc_binding
 <222> 240..264
 <223> 18-198-252 potential probe

```

<400> 81
ctgaaaaaag agctgacaaa attcaatccc taattaaaat gtttagcaac taaagttatt      60
ggttaatttt gagaattgat cctgtgttaa caaacatcac caaagtctca aggcttacia      120
tacaaagggt tatttctcgc tcatgctaca tgtccattgt ggacggctgt ggctcctcac      180
tgtcttcatt ctaggactga agctgaaggc acagtaccta tatgcaacat attgttcata      240
tgccagaggg grgaaaagca atgacttaat caagcaatga ctccctgaagt ttgtgtcaga      300
tacagcatac atcacttcca ctggctaaag caagcctcat ggctaagcct gatatacaga      360
aggtaggaag tatactctct cacagggagg tgcacctggt agaaggactc tattatagag      420
ataaactcag tagagaggat tgccgaatag ttgtaaata      459

```

```

<210> 82
<211> 476
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 299
<223> 18-242-300 : polymorphic base A or G

```

```

<220>
<221> misc_binding
<222> 280..298
<223> 18-242-300.mis1

```

```

<220>
<221> misc_binding
<222> 300..319
<223> 18-242-300.mis2, potential complement

```

```

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

```

```

<220>
<221> primer_bind
<222> 455..475
<223> downstream amplification primer, complement

```

```

<220>
<221> misc_binding
<222> 287..311
<223> 18-242-300 potential probe

```

```

<400> 82
acctgacatt aagagacaag cagccgggat ggctcctaac cagatcttct ttcctgttc      60
ccaaaccatc tttcttcata gccggctctg gggatgagga gcctgggtta ggaggaagg      120
ttgcaattga ccaggttcct gttttgaagg cttccaccta gacttaagat agcaccgctc      180
agaagatgga tgtgtgttta gcaatttccc attttattac ctgcagacaa agaaaaaaaa      240
agatataaat agatgtttta ccacacaaat aattcacatt actgtcttct ttatgactrt      300
gaaataataa aataaaatta aatcaacagc aataacaatt tcggcacagt ggttactagg      360
caaatctgg aaaccaaatt gaaataagaa aactcataaa ctgggtgttg ggagcacact      420
gtggaatttt tcttgggtcaa aattctcaca gagtgttcaa gtgaaagggtg tattaa      476

```

```

<210> 83
<211> 3001
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 1501

```

<223> 8-15-126 : polymorphic base A or G

<220>

<221> misc_binding

<222> 1481..1500

<223> 8-15-126.mis1, potential

<220>

<221> misc_binding

<222> 1502..1520

<223> 8-15-126.mis2, complement

<220>

<221> primer_bind

<222> 1376..1395

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 1792..1810

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 1489..1513

<223> 8-15-126 potential probe

<220>

<221> misc_feature

<222> 15,619,631,646,2196,2462

<223> n=a, g, c or t

<400> 83

ttggaaacag	gctcntgagc	agttgggtag	agaattccct	gagtgtgggtc	tagacagggt	60
tgtaaactta	gtggaccttc	tccttggcac	tgtgggaggt	tacaacatca	ttctatagag	120
gtagaggga	taaccagtag	agggtgcctt	agtccttttg	ggctgctatc	acaaaatacc	180
ataaactgag	tagtttataa	acaacagata	tctatttttg	acagttctga	aggctgggaa	240
gtccaagatc	aaggcaccag	aagattcagt	gtctgggtgag	ggcctgcttt	ctggttcata	300
gatggctgtc	ttttcactat	gtcttcccat	gggtgaaagag	attagctagc	tctctgggtc	360
tcttttataa	aagcactaat	cttattcatg	agggtctctg	cctcataacc	taatcacctc	420
tcaaagaccc	ccacctccta	ataccatcat	attgggaatt	aggatttcta	catatgaatt	480
tagggagaca	caaacaccga	gaccacagca	gaagaccaga	gtggactcct	ctatagcacc	540
tcctctagag	cttggggcaa	gagtcacttt	tgcttggggt	tcagggttac	tccctaagtc	600
acaggcctta	tgtcttcnc	ctagccttca	ngaactgtga	gacaantaaa	tttctgctct	660
ttataaatta	cccagactca	gggtgtctgt	tatagcaacc	caaatggac	taagatagat	720
gggtttcatt	attccacat	ttacatggg	aagaatctgg	agctcagaga	ggtaaaagtaa	780
tatgcataag	gtcccagagt	taggaagcag	cagagctggg	attgtaatcc	tgcaacagct	840
tcccatctca	ctcagagtcc	aagcatggta	ctttcaatag	ccctgcacaa	tctgtctacc	900
tcacaccctc	ctattctact	cctgcctcac	ttggctccag	cctcaccaga	ctccctccta	960
tgacttctat	gtgctagccc	ttcctgctgg	cccgtgttgt	tctcactgct	cagactgcta	1020
tcacatctga	taactgcatg	gtctgcttcc	tgatctcctc	caggccaaga	ctcaattgct	1080
gatttctcca	tgaggagttc	ctgattatac	tcagatactc	actcacatac	gcacaatctt	1140
caccggttac	ttacctgcct	ctctgatttg	tctccaatat	acgtatcatt	attgaacaca	1200
ccacatcttt	ttttatctt	gtttattatc	tgtcttctcc	tctagaatgg	gagcttcaaa	1260
gggaagggaat	taaaatttta	tctgttttgt	tcattgctct	atctccaact	ctcacaaacag	1320
tgctactat	atagaaaatg	ctcaataaat	atttgctgat	gcaataaata	aaaaaatgta	1380
actaagcaac	caagcccaa	agagtctgat	tttattaata	ttgttttctg	tctcctcaca	1440
ggaagcccct	tggcatcacg	cacctccctc	tgggctatgg	catctctgag	ccagctgagt	1500
rgccacctga	actacacctg	tggggcagag	aactccacag	gtgccagcca	ggcccgcaca	1560
catgcctact	atgccctctc	ctactgcgag	ctcatcctgg	ccatcgtctt	cggcaatggc	1620
ctgggtgtgca	tggctgtgct	gaaggagcgg	gccctgcaga	ctaccaccaa	ctacttagta	1680
gtgagcctgg	ctgtggcaga	cttgctggtg	gccaccttgg	tgatgccctg	ggtggtatac	1740
ctggagggtga	gtagacttca	ggtgcattgt	gtctctatga	ctgtgctagt	acttgtcttc	1800

```

cctgagttct ggcctttggg gctcaaaaga ctccccagac agtcaggaac tgaggaagga 1860
aggagagctc tcattctccc tgtaatgaga gagttaaagc tctggaaaac agtcaccatc 1920
ctgtccctca tccacatcag aaccaaggag ctgagaatga ttctgttcat gggctctccag 1980
tggtcaggtg actggatttg agtgacggga ctcttcctaa tatggcctag agtttattct 2040
ctgtgccaga catgtctcaa tgacatggtg ggctgggtga agcagtccag aagacctctt 2100
caccagtgtt taatgtatat gagggtgagg gtgtgcagga gggatgtgag gccaggagga 2160
aaaaggaatt atagaaaaaa aaaattagtg aatgtnaagg gaagatagaa agaatgacca 2220
gcgaacagat cagacttctt tcgatggctc agtccctctt tgctctttcc tcctgggtac 2280
cagttctcca tagactctgc taccaaagga acagacaaaa ccctcaaattg tatattttcc 2340
atgtgtccat gaatagtaca gagcctttgc cagagagata gtgcagcaga tcctgggtgaa 2400
ttcttttggg gagaaacatt tattaaattt gaaagtattt tcaattggga gtgcaaaaca 2460
gnagccaggg ggtggtcaag acaaaacacc catttgctaa caaagaaatc agggtgacca 2520
tatctgttca agaaacagat attcttacca ggaaaacatg caattactta agatatgttt 2580
ttttaaaaaa acctgagtat actattaata tttctcctct gcactgtgtg tcattttaaa 2640
gaggtatcca atgaaggatc aaaatgatgc tatgattaag agaaattaag attcatcaaa 2700
ttaatatctc agttaatatt gatagtaaaa gtgacagtta attaatgtat acatatcacg 2760
ggagagcaaa aaccttgtac atagactgcc tgtgctaata cctttgttaa agaattggctg 2820
ggaactaaaa ttagacttat gatctcaagg gggagacata aagagagaaa aaaagaaaac 2880
agagaaataa aaggaaaaga agaaaaacaa ctaggctgtg tagatctaaa ggctaaggga 2940
atacttgagg aaaaaatatg cattttattct tcccagttag gataatccta gttgggaggg 3000
t

```

<210> 84

<211> 2684

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 1501

<223> 8-19-372 : polymorphic base A or G

<220>

<221> misc_binding

<222> 1481..1500

<223> 8-19-372.mis1, potential

<220>

<221> misc_binding

<222> 1502..1520

<223> 8-19-372.mis2, complement

<220>

<221> primer_bind

<222> 1130..1148

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 1534..1552

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 1489..1513

<223> 8-19-372 potential probe

<220>

<221> misc_feature

<222> 240

<223> n=a, g, c or t

<400> 84

```

aaggccaact ttgaggttgg agaatcccca acccttttat aagactggcc ggggtgtacca 60
acagttgttg ctacagtgct tggatgaagc acagatgttc catgtcacaa tggtaaagag 120
ggatggggag ttaaaattat agaaagaaca ttggcttggg cataaaactg gctgcaagaa 180
catatttttc aggtgcagcc ttgggctact tactgaacct ctctgagctt taatctgctn 240
catccgaaaa gagagacagt aataatggca cctgtctcat ataacgttgc cataattatt 300
aggtgggata aggggtacaa agctcttggc tcatcgcttg gcagatatta gtttgccttt 360
cttttctttt tcaagatggg gcacgtttca ggcccatctt gggccttggg ggaatctcag 420
catctgctat gaagaaggca aagctagagg gacctcccaa ggagaaatgg caggaacatt 480
tcaggatata aagcagggac aaggaccctt ctaagtgcac attctccatg tcacaatatc 540
attacctgcc tttttcccat cccacctctg acaagtgtcg ggattccctg aaaaatcaaa 600
tctctgtctt gtattcagcc gccatctgcc ctccatccca gattcaaaat tggagaactg 660
gcattctcag caaataaggc ttcttctttt cattgcattc aaacaattct ccaatgcctc 720
cgcaccagca ggcccttttc tgagggctgc atccctcctg ggagcctctg cctgttgcc 780
ctgtaatgct ctcccagcc tcccaggctg catgtctctg tgtgacactt gtgacatcct 840
atgaaaggga tcatctgtct atctagactg tttgtccct tgagagaaga catgggtgtct 900
cattcatctt tgtagcccca gtgtctggcg tatgattgtt ggtaactttt tattttaagc 960
aagctgtaag aaactcaaag atgaattaga cttctaccc tcaaggacct gacagtatac 1020
gtatctgaga ctgcatcctt cccacccctt gtgcagcaga aagtgcaggc accacacgtg 1080
acatggagcc gtgttttatg ctcttactg agttctgata cttgctaact gctttacctt 1140
cccccttctc atccacaggg gacccactg tctgtccat ctccaaccct gattttgtca 1200
tctactcttc agtgggtgcc ttctacctgc ctttggagt gactgtcctt gtctatgcca 1260
gaatctatgt ggtgtgaaa caaaggagac ggaaaaggat cctcactcga cagaacagtc 1320
agtgcacag tgtcaggcct ggcttcccc aacaagtaag taccctggag ggggtagagg 1380
gaagacaaca cccaatctcc tgacttccca gcctgtgtcc agcagtgcac gattttgccg 1440
tttagctaaa ttggagacac aaatctgaca ccgactttgg aatctgctaa ttttggctgc 1500
rctttgaagg taggaaatcc aatctcaaga aaacattgat agttgcctct agagcctgcc 1560
ttacctggca aagtgttgga agagctcctg ggcttgttct gcttcccttc aaagtcttct 1620
attttcccca aatgggcagc agctcagatg tcccacagg tttgaagttt aagtgcagca 1680
gttgtacctt gcactgtctg tgggttccca gaactgactt tttgtctaaa ccactcatgc 1740
caagaatcac tgggttccat caaagccttt ttctctact ggatctgtcc gtgtgtcaag 1800
gaactgacaa gctggtggga taggggtctg ataaagcatt ttattggatc tttctaggct 1860
ctgaaaagaa atgtcattgc ctctgcaatg atcttcta ttaggggt ttaatttctc 1920
cttaccatct tgctggcac ttagtagttt tcccacgat tacttgaagc atgaatggat 1980
atataccgat cacttgaaat ctactaggga agggacagt gtaacattaa acagcatctg 2040
ccttcaggga ccttagaatc tagaaaagca aataaagcac cctccactc aatgttaatg 2100
aagatcccag agctgaatag gatgtttgcc aaatgtgagg tgaagacaat taagcactca 2160
attatgaagt gctctggagg ttatagaaga gaaaacccaa tatgctcagt gatatggttt 2220
ggctgtgtcc ccacccaaat ctcatcttga attgtagctc ccacaattcc catgtgtcat 2280
gggagggacc cagtgggagg taactgaatg atgggggtg gtctttccct tgctgttctc 2340
atgatagtga ataagtctca cgagatctga tgggtttatg agggggagtt tccctgcaca 2400
aattttctct tgtctgtctg catgcaagac gtgcctttca ccttccacca tgattgtgag 2460
gcctccccag ccacatggaa ctgtgaatcc attaaacttc tttttcttta taaattaccc 2520
agtctcaggt atgtctttat tagcagcatg aaaacaggct aatacactca ggaaagggtc 2580
ccatagacag agtaagaatt gagtttgatc ttgaagacag atccaattg ggtgtctaga 2640
ttaatctttg atgacctaga taatcttttt tttttttttt tttt 2684

```

<210> 85

<211> 711

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 428

<223> 99-2409-298 : polymorphic base A or G

<220>

<221> misc_binding

<222> 408..427

<223> 99-2409-298.mis1, potential

<220>

<221> misc_binding

```

<222> 429..447
<223> 99-2409-298.mis2, complement

<220>
<221> primer_bind
<222> 131..148
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 560..580
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 416..440
<223> 99-2409-298 potential probe

<220>
<221> misc_feature
<222> 27,108,118
<223> n=a, g, c or t

<400> 85
ctcaaagatg tcgttgacga aggagtncat gatcccatg gccttagagg agatgccggt      60
gtcagagtgg acctgcttca gcaccttggt caagtacacg gagtagcntc ccttgcgntg      120
cgcttggttt cttgccgtac ttcttctgcg ccgtagtcac ccacctcttg gaagccctaa      180
ttgggatcag gagcgactt tggtggctct ggcattgcga gggcgacta caggtcgagg      240
tgaactaaca gcagctcgag aaaacgggaa ttaatttaat gtttgtcttt actacaaac      300
tgtaagtttc gtgagattag gaccatattt gcatcattca ttattatgtc tctgggaccc      360
agcacaatgc ctagtacata ttaggacttc aataaacaaa tgcaaagtag cgcattggggc      420
tgcagccrca gatctcctgg gatctgggtc tgggagcagg cagtggcatc tgacacttca      480
tatcccttaa agaagacaaa atgtattcta tgacagatag ggaaccagag ccaggggacta      540
gagtgtgact ccctgacttg ttagaggagg ttgggaaaaa tggccttgac tatcttccta      600
ggcagaggcg ggcaactat gcaccccagc ccaaatccag ccctctgcct gttttggtaa      660
ataaagtttt attggaacac agttacatac tttttttttt tttttttttt t              711

<210> 86
<211> 3001
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 1501
<223> 99-339-54 : polymorphic base G or C

<220>
<221> misc_binding
<222> 1482..1500
<223> 99-339-54.mis1

<220>
<221> misc_binding
<222> 1502..1521
<223> 99-339-54.mis2, potential complement

<220>
<221> primer_bind
<222> 1448..1467
<223> upstream amplification primer

<220>

```

<221> primer_bind
 <222> 1883..1902
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 1489..1513
 <223> 99-339-54 potential probe

<220>
 <221> misc_feature
 <222> 120,890,929,2457
 <223> n=a, g, c or t

<400> 86
 atactataaa gattcagaga ctttccacat tagtaaaatt tttagaggctc cagtaggctg 60
 ggggaatgctg agacatgcac ttcaaagtaa aggacaaatt attgtaactt gcattttcccn 120
 ataactaaga aggaaaccca gcaccaataa gcgtcttctg gttctgaaag cagcacattt 180
 cacactcaga gacactactc tagcacatac gccagctgaa acatgagtct accagatttg 240
 gagagagccc agagcaggaa agggctctgc agcaggacca ggcagtagtg caagctgctc 300
 tgtcatatga tgatttttgt cecatgatgt ggtagagcct acagtatagg aggtatcatt 360
 gatagaaaaa ggctgtgtac attttatggc aggcctcaat aggcaaacac aaatagaccc 420
 ctaggattca gaagcaagac aagcaatttg cagcagagaa ctatacgttt agataaatat 480
 tcttggtgcc ctactggttc ctagtaggaa cacagcacc aactatggga tgccaagggt 540
 ccacacagca aggactgccc attgccaatt ctgacagacc cccaaatcat gaaggcaggc 600
 aggcctacca acaattgtaa ggaaggaaat gatacgtttg ggatcaggca ttagcagagc 660
 cagagagcac aaataagttg cacgcatatg tggcccagac tactagggtc atccatcaca 720
 tttgcaactga tgcctcacc ttagctcaca cttacggcag cataaagtga gggcaaaagc 780
 tgatgttgat ttatgtacgg gtaagattgg aatgtagtag caagctaaaa atagactatt 840
 gctatataac aggaccacat ccttagcggtg tcccagaaaa ttagggatgn agagaaattc 900
 ttccaatagg ataaagcatc agatgggtgnc ctttgcgag agaaatactc tgagataaga 960
 tatgtatcac ttataggcag tagtgaatta tttggacagt tgactctata caacctggga 1020
 agtagaatgt cttagccagt tgatgtcagc cagctcctat cagtgtctggc acaataggca 1080
 cattaatgga ccatgggtaa ggaatggaga caccatccta acaagactaa ttgactttat 1140
 ttttatTTTT tttgagacgg agtttcactc ttgtcaccca ggctggagtg caatgggtacc 1200
 atctcggctc actgcaacct ctgcctccca gggtcaagtg attctcctct gtcagcctcc 1260
 caagtagctg ggattacagg cacctgccac caagcctgc taatttttgt atttttagta 1320
 gacatggggg ttcaccatgt tggccaggct ggtctctaac tctgacctc aggtgatctg 1380
 ctggcctcgg cctccaaaag tgctgggatt acagggtgtga gccgcagtg cttggccta 1440
 tgactttctt aatcaggaga agatagctct tctcttcat gatggcgaca gaaaagaata 1500
 stcccttgcc taattttgat gataaatgga taagtacaac aacctgact gagaaacagt 1560
 ggtgggtgat gaagctattt ataggcccaa caacacgtgc tctcacttgc taaggctgat 1620
 ctagttactg ccactgctga agatccagcc tgacagcaac agataccatc actgagtctc 1680
 cagtatggct ccatccctca agaagaccaa ccagcttctt aatggcaaat tattcttctt 1740
 aatgacaaaa tgggtccttt ccaccatgtg attccacct gtgattttga tacgaatgga 1800
 cacttatcct attcatacaa cttcagctag acagtgccta tgtagcattt gatccactga 1860
 aacaggatcc tgccaaacat tgcattggac taaagtaact gcttatgtta atggaagttt 1920
 aaccttaatt acttccttat aggccttaac tccaaataca gtcacattgg gggttataga 1980
 ttcaacatat gaattttgga aggtcttctt tttcccagaa ttgtctttgc tgaaaatcaa 2040
 ttgaccataa atataacgat ttattttctg actgtcaatt ctgttccatt ggtctatatg 2100
 tcttcttact gcaaatacca tactgttgat aactgcagct ttatagttag ttttgaaatc 2160
 aaggattaaa cattctccaa ctcttctctt cccacgcag gaaaatcact gatctctttt 2220
 ctgtctctac agatttacct attctaggta cttttctttt taaacagtg cttttggcta 2280
 ttctaggtct tttgtacttc tatgtaaatt ttacaatctg cttgtcagtt cgtgatgaaa 2340
 aaggctgggt gaattttgag agggattgtg ttgtctatat atcaatttgt agaaagttgc 2400
 catcttaaca tattgagttt tcaaatctca gaacatagaa tgttagaggt cctgtntct 2460
 tttttaattt taaatttctt ttcataattt aaacattttt tctattgagg taaaattcat 2520
 atagataaaa ttaactattt taaagtgaac aattaagtgg cattttattac attcacaata 2580
 tcgtacaaca actacctcta tctagtcca aaatatctt atcaccaca aagaaaactg 2640
 tgtaccatc aaacagttac tctctttcc tttttctccc aacctcggac accacagtct 2700
 tctttctgtc tctatggatt tacctgttac tctgaatatt tcatataaat gaagtcatac 2760
 aacatgtgac ctttgtgtct gacttcttcc gttagcacag tgagtgtctt caaggttcat 2820
 tcacattgta gcatgtatca acttcattcc ttttgatgac caaatgatat cctattatat 2880

gtatatacca	cagtttggtt	attcattgat	gaatatttga	attctttcta	ccttttggct	2940
attgtgaata	gtgcttctat	gaatatttgt	gtataagtac	tcatttgaat	acttttttta	3000
a						3001

<210> 87

<211> 1127

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 311

<223> 12-254-180 : polymorphic base A or G

<220>

<221> misc_binding

<222> 292..310

<223> 12-254-180.mis1

<220>

<221> misc_binding

<222> 312..331

<223> 12-254-180.mis2, potential complement

<220>

<221> primer_bind

<222> 132..152

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 586..603

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 299..323

<223> 12-254-180 potential probe

<220>

<221> misc_feature

<222> 952,958

<223> n=a, g, c or t

<400> 87

ctgccacaat	ctcctgagtc	cagacaatct	agagcagaag	ggtagactga	ggaaaatata	60
cacagtataa	aaaagtaaca	aaatcaaaac	ctgaaacaaa	gatcaacatc	caataaatgc	120
ttctgaataa	agggagagta	gataagaact	ggattttaat	cccaacactg	ccattttacca	180
gctggccaat	actgagctag	ttactctaaa	gagttcagtt	ttctcatttg	tacaaatagg	240
atttgtcttt	ccatctcact	gagttgtgat	gagagtcata	tgcaacagca	tatgaagagg	300
ctagcaaaaag	rtattttaaca	agcgttcaac	attctcatga	tgacatgaat	aacactgtac	360
atacaacata	ccaacttgat	aaatacacag	cacagttaat	agctgagggc	agagttatgg	420
ttgggaagag	agagagtgca	acataggcag	agtgaggggg	gattcccaca	attttctaag	480
acagaaaagt	gggggaatca	gtagttactg	gaaagaatag	gcaatgcctg	actggataga	540
aaaagattct	atgcctttgt	caaatttcac	aaaagtgcact	taagcctata	ctgcgggatg	600
ttcacactac	gtccctttag	tgcaagttacg	gtacttcagg	ctgcaagtaa	ccaaatacaa	660
ctaaaattgt	cttatacaat	aagggcgtaa	ttatctcata	taacaagaag	cttggcatga	720
aggaaatttc	aacaatttca	caacggcaac	aaaaactctg	tttcttctac	ctttccacca	780
ttcctgtgtt	ctcagttcca	atatggctgc	taacatccat	atgtcttccc	cgcacatctc	840
tttaaaagct	acaaaaagat	ttcccaaaag	cgtcttgga	aatttctctg	cccattctcca	900
ttggccagac	ccacctccca	tgggactgcc	tcttggtgaag	cacacaaagg	gncagatncc	960
aaacgggtacc	gttagggaga	cccagaagat	ggaccatcca	ggatagagac	atgaagggca	1020
gaagagggcc	cagggatgtg	tgtccctcag	ctggactaca	gggaaggagt	tttggtcagg	1080

ggaagaaaag cctcatttcc tatcagtcac tgggtggaatg actaaag

1127

<210> 88

<211> 3001

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 1501

<223> 10-214-279 : polymorphic base C or T

<220>

<221> misc_binding

<222> 1482..1500

<223> 10-214-279.mis1

<220>

<221> misc_binding

<222> 1502..1521

<223> 10-214-279.mis2, potential complement

<220>

<221> primer_bind

<222> 1225..1244

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 1747..1764

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 1489..1513

<223> 10-214-279 potential probe

<220>

<221> misc_feature

<222> 2368..2369,2372..2373

<223> n=a, g, c or t

<400> 88

aatcattgag	ttttgttctc	tatatatttct	ctttatctaa	gaatgtcttc	ccccctccat	60
taacaatatc	ctctcatttt	attccattta	aaatatccca	gtggtgcctt	gcaagtgacc	120
tcatctaact	caagcatttg	gtcatttggt	aaatgtttaa	ggagtgatat	gcagtcgatt	180
ggtttgcata	caaataattaa	gttttttaat	gtgaacattt	agcaaataac	attcatgtat	240
ttgcatgtgt	gtgtgcttgc	acatgtgcac	atgcatgtct	gtctgcaggg	aaaatatatt	300
catgcctttt	gaaaattttt	aaataatgtg	ttatatttat	agaaagattt	ggaacctttt	360
ctctgaagaa	gttaaagaac	agatgtcatt	gattcatatt	aagcaagacc	ctataaatct	420
tattttctagg	tctcatgtat	ttattaagca	actccacacc	ttaagcaggc	tttctacata	480
gaagaggaag	aagatagaga	tggtttccat	attattttca	tattccacat	tatttgtggc	540
tttaggccag	ctatgtagct	atcctgtatg	tgtgctcaga	caggagactc	agccctgaga	600
gaaggcggtc	ctctggcaca	cctaggatgg	ggaaggatct	cccttggaag	tcccaagctg	660
gcacttctgg	atctccatgg	caattttctt	gcccactact	ccatggagat	cagaatatca	720
ctctattgtg	tcccctcaac	actgaaggag	tgtctcaata	agaaaagttg	agtcaaaaca	780
ctgtaggaat	tgagaggttc	cccacttgca	ctaccettgt	aaaccaagag	aagatgttaa	840
aaaataaaac	gataatgctt	cctgaagggtg	tcttcccatc	tttactactag	atgggttcaa	900
ttgagaggaa	ttactggact	gtggaagttg	aagactgtcc	acataattaa	aatgtacaat	960
agctactcag	gattaccttg	caagtttcaa	catacacaaa	attaacttca	taagatgggtt	1020
taaaaagttt	accgttatac	ctaataatct	ggtttaaat	tttaaaactc	atccattttc	1080
gttaaaattt	aaatcaaaaa	agaacacggg	ttcccatgaa	tttgtctcag	gtcaaacctc	1140
acacagaata	ggtgctccat	gaatattttg	ttaaatgata	gatgatgaat	gttctcacta	1200

tccaatcttc	acacatctta	tagagtaagt	ataacgaatc	caagatttat	agtgtctgaaa	1260
gtagttttta	tatgtttaca	aagcattatt	gtcagtaatt	tttttttact	ttgatgctat	1320
actttctact	tttgctttat	ttaatgtctc	tcaatatgct	cgtttaactg	ttgcagatcc	1380
ccctgaaatt	acgctttgga	ggacttcttc	taacagaaaa	acccattgtt	ctaaaggctg	1440
agtcaaggga	tgagaccgta	agtggagcct	gatttcccta	aggacttctg	gtttgtctct	1500
yaagaaagct	gtgccccaga	acaccagaga	cctcaaatta	ctttacaaat	agaaccctga	1560
aatgaagacg	ggcttcatcc	aatgtgctgc	ataaataatc	agggattctg	tacgtgcatt	1620
gtgctctctc	atggctctgta	tagagtgtta	tacttggtaa	tatagaggag	atgaccaaatt	1680
cagtgtctggg	gaagtagatt	tggcttctct	gcttctcata	ggactatctc	caccaccccc	1740
agtttagcacc	attaactcct	cctgagctct	gataacataa	ttaacatttc	tcaataattt	1800
caaccacaat	cattaataaaa	aataggaatt	attttgatgg	ctctaacagt	gacatttata	1860
tcatgtgtta	tatctgtagt	attctatagt	aagctttata	ttaagcaaat	caataaaaac	1920
ctctttacaa	aagtattatt	ggatgtttcc	tgcacattaa	ggagaaatct	atagaactga	1980
atgactgaga	accaacaact	aaatattttg	atcattgtta	tactgttgg	tgtgggaact	2040
ggagtgcagt	ggtgcaatct	tggctcactg	cgagctctgc	ctcccagggt	cacgccattc	2100
tcctgcctca	acctcctgag	tagctgggat	tacaggtgcc	tgccaccacg	cccggctaatt	2160
ttttctatatt	ttagtacaga	cggagtttca	ctgtgttagc	caggatgtct	tcgatctcct	2220
gaccttatga	tccacctgcc	tgggcctccc	aaagtgtctg	gattacaggc	atgagccaag	2280
gtgccagcc	caatttgatt	attaacatag	gtgagagtta	accactatg	actttgcccc	2340
ttgtttagaa	agaatattca	tagtttannt	annacatttt	tgatgagaca	cagtggctca	2400
cacctgtaat	cccagcactt	tgggaggcca	aggcaggcag	atcatctgag	gccaggagtt	2460
caagaccagc	ctgaccaaca	tgggtgaagcc	ccctttctac	taaaaataca	aaaattagct	2520
aggtatggtg	gcacacgcct	gtaatctcag	ctaccagga	ggctgaggca	ggggaattgc	2580
ttgaacctgg	gaggtggagg	ctgcagtgag	ccaagatcat	gccactgaac	tccagcctga	2640
gtgacagagt	gagactgcat	ctaaaaaata	aaattatgcc	tttttgtagc	acatatattt	2700
tgtaacatac	aactgaagcc	agtattatat	tattagtttt	catttaattg	tttcagccca	2760
tctcccctga	tatttctggg	agacaggaaa	tatgttttct	tacacctctt	gcattccatc	2820
ctcaactccc	aactgtctaa	atgcaatgaa	catttaataa	aaaaaacagt	tgattggtca	2880
attgattgga	caacaaggct	gaaactactc	atttcttttc	tttccctatt	tcttccttta	2940
ttttcccttt	ctgaataatt	tagccctaga	gccattaggt	gggtggcagc	cagatggtgg	3000
c						3001

<210> 89

<211> 3001

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 1501

<223> 10-217-91 : polymorphic base C or T

<220>

<221> misc_binding

<222> 1482..1500

<223> 10-217-91.mis1

<220>

<221> misc_binding

<222> 1502..1521

<223> 10-217-91.mis2, potential complement

<220>

<221> primer_bind

<222> 1414..1430

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 1759..1775

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 1489..1513

<223> 10-217-91 potential probe

<400> 89

```

gattgttggt acatagaaac atgcttggct tttgtttggt gatcttgat catagaacct 60
tgcagagctg acttagtatt tctagaagtc tttttgtata ttcttgagat tttatacatt 120
gacaattatg tcaactgaaa atagagacaa ttcttttatt tcctttccaa tctgtatgcc 180
ttttaattct ttttcccagt ataagtcaa ataaatgtgt tgaatttttg aattgttcct 240
aatattagga aggaagcatt tggcttttca tcatcaagaa tgatttagat gaagtgggtt 300
ttttttaga ttctctttat caaatggagg aattttctct ccctagtttg ctgaattttt 360
aacataaaaag agtactgtaa gtactcatta taaaacaaaa tatggctgtg gaagatgaaa 420
gagagtttca agcatgctgg cttgataggc cagatccaaag ctggcaaaaa taattatctc 480
tttcttcttt ttttctatcc atggaataaa aaattaagag gaaagaatgt taatagaatc 540
gcattatttc ttcaaaatac gttgtgagtt ttaaaagtat tatctacctt ttttattata 600
cttttttttag ggtacatgtg cacaacgtgc aggtttgtta catatgtatg catgtgccat 660
gttggtgtgc tgtactcatt aactcatcat ttaacattag gtataactcc taatgctatc 720
cttccccctt ctccccaccc cacaacaggc ccagtggtgt gatgttcccc ttcctgtgtc 780
catgtgttct cattgtatat ttttttaaat ctaccacatc aaggcacctc tttttcatgt 840
tgcccatggt ttaggtgaac ataaagacag agctcgtctg aggcaacata cagtcacaac 900
aagccacctg cctctctgtc tccactctct ctctacactg caccgctgct aggtgttgat 960
cctgtctatt ccagtggaag aacaggttcc gtaccatgtg gagaatttgc atgtaaaagg 1020
agactgggat atacaggctg gagaccacat caggtggctg ggcattgtggg ataaatccta 1080
ttgagcatct gtcatagggc ctgtcactta gtagacagtc actaaatatt tgttaaatac 1140
atgatgcctg ttaacacat tttctacaac catggagacc tccacaactg atgtaggaca 1200
aaatctttct gctttgaact ctagcctttc gggccagtg gatttatgaa aaatgccatc 1260
tctatagctg aggatgaaga atggaagaga atacgatcat tgctgtctcc aacattcacc 1320
agcggaaaac tcaaggaggt atgaaaataa cttgggtttt aattagaaac ttaaagaatg 1380
aatcaggtgg ggacaggtag aaagtaagat cagagttcct ttccgaggag tagctcgtct 1440
aatttgagct tcctaaaaat agtcttttta tgtacagaaa acacatcata aaattcatta 1500
yacaatgtca cttattgttc catgccaggc aaagtcatgt ccttctggga cttatgtctg 1560
cacatttaac tatgggtggg gttgtgtttt gtgcttagat ggtccctatc attgccagt 1620
atggagatgt gttggtgaga aatctgaggc gggaagcaga gacaggcaag cctgtcacct 1680
tgaaacagta agtaggagca cagccatggg gttctgagct gtcattgagcc cctccagctg 1740
cctgctatgg agctgatact cccgctgttg ggttattcca gtgaccagac aaaaggaggg 1800
ctgtggtaat gcaacttcaa tgggtctccc aagatggggc agctccgatg aggaggtggg 1860
gcagctggag gaaaaggatc ttctcccctg tgcacagagg tcagggttta catatctgtt 1920
aaattgtcac cttggatatt ctggaggact aaatacatcc tttaggggga aaagtgtgat 1980
tgtatcaaaag ttttaagcat ggagtgtatg gtaggtgga aggggaaggc acttggtatc 2040
tgttggttg cagtgagtag ggtgggaaag ttataatgga gaacttagaa taactttgat 2100
catttcatgt tttttttctg agggatcag tagaatacta aatattaaac attcccacca 2160
tttctttttc ctccagtctc aaagagagag ggtggtaaaa acgctatagg tggggcaagc 2220
ctattatttg ctgtctacac ttatgcagga acaacagggtg taatctgagc ctgtcctggg 2280
cagacagggg atatgtggtc actcactata gaagtttcca aatcaaattt tgagagtttt 2340
ttttaaccag gacatcattt gtcattatat tttaaaaaa taattctgcc atcagggcaa 2400
cctcagctca ccacagctgg ggatagtgga attttccaaa gcttgagcag ggagtataga 2460
gaataaggat gatatttcta ggagctcagg acatggtagt gttgctttgt aaagtgtga 2520
agaggaatcg gctctgggca tagagtctgt agtcaggcaa tgtcacctgt cttgagcccc 2580
ttagaaagag tgaatttttc tactcttgtt ctgctgaagc acagtgttta cccatcttgt 2640
atcatccaca attaacacat gctactgcag ttgtctgata gtggatctct gtctttctat 2700
gactaggctc cttgacctca gaggtaagtc taactcagtt gagtgtctcc atcccccca 2760
gcggagagcc agctgtgtca ctgacacctg ataatacctt tctgaggagg tgtgatggga 2820
gatgtccag taaatagttc tgaaagtctg tggctgtttg tctgtcttga ctggacatgt 2880
ggatttctct ctgcacgcag agaggaagga tggtaaagag gtgctgattt taattttcca 2940
catctttctc cactcagcgt ctttggggcc tacagcatgg atgtgatcac tagcacatca 3000
t 3001

```

<210> 90

<211> 410

<212> DNA

<213> Homo Sapiens

<220>

```

<221> allele
<222> 168
<223> 99-28779-168 : polymorphic base C or T

<220>
<221> misc_binding
<222> 149..167
<223> 99-28779-168.mis1

<220>
<221> misc_binding
<222> 169..187
<223> 99-28779-168.mis2, complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 390..409
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 156..180
<223> 99-28779-168 potential probe

<400> 90
tgactgctta acagaccaag ttgcttgcat tttgtatggt tagccctcct ttgccactgc      60
ttttagagcc ttggaaggct aagtgtgata gtaatgctag ctctaatagca tatttaaagg      120
agactgcctc gcttttagaa gacatctggt ctgctctctg catgaggyac agcagtaaag      180
ctctttgatt cccagaatca agaactctcc ccttcagact attaccgaat gcaagggtggt      240
taattgaagg ccactaattg atgctcaaat agaaggatat tgactatatt ggaacagatg      300
gagtctctac tacaaaagtc tttgggtatt tgtttcttac atagaaaatg ctaacatgaa      360
tagaaagata ctggtgcaag accattcccg ggaaagtaga cataactaca      410

<210> 91
<211> 479
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 300
<223> 99-28788-300 : polymorphic base A or G

<220>
<221> misc_binding
<222> 281..299
<223> 99-28788-300.mis1

<220>
<221> misc_binding
<222> 301..320
<223> 99-28788-300.mis2, potential complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

```

```

<220>
<221> primer_bind
<222> 458..478
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 288..312
<223> 99-28788-300 potential probe

<400> 91
tctacccatt ctgcttctct gatttttaat gcattgtctc tatcccaggc tactttggag      60
ggatcatccc agtttgcaga taaattcttc cttcctcttt ggactcattt agaagaaagt      120
tgtaactatg gaaatgatgt aactagcctg ttaacatccc tcagcttcct gttagaaatc      180
cccagtgaat tgtggagagg ttggcttttg acctttgtgt tcacatcat caccatcata      240
caatatttat gaaacaccac acacatataa ttctgaactg agccaagcac agagatcacr      300
tccactttcc tcaagggact tgtaatttaa ccttggctct gtgtgctact tagaccaggt      360
gtggttacat aagaaggagg ctgctgccag caaccacaca ttaataacaa tctctctatt      420
ttagaataag tccaggaata tgtaggcat ggatgtagta aagtagccaa gaaagggga      479

<210> 92
<211> 499
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 263
<223> 99-32052-262 : polymorphic base C or T

<220>
<221> misc_binding
<222> 244..262
<223> 99-32052-262.mis1

<220>
<221> misc_binding
<222> 264..282
<223> 99-32052-262.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 478..498
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 251..275
<223> 99-32052-262 potential probe

<400> 92
cagagtgaac aataagtgt atggcttgat agaagtgaag ctcttcacat atattcaaaa      60
tacatatcac aaacttttgt aataggata gtaatctgaa gaacttttgc cttttttacc      120
ccatttactg taactcttgt ttctaggtaa tcgttctctc tcaacaaact tctcaagcgt      180
ctgtgttaac agccacatgt tctaacaat tgtctccatc gcacttcaac agccaggtcc      240
ctatttttta taacgtatta acyttattat tttcttatta ttttaaaaga atctatgcac      300
attagcaaaa tttaaaagat agagaaaaat ataaacagaa aaaattatgt ttacttctac      360
caccctaaat caactattat caattttata catattttac tccatctttt ttcaaagttt      420

```

cttacatttt ccaatgtcat taaaattctc tgtgaatgta aattttaaaa actgtaccta 480
ctgttttttg gaatctgta 499

<210> 93
<211> 467
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 244
<223> 99-32121-242 : polymorphic base A or G

<220>
<221> misc_binding
<222> 225..243
<223> 99-32121-242.mis1

<220>
<221> misc_binding
<222> 245..264
<223> 99-32121-242.mis2, potential complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 448..466
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 232..256
<223> 99-32121-242 potential probe

<220>
<221> misc_feature
<222> 72
<223> n=a, g, c or t

<400> 93
agcagtatga cagggaccat tctgggtctc tgggaagttc tcagctgccc ggagctctgc 60
aggccgcagt tncagctaa atgaacaact ttaccaaagc attgtccgcc ggtatgctaa 120
tgaagatgga gatatggatt ttaacaattt catcagctgc ttgggtccgcc tggatgccat 180
gtttcgtgcc ttcaagtctc tggatagaga tagagatggc ctgattcaag tgtctatcaa 240
agartggctg cagttgacca tgtattcctg aagtgggaac tgagaagtca agatcctccc 300
tggaggacag gactgaaaac cttgccaagc tgtacacagt tgctgatacc ctgtgcaaca 360
gctctcattt cctggcaagc tctttcaca ccctacatat ttctgatcat gtgctgcctt 420
ttactgctga attaaaacag atattcacga aaaatgttct gagtggc 467

<210> 94
<211> 469
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 169
<223> 99-32059-169 : polymorphic base C or T

```

<220>
<221> misc_binding
<222> 149..168
<223> 99-32059-169.mis1, potential

<220>
<221> misc_binding
<222> 170..189
<223> 99-32059-169.mis2, potential complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 448..468
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 157..181
<223> 99-32059-169 potential probe

<400> 94
acaagaaccc acctaccttc cgggtaaga aatagaatat ccctacctg acaagcccac      60
atgcacccca cgccccctaa gcacattcac ccctgttccc tgctctaaaa taaacactat      120
cctgagtttg gcaaacacca cttctttgtt ttttctttat aatattacya tctatgaata      180
tatttctaaa caatacattg ttagtttatt cttcttcaa ttttatgtaa aaggaatcac      240
actacagata ttgttctgtg acttatttgg cccaatatgt ttctgagatt catccttgct      300
gatgggggtg gctgcagttc acttggtttc agtggtggtt atagtaattc tattgtatga      360
ataataacaa tttattttatt catccaactg tgaaggacat ttggattggt tccagttttt      420
ttttcttttt ggattttgaa caatgctgtc tataaacgct ttaggatgt      469

<210> 95
<211> 450
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 304
<223> 99-32061-304 : polymorphic base A or G

<220>
<221> misc_binding
<222> 285..303
<223> 99-32061-304.mis1

<220>
<221> misc_binding
<222> 305..324
<223> 99-32061-304.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 430..449

```


<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 292..316

<223> 99-32061-304 potential probe

<400> 95

cacaaaactc	actattgcc	tagctgcaat	taaaatttag	ataatctggc	tgcttactaa	60
agcaaatagc	ttgataaaat	gtaccccaaa	acagataaaa	attatacagc	aaaatatact	120
atTTTTTTaa	ttctttaaag	tcaaatcagt	atcatgataa	gaattattgc	acaatctttg	180
gttctttttc	ttaaaacct	ctgagggtccc	caggaagaat	tataaactta	ataaaaaaaaa	240
atccagactt	gaagatattt	cagggtccaca	tttcaaagga	gaccagctct	ttggagggag	300
gccrtaatcc	ctccataacc	tgctcctaac	tgagagccag	agaagtccag	agttagaact	360
aaggagttac	attgggtaag	tacaaataga	aaagataatg	gtctcatgga	aactccagac	420
agtgggcccc	atccctttcc	tggaagtcag				450

<210> 96

<211> 487

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 303

<223> 99-32065-303 : polymorphic base G or T

<220>

<221> misc_binding

<222> 284..302

<223> 99-32065-303.mis1

<220>

<221> misc_binding

<222> 304..322

<223> 99-32065-303.mis2, complement

<220>

<221> primer_bind

<222> 1..17

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 469..486

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 291..315

<223> 99-32065-303 potential probe

<400> 96

gccccaatgc	caactacatt	atgataatct	tctaaaagtt	ataattgcct	aatgttaaaa	60
tattttgttt	tctgagttat	tgccaaatgc	gatacatccc	tagttcggaa	agatacccaa	120
ctactatact	tgaaaccact	gaagctacaa	aataccttgc	tctcagtttt	cacatttgct	180
tttctccctc	tacagctttc	tgagtggtgc	taagtggatt	agttatacta	tttttattaa	240
ttacttttagt	agtaattttc	attaaaacaa	ttattaataa	caattattaa	ccagtacagt	300
ctkgttattt	taaacattag	catgaggcag	aatggaactg	cttttcaggc	attatcta	360
taagatggta	atagaggaga	aactgatcat	gagttgacaa	agctactggg	aaaagtttat	420
tcttattgaa	cagaaccaa	ttgttgtgat	ctgtatgcct	taaaagtgca	gcctcttatg	480
tggactc						487

<210> 97
 <211> 541
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 118
 <223> 99-32123-118 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 99..117
 <223> 99-32123-118.mis1

<220>
 <221> misc_binding
 <222> 119..138
 <223> 99-32123-118.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..20
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 520..540
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 106..130
 <223> 99-32123-118 potential probe

<400> 97
 cagtaaata atcagtaaag tacaatataa cacaaaagaa aacgaaatat tgcttgattt 60
 tttccaataa aagcaagggt aataaaaaca tttttagtaa gaaaatctat catttttrtt 120
 ttaaaaatct ttcaatttta aacatcatta ccaacacatt aaaagtatta tcaataagtg 180
 cttttacaat ttcaagcaaa agctactgtg ttttccttat tggaaatact gctttcagtc 240
 atcttttttg tctgaggtac tctcttcagc cttttcaggg ctgactttat tactggcggt 300
 ggaggggggt gtctggactt cttttggtta tgaaaacaca tggcacgtct ggaggtctag 360
 gtatgttgta aatatcttag catattctgg atgctttaag gcaaaacttt taaattcctc 420
 tagaagagaa agaaaaaaaa tccaataagt tgggggtgaat cttcttttgg catgatgcag 480
 attaataaat gactctaata atgcaattat tacaaaattc tactacccaa cacacaaaca 540
 t 541

<210> 98
 <211> 449
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 314
 <223> 99-32148-315 : polymorphic base G or C

<220>
 <221> misc_binding
 <222> 294..313
 <223> 99-32148-315.mis1, potential

<220>

<221> misc_binding
 <222> 315..333
 <223> 99-32148-315.mis2, complement

<220>
 <221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 428..448
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 302..326
 <223> 99-32148-315 potential probe

<400> 98
 tgagtgcatt tgatgtgggs cagcaaagct tcattcaggt ggaaacagat taagaagacc 60
 aaagagtggg gaaatggcta agtaggaatg aaaaaacagc cagctacccg yggccagtgc 120
 cttattctaa aagaggacag ctagcttgcc caaggactct tgcagaagga aacctgggag 180
 agtttccttc tcctcttgca gaagtaaact cttcaggttg aagagtcagg aaggagctcc 240
 agggatgagt gaagtcaact gaagttgcct cttttataaa cagctctgca gtgggttctct 300
 ggaaaccgag gctsgttgca aacccctaaa aagtactgct ctgcaaggct tgtaactgcc 360
 atacttgtgt ggtcctgctc catctccatg tgtggcagtg ccagctgcaa ccagcctcac 420
 acagggtccg agagtctcag aactgcaag 449

<210> 99
 <211> 920
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 95
 <223> 16-2-76 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 76..94
 <223> 16-2-76.mis1

<220>
 <221> misc_binding
 <222> 96..114
 <223> 16-2-76.mis2, complement

<220>
 <221> primer_bind
 <222> 20..39
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 240..260
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 83..107
 <223> 16-2-76 potential probe

```

<400> 99
ctggggcctg agactgaggt ccagggagac cctaattcct gcacccacc cctcctggtt      60
ccctccagat gggaggcatg gaggctgtca tcacrggcct ggcagatgac ttccagggtcc      120
tgaagcgaca ccggaaactc ttcacatttg gcgtcacctt cagcactttc cttctcgccc      180
tggtctgcat aaccaaggtg agtaggggct gggctctggg tcacctgggg gcctctgagg      240
ccgcatttca ataaagtcaa acattcctag ccttagaact gggctgagct cagggagaac      300
aatgcaggat ccagcatcct caattcagcg gcctgaccga ctagggttag gccagtagt      360
cttcttccat ctctgassct gaggattcca ttcagccctg ttaattgcct tattgacttg      420
agggscagca aaagtccctt tggaacccat ctaactcttt attggctgaa actgaggtga      480
ctgtaacgtc aatacaacag caccacagcc ctatgccctg ggttttcaaa tagagctccg      540
agcaagtggg acagggggca ggtaagagtt gacagacaca acaatcagtt cccacgtttg      600
accaaagagg gcctcttggc ttcttctctc cctgtgccag ggtggaattt acgtcttgac      660
cctcctggac acctttgctg cgggcacctc catccttttt gctgtcctca tggaagccat      720
cggagtttcc tggttttatg gtatgtgagt gtgtggaaaa gcctcagctc ccagtcctcc      780
tagaatcctg cacctggagg tgtgcaggga ggccttccat ttccaggaca gccacctaaa      840
attccagagt ccagcaagtc acttattggg aacaaatctc aatcctcggc tcctcttgg      900
atgaacctgc ccttaacagg                                     920

```

<210> 100

<211> 395

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 120

<223> 16-28-93 : polymorphic base A or C

<220>

<221> misc_binding

<222> 101..119

<223> 16-28-93.mis1

<220>

<221> misc_binding

<222> 121..143

<223> 16-28-93.mis2, complement

<220>

<221> primer_bind

<222> 28..47

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 354..374

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 108..132

<223> 16-28-93 potential probe

<400> 100

```

tctgttatct ctaaacctgt gttctgtccg cccacacatg acctaacaat tgggccccca      60
gatactcccc tatcatgtgc agctcagacc aatggtttca gccattgat aggtccttgm      120
tgtttcttac aggagctggc ctagtgttca tctgttatcc agaggccatt tctaccctgt      180
ctggatctac attctgggct gttgtgtttt tcgtcatgct cctggcgctg gccttgaca      240
gctcagtgag tgacctgct taggatacct atccccatc cactgggccc tgacccctt      300
cccaacaca cagtgtggg cctgaagttc ccactattca aacaccagg taacagttgt      360
ttcccagaag gccctattta aattgcagac aaaaaa                                     395

```

<210> 101
 <211> 922
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 342
 <223> 16-3-199 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 323..341
 <223> 16-3-199.mis1

<220>
 <221> misc_binding
 <222> 343..361
 <223> 16-3-199.mis2, complement

<220>
 <221> primer_bind
 <222> 143..162
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 374..393
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 330..354
 <223> 16-3-199 potential probe

<220>
 <221> misc_feature
 <222> 565,643
 <223> n=a, g, c or t

<400> 101
 agctcaagaa acagtgtctg gatgagtgac tcaatggacc agctccacaa acaaagctgg 60
 aggtgtcttg tacagacccc aaatgctatc catgtggggc tgcaggatca aatagcaggt 120
 ggccctcatc tgcagggtgca gccaggctgc ragaagggtg tccctggggc aagctgagggc 180
 ctccctcccct tctcttcctt tcagagactg gcctatggca tcacgccaga gaacgagcac 240
 cacctggtgg ctcagaggga catcagacag ttccagggtg gtgaagccta gaccctggg 300
 gtggagatta caagggcggg ccctggctgt tccctgctgt gyactgcca aggctagaca 360
 tcacatccag aaaaccaga aaccagtgat gagctgcctt ttccccttg aaacatcggg 420
 atgggggaca gggagggtca ccttgagccc atggcctcag gcttgccctg tgactttggg 480
 gaggttctgc tgccctttct gggcctctgt gacaattagg gaatcaactt gcacgttccc 540
 tgaggtccgt gaaggaaggg ggtgnttttc tgccttctct ctacctctg ctgccccgc 600
 cagctggccc ttgctccttt ctgtccccac catgtcatca agnccctcgt gtctttctct 660
 gcagttgcaa cactggctgg ccactctgag ctgcctggag gagaaggagg aacccccatg 720
 ccaatgtcca ggtcacaggc atccgctgcg ctcccacctc ggacaccatc ttgggattcc 780
 tcccctggaa gttgtccttt ctgatcctct cttcttttcc catttacaaa tgatttcgtg 840
 actgtagttt ttgttcacct tctgtgcacg tggcctgggg gctgttagct cagaggagag 900
 gagcaaacag gaaaatgact tc 922

<210> 102
 <211> 245
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 197
 <223> 16-50-197 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 178..196
 <223> 16-50-197.mis1

<220>
 <221> misc_binding
 <222> 198..216
 <223> 16-50-197.mis2, complement

<220>
 <221> primer_bind
 <222> 1..20
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 227..245
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 185..209
 <223> 16-50-197 potential probe

<400> 102
 agaacctcat gggaggacct ggcctggct atcatggggg ccatggtaac aggcctgccc 60
 tgtgtgtgca caggagtgga caggttcagc aacgacatcc agcagatgat ggggttcagg 120
 ccgggtctat actggagact gtgctggaag ttcgtcagtc ctgccttcct cctgggtgtgt 180
 agtgtctgca gggaagycct gcatgtgggg agggggctgt gtccaggatg gagctgggtg 240
 aggat 245

<210> 103
 <211> 357
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 181
 <223> 16-1-59 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 158..180
 <223> 16-1-59.mis1

<220>
 <221> misc_binding
 <222> 182..200
 <223> 16-1-59.mis2, complement

<220>
 <221> primer_bind
 <222> 123..142
 <223> upstream amplification primer

<220>

<221> primer_bind
 <222> 290..309
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 169..193
 <223> 16-1-59 potential probe

<400> 103
 gttgccaggg ctgcccattct ctgggttcaga ccatgtttcc tctgggtctca gagcatcccc 60
 aggggtttctc agcccttccg gaccagttag gtgttccagt gttgtaggaa gcagaggctg 120
 atggcttttg tctgctgggt tcaggatagg attgatgccg caactcagat atttttttcc 180
 ytgggggctg gatttgaggt attgattgca ttgcccagtt acaacaaatt tgacaacaac 240
 tgttacaggt aagattcttc tcagaattct gagaagctct aaatcctggg gattgactct 300
 tgtgggggtgg cagagagggc tctgggtctgg aagccaacte tccctgggca agccaaa 357

<210> 104
 <211> 920
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 206
 <223> 16-2-187 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 183..205
 <223> 16-2-187.mis1

<220>
 <221> misc_binding
 <222> 207..225
 <223> 16-2-187.mis2, complement

<220>
 <221> primer_bind
 <222> 20..39
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 240..250
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 194..218
 <223> 16-2-187 potential probe

<400> 104
 ctggggcctg agactgaggt ccaggagagc cctaattcct gcacccacc cctcctggtt 60
 ccctccagat gggaggcatg gaggtgtgca tcacgggcct ggcagatgac ttccagggtcc 120
 tgaagcgaca ccggaaactc ttacatttg gcgtcacctt cagcaacttc cttctcgccc 180
 tgttctgcat aaccaagggt agtagrggct gggctctggg tcacctgggg gcctctgagg 240
 ccgcatttca ataaagtcaa acattcctag ccttagaact gggctgagct cagggagaac 300
 aatgcaggat ccagcaccct caattcagcg gcctgaccca ctagggttag gccagtagt 360
 cttcttccat ctctgassct gaggattcca ttcagccctg ttaattgcct tattgacttg 420
 agggscagca aaagtccctt tggaacccat ctaactcttt attggctgaa actgaggtga 480
 ctgtaacgtc aatacaacag caccacagcc ctatgccctg ggttttcaaa tagagctccg 540
 agcaagtggg acagggggca ggtaagagtt gacagacaca acaatcagtt cccacgttgg 600

accaaagagg	gcctcttggc	ttcttctctc	cctgtgccag	ggtggaattt	acgtcttgac	660
cctcctggac	acctttgctg	cgggcacctc	catccttttt	gctgtcctca	tggaagccat	720
cggagtttcc	tgggttttatg	gtatgtgagt	gtgtggaaaa	gcctcagctc	ccagtcctcc	780
tagaatcctg	cacctggagg	tgtgcaggga	ggccttccat	ttccaggaca	gccacctaaa	840
attccagagt	ccagcaagtc	acttattggg	aacaaatctc	aatcctcggc	tcattcttgg	900
atgaacctgc	ccttaacagg					920

<210> 105

<211> 466

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 311

<223> 99-28761-311 : polymorphic base A or G

<220>

<221> misc_binding

<222> 292..310

<223> 99-28761-311.mis1

<220>

<221> misc_binding

<222> 312..331

<223> 99-28761-311.mis2, potential complement

<220>

<221> primer_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 446..465

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 299..323

<223> 99-28761-311 potential probe

<400> 105

tttgaactc	taagaaggca	tttttaaaaa	gtaagtaggc	aataaagaaa	tggtacttct	60
atgtaagtag	tgcatgtgta	gtagtgagtt	ttgtgatcaa	tatacattgc	tttgtatgtg	120
atttgctttt	aagatgttgg	aaatgagaat	ctgatataatt	agagaatttg	acttacaaga	180
tttgcaattt	taagtgtaac	acctaggagg	atttaattgaa	ttaattttgt	agtcaatgtt	240
tggatgctca	ggagaacctg	aatttatcag	tttaattctc	agcagggtga	aatgctttaa	300
gagaatttgt	rtgctaaatt	tagaagtttt	gatttattag	tcttacaaga	actaagtaag	360
tcctgagaaa	gattttgttt	cttctatttg	taagtcttcc	tgtagggat	ttgaagattt	420
taacaaagcc	agatgtatca	aatttgtgag	tatagtttga	aatgct		466

<210> 106

<211> 462

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 86

<223> 99-28771-86 : polymorphic base C or T

<220>

<221> misc_binding
 <222> 67..85
 <223> 99-28771-86.mis1

<220>
 <221> misc_binding
 <222> 87..106
 <223> 99-28771-86.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 444..461
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 74..98
 <223> 99-28771-86 potential probe

<400> 106
 ttcagagtag taacttccaa aggctaattgg atgaatgtga gtatttccat tctcattgtg 60
 gccaggaaa atagagataa tcatayagta cccagaaaat gactgcttca tatgatgagg 120
 ctttaatttc cattttaatg gaaacatggt cattttaaag aaagaaaagc agatttctga 180
 actatgtctc ctctctccgt taacaacctg gatgtgcacc tagaattaat gagctacatt 240
 tttatttcta ttttgctaaa gaggtgacc agggctgttg cattacctga tgtctaattc 300
 ttccagtgtc cctctcacgc ctcccctcac tgttttcccc cttctgaatg cgatgttagt 360
 attttggtt tgtctcaa ataaacttaca gtcgggtttt tatttctccc caacggagcc 420
 tctcaaattc cttatcttca gctcaacagg aaggagatta ct 462

<210> 107
 <211> 452
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 291
 <223> 99-28791-291 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 272..290
 <223> 99-28791-291.mis1

<220>
 <221> misc_binding
 <222> 292..311
 <223> 99-28791-291.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 432..451
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 279..303
 <223> 99-28791-291 potential probe

<400> 107
 taaaaaacc caactcaacat gggcagtcaa gccaaagact gggacctttg gagagcctct 60
 ggaatgagag ttctctgggg tacttcctaaa gggagctggc agtcagtcca ggggacctaa 120
 aggaatttgg ttgaacagta tcctctctgt gcatagtaag agggaatgtt ggggtggtccg 180
 ggcagtttcc aatatggcaa agcatctgct tggacagtgc cagcaagcct tcctctgacc 240
 cagtctccaa tgtccactaa cttataaaaa tgtcatcaac tcccacatgt ragaaacacc 300
 atgatttgta ctgtgcatgg gtcacattct tattctagaa atgcatcacc ctgtgtttat 360
 ccaagtgtgt ttacttgggtg taatgtccag tagtaataga atatgaaata tcaaggaacc 420
 atctttgtta cgtgacttcc aaaatgtgag at 452

<210> 108
 <211> 489
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 66
 <223> 99-32077-66 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 47..65
 <223> 99-32077-66.mis1

<220>
 <221> misc_binding
 <222> 67..85
 <223> 99-32077-66.mis2, complement

<220>
 <221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 471..488
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 54..78
 <223> 99-32077-66 potential probe

<400> 108
 gctggagggtg agataaggca tcttcaccgc tgcatttcca gctttgtagg gggaaaacaa 60
 tttgcrtttg ggaaataatc caacaagcaa tcctatgggtt ttaatacaaa cactcaaaga 120
 ggttctggcc atgaccatct gggctcagcc cttcactgaa ttggaaagac ggcaacgata 180
 atggttgaac aggccacat gtgttggtc tgattctgag tttcccctac ccaccgcacc 240
 ccatgattga agaggatata gggctccacc actgtcaggc atcaaggaag acacagggtct 300
 aggggagaaa tcaacacttc tcagggtcct tttcaaggac taccacagag atggaaggctc 360
 atctagtcta tgggtgtcctg gacctgcctt ggcagtagtc gtggccattt tggggtaacc 420
 taaagaaaac agacaatggt tgatttgtaa catattgaga gttgtttttg cccttttgat 480
 gacctgcag 489

<210> 109

<211> 489
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 467
 <223> 99-32078-466 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 448..466
 <223> 99-32078-466.mis1

<220>
 <221> misc_binding
 <222> 468..486
 <223> 99-32078-466.mis2, complement

<220>
 <221> primer_bind
 <222> 1..17
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 470..488
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 455..479
 <223> 99-32078-466 potential probe

<400> 109
 agcaccacagt ttgttagagt aagactgggc caaagcatcc tgggatgcag tagtggtatg 60
 gtagactaac tgctgtaaca aatagacccc aaagcggatg gtagctcata cacaacagga 120
 atttattcctt gttctcatta cagtagtgga tatgggaata ataagcaggc tccaatctat 180
 ctgggtcttt cagggaccca gaattgacaa ggctttgctt tcttcaacac ttggcttcaa 240
 gggtatcctg gggttgctt ctattctggc cagccagaag gaacaaaaaa catgatgtat 300
 ttctatgcgg gaggtcttta ggggccagc ccacaaaagg cttacatcag ttccaccaac 360
 tctccattgg ctggaacgca ggcacagggt ggcacctgac tgtgtgggaa atgtggtcca 420
 tggctgctca gcacttccca gcatgatgct tggagcaagc aggccayctc tgtctgagag 480
 aggatacag 489

<210> 110
 <211> 470
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 426
 <223> 99-32376-426 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 407..425
 <223> 99-32376-426.mis1

<220>
 <221> misc_binding
 <222> 427..446

<223> 99-32376-426.mis2, potential complement

<220>

<221> primer_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 449..469

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 414..438

<223> 99-32376-426 potential probe

<400> 110

ggggctgaga	attactggca	ttgagacttt	tgatgctggt	agctgcaact	gatgcagttc	60
ctccttaaac	ccagtgaaaa	aacctgtggt	cacgtagctt	tcacacttta	tcctatgtca	120
caaacaaacc	tgaatctgca	aacctcctgg	gatggctcctg	caaatgcaag	gtgaccatga	180
acctgctgtt	ccccagagcc	ccctttgcat	tgagggcttt	tgaggccatc	tctcatttga	240
tacaagctga	gcagcctcgt	tcctcctgct	cttcctcaaa	tgctcttcag	gctttctctc	300
cttctcacag	catggtgcta	gatgcttgac	tttttacttc	ctggaaaaaa	aatttcaggt	360
ccatgtggct	tcttgatagt	aaaagaaagc	aatactcatg	tatttattgg	ttcactcaca	420
tctggrrtgtt	agagccaaat	tccaaagacc	tttgaaagtt	ctcttgagg		470

<210> 111

<211> 457

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 420

<223> 99-32361-419 : polymorphic base G or T

<220>

<221> misc_binding

<222> 400..419

<223> 99-32361-419.mis1, potential

<220>

<221> misc_binding

<222> 421..439

<223> 99-32361-419.mis2, complement

<220>

<221> primer_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 442..456

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 408..432

<223> 99-32361-419 potential probe

<400> 111

```

tctetaatct tctccatcat cattatctgt tgaaattaaa atgcatcctg aggcattgctg      60
cccagtggtt ttatatcttg tctgcacaat gagattgtaa gtcctctgag gaaaaggacc      120
agggtgtgtg tgaattatgc attccttctg gtgtctagaa taatatcaag ttcagaagac      180
tcaggatatca cttgagatgt ctctttctgg cccctccaat ggtctgaata aatctgactc      240
aaactcccag tttaacagtc ttgatgaagc ccaaagccct atccatgata cgtgagaatt      300
cttattgttt ttcttttgat ggggtccatt gtgactagtt caaaatactg gagactatgt      360
cttttttctt tctcatatac atgggttaca aactctctct tttataaact tccataaaak      420
ctggtgagtc tcttaagaac tgggtatttag agacctc                                457

```

<210> 112

<211> 424

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 228

<223> 16-21-228 : polymorphic base A or G

<220>

<221> misc_binding

<222> 205..227

<223> 16-21-228.mis1

<220>

<221> misc_binding

<222> 229..251

<223> 16-21-228.mis2, complement

<220>

<221> primer_bind

<222> 1..25

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 399..424

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 216..240

<223> 16-21-228 potential probe

<400> 112

```

tagcaggcta agtcctcctt ctacttcac ccagatgata cccacttcag gaagtctttc      60
ccttctgtgg gatgagatgc ccattctgca gggctttcac tccctgcac ctgccaaacc      120
tcatcatctc ttacctggat tctgtctaca gctcccagtg tgggtgtccc cttccactct      180
gggcccctcc tctcgttctt ccacagtgt gtcagaatca cctattcraa aggcgaatcc      240
gatcatgtgg ttctgtctgc ccttaggata atgtataaac tcctagcatg acttttaagg      300
ccctctatga tcttgctat tgcaacctcc ccagactcaa cccttgccag gtccctctgc      360
atcagctatc cagaatctct ttgaggccct ccacctgctg tctacctctc tacctctgtg      420
cttt                                                                424

```

<210> 113

<211> 481

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 156

<223> 16-22-156 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 133..155
 <223> 16-22-156.mis1

<220>
 <221> misc_binding
 <222> 157..175
 <223> 16-22-156.mis2, complement

<220>
 <221> primer_bind
 <222> 1..24
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 458..481
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 144..168
 <223> 16-22-156 potential probe

<400> 113	
gcctgacaca tggtaagtcc ttagtattat tacagttatt aggacttagc tgagccagct	60
cagggcctgt actgcaggtc tcagctttat gtgagcaaga gcattaagga atgatgcctg	120
gatgcctggg ggtgtgaaga aaagagcctt ggggttygact aggggaacctg gggccactcc	180
ttcctctgct actaaatcac caagtgatct tggtctgttt tcttctctga ccctccctag	240
ttttgtccac ccttgaaata atcatctttc cttttcacat ttcattgctta ccaagtactt	300
gtcacctaata tatctcctct cttgataagc tagatggttc cttccagggc agcttagtag	360
agagcatggg atgtgatggt tcagattcca gctctgctgc acacctgcca ggtgaacttg	420
gccacgttac atggcctctc tgggcttcag ttccctcacc tatgagtggg ataagcaagc	480
c	481

<210> 114
 <211> 478
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 404
 <223> 16-23-404 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 381..403
 <223> 16-23-404.mis1

<220>
 <221> misc_binding
 <222> 405..427
 <223> 16-23-404.mis2, complement

<220>
 <221> primer_bind
 <222> 1..26
 <223> upstream amplification primer

<220>

<221> primer_bind
 <222> 455..478
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 392..416
 <223> 16-23-404 potential probe

<400> 114
 ctaagtggga ataacgctaa acatacttgg attaatgcac aaggccctga gatagaggac 60
 aggcgctctgg tagacctaga agggcacgca aacatatgaa acacatagga acacaagtga 120
 gttcaacaga cagagccaag ttatcttgct gcaaacatta aaagggtggcc aacctctccc 180
 aatacacagg tcagactaaa aagatggttt actcttttaa aagttttctt gtgtcattct 240
 ttctggatac atcggttca cttgttatgc ccagacatgg caaaactaat gaccaagtaa 300
 tgagggaata gtaatggaaa gacttgggag cagtccatca tcacagctta actttttgct 360
 cacaaccgtg tttttaatac tctggtatct gctgtgcgtt tgtrtatatc taagatgacc 420
 aggcagcctt aaacatctag ttgcgttcat attctctgta aaatcgetcc ttgttctc 478

<210> 115
 <211> 428
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 175
 <223> 16-24-175 : polymorphic base A or C

<220>
 <221> misc_binding
 <222> 156..174
 <223> 16-24-175.mis1

<220>
 <221> misc_binding
 <222> 176..194
 <223> 16-24-175.mis2, complement

<220>
 <221> primer_bind
 <222> 1..22
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 405..428
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 163..187
 <223> 16-24-175 potential probe

<400> 115
 tcgaaccgat cttcagttga cagaagagga aacaggctca gaaagattag gcaactcacc 60
 cgtctcaaga gttggtgaca ctaagccag acctgtgtga ctctgaaatc cacacctgtg 120
 ttctttccac tgacatgagc tgccttatgg atgggcaggt tctggggtag gacgmgcaga 180
 gcagctgcgg ggactggtgg cggassagtt tgtgtacata gagccctcag gtgcggaagc 240
 mmagcagacc ccagcctctg ccagggtgga gctgtaccaa catgcaagca gcaggcattc 300
 catcctccag agggatggag aacagggcca gagaaccac agagggcgcg atacaaaatc 360
 caggtctggt gtctgcctt cacctgcact gcaagggcag gactctaaga agctgtttat 420
 gaggcagg 428

<210> 116
 <211> 433
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 286
 <223> 16-25-286 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 267..285
 <223> 16-25-286.mis1

<220>
 <221> misc_binding
 <222> 287..305
 <223> 16-25-286.mis2, complement

<220>
 <221> primer_bind
 <222> 1..22
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 412..433
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 274..298
 <223> 16-25-286 potential probe

<400> 116
 ggtcccatgc ctcaagtgaca tccttgccctc cctggcaggg tgaccctgtg gtgtttgcag 60
 gagtcttcag agggtgaaag ggaggggcca gtgagatggg tggctgatgc ctgggaactt 120
 gtccggcttt acccagagcc ctctgcctct ggtgcaggag gctgcccggc gagcccagga 180
 gctggagatg gagatgctct ccagcaccag cccacccgag aggacccggt acagcccat 240
 cccaccagc caccaccagc tgactctccc cgacccgctc caccayggtc tccacagcac 300
 tccygacagc cccgccaaac cagagaagaa tgggcatgcc aaagaccacc ccaagattgc 360
 caagatcttt gagatccaga ccatgccc aa tggc aaarcc cggacctccc tcaagaccat 420
 gagccgtagg aag 433

<210> 117
 <211> 433
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 279
 <223> 16-25-279 : polymorphic base C or G

<220>
 <221> misc_binding
 <222> 260..278
 <223> 16-25-279.mis1

<220>
 <221> misc_binding

<222> 280..298
 <223> 16-25-279.mis2, complement

<220>
 <221> primer_bind
 <222> 1..22
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 412..433
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 267..291
 <223> 16-25-279 potential probe

<400> 117
 ggtcccatgc ctcagtgcgc tccttgccctc cctggcaggg tgaccctgtg gtgtttgcag 60
 gagtcttcag aggggtgaaag ggaggggccca gtgagatggg tggctgatgc ctgggaactt 120
 gtccggccttt acccagagcc ctctgcctct ggtgcaggag gctgcccggc gagcccagga 180
 gctggagatg gagatgctct ccagcaccag cccacccgag aggacccggt acagcccat 240
 cccaccacgc caccaccagc tgactctccc cgaccctgsc caccaygggc tccacagcac 300
 tccygacagc cccgccaaac cagagaagaa tgggcatgcc aaagaccacc ccaagattgc 360
 caagatcttt gagatccaga ccatgcccaa tggcaaarcc cggacctccc tcaagaccat 420
 gagccgtagg aag 433

<210> 118
 <211> 478
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 393
 <223> 16-23-393 : polymorphic base G or T

<220>
 <221> misc_binding
 <222> 370..392
 <223> 16-23-393.mis1

<220>
 <221> misc_binding
 <222> 394..416
 <223> 16-23-393.mis2, complement

<220>
 <221> primer_bind
 <222> 1..26
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 455..478
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 381..405
 <223> 16-23-393 potential probe

```

<400> 118
ctaagtggga ataacgctaa acatacttgg attaatgcac aaggccctga gatagaggac      60
aggcgtctgg tagacctaga agggcacgca aacatatgaa acacatagga acacaagtga      120
gttcaacaga cagagccaag ttatcttggc gcaaacatta aaagggtggcc aacctctccc      180
aatacacagg tcagactaaa aagatggttt actcttttaa aagttttctt gtgtcattct      240
ttctggatac atcggcttca cttgttatgc ccagacatgg caaaactaat gaccaagtaa      300
tgagggaata gtaatggaaa gacttgggag cagtccatca tcacagctta actttttgct      360
cacaaccgtg tttttaatac tctggtatct gckgtgcgtt tgtgtatata taagatgacc      420
aggcagcctt aaacatctag ttgcgttcat attctctgta aaatcgctcc ttgttcct      478

```

```

<210> 119
<211> 742
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 364
<223> 16-106-364 : polymorphic base C or T

```

```

<220>
<221> misc_binding
<222> 345..363
<223> 16-106-364.mis1

```

```

<220>
<221> misc_binding
<222> 365..383
<223> 16-106-364.mis2, complement

```

```

<220>
<221> primer_bind
<222> 1..22
<223> upstream amplification primer

```

```

<220>
<221> primer_bind
<222> 723..742
<223> downstream amplification primer, complement

```

```

<220>
<221> misc_binding
<222> 352..376
<223> 16-106-364 potential probe

```

```

<400> 119
cccagatggg tgatctacaa tgaccagaaa gtgtgtgcct ccgagaagcc gcccaggac      60
ctgggctaca tctacttcta ccagagagtg gccagctaag agcctgcctc accccttacc      120
aatgagggca ggggaagacc acctggcatg agggagaggg gctgagggat ggacttcagc      180
ccctctgctc tgtacccttt ttcttttgt ccccggcagc agggaagaag ctggaggccg      240
tgaggagaatg gctggggcaga gcagaggggc agcgatagac tctggggatg gagcaggacg      300
gggacgggag gggccggcca cctgtctgta aggagacttt gttgcttccc ctgcccccg      360
aatycacagt gctctgcttc tctgtgtcgc cccgcccagc cccttggtgt ggagggaggg      420
gtctcgtttg tgcgcgtggg tgtagctttg tgcatectct ccagtgagg cgatcacctg      480
tgccctccct cccctttgt ttgccctgt gtggttggtc aaggagggat gtgagggaaa      540
tagggacccc ccgacttgcc ctccctgcctc agtctttccc ccaccctgtc tcttccttgt      600
ccttctctgg aaaatgccaa aatacacgat gtgaataaaa gtacaacggc taaattgtgt      660
cctgtttgat accttggggg agaggcttac cttcctgggg ttagcaggag ggcgcttaag      720
aaaactccta actctggccg cc                                     742

```

```

<210> 120
<211> 535
<212> DNA

```

<213> Homo Sapiens

<220>

<221> allele

<222> 285

<223> 16-16-285 : polymorphic base C or T

<220>

<221> misc_binding

<222> 265..284

<223> 16-16-285.mis1, potential

<220>

<221> misc_binding

<222> 286..304

<223> 16-16-285.mis2, complement

<220>

<221> primer_bind

<222> 1..19

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 516..535

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 273..297

<223> 16-16-285 potential probe

<400> 120

gttggcaggg	ctgcttctca	ccccaaacca	agggagggac	aggcagggag	gctgagagca	60
gcggtctgcc	ctggagctgt	caggtgggag	gcagagggcg	ggagaggctg	tgggctgccc	120
aggtctgata	cctgaccac	ttgccaccg	tgccctcagt	tcttcccaa	tggagaggcc	180
atctgcacgg	gctcggatga	cgcttcctgc	cgcttggttg	acctgcgggc	agaccaggag	240
ctgatctgct	tctccacga	gagcatcatc	tgccggcatca	cgtcygtggc	cttctccctc	300
agtggccgcc	tactattcgc	tggtacgac	gacttcaact	gcaatgtctg	ggactccatg	360
aagtctgagc	gtgtgggtaa	gggccagccc	tggtctgtgc	ttcctcagct	ggaaggaccc	420
tccccagccc	tccctcccca	ttctgtaccc	cccacagct	cccatttcgg	actctcttac	480
tgctgtccct	tgctactggg	tgactccacc	cctggaatcc	agtaccctt	gggtc	535

<210> 121

<211> 529

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 121

<223> 16-17-121 : polymorphic base C or T

<220>

<221> misc_binding

<222> 102..120

<223> 16-17-121.mis1

<220>

<221> misc_binding

<222> 122..140

<223> 16-17-121.mis2, complement

```

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 508..529
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 109..133
<223> 16-17-121 potential probe

<400> 121
gcaggcccag cagacttgag tctgaggccc caggccctag gattcctccc ccagagccac      60
tacctttgtc caggcctggg tggatatagg cgtttgggcc tgtgactatg gctctggcac      120
yactagggtc ctggccctct tcttattcat gctttctcct ttttctacct tttttctct      180
cctaagacac ctgcaataaa gtgtagcacc ctggtacatc tgtgatgttt gccttctact      240
ctcttctgtt ccaaaaagac ccagggtccc ttttaaggga gtaatgtgtt acagggtgctg      300
tgataaaggc tgggtactgg atagcttggt ggcttatggg aggaggcctg agatgggtca      360
gggggagaag gtattcagca ggtggctggg ggactgtgtg cagcagttcg ctatggcctg      420
cctgtggtgc ccattgtgtt gtacgggagg gttagcttga gaaggaatca gattataaaa      480
ggtcttgaat gtcaagccag agagtccaga ctttttccta agggcaatg      529

<210> 122
<211> 540
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 185
<223> 16-84-185 : polymorphic base C or T

<220>
<221> misc_binding
<222> 162..184
<223> 16-84-185.mis1

<220>
<221> misc_binding
<222> 186..208
<223> 16-84-185.mis2, complement

<220>
<221> primer_bind
<222> 1..22
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 525..540
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 173..197
<223> 16-84-185 potential probe

<400> 122
tagaatgcct ttaatgagca gtaaactctaa ttttattaaa tctcaaccct tgggtacgg      60

```

```

gtgtcatgaa atgggaagta gcacacagta ctatatgcta cagatgaagt acaatgctgt 120
caaatagggg tacttggtgt aattgttgga gtgcgaagct gaactagcgt tttcttttct 180
tttcttttct tttcttttct tttcttttct tttcttttct tcttttcaag acaggttctc 240
actctgtcac tcaggctaga gtgcagtggg gcaatcacgg ttcactgcag cctcaacttc 300
ctgggctcaa gcgatcctcc cacctcggcc tcctaaaatg ctgggattat aggcattgagc 360
caccactccc agccccactt ttttcagact ggaaaacgca cactcacatg tgcattctta 420
aatgatcact tgggctgtgg tatggagaat ggcgaccagt gaggaggcag gagctgttgt 480
ccgagcaagg gatgatattg gcatcttgga ttggcatggg ggcatgtagt gtagtgcaga 540

```

<210> 123

<211> 525

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 74

<223> 16-87-74 : polymorphic base A or G

<220>

<221> misc_binding

<222> 51..73

<223> 16-87-74.mis1

<220>

<221> misc_binding

<222> 75..97

<223> 16-87-74.mis2, complement

<220>

<221> primer_bind

<222> 1..22

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 504..525

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 62..86

<223> 16-87-74 potential probe

<400> 123

```

gtccatttcc ctttgtccat gtgtccctcc caccctgcag ccggctccct cacatccacc 60
ctgggctgca ggertgctcg gcaggctccc cacagatcaa agcttgtcca gggctctgcat 120
tgctgcaaaa ggccaggagg actggtgtac agaccggaag gagctagagc ttagtggcag 180
cctgagaggg gaagctgaaa aaggagaaga ggcaaggggc attccagggg agcccgagg 240
agccagcacg gcctcctggt atatgaggca aagaggaaga cagacacaga cacagggagc 300
tgaggctggg gggcataaag tgggggctgg gaagcataga tacagaaatg cacagatgtg 360
agctgagaag caaggaggga gagagagaga cagaaagaga gagagagacg tgccagggct 420
tgagggacca gagagccctc ccagcctctc tcggagtgtg ggtatacagg atgctaccgt 480
actagggtaa gacacctctg gggacgctga gtatgggaat caaag 525

```

<210> 124

<211> 665

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 333

<223> 16-91-333 : polymorphic base A or G

<220>

<221> misc_binding

<222> 310..332

<223> 16-91-333.mis1

<220>

<221> misc_binding

<222> 334..356

<223> 16-91-333.mis2, complement

<220>

<221> primer_bind

<222> 1..19

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 641..665

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 321..345

<223> 16-91-333 potential probe

<400> 124

gcccattgctc	aggggtcagtt	ggggaagggt	ggaaacgggg	agtgaagatt	tgccctctgct	60
gctatcctga	gctccatctc	tctatccctc	ccatctgtct	ctggatttgt	agtttcactg	120
tcagggtctgc	atgggaacca	tcacttcaca	aggactctaa	tttgccctcc	tttggcgcct	180
gtgacaagct	caggagatgg	gcttccttct	gccttgctgc	ttctcacctt	cctttatatt	240
ccccctctt	gctcttctt	gaactctcca	gctaagggtat	gtttgcacca	gtgtttgaaa	300
gaaccggcag	ctgaacttgt	ctgccagtgg	gargggggct	cttggagtta	gctgtctggc	360
ctctggagac	caccttctcc	agcactgcct	ctgccccaa	gatcaatgtg	ctctaagtat	420
tcatccccca	acccctgacc	ttgtcgctcc	ctctccagt	ggcaatctgt	cccaggctat	480
agaaaatgtc	ctgagtgtcc	tgctcttcta	cccggaggat	gaggctgcca	agagggtctc	540
gaaccagtac	caggcccagc	tgggagagcc	gagacctggc	ctcggaccca	gagaggtaat	600
cccctctcca	cgctcacctg	ggaggtagcc	ccaaatcaaa	caaataagacc	tgagaagtaa	660
cctgg						665

<210> 125

<211> 327

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 142

<223> 16-128-142 : polymorphic base C or G

<220>

<221> misc_binding

<222> 123..141

<223> 16-128-142.mis1

<220>

<221> misc_binding

<222> 143..161

<223> 16-128-142.mis2, complement

<220>

<221> primer_bind

<222> 1..20
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 308..327
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 130..154
 <223> 16-128-142 potential probe

<400> 125
 ctaggaaacag tgcgccagtt tctggtgggc tgcagggcac gaggagatag tcaacttgtc 60
 tgactgttaa tccaccctgt cccctgcaga tggaggggag cagccaggcc cctgccccaa 120
 gtcctgcag aagcagaggc gsatgctgga gcgcctggc agcagcgagt gtgagtgcag 180
 cccctgcccc gtctcaccga tgcctcccag cctgcacctg cagggcgacc tctccttcct 240
 gtgcgactcc atcctggcct gccctatctc acccgtgcct cccagcctgc gcctgcaggg 300
 cgacctctcc ttcctgtgcg accccat 327

<210> 126
 <211> 551
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 245
 <223> 16-133-205 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 222..244
 <223> 16-133-205.mis1

<220>
 <221> misc_binding
 <222> 246..268
 <223> 16-133-205.mis2, complement

<220>
 <221> primer_bind
 <222> 41..59
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 472..490
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 233..257
 <223> 16-133-205 potential probe

<400> 126
 gttctcctgg cactttgctc acctctgttt cccctccagc tcttcctgga gtacctgtcc 60
 tttgtgcaat acacctcctg gaactgtctt tccagtctct gctttttgtc ctgatgattt 120
 tcatgtgctt ttcctctaca tcatgaagca tttactccac attatcttcc agtttgcctc 180
 tttgtcctca cctccactct tctctttctg aatttgacctg ttgctttttc agtctcttag 240
 ctcctggag tatgttcagt gttgctgtgt tctgatagag gctccttaag ccatcttgta 300
 gattttttgt tgcacttcct ctcttccctt agacctccac aggaggaact tttcaatctg 360

tcctcttctc	tctgcttaat	gagccctgc	aaagggtttg	ggaagtgctt	cagcctctct	420
gtgatttgtg	gttcacatta	atatttatta	ttttctttaa	tgtgcataaa	tctcacaatg	480
tgaacagtga	tcattctttga	gtgatttttt	ttctcctttc	tacttttagt	aattctccaa	540
attttctaca	g					551

<210> 127
 <211> 551
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 232
 <223> 16-135-181 : polymorphic base A or T

<220>
 <221> misc_binding
 <222> 209..231
 <223> 16-135-181.mis1

<220>
 <221> misc_binding
 <222> 233..251
 <223> 16-135-181.mis2, complement

<220>
 <221> primer_bind
 <222> 52..71
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 482..501
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 220..244
 <223> 16-135-181 potential probe

<400> 127	
ttggttgttg	ggaccagaga cagagcaggc agggctctcac gttccccagg gcctctcaag 60
gatagacct	cgccctcatc tccaaaccac gcctcccaga caggaaccac actcccagag 120
tctccaaact	gcctgagcct tgcccactcc ctgggctaac acacacttta aagggaatccc 180
acagtcaccg	tgtgaaaagc ttgctacact gcatttgatt ctgggcactg awagcagtac 240
ttggctgcag	acactcgttt caaacaggcc ccatttttcc atctctgctg ctgttattag 300
gggagccctt	agactctctt gcagcgccgg aataggcgct caagacgtgt gttaaatattg 360
caacagcaaa	tataatgaat ctgcagttgg ggacgctgag gccggagtgg tggatgaaag 420
gtggccggag	ccttttccac ggggtccaaac caccgtgtac aggagaaggc gagcggcctc 480
gctaagcaac	tggacgttcc gcggggcggg cgggggcggg gccggggccc gagtccgctc 540
ggaaactttc	g
	551

<210> 128
 <211> 551
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 455
 <223> 16-145-405 : polymorphic base C or T

<220>

<221> misc_binding
 <222> 436..454
 <223> 16-145-405.mis1

<220>
 <221> misc_binding
 <222> 456..474
 <223> 16-145-405.mis2, complement

<220>
 <221> primer_bind
 <222> 51..69
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 523..540
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 443..467
 <223> 16-145-405 potential probe

<400> 128
 gtggaaaaaa ccatatggca ttgtgcctt ctcagcctga cctggcatgc actctcacc 60
 tcatctgtca tgcctcctgc tttccacct ggggggctga gaagtcggc catcgaaacc 120
 ttggttcctg ccagccacgg gagtttgaa gctttatcag attcctgaag cctcgtttcc 180
 tcatgggaac agtgcagggtg aaagcacctt cctctcgga cgggggggaa gatgagagga 240
 aattaaatag atgtatggcc ccgcagcagg actggcgctc tccatttgtt ctgaaattgg 300
 caggttcttg gtctcactta cttcaagaat gaaaccacgg accctcgcg tgactgttac 360
 agttcttaaa ggcggcgtgt ctggagtttg ttccttctga tattcagatg tgttccgcgt 420
 tttcctcctt ctggtgggtt cctcctctcg ctggytcagg agtgaagctg cagaccttca 480
 cggcgagtggt cacagctcat aaacgcagta cagaccctaa gagtgagcag caattagatc 540
 tatcacaaag a 551

<210> 129
 <211> 492
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 320
 <223> 16-177-320 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 297..319
 <223> 16-177-320.mis1

<220>
 <221> misc_binding
 <222> 321..343
 <223> 16-177-320.mis2, complement

<220>
 <221> primer_bind
 <222> 1..22
 <223> upstream amplification primer

<220>
 <221> primer_bind

<222> 472..492

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 308..332

<223> 16-177-320 potential probe

<400> 129

gaccctatcc	gataaatggt	gcttcctctt	catgacaaaag	aaaatgaaca	ctcattcact	60
caaaaatattc	agcacctgct	gtgtgcttca	ctcttcctgg	cacaggggat	gcagaatgaa	120
cagagagccc	ctgccccact	gggaggggtg	tttgtgggga	gatggaccag	gtaccagtca	180
gtgaatatag	cacaatggca	ggtagagaaa	agtgtacag	tcatctaccg	tgagcgctgt	240
gatgctctgc	ccagtttcac	cacattaatg	gagcaccac	tatatgctgg	acacatacca	300
tgcattttct	catcctagcr	gctgttgcaa	aatagacacg	tccattgtga	agactgcggg	360
cggtagaatc	gcagccccca	aagggtgtcca	ggtcctaate	cccaaatect	gtttgtgtgt	420
tcccttgcac	ggcaggaggg	atgttgacaga	tgggattcag	ttaaagatct	tgataccggg	480
gagatgattc	tg					492

<210> 130

<211> 759

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 354

<223> 16-4-354 : polymorphic base C or T

<220>

<221> misc_binding

<222> 335..353

<223> 16-4-354.mis1

<220>

<221> misc_binding

<222> 355..373

<223> 16-4-354.mis2, complement

<220>

<221> primer_bind

<222> 1..20

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 740..759

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 342..366

<223> 16-4-354 potential probe

<400> 130

cctcggtccc	acgtaccatc	tttccccag	gtgggtcaagt	acccctgca	cgccatcatg	60
gagatcaagg	agtacctgat	tgacatggcc	tccagggcag	gcatgcactg	gctgtccacc	120
atcatcccca	cgcaccacat	caacgcgctc	atcttcttct	tcatcgtcag	caacctcacc	180
atcgacttct	tcgccttctt	catcccgctg	gtcatcttct	acctgtcctt	catctccatg	240
gtgatctgca	ccctcaagggt	gttccaggac	agcaaggcct	gggagaactt	ccgcaccctc	300
accgacctgc	tgctgcgctt	cgagcccaac	ctggatgtgg	agcaggccga	ggtyaacttc	360
ggctggaacc	acctggagcc	ctatgcccac	ttcctgtctc	ctgtcttctt	cgtcactctc	420
tccttcccca	tcgccagcaa	ggactgcac	ccctgtctcg	agctggctgt	catcaccggc	480

```

ttctttaccg tgaccagcta cctgagcctg agcaccatg cagagcccta cacgcgcagg 540
gccctggcca cegaggtcac cgccggcctg ctatcgctgc tgcctccat gcccttgaat 600
tggccctacc tgaaggctct tggccagacc ttcatcacc tgctgtcgg ccacctgggc 660
gtcctcaacg tcagcgctcc gtgcctgctc tatgtctacc tgctctatct cttcttccgc 720
atggcacagc tgaggaattt caagggcacc tactgctac 759

```

```

<210> 131
<211> 47
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 24
<223> 99-27199-207 : polymorphic base C or T

```

```

<400> 131
cccaatgtgg ccagggacac tgayggcctt ttctgggggc ttttgcc 47

```

```

<210> 132
<211> 47
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 24
<223> 99-27207-117 : polymorphic base C or T

```

```

<400> 132
tgtgtggcca gcccctccag ggcyygtgtg acagcttttt gtgtatt 47

```

```

<210> 133
<211> 47
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 24
<223> 99-27213-53 : polymorphic base A or G

```

```

<400> 133
tcacacatgt aattgtttat gcarcgttag ggactctcag attctgt 47

```

```

<210> 134
<211> 47
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 24
<223> 99-27218-333 : polymorphic base G or T

```

```

<400> 134
gatatttaat aggtggacca ggtkggggag tgtgtttcac tccttga 47

```

```

<210> 135
<211> 47
<212> DNA
<213> Homo Sapiens

```

<220>
<221> allele
<222> 24
<223> 99-28108-233 : polymorphic base A or C

<400> 135
cccgtcatgc aacatctgga cacmactaac agagcatggt gaataca 47

<210> 136
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28109-275 : polymorphic base A or G

<400> 136
atgtgtccta ggatgaacag taaraattat agactctgca gctctag 47

<210> 137
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28110-75 : polymorphic base C or T

<400> 137
ggtttccgtg ggaaccagat ccgygcaggt acaaatgggg cccagcc 47

<210> 138
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28125-81 : polymorphic base A or C

<400> 138
ggaccgagga agctgtaatt ccamaagctc tctgggacct tgatggt 47

<210> 139
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28134-215 : polymorphic base C or T

<400> 139
gggtctgtca ccctgtttgg gtayaggctc ctgcacgctg gcggcct 47

<210> 140
<211> 47
<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-28137-96 : polymorphic base A or G

<400> 140

aagcagtccc agctcttagc aggrcagact ctgccaggca gagaagg

47

<210> 141

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-32204-305 : polymorphic base A or G

<400> 141

caggtggttg gacttcagag tccractctt aaccccatcc tccactg

47

<210> 142

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-28149-118 : polymorphic base C or T

<400> 142

cccacatagc atactgtgac cttygatggg aggagctagc atgtgat

47

<210> 143

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-28160-285 : polymorphic base A or G

<400> 143

tggatcaagt gctaggggat cgcrataatg ggagtaagta gctggggg

47

<210> 144

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-28171-458 : polymorphic base A or G

<400> 144

actcaagctt tgattccaaa tctctgttta tttcctactg ggaaatg

47

<210> 145

<211> 47
 <212> DNA
 <213> Homo Sapiens

 <220>
 <221> allele
 <222> 24
 <223> 99-28173-395 : polymorphic base C or T

 <400> 145
 ctgggccagt cccaacttat actytgggca atcgaaactc atttgcc 47

 <210> 146
 <211> 47
 <212> DNA
 <213> Homo Sapiens

 <220>
 <221> allele
 <222> 24
 <223> 99-32177-113 : polymorphic base C or T

 <400> 146
 taggagaaat taaaaaggga tgaygtactc tgttcaaaaa aaagggt 47

 <210> 147
 <211> 47
 <212> DNA
 <213> Homo Sapiens

 <220>
 <221> allele
 <222> 24
 <223> 99-32181-192 : polymorphic base C or T

 <400> 147
 acccaacaat gggattgcta ctgycagttc ctatgctcct ctacttg 47

 <210> 148
 <211> 47
 <212> DNA
 <213> Homo Sapiens

 <220>
 <221> allele
 <222> 24
 <223> 99-32193-258 : polymorphic base G or T

 <400> 148
 aagaggtaat cgtagcttgg actkggttgg agtagtggag acagaga 47

 <210> 149
 <211> 47
 <212> DNA
 <213> Homo Sapiens

 <220>
 <221> allele
 <222> 24
 <223> 99-28722-90 : polymorphic base C or T

 <400> 149
 gcatttaaaa gataaaatta tccycttggc actcctcaaa ctgtgct 47

<210> 150
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28730-351 : polymorphic base A or G

<400> 150
agctgtggag caccaggctg gcartgagct ctgccctcag gcacgcc

47

<210> 151
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-32306-409 : polymorphic base G or C

<400> 151
acagatgccc tgttttgttc cttstcttct aaaacatcac aatgatg

47

<210> 152
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27088-246 : polymorphic base A or G

<400> 152
agtttggttt ccgctcatgc tacrtgttct gtgagatcag tggggag

47

<210> 153
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27090-203 : polymorphic base A or G

<400> 153
tggttcagaag ttctcagact gggrocttggg ttcttgcact tttcatt

47

<210> 154
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27091-220 : polymorphic base A or G

<400> 154
agaagcattt ttctttgcat aacrcaacac cagtctcttg tgtttag 47

<210> 155
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27093-145 : polymorphic base C or T

<400> 155
gagtcattct gaggttaaaca gaaytccaag agtaacgaag gcccaga 47

<210> 156
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27094-406 : polymorphic base C or T

<400> 156
aagaccctat gccagttcc gccyggccac caaggccctt ctgaagg 47

<210> 157
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27096-410 : polymorphic base A or G

<400> 157
cccgggaaaa tggttttcat caccacacc aactgcattt atttgca 47

<210> 158
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27097-83 : polymorphic base C or T

<400> 158
catgacacct gcctgtcatc cccygaaaaa aggtgaacgc cgttcag 47

<210> 159
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24

<223> 99-27098-162 : polymorphic base C or T

<400> 159

acaagcactc atccacagga cacygccgat gatgccattt actgagc

47

<210> 160

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-27550-48 : polymorphic base A or G

<400> 160

atttttcatg cttgatgtga gccrgaagaa aaatgagctt ctctatt

47

<210> 161

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-27558-335 : polymorphic base C or T

<400> 161

aaatctcatg gccgcatatg ttayacaatc atgcccactt atgtagg

47

<210> 162

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-27561-106 : polymorphic base A or G

<400> 162

cccaggtgat gataaaaatg gtcrctcatcg ccaggcttgt gtcctgt

47

<210> 163

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-27562-366 : polymorphic base G or T

<400> 163

tgtgggtaga ggccaggaat gctkttaaac atcctacaag gaaggca

47

<210> 164

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele
<222> 24
<223> 16-31-738 : polymorphic base C or G

<400> 164
taatagatcc tgtataaaag gggstctgga aattcgtgca tttcccg 47

<210> 165
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27110-301 : polymorphic base G or C

<400> 165
tggactttgg gagtgaactt tgtsagatga ttagatgggtg atgtcct 47

<210> 166
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27563-400 : polymorphic base A or G

<400> 166
tctctctctg ttaaagatca gctrttccct tctgatcttg gaaagag 47

<210> 167
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27573-443 : polymorphic base G or T

<400> 167
cccgccctgc tctaattctg cccktccttg gtcagctcc agttcca 47

<210> 168
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28732-133 : polymorphic base A or G

<400> 168
gtgctggaag gtcacgtgcc ttartgggtca tgagatcctg gtgcaaa 47

<210> 169
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28735-56 : polymorphic base C or T

<400> 169
tctttacgtg gtgaaagtcc tagycagcca tcattcggca caacagt 47

<210> 170
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28736-399 : polymorphic base C or T

<400> 170
aatgatttgt tggttttttg tgtycattgc ttagaagcag tgagtgt 47

<210> 171
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28738-319 : polymorphic base C or T

<400> 171
ctttggattc tatgcaaaac aggyccctcag ggttgtaaca atgtggg 47

<210> 172
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28739-364 : polymorphic base C or T

<400> 172
ttctgcatac tgggatgtga ggaygggtaa actaggaaga aattcct 47

<210> 173
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27875-185 : polymorphic base C or T

<400> 173
aataccatcc ccactaataa gtaycaagta ccagggtccc ttggaga 47

<210> 174
<211> 47

<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-27880-176 : polymorphic base C or T

<400> 174
caagcaagct taccctcatc actyacttgg cctctattca aatagcc 47

<210> 175
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28747-371 : polymorphic base C or T

<400> 175
ttctcaatct agatagacag aatyctccct cccaggacat cccaga 47

<210> 176
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28753-353 : polymorphic base C or T

<400> 176
atgcagggca ttctacaggg cttaccatc tggagagggga gcctggg 47

<210> 177
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28755-206 : polymorphic base A or G

<400> 177
accctatccg ctgcactcag agcrgggacc atccgccaag ggagaca 47

<210> 178
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-32333-366 : polymorphic base C or T

<400> 178
cttgaatgct aggaaaggct ataycccaga caactattat cccattt 47

<210> 179
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-38-323 : polymorphic base A or C

<400> 179
ttttcgagct gtgggtattt aaamaaatac atagaaatga actgtaa 47

<210> 180
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28484-179 : polymorphic base A or T

<400> 180
tacatgcttc tctaggtgtg tgawtaactc ataatccatc catgact 47

<210> 181
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-30853-364 : polymorphic base A or G

<400> 181
acaaaacggt agtacacttt ctcraattggg ttagctcaaa atatggt 47

<210> 182
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28485-198 : polymorphic base G or T

<400> 182
aaacatcaaa gttaatttct gtktktctatc taccctgccc cttctat 47

<210> 183
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-30858-354 : polymorphic base C or T

<400> 183

ccttcagttt ctccagccat cttygctgcc acgccaagc ccaggcc 47

<210> 184
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-32002-313 : polymorphic base A or G

<400> 184
acaccagcac aggggtgggtg agargacatc ctgctgactt tataaag 47

<210> 185
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-15-366 : polymorphic base C or T

<400> 185
catgttatta cagaatttag taayactgtt tttaaaaagt atgatta 47

<210> 186
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-20-174 : polymorphic base A or G

<400> 186
tgagcttggtg tcttcaaact aggratacat caattactta attattg 47

<210> 187
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-31-178 : polymorphic base C or T

<400> 187
cagtcttact ttgcaaattt aagycaaata attaaggatt tgttaaa 47

<210> 188
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-38-395 : polymorphic base A or T

<400> 188
gatgacttct aaaccatttc acawtgagtc taaattcact gcttaät 47

<210> 189
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-2-192 : polymorphic base G or T

<400> 189
gatttgcaca gtggcctctt ttaktcatca cttaggttct gttattt 47

<210> 190
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-26921-210 : polymorphic base A or G

<400> 190
aataagtgcc aaggagattt ggtrggatcc ctgcaatgtc tgctaca 47

<210> 191
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-215-80 : polymorphic base C or T

<400> 191
ctcgggaagg tgaccgagaa agayatctgg gtacaagaac ctgaatc 47

<210> 192
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-132-368 : polymorphic base C or T

<400> 192
cagaccagac aacctcttgg ggttycttttc tgcattgagg tttgatt 47

<210> 193
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele

<222> 24
<223> 18-133-293 : polymorphic base A or C

<400> 193
gcatctggat agccctcttc tgamgtttcc tttcagaaag agagata 47

<210> 194
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-12-191 : polymorphic base A or C

<400> 194
agacaatgct ttgactatat gccmttggtg gaaaacattc taaagat 47

<210> 195
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-11-137 : polymorphic base A or G

<400> 195
actggggaga agggagggtcc tgcrgggagg agaaaaggga aagtggg 47

<210> 196
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-93-96 : polymorphic base G or T

<400> 196
tagtgggttg tggcagaaat tgktctctca cagaatatta tcttaag 47

<210> 197
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-115-343 : polymorphic base A or C

<400> 197
gggagggcct ctctcaggcc tggmagggag caggggtcac aaactgt 47

<210> 198
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-42-140 : polymorphic base A or G

<400> 198
ttgaggagaa ggaggggaag gccrtgctaa acctgctctt ctccccg 47

<210> 199
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-251-176 : polymorphic base C or T

<400> 199
gtagaagtgg aagacagatt tgcytctctc aggactagg gcacttg 47

<210> 200
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-269-44 : polymorphic base A or G

<400> 200
gcttggcmag atggatggtc aggracttga aaggaacaca tttggga 47

<210> 201
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-218-624 : polymorphic base C or G

<400> 201
caagtgatct ctttaagtca tttstaatgt gaaaactgcyg tgattta 47

<210> 202
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-393-330 : polymorphic base G or C

<400> 202
aagctagtcc ctgtttctca atcstccttc taaagtcact ttaacca 47

<210> 203
<211> 47
<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-394-402 : polymorphic base A or C

<400> 203

cttagaagtc cttgggtgtcc gagmcttagt cccacaatgg atgctgg

47

<210> 204

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 16-217-55 : polymorphic base A or G

<400> 204

cgtagctgga tttcacctcc aggrcagcca gctggacaga caggcag

47

<210> 205

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-284-139 : polymorphic base C or T

<400> 205

gggtggttcc tgtcagtgtg gagygagacc cgggaaagca tcctggt

47

<210> 206

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-285-305 : polymorphic base A or G

<400> 206

tgctgaaagc cagttgcatt tcaratagtg tctgtgccac cttcaga

47

<210> 207

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-289-239 : polymorphic base C or T

<400> 207

agcctattac aaagacattt tctyctattg ctacctctcc ccattta

47

<210> 208

<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-291-91 : polymorphic base C or T

<400> 208
atgggggacc tccgcctccc aatygtgctg gctggaactt tcctgtg 47

<210> 209
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-186-391 : polymorphic base G or T

<400> 209
tgggcatgag gtggcaggaa gaakgaaaga gtgaagataa tggagtt 47

<210> 210
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-194-130 : polymorphic base C or T

<400> 210
tcatcagttt taatcagata atgycttact tctgtagata tagtcta 47

<210> 211
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-198-252 : polymorphic base A or G

<400> 211
atattgttca tatggcagag gggrgaaaag caatgactta atcaagc 47

<210> 212
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-242-300 : polymorphic base A or G

<400> 212
acattactgt cttctttatg actrtgaaat aataaaaataa aattaaa 47

<210> 213
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 8-15-126 : polymorphic base A or G

<400> 213
tggcatctct gagccagctg agtrgccacc tgaactacac ctgtggg

47

<210> 214
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 8-19-372 : polymorphic base A or G

<400> 214
tggaatctgc taattttggc tgcrctttga aggtaggaaa tccaatc

47

<210> 215
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-2409-298 : polymorphic base A or G

<400> 215
aagtagcgca tggggctgca gccrcagatc tcctgggctc tgggtct

47

<210> 216
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-339-54 : polymorphic base G or C

<400> 216
catgatggcg acagaaaaga atastccctt gcctaatttt gatgata

47

<210> 217
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 12-254-180 : polymorphic base A or G

<400> 217
gcatatgaag aggctagcaa aagrtattta acaagcggtc aacattc 47

<210> 218
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 10-214-279 : polymorphic base C or T

<400> 218
ctaaggactt ctggtttgct cttyaagaaa gctgtgcccc agaacac 47

<210> 219
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 10-217-91 : polymorphic base C or T

<400> 219
aaaacacatc ataaaattca ttayacaatg tcacttattg ttccatg 47

<210> 220
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28779-168 : polymorphic base C or T

<400> 220
tctggtctgc tctctgcatg aggyacagca gtaaagctct ttgattc 47

<210> 221
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28788-300 : polymorphic base A or G

<400> 221
actgagccaa gcacagagat cacrtccact ttcctcaagg gacttgt 47

<210> 222
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24

<223> 99-32052-262 : polymorphic base C or T

<400> 222

cctattttttt ataacgtatt aacyttatta ttttcttatt attttaa

47

<210> 223

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-32121-242 : polymorphic base A or G

<400> 223

ctgattcaag tgtctatcaa agartggctg cagttgacca tgtattc

47

<210> 224

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-32059-169 : polymorphic base C or T

<400> 224

ttgttttttc tttataatat tacyatctat gaatatattt ctaaaca

47

<210> 225

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-32061-304 : polymorphic base A or G

<400> 225

gaccagctct ttggaggagg gccrtaatcc ctccataacc tgtccta

47

<210> 226

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-32065-303 : polymorphic base G or T

<400> 226

acaattatta accagtacag tctkgttatt ttaaacatta gcatgag

47

<210> 227

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele
<222> 24
<223> 99-32123-118 : polymorphic base A or G

<400> 227
tagtaagaaa atctatcatt tttrttttaa aaatctttca attttaa 47

<210> 228
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-32148-315 : polymorphic base G or C

<400> 228
gtggttctct ggaaaccgag gctsgttgca aaccctaaa aagtact 47

<210> 229
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-2-76 : polymorphic base A or G

<400> 229
ggaggcatgg aggctgtcat cacrggcctg gcagatgact tccaggt 47

<210> 230
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-28-93 : polymorphic base A or C

<400> 230
ttcagccatt gatgaggtcc ttgmtgttcc ttacaggagc tggccta 47

<210> 231
<211> 39
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 20
<223> 16-3-199 : polymorphic base C or T

<400> 231
ctggctgttc cctgctgtgy actgcccaag gctagacat 39

<210> 232
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-50-197 : polymorphic base C or T

<400> 232
gggtgtgtagt gtctgcaggg aagycctgca tgtggggagg gggctgt 47

<210> 233
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-1-59 : polymorphic base C or T

<400> 233
ccgcaactca gatatttttt tccytggggg ctggatttgg agtattg 47

<210> 234
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-2-187 : polymorphic base A or G

<400> 234
ttctgcataa ccaaggtgag tagrggctgg gctctggggtc acctggg 47

<210> 235
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28761-311 : polymorphic base A or G

<400> 235
tgaaatgctt taagagaatt tgtrtgctaa atttagaagt ttgatt 47

<210> 236
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-28771-86 : polymorphic base C or T

<400> 236
caggaaagat agagataatc atayagtacc cagaaaatga ctgcttc 47

<210> 237
<211> 47

<212> DNA
 <213> Homo Sapiens

 <220>
 <221> allele
 <222> 24
 <223> 99-28791-291 : polymorphic base A or G

 <400> 237
 aaatgcatc aactcccaca tgtragaac accatgattt gtactgt 47

 <210> 238
 <211> 47
 <212> DNA
 <213> Homo Sapiens

 <220>
 <221> allele
 <222> 24
 <223> 99-32077-66 : polymorphic base A or G

 <400> 238
 tttgtagggg gaaaacaatt tgcrtttggg aaataatcca acaagca 47

 <210> 239
 <211> 46
 <212> DNA
 <213> Homo Sapiens

 <220>
 <221> allele
 <222> 24
 <223> 99-32078-466 : polymorphic base C or T

 <400> 239
 tgatgcttgg agcaagcagg ccayctctgt ctgagagagg atacag 46

 <210> 240
 <211> 47
 <212> DNA
 <213> Homo Sapiens

 <220>
 <221> allele
 <222> 24
 <223> 99-32376-426 : polymorphic base A or G

 <400> 240
 tttattgggt cactcacatc tgggtgtag agccaaattc caaagac 47

 <210> 241
 <211> 47
 <212> DNA
 <213> Homo Sapiens

 <220>
 <221> allele
 <222> 24
 <223> 99-32361-419 : polymorphic base G or T

 <400> 241
 ctcttttata aacttccata aaakctggtg agtctcttaa gaactgg 47

<210> 242
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-21-228 : polymorphic base A or G

<400> 242
agtgtgtgtca gaatcaccta ttcr aaaggc gaatccgatc atgtggt 47

<210> 243
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-22-156 : polymorphic base C or T

<400> 243
tgtgaagaaa agagccttgg gtttgactag ggaacctggg gccactc 47

<210> 244
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-23-404 : polymorphic base A or G

<400> 244
tctgggtatct gctgtgcggt tgtrtatatc taagatgacc aggcagc 47

<210> 245
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-24-175 : polymorphic base A or C

<400> 245
tgggcaggtt ctggggtagg acgmgcagag cagctgcggg gactggt 47

<210> 246
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-25-286 : polymorphic base C or T

<400> 246

actctccccg acccggtccca ccayggtctc cacagcactc cygacag

47

<210> 247

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 16-25-279 : polymorphic base C or G

<400> 247

ccagctgact ctccccgacc cgtsccacca yggctctccac agcactc

47

<210> 248

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 16-23-393 : polymorphic base G or T

<400> 248

gtttttaata ctctggtatc tgckgtgcgt ttgtgtatat ctaagat

47

<210> 249

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 16-106-364 : polymorphic base C or T

<400> 249

gttgcttccc ctgcccccg aatycacagt gctctgcttc tctgtgt

47

<210> 250

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 16-16-285 : polymorphic base C or T

<400> 250

agcatcatct gcggcatcac gtcygtggcc ttctccctca gtggccg

47

<210> 251

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 16-17-121 : polymorphic base C or T

<400> 251
ccctgtgact atggctctgg cacyactagg gtcctggccc tcttctt 47

<210> 252
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-84-185 : polymorphic base C or T

<400> 252
aactagcgtt ttcttttctt ttcytttctt ttcttttctt ttctttt 47

<210> 253
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-87-74 : polymorphic base A or G

<400> 253
cacatccacc ctgggctgca ggctgctcg gcaggctccc cacagat 47

<210> 254
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-91-333 : polymorphic base A or G

<400> 254
gctgaacttg tctgccagtg ggargggggc tcttggagtt agctgtc 47

<210> 255
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-128-142 : polymorphic base C or G

<400> 255
aagtcctgc agaagcagag gcgsatgctg gagcgcctgg tcagcag 47

<210> 256
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele

<222> 24
<223> 16-133-205 : polymorphic base A or G

<400> 256
tgctttttca gtctcttagc tccrtggagt atgttcagtg ttgctgt 47

<210> 257
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-135-181 : polymorphic base A or T

<400> 257
ctgcatttga ttctgggcac tgawagcagt acttggtgc agacact 47

<210> 258
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-145-405 : polymorphic base C or T

<400> 258
tgggtgggttc ctctctctgc tgggtcagga gtgaagctgc agacctt 47

<210> 259
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-177-320 : polymorphic base A or G

<400> 259
accatgcatt ttctcatcct agcrgctgtt gcaaaataga cacgtcc 47

<210> 260
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 16-4-354 : polymorphic base C or T

<400> 260
ctggatgtgg agcaggccga ggtyaacttc ggctggaacc acctgga 47

<210> 261
<211> 502
<212> DNA
<213> Homo Sapiens

```

<220>
<221> allele
<222> 362
<223> 18-473-362 : polymorphic base C or T

<220>
<221> misc_binding
<222> 343..361
<223> 18-473-362.mis1

<220>
<221> misc_binding
<222> 363..382
<223> 18-473-362.mis2, potential complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 482..502
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 350..374
<223> 18-473-362 potential probe

<400> 261
ggcatttttag caagagatga ctaatcagag aggagttact agtggagaaa agtaatttga      60
gatgtattttt tgaagtagga atcatagtag accacaaaga gatcctttat ttctttaaag      120
ctatcatttta ttgttagtac tgtaacaact tcacttatgt gatcctattg aatgctcaga      180
acaactgaac agctagctcc atttaacaga taagaaaatg catgttcaat accaagattc      240
aaaccaggc ctagccagct ccagaaacct gagcttttaa catttacgct ttcctacaaa      300
acagggtgac ttaacaaagt atctgtttct aaagacagtt cttagggcta agaaatcaga      360
aygtgccttt agaaataata agtattccta gttgtgtgtt aaaggtagga agctgaaacc      420
aacagacttt cctgtcccta agctaaacaa tactgaacca gtcaaaataa cttgggtact      480
tgtccaggga aatacttgct cc                                     502

<210> 262
<211> 457
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 88
<223> 99-12361-88 : polymorphic base C or T

<220>
<221> misc_binding
<222> 68..87
<223> 99-12361-88.mis1, potential

<220>
<221> misc_binding
<222> 89..107
<223> 99-12361-88.mis2, complement

<220>
<221> primer_bind

```

```

<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 438..457
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 76..100
<223> 99-12361-88 potential probe

<400> 262
caaggaacac aagagtttga ggscacttct ttagcctttg aactggttat tcatcctcat      60
tcttacctgg cattatttgg aatgcttyat ttctctgtga cctggccttc actcttgga      120
agtctagctt gtttgtgcag tttctactg tttaaacaag agattgttta aactctagcc      180
actgatttcc acagctgttg ccagtgtttt tctttctcac tgaagccaaa catggagtgg      240
ctggagtctg gaaacatgcc ttgagaaatc aaagttccca tctgacattg cagcctactt      300
cctagagcta gtgtcactga ggaaggggtc atttactcat tctaatgtca ggattccac      360
accaataacc acatcatttc tcaacaaata catcccttcc cctactccac ctcgggcaat      420
aactgtgggt ccggaggcta cagggtttg ggtgtgt      457

<210> 263
<211> 502
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 335
<223> 99-12368-335 : polymorphic base A or C

<220>
<221> misc_binding
<222> 316..334
<223> 99-12368-335.mis1

<220>
<221> misc_binding
<222> 336..355
<223> 99-12368-335.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 482..502
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 323..347
<223> 99-12368-335 potential probe

<400> 263
gaacagaagg tattgaacag aaacaaagta ttttcaaact ggtagaaaaa ggattagaaa      60
tcttggctct tcaatttcct catatccttg gccacacata atgaccccaa gagcacttgt      120
tggcaatggg aggggaagaag gagatcacat cagtcataag gccaccattg ccctgactcc      180
tggcatctgt cctgcttctt actttttatg agcagagtga ggtcaacagg caccatggaa      240

```

```

agagcactgc gttgaagtta cacattccgg gacttcgett gcttgctagc atcagtcctgt 300
agctgtaaag tggtagacagt aatacctacc actamggtgt tgtgagaatt aaatgaggca 360
ggatcttgga cttagaaagc tgcccagata tggtaggtac tggtagataag cattctgggt 420
atactcatcg gattccctcc tcccacctct tccctggatt gggtcattcc ctccaatgca 480
gcccttctct ttcctcatgt at 502

```

<210> 264
 <211> 461
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 67
 <223> 99-12370-67 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 48..66
 <223> 99-12370-67.mis1

<220>
 <221> misc_binding
 <222> 68..87
 <223> 99-12370-67.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..19
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 441..461
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 55..79
 <223> 99-12370-67 potential probe

```

<400> 264
attacgcaag cactacgcca attaatccaa gacctgtgcc aaattttaaaa ggaaaagcag 60
agttcartgc aaatttctaga aatagttgtc aaaatcccca tttcttatgt cctagataat 120
acttgatat tttctggatgt ccatagaaaa ataaggatgt cattacatag aacaatagct 180
gtcagcatac agaacaatag cagaacagtg gggaggattt cagatgtgaa cagtgcctgt 240
gagaatgaag caagctacag tgtcctccaa ggggacttcg tgagctcaac ttgacattta 300
gtctcacatg actgccttag gtccttggc accagtcaac acagaaggac attggatgtg 360
tttatccaac acttctgtct tgccaacaga gcagcatcag cagacagtcc tcttcagggg 420
aagagtcctc actgtatata gttgagatgt gaggaaatga c 461

```

<210> 265
 <211> 449
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 314
 <223> 99-32148-315 : polymorphic base G or C

<220>
 <221> misc_binding

<222> 295..313

<223> 99-32148-315.mis1

<220>

<221> misc_binding

<222> 315..333

<223> 99-32148-315.mis2, complement

<220>

<221> primer_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 428..448

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 302..326

<223> 99-32148-315 potential probe

<400> 265

tgagtgcatt	tgatgtgggs	cagcaaagct	tcattcaggt	ggaaacagat	taagaagacc	60
aaagagtggg	gaaatggcta	agtaggaatg	aaaaaacagc	cagctacccg	yggccagtgc	120
cttattctaa	aagaggacag	ctagcttgcc	caaggactct	tcagaagga	aacctgggag	180
agtttccttc	tcctcttgca	gaagtaaact	cttcagggtg	aagagtcagg	aaggagctcc	240
agggatgagt	gaagtcaact	gaagttgcct	cttttataaa	cagctctgca	gtgggtctct	300
ggaaaccgag	gctsgttgca	aaccctctaa	aagtactgct	ctgcaaggct	tgtaactgcc	360
atacttggtg	ggtcctgctc	catctccatg	tgtggcagtg	ccagctgcaa	ccagcctcac	420
acagggtccg	agagtctcag	aactgcaag				449

<210> 266

<211> 426

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 322

<223> 19-46-322 : polymorphic base C or T

<220>

<221> misc_binding

<222> 302..321

<223> 19-46-322.mis1, potential

<220>

<221> misc_binding

<222> 323..341

<223> 19-46-322.mis2, complement

<220>

<221> primer_bind

<222> 1..19

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 409..426

<223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 310..334
 <223> 19-46-322 potential probe

<400> 266
 gatgagtgc tcaatggacc agctccacaa acaaagctgg aggtgtcttg tacagacccc 60
 aaatgctatc catgtggggc tgcaggatca aatagcaggt ggccctcatc tgggggtgca 120
 gccaggctgc cagaaggggtg tccctgggcc aaagctgaggc ctctctccct tctcttcctt 180
 tcagagactg gcctatggca tcacgccaga gaacgagcac cacctggtgg ctcaagagga 240
 catcagacag ttccagggtg gtgaagccta gaccctggg gtggagatta caagggcggg 300
 ccctggctgt tccctgctgt gyactgccca aggctagaca tcacatccag aaaaccaga 360
 aaccagtggt gagctgcctt ttccccttgg aaacatcggg atgggggaca gggagcctca 420
 ccttga 426

<210> 267
 <211> 422
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 315
 <223> 19-47-315 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 296..314
 <223> 19-47-315.mis1

<220>
 <221> misc_binding
 <222> 316..334
 <223> 19-47-315.mis2, complement

<220>
 <221> primer_bind
 <222> 1..19
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 403..422
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 303..327
 <223> 19-47-315 potential probe

<220>
 <221> misc_feature
 <222> 103
 <223> n=a, g, c or t

<400> 267
 tcctcgctgt ctttctctgc agttgcaaca ctggetggcc atctgagcct gcctggagga 60
 gaaggaggaa ccccatgcc aatgtccagg tcacaggcat ycnctgcgct cccacctcgg 120
 acaccatctt gggattcctc ccctggaagt tgcctttct gatcctctct tcttttccca 180
 tttaaaatg atttcgtgac tgtagttttt gttcaccttc tgtgcatctg gcctgggggc 240
 tgtagctca gaggagagga gcaaacagga aaatgacttc tgttctgtcc ccgtgtttt 300
 gggggaagtc tctcycactt tgggatacctg ctgaagctag gttcatgagg tcggaaatcc 360
 ccaccacatt tgcctagact ttgggcacag gagtcttag tccaccaa atcagagagagg 420

at

422

<210> 268
 <211> 419
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 346
 <223> 19-51-347 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 327..345
 <223> 19-51-347.mis1

<220>
 <221> misc_binding
 <222> 347..366
 <223> 19-51-347.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..19
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 401..419
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 334..358
 <223> 19-51-347 potential probe

<400> 268
 atcagggtcaa gcccatgtgg tgcattggcag tggctagggg ccctgagtta ggggagagtg 60
 gccagggtcct gtctccatca gcatgcattt gcagggactg gtctgtgggc acggcctctg 120
 tcgtctctccc tgacgacatt taccctgggc ccctcccctc tcctctgggc aggcgtgggtg 180
 tcctgcacct tcacgagagc agcgggattc atgacatcgg cctgccccag tggcagctct 240
 tgctctgtct gatgggtcgtc gtcacgtctt tgtatttttag cctctggaaa ggggtgaaga 300
 catcaggaaa ggtaatatct ctgtgtttct ctttcaactta cttgggtgat caaccttggg 360
 ggggtgtgatt atttctagca ataattatgt agctgggtgga caaaaaagat ggagctgga 419

<210> 269
 <211> 499
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 263
 <223> 99-32052-262 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 244..262
 <223> 99-32052-262.mis1

<220>
 <221> misc_binding

```

<222> 264..282
<223> 99-32052-262.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 478..498
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 251..275
<223> 99-32052-262 potential probe

<400> 269
cagagtgaca aataagtgct atggcttgat agaagtgaag ctcttcacat atattcaaaa      60
tacatatcac aaacttttgg aaataggata gtaatctgaa gaacttttgc cctttttacc      120
ccatttactg taactcttgt ttctaggtaa tcgttctctc tcaacaaact tctcaagcgt      180
ctgtgtaaca agccacatgt tctaacaaat tgtctccatc gcacttcaac agccaggtcc      240
ctatttttta taacgtatta acyttattat tttcttatta ttttaaaaga atctatgcac      300
attagcaaaa ttttaaagat agagaaaaat ataaacagaa aaaattatgt ttacttctac      360
caccctaaat caactattat caattttata catattttac tccatctttt ttcaaagttt      420
cttacatttt ccaatgtcat taaaattctc tgtgaatgta aatttttaaa actgtaccta      480
ctgttttttg gaatctgta                                     499

<210> 270
<211> 3001
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 1501
<223> 10-213-292 : polymorphic base G or C

<220>
<221> misc_binding
<222> 1482..1500
<223> 10-213-292.mis1

<220>
<221> misc_binding
<222> 1502..1521
<223> 10-213-292.mis2, potential complement

<220>
<221> primer_bind
<222> 1211..1229
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 1588..1606
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 1489..1513
<223> 10-213-292 potential probe

```

<400> 270

gcagaagtat	aagatctttg	taaaacagtc	ctctccctgg	ttcatctgct	ttctgttacc	60
acaataatgc	taagtaaaaa	aacatccaaa	aacctccctg	gcattttaaca	atatgcatat	120
tgctcacacg	tcttgatagt	gagctctgct	gatattggca	ggacttgctc	tgggtctggct	180
gtgatctgat	ggagcctggc	cctgggtgcg	ctgtgcagg	tgactcagct	ctgccccaca	240
tgtgtctcat	gtttcagtca	ggtaaccact	ggtgaagaag	caagctagga	accagggtat	300
ctgacttctg	agctaaactc	ttaaactcta	taatatggcc	tttcaaatat	aacactaagt	360
actaggtgcc	tatcaaccac	actgttttca	gacctctgcc	aaaacttgga	ttctttgtgc	420
tatgaagaga	catggctttt	gggctggctc	ttgtgtggca	gtgaggtgag	cacaaagggg	480
tgttcttcag	agattacagt	ccagccctga	agcaacaact	aggagactgt	ttcagcaagt	540
gaggacaggg	ctgtgtgggg	ttctatcctt	ttcataactt	tgccctggc	tgaaatcaca	600
tgctctgata	acatccacca	gaactttctt	ttgtcatatt	tgggatagaa	agggactagt	660
ttttcctcaa	attattgata	gagattttat	ataatatagt	gtttctctcc	acattttatg	720
tatataacaa	aagccctgct	tttgtgtata	tatgcatata	tatatatata	cacacacaca	780
cacacacata	tatataatac	aaatcctgct	ttgtactgt	ttttgtttgt	atatataaca	840
aaaagagtta	tgaaccagaa	gtttggccaa	taatccttgt	cgcacagaga	atttgctttt	900
tctatctgtt	ttcactttct	tggttacaga	cgtgtaacct	cttttttgaa	tgggtgacaat	960
cactttgtca	tattttat	gatgctagt	gtcatagcct	attagtcagt	tttgcttcca	1020
tgagaaagaa	aaaccactac	atggttatgc	taaggatttc	agtcattggg	gttagagcct	1080
tcccgaatgt	ctcctgcttt	cataactcct	ccacacatct	tagtgggcca	ttgagcacat	1140
caaagggcat	gacagttatt	aaaatacctt	atgaatgcta	caatcctttg	ccagtatgag	1200
ttgttctctg	gaacttctaa	cagttcaaca	gtactacatg	gactgagtta	aaagttaatt	1260
caaaaatctc	aatttatcca	aatctgtttc	tttcttttca	ggcaccaccc	acctatgata	1320
ctgtgctaca	gttggagtat	cttgacatgg	tgggtgaatga	aacactcaga	ttattcccag	1380
ttgctatgag	acttgagagg	gtctgcaaaa	aagatgttga	aatcaatggg	atgtttat	1440
ccaaaggggt	ggtggtgatg	attccaagct	atgttcttca	tcactgacca	aagtactgga	1500
sagagcctga	gaagttcctc	cctgaaaggt	aggaggcccc	tgggaagggg	gcccctccctg	1560
aaccagcctg	gttcaagcat	attctgcctc	tctacaggac	agtctgggct	tgtacaatca	1620
tttgcttctg	tttttatgtt	taaaagggtt	tttcaaatca	tgaaattgat	cattgtcaca	1680
ctttacaaac	cacagactag	ataaaagaaa	actatagcca	gtcacagtcc	cagcaactta	1740
agatgaaggt	cctcaattat	gtccttatgg	gtcataagtg	tccaaaatgt	aaggactcct	1800
ttaaaaacac	atgatcaca	tgtctattat	atgtcccaca	aatgaatatt	ttttcctgaa	1860
tataatcaaa	tcttcaggaa	tcaaatttga	ataaaaaaca	tgcgtcta	cttcaaagaa	1920
tttataggtt	agtgcaacag	atagacaaag	aaagcagtga	tgacactgct	ttccatcaat	1980
acagtagcat	catatgcctg	tgtaaattat	ctgacttaaa	ctattctatg	gagggtgtggg	2040
ggagaaagaa	ggagagatgg	agattagaag	aaggaggaga	aggaggagag	aaggaggggt	2100
aagacaaggt	agggaggaga	aggaggagaa	ttagaaaaac	aagagacgag	aggagaagga	2160
aagtgcataa	taacaatttt	gaagtagtgc	aagacaattt	cttctccttc	ctcatgacca	2220
acataagggg	gacttgaggc	aggaatctac	ttttctgtca	gtcattctca	tcacttatgt	2280
gccttttcta	gtgtgaacac	atcaccatcc	tgactataat	ttgagtgttt	agaaataaat	2340
atacttttga	acagtattta	tctcctctca	acaagactga	aagctcctat	aatgtaagga	2400
gagtagaaag	gatctgtacc	ttacaattct	catagcaaaa	tatgcatagc	aggatttcag	2460
tgactagccc	acaaaagtat	cctgtgtact	gctagtagag	gggtggggccc	taagtaagaa	2520
accctaacat	gtaactctta	gaggatattat	gtctttaaact	tttaaaatat	ctaccaatat	2580
ggaaccaggt	tcagtaaaaa	gaacaaggac	aacatagatc	cttacatata	cacacccttt	2640
ggaagtggac	ccagaaactg	cattggcatg	aggtttgctc	tcgtgaacat	gaaacttgct	2700
ctagtccagag	tccttcagaa	cttctccttc	aaaccttgta	aagaaacaca	ggtcagtcaa	2760
ttttctgcat	taataatgtt	ttattaacaa	ttatttttaac	tgaatgggtc	atatatttaa	2820
aaaagaatac	actcacttaa	tcttttaata	atttgttcta	tgggccaagg	aatctatttg	2880
gacccatcta	tgatctttta	gggtgcttca	gttctggagt	tcaaaagctg	tagcattaaa	2940
aacatcatgc	aatgtcaatg	tagactagca	tgacatgatt	atctacagtc	tccttgaact	3000
t						3001

<210> 271

<211> 465

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 135

<223> 18-419-135 : polymorphic base C or T

```

<220>
<221> misc_binding
<222> 115..134
<223> 18-419-135.mis1, potential

<220>
<221> misc_binding
<222> 136..154
<223> 18-419-135.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 448..465
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 123..147
<223> 18-419-135 potential probe

```

```

<400> 271
ttccaaccct gttaagactc ttctacagtt gctttttgtg tagctgacca acataacaat      60
catgttcttt attctacatt ccttgataca tttcaaccct tccatactga tcacttcctt      120
tctgttgagg caaaytcagt tttttttgtg aaaatgtttt ctattttacc cttgttcttg      180
aaagggtggc ccaatctcag taagataact tactgacctt ttctaaggct gggcccaaca      240
gagcctcact cccacacctt gtagggaccc tggatctggg tagaacattt atgcggtagg      300
ggaacagtcc ttcttaaaca ggcgcttgga agccctttgc agatgccggt gagaatcggc      360
gggtctggga agagtacaca tcttgagag agctgaaga gggaagccct tttcctgttt      420
tttcactttc aagaacatga gccacctggc tgctttcttt tgtag                      465

```

```

<210> 272
<211> 527
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 419
<223> 18-424-419 : polymorphic base G or C

```

```

<220>
<221> misc_binding
<222> 400..418
<223> 18-424-419.mis1

```

```

<220>
<221> misc_binding
<222> 420..439
<223> 18-424-419.mis2, potential complement

```

```

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

```

```

<220>
<221> primer_bind

```

```

<222> 507..527
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 407..431
<223> 18-424-419 potential probe

<220>
<221> misc_feature
<222> 478
<223> n=a, g, c or t

<400> 272
cgctttaatt tttagggttc caaaccaaaa gtggcaatca ccatggcata tgtgtacctg      60
tgagcatgta gattcatgtg tgctgggggc attttatagc cagttctttc tcagagtcctc      120
tttttctttt agccaatgga ttctggctag gaaaaacatt aaccgcacct tagtagacta      180
gttagaagac tgagaagaac caggtaggga agccagagaa gtgacattca gagatatttg      240
gaaacaaact tgagcataca ttttacccaa caggaattag ccaggcattt tatttttaaa      300
aaaagaaaaga aaaagaaaatt ttagcaactc tttgttggtg cccctctctg tgtttagaat      360
cgtgattttc cagctatggt cctcacagcc gtaggatttc caagggtaaa aggtagagsa      420
gggggtgtgg aggtttggat atgagcatat gggacttcca tagctcctat ttgaaaanwt      480
gctgttttag aagagcctgt taagctgagt tttgaacttg acagcat                    527

<210> 273
<211> 451
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 290
<223> 18-429-289 : polymorphic base A or C

<220>
<221> misc_binding
<222> 271..289
<223> 18-429-289.mis1

<220>
<221> misc_binding
<222> 291..309
<223> 18-429-289.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 434..451
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 278..302
<223> 18-429-289 potential probe

<220>
<221> misc_feature
<222> 110
<223> n=a, g, c or t

```

```

<400> 273
gtccagcttc tttagttcca tgctgccaga cagaccgtca gagcagaaca gataccttca    60
ttttgtcata acttttttaa aaatggcaaa aaataatagc cacatacagn tttgttagtg    120
aggtgaaatt cctcatagaa caaagacaac aaagaatata aaatgtttct aatatgttaa    180
aatatatttt atattctttg tattcttttag tctgaaaggc ttaaattctta catttctggg    240
gggattttcag aaaaaaaagt tttcttaggt aaagcgtctt tttcccttm aactagccca    300
tttgaaactc ttctgtttct gaatgaattt cacctaacct gtctacagct atattcacag    360
acactgtttt tccctttaca gactgaccct accctttctg ttacaaaata cagaaacgtt    420
gccagtgttt tttggttggg tgggttgggt g                                451

```

```

<210> 274
<211> 487
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 256
<223> 18-246-256 : polymorphic base C or T

```

```

<220>
<221> misc_binding
<222> 237..255
<223> 18-246-256.mis1

```

```

<220>
<221> misc_binding
<222> 257..276
<223> 18-246-256.mis2, potential complement

```

```

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

```

```

<220>
<221> primer_bind
<222> 466..486
<223> downstream amplification primer, complement

```

```

<220>
<221> misc_binding
<222> 244..268
<223> 18-246-256 potential probe

```

```

<400> 274
tcataggaag acgagagcaa atattttaatg tgttttgcct tcagttacat aggaaaaaatg    60
tctaagaagg tgacattggg acttgtgttt aatgaaacag agaactgtgg gcagcgtcag    120
tggtgggttt ttaggagcgt agggagcaca cagctttgac tctttgtccc attacttgct    180
tctgtgtgaa gccactgagg ccccagggtt cgggttttcc tgccacgcac tctgggggtgg    240
cagtgaccgt tccaayatgg atgagtgaga agcaggttct tatgaggttt gtgcaaattg    300
agcaagccac ttggggcatg ggtttttcct cttttctttc tttctttctt tttcccacta    360
aagaacagat tgaaagtgct tcacaattaa tcaaaagtcc cctcaacact ctggtgatcc    420
atctaagacc tctcagagat ataaccacca gcacagatat tcaaaccat ttttttcaat    480
ctccttg

```

```

<210> 275
<211> 453
<212> DNA
<213> Homo Sapiens

```

```

<220>

```


<221> allele
 <222> 68
 <223> 18-355-67: polymorphic base C or T

<220>
 <221> misc_binding
 <222> 48..67
 <223> 18-355-67.mis1, potential

<220>
 <221> misc_binding
 <222> 69..87
 <223> 18-355-67.mis2, complement

<220>
 <221> primer_bind
 <222> 1..19
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 436..453
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 56..80
 <223> 18-355-67 potential probe

<220>
 <221> misc_feature
 <222> 32,51
 <223> n=a, g, c or t

<400> 275
 tgccctgttt ctggttctgg tgctgggagg tnaggagtgg agaagactag ntcccctaga 60
 gctgaggyct gtcttgaagg actcactggg gccctcatcc tcagggggct gattggcagc 120
 caccctcag tgtggtggac atggagaaag gaaaggctgg ggaaggtaag gatgctagag 180
 gcccgagtct cctttggagg ccccaaagga ggaatgtcag ggagcttact ttctttgttg 240
 cctcagctcc acaccctac caagtggca aatccactta ctcagggaca ctaacaccag 300
 taagccaacc ctgatgatgt tctatgttgt acctctggac ctctaagcca ggccactgtg 360
 gggagaccaa ggtcctaccc cagatcctgt cccctgggtg cttatgtgac ttaaggtaga 420
 cataaggtag tgtgccagtt tagtgcatgt acg 453

<210> 276
 <211> 471
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 266
 <223> 18-353-267 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 246..265
 <223> 18-353-267.mis1, potential

<220>
 <221> misc_binding
 <222> 267..285
 <223> 18-353-267.mis2, complement

```

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 452..471
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 254..278
<223> 18-353-267 potential probe

<400> 276
agttgcctac gtggctgggg aagcggggcg cgggttgtag tcacctcagc tcagggtcct      60
agagacctgc gggttttgct ggtcgctgag gtctccccc cttcccacc tcaactaagc      120
catcacttcc acctgggtctc ccaaattgag gtcctgaagt cctgagaccc atgtcccacc      180
caactccgac gtctttagat cccctttccc tcgggtgccag ccttctgaga gtcccaacgt      240
tctggcctct aggggatctg cagttygggc ggtgggcggt tctgattggc cagtcttcca      300
tgaggctctg gggcacccag agtgtgtgtc tggggtaggg tggggaggct ggccaggggg      360
cagaggtctg cccccgtcc cagggtctct atgccctct ccttcgcct cctcagttga      420
agaagctgga tctggcagct gcggcassac acaccttctt tgtagcaaac c              471

<210> 277
<211> 468
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 306
<223> 18-338-305 : polymorphic base A or G

<220>
<221> misc_binding
<222> 287..305
<223> 18-338-305.mis1

<220>
<221> misc_binding
<222> 307..326
<223> 18-338-305.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 450..468
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 294..318
<223> 18-338-305 potential probe

<220>
<221> misc_feature

```

<222> 84

<223> n=a, g, c or t

<400> 277

ttgtaggtcc	ccaagatggt	gggggtgcag	ggacagagag	cttgetgttc	tgctcctgat	60
gtcacacagg	ggcttctctgb	gcgncctggc	atcaagatgg	ccttccacaa	gtcaagtggc	120
cacatcctca	aggagctggc	tcagccactc	acagctcctc	ccgaaccgga	ggtgcccttc	180
cagtcttgtc	ttggaccctc	tggtgcctgc	ggctaggggg	ctctggggaa	gggtctttgc	240
tgggcatttc	ttctctcttc	tcttctctct	cctcctgtga	ctcctgcagc	agttctttgg	300
cttctrtcca	ctcctggggg	tggggaggag	agtgtggccc	attccctgca	cccaccttc	360
ctgggtcagc	tcagcccctg	accctcaccg	actgtgagcc	ttctcggggg	ctccttgccc	420
acccttcacg	caccaggaga	accacatccc	ttcctaacc	gctcctta		468

<210> 278

<211> 3001

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 1501

<223> 24-243-346 : polymorphic base C or T

<220>

<221> misc_binding

<222> 1482..1500

<223> 24-243-346.mis1

<220>

<221> misc_binding

<222> 1502..1521

<223> 24-243-346.mis2, potential complement

<220>

<221> primer_bind

<222> 1156..1173

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 1652..1672

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 1489..1513

<223> 24-243-346 potential probe

<220>

<221> misc_feature

<222> 1556,2069,2084

<223> n=a, g, c or t

<400> 278

agaatctctc	tctctttttt	attattattt	tttgagacag	agtttcactc	tcacgcacca	60
ggctggaatg	caatgacaaa	atctcggttc	gccacaacct	ctgcctctcg	ggttcaagcg	120
attcttctgc	ctcagcctcc	tgagtagctg	ggaatacagg	cggccgccac	catgcccagc	180
taagtttttt	tgtattttta	gtagagacag	ggtttcacca	tggtggccag	gctgggtctcg	240
aaccctgac	ctcaggtgat	ctgctgcctc	agcctcccaa	agtgtggga	ttacagggtct	300
gagccactgc	gcccagccca	gaatctcttt	gagatggaca	cacaccctct	tcattattcc	360
agcttccata	tggcagtggg	gggctcgctc	tgcagaccag	ttagctcagt	ccatgaagta	420
ggagccttcg	tgggctcaaa	ggcaaatecc	agcatgctca	ctgctcagtg	ccagaaagat	480
cacccccaga	agccggctgc	atcagtgtgg	accaccaaga	accatcaaac	acacgtgttt	540

tctgtgtgct	cgacctccgt	tccttgcttt	ttctgatgac	tgcaccttga	tgcccccttt	600
ggggaacccc	gccactctca	gtcctcatgg	tctgggtggc	actgccccct	ccccctgcgt	660
gcacagaagg	cccgcacccc	cacctggcca	atcagagttg	ccaggtcata	tccctgacta	720
cagcacctgg	ttcagggatg	gacacagccc	agcggagttt	gtgctagaac	tgctgggaaa	780
tgggctttca	ccttctgctc	atcttggcac	gtggatgccca	gcttgaactg	tggaaggtca	840
ccctgtgggc	agagccccctg	agacacaggc	agcacaggaa	agcagagtgg	aatgggggcg	900
ggggagtact	tcctgatgac	atcatctgag	cccctggatc	cagccgtgcc	tgaagcaaac	960
tactctaggc	tctacagatc	tatggactca	tcaatccctt	gccccctctac	ttttttggct	1020
tgtgtcaatt	tatattgaga	ttttgtcact	tacaactaaa	agggtcctga	atctaactca	1080
ttctttgaaa	gtctgcctat	caatcacaaa	atagcagtgt	gatcagagct	ggataccatg	1140
ggcaggtctc	gttccccctg	tgaggttcta	tggagaacac	cctacatctt	tttaattatt	1200
tgtcatgcac	gggccctatg	gatttgagag	attcatggat	gccacgtgga	atcagtcaat	1260
gacctcact	ttctcaggca	ctacctaggg	catcctccag	gatgcgcccc	ttcccgccac	1320
agcccactgc	catatcttgc	tggaacctgg	gtcatcgccc	atcgtctatc	acaggctccg	1380
ccagccttcg	tggatgccat	ctatgtccgt	gggtctcacc	cgtctcgcca	ccagcttcca	1440
ctacgacgct	ggacagtaca	cagggagcag	acggggattc	caggaggaag	ccactgcaaa	1500
yagggcctgc	agctgccctc	tctccttctg	aaatcctagc	atagtccagg	acacangcac	1560
ctccctggct	gagcagctga	actgccaagc	tcaactccct	gattgagcag	atattctgca	1620
gaaatagaaa	aggatggagg	gaaggcttct	tcccacacaa	tgaacatcaa	acccacccaa	1680
ggggcagctg	ctggggcctc	ccttcccaaa	cagctggctc	aaaacatgca	caaaattttc	1740
ccaaagtggg	ctgggagcag	ggcagctggc	ttccactttc	atattactga	tgcatccaga	1800
catacttcca	tagtgtttaa	aaatttttgg	atgtatgtca	aatgctctta	agagtgcgat	1860
cttaggcattg	tggtaaataa	atatgatgta	atcctccctg	ctccaagggt	gctgctgccc	1920
tctccctccc	tccctcactg	gtcctgggca	agcccttgac	ctccacgatc	tctctgcgcc	1980
tctcgtgacg	cccacaacaa	ggggctgtgc	caaagggaaa	ggtagaaaaga	aaagaggatg	2040
tgctgtgtgc	tgatcatcatc	cctgtgccna	gagacagggc	acanggggtg	tggccttgca	2100
ccaccggcgc	atccccccaca	tggggaagct	gggggtcacc	tgaccacag	gcaccccatc	2160
agcctctgtg	acactgacaa	tgattctcgt	gaatggacag	gctgaatggg	cctcagccct	2220
ctctttctat	gctggctgaa	ctctgaggcg	ggaacaggac	agacagtggc	tggaggccct	2280
ggcagggagg	gcacccttct	aacaggccct	gcgtagccga	gggcacccaa	ctgacaggca	2340
ggacccttga	gctcaccacg	gcctgccctg	ggccaggcaa	gaacgagcac	gtccacccat	2400
gagagtgtgg	gctgtgtagg	tgactgtaga	catcaccac	agtgggagg	ttcctggagg	2460
tgacgtccga	ggcttggagc	gcaaagtagg	acaggcacac	tgccaagtct	ccagaagact	2520
gagtgccacc	agatcctgtg	gccagtcctc	agtgtggtgt	gggggggtca	gcaggagcac	2580
atcagcaatc	agatgggcca	ggtcaggata	aagaacaggc	gtgacagctg	cttcctaaat	2640
aatcaacggt	gggtgccctg	agtagcacct	cctgctgtgc	ctgtccccag	ggcagcaggg	2700
gctcagcgca	ctcccacatc	tgcatcagag	ccccagtccc	tcctggggccc	ccttgtagcc	2760
tctaagacta	agctcggacc	ccgccgggaa	ccacccccag	gaccctacct	caggctgtgc	2820
caccaccgtc	cacctggcag	ccccagccag	aaacctggag	gccaccctgg	ctttctcccc	2880
tccatgtcta	cctgtccctc	agccttcttg	tggcctggct	actcctctct	ctgctccgcc	2940
tcctggctgg	cctttaatgt	aaacaatcca	tctaacagct	gagccccact	cacgacaatg	3000
c						3001

<210> 279

<211> 3001

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 1501

<223> 99-62531-351 : polymorphic base C or T

<220>

<221> misc_binding

<222> 1482..1500

<223> 99-62531-351.mis1

<220>

<221> misc_binding

<222> 1502..1521

<223> 99-62531-351.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1149..1166
 <223> upstream amplification primer

 <220>
 <221> primer_bind
 <222> 1591..1608
 <223> downstream amplification primer, complement

 <220>
 <221> misc_binding
 <222> 1489..1513
 <223> 99-62531-351 potential probe

 <220>
 <221> misc_feature
 <222> 755,890,893,1406,1412,2220,2222,2224,2232,2241
 <223> n=a, g, c or t

<400> 279
 tgtggtttcc ctttccaggg agtgatggct ctgtaggctc tgggattgct ttttcatttg 60
 tttgttgttt tgggacagag ttttactctg tcaccagggc tagactgcag tggtaaataca 120
 cagctcactg cagtctctgc ctccccaggg tcagggtgatc ctcctgcctc cccagggtca 180
 ggtgacccctc ctgcctcaac ctccctgaata gctgggacta cggctcatttt taattttttt 240
 ttgtagaggt ggagtctcgc tatgttgtcc aggtcgtct tgaactccta ggctgaagca 300
 atcctccac cggggcctcc caaagtcctg ggattatggg cgtgagcccc cacacctggg 360
 cttatttctc gagaaggggc ttgtgctcct cctcacctga tgcctctcct tctcccacca 420
 gcgtcatcat gaccggggcc tacaacaact tcttccgcat gttcgatcgg aacaccaagc 480
 gggacgtgac cctggaggcc tggaggaaa gcagcaagcc cggggctgtg ctcaagccac 540
 ggcgcgtgtg cgtggggggc aagcgccggc gtgatgacat cagtgtggac agcttggtg 600
 tcaccaagaa gatcctgcac acggcctggc acccggtga gaacatcatt gccatcgccg 660
 ccaccaacaa cctgtacatc ttccaggaca aggtaaaactc tgacatgcac taggtatgtg 720
 cagttcccg cccctgccac ccagcctcat gcaangtcat ccccgacatg accttcacga 780
 ccgcaatgca aggaggggaa gaaagtcaca gcactgatga ggacagctgc agaggtggca 840
 gtgtgtggac acaggaagtt tgggccccct ccctgccccca gctttcctan ggnccagaat 900
 tgtgtttggc agtaattgtc tgtttaaaaa aataaaaagg aaaggaagcg ttcaccgcca 960
 caaatcataa aatggacatg actgtggagt cttacagttc agggttcttt cattcacgtc 1020
 ccttctctgc tcggctctgc gtctttacca catcaatagg actttttatg cgtccgggtt 1080
 aatttttcac tccagtgcgt cctgttgacg ggaccggagc tgatgggagc tgcttctccc 1140
 ccattgcctca ctggtcccag atcagggtc cagggaacaga tgatgagctc caaacgagcc 1200
 agccaggggt tcttttggtt ataaatgggg caattcgccc tgtctcagag ctgatgacct 1260
 caccgttgtt ttttggtgga tgaattcatg ctgagaattt gcagatgcaa gctcctctcc 1320
 taggtcttct gaattgtctg aaacatccca ggtcccaggt ctggtgcggt ttcccagag 1380
 gagcggagtg gggtttgtct tctgtngtgc cntgtgtcct catctgattc acctgccatt 1440
 tgctgagcct ctgctgtgta ccaggcgtgg tgctcagccc tagaggcagt tgacttacct 1500
 yctgcagccc tccctgccc ctcacccttc agcattcact gggcaccttc ccggagcgga 1560
 cactgactcc catgcacgat tttttggaat cttcctcctg actgtgaggt ggggtgtcat 1620
 tcatttcttc cataaacacc aacttctcga agcgtgccag gctctgggct ggatgctggg 1680
 gataagcggg aacccttagg atcccctctg tccacgagaa gaagctgagg ctctgagcgg 1740
 atgcacaggt caccatggc aggtgcccgt cagtggtgtc aggaaccctg ccgggtcttc 1800
 acacaagggt ctctccagtc catctcgtgg ggggtctatg ttagagcgac attcaaatgg 1860
 aaggtttggg aaggaatgcc tctgtcttgt gaagtaggac atggcagact tggcgacgac 1920
 aagggtccag gagaactgag acgcaggatg gaagacagag aagaccccc ggagctcctc 1980
 gctctgcttg gtggcttcag gagtgtggcc ctccccagga ctccacttca tcttgggctt 2040
 gcacctcct tgagccaatg cactgaaactg cctttgaaag gaaattgcat gttctgacca 2100
 ttttaggata cctttacttt aaggaccaca cagtcccaga ggacacatcc ctcggaact 2160
 ctgcccctct gacaatgagg gccacagaga agtggtgtt tccatggtag atgctcctgn 2220
 tntnggtgat anccaaacct ngcccacccc cttagatcgt ctttgcctcat ggacttgcag 2280
 cagagccacg tagtttggca ttttgattca gaaagtggg agcagagacc cagccaaatc 2340
 caaacttttt ttttggtttt gttttgtttt gttttttaca agatataaca taaccagga 2400
 aacagaccca gctgaggtta ttctcagtgg attacagtat acttttgtgt gtgtaaaagc 2460
 acaaagtgca tgtgtactca cttctggcca tataacattt acacagggaa atggatcatt 2520

```

gatttttttt taatcaacgt gaatgaagaa tgtttggtta tatatcacta taaaatccag 2580
ttgacctgga cagtattata tgtacatata tattctaatt aaatttaaca atcaaaggat 2640
tggattactt ttttccccct tgtaaagagg ttcgagaatg tggtaattg tatagatagc 2700
gtgttaaagc caaaaaccag ctctgagggc cttaccatt acttgatat ttgctacgat 2760
ccatctccct ttgtgagtca aatgttaaga gaagaaactt gtatttgcag ctagagggtta 2820
ctgtcacatc atagatttaa catttaccat cttcaaagta caaatcttac atgtccttca 2880
aaaggaggtc ttaatacagt tcctagttcc ttacttctgt tttaaacttt gggtagcaaaa 2940
ccaaaaagaa gaaaaaagaa aggaaaagat cttctttgaa gaaaagtatg tctctggatc 3000
c 3001

```

<210> 280

<211> 3001

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 1501

<223> 99-54279-152 : polymorphic base C or G

<220>

<221> misc_binding

<222> 1502..1521

<223> 99-54279-152.mis1, potential complement

<220>

<221> misc_binding

<222> 1482..1500

<223> 99-54279-152.mis2

<220>

<221> primer_bind

<222> 1635..1652

<223> upstream amplification primer, complement

<220>

<221> primer_bind

<222> 1170..1187

<223> downstream amplification primer

<220>

<221> misc_binding

<222> 1489..1513

<223> 99-54279-152 potential probe

<220>

<221> misc_feature

<222> 44,377,423,696,723,1501

<223> n=a, g, c or t

<400> 280

```

ctaaagtgac agagttcaga ctttgagagt ctgaatgagg caanggtaag gattttcata 60
gctctgagag aggggttctc tgagagggga cagacatggc gtttgcacgg actcacacgc 120
tgtggtatga gacacatgat cacactcact catttctctc ataaatcttc acttccttag 180
aacctaccct cccggttagac actagctgtg tcttcttcag cctgacggtc ctctccggaa 240
ggtgcgcgtc tgtctctcag cccaattcaa agaggtggga gaggcggcca cagcctctgt 300
cggcctgctg ggcacctggg gctatagaag agggaccgag gctcagcgag attaatgtac 360
cacatccac agctacntat ggctgctgca ggatttgaat ttaggacgat ctgctgggc 420
ccntactccc agcgagacaa attaacacaa agccccaggg agacaaatta acccaaacc 480
ctggaagaat tttaaaagca gaagctcaag cccccaccc caacacagat tttgattccg 540
ttggtctggg tgaggctacc cagaaggccc tgctgggtgg cttggggggc tgtgcagaag 600
gccaggtgca ctgctccatg atggcaaac cagcccagct cctgctctc ttgcaagggc 660
tcagcatctg gtaccagagc aggagatgct cacaangtga gaatttctgt aggggtctac 720

```

```

aanagcaggt gctttcaaaa acagtgtca aagaaagtgg gaattgagag gcaaacgagg 780
gtgtttctac ctggggtgca ggaaggagca ggcacgtggc atttgagctt agctttcgtg 840
aacatatagg cgttctccga acacagcttg caggagaggg ctcaggtaga tggaatggca 900
tctgcagggg ttcaggttta cggaaacggg tcacctcca tgggtctccc acttcctccc 960
ctgtctgccc tccaggctca ccggagcagc cagtgatgtc tgggctcatc agtccttgga 1020
caaagccctc caggagctct gtcttctcaa tgtaaaagcc aaagtccttc caatgcccc 1080
aaggccttgc gtggcctggc ggtgtcacc gtgggcccga tctcccacct ccactgtttt 1140
tttgctcact ggcctcaagc tggccttgct ggtcctggaa catgctgagc ctactcctgc 1200
ctcaggctct tacacttgct gttccctctg cctggatgct acacagccac gccagagtt 1260
catgatcccc acacatgtgc caccttctca gacacctcc ctggccacc taggggacac 1320
tgcagccctc ccatccgctc cccttctct cctccctgct gggtgccata agcttagctg 1380
ttgatttctt cgcctgcctc ccattagAAC atgagtcAA agagggaggg ctccgtttgc 1440
tcaccattgc ccccgagtgc ctagagcact gcctggcacc cggcaggggc tctataaata 1500
nagatggaaa gagggaggtg ggcgggcatg cgtgggctta ggtgggccc gcaagagatg 1560
cccttgggca ggacagcttg gtgtgcatgg ccaaggaggg tgggtccca gccaaaggca 1620
ttgaacacca ggctgaggag tgaggatgcc acctgctgta tcaccaggc aatagggagc 1680
ctctaaaggc tttttctttc cccaagatg aagtcttgct cttgtcgccc aggttgagg 1740
gcagtgggtg gatctcagct cactgcaacc tctgcctcct gggttcaagc gattttcctg 1800
cctcccgagt agctgggatt acaggtgggc accaccacgc ctggctaatt tttgtatttt 1860
tagtagagat ggggtttcac catattggc aggtggctc cgaactcctg gccttgatg 1920
ccgcacgcct cggcctccca aagtctgag attacaggct tgagccactg tgcccgccc 1980
ctagaggctt taagcagggg agtggcctgg tcagagccat gctctgggat ggtatggcct 2040
accactgtgg ccagcaggc ttgagggtcc cagttagtgc ccctggagcc aagcagagga 2100
ctggacagga tccagcgtgg ggaggagcc ctccctgctc ttgttacctt ggcagaaacc 2160
ccgagaacac taggtccgtg ggcagccct gcaggcctgt cctgctctgc tggccaaggc 2220
ttggagctct gcctggggca ggaggtgccc atgagaatgc cagggagtgc gagctcccc 2280
agagacccag gcaacaagca cccactcgac tccagggtc agagccctcg ctaggatgcc 2340
gtcagcattht gggctgctgc cttttgcact ccaatacttg agttcaagtc ctggctccac 2400
cactgactcc gggctacagg gacctgggct atagccatgt cctcctctga acctgggtt 2460
cccatctgt gaaatggctg gatttgtgcc ctcagctctg ccctctctta cctcgacct 2520
ccctacccat gccagagcc tccttgacac agacaaatgt gccatcgct ctggaatgct 2580
gggcacctta acagtccagg cctgccagac actccaaatt ctagggcctc ccagggcctt 2640
aaatgacagg aagagaaggc catcttatct ctggagacag aagcttgggg cttgggtcta 2700
tttcctggc aaattctggg gcacaaacca gaaagctgca acaggaaaag acccatacta 2760
tgcaagccta ggctttaaaa ccgagaggga ccccggaat ctgcgcgcc aactgcctgc 2820
actttaagga tagaggcacg cgggccagga gagaagtgc ttgccaagg tcacctggtg 2880
gcagtgagt cgtgcaagc cccaaacccc ccagtcctgg gttcccatc ccctgcagc 2940
tggctcaact gtagggcctc cgctgtggaa atcagtcctc cgacctcaga tctggaggcc 3000
c 3001

```

<210> 281

<211> 461

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 245

<223> 18-168-245 : polymorphic base A or T

<220>

<221> misc_binding

<222> 225..244

<223> 18-168-245.mis1, potential

<220>

<221> misc_binding

<222> 246..264

<223> 18-168-245.mis2, complement

<220>

<221> primer_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 440..460

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 233..257

<223> 18-168-245 potential probe

<220>

<221> misc_feature

<222> 445

<223> n=a, g, c or t

<400> 281

ttccaactaa	cctctatcag	tgcatTTTgt	ttgggcagat	tgaagatgga	agtgttctgg	60
atttgagtt	attaaatgaa	ttttgtgtgt	atgtgtgatt	gtctttgggg	aacctaaagat	120
ttttagcctg	ctcctcccag	acaagtgagc	tggtacagga	gctctgcaat	actttagaag	180
atgctgaaat	ctgatgtgag	cctttcccca	aaccggaatg	acaagctatt	tgcatatagg	240
gaagwttccc	agtctgcccc	tggtctccac	cctgcaaaca	tgtcacggag	aaccctggac	300
aggttctggc	aggccccagc	ctctggtage	ttgtgtactg	aggttggtca	ggataaagga	360
atgtatgcag	gaaagtggaa	catctgttca	ggaagcagga	ctcccagagt	gaaagggatt	420
gaatgaggca	ataggaacag	ggttnaaatg	tgggagtggag	t		461

<210> 282

<211> 454

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 291

<223> 18-171-291 : polymorphic base C or T

<220>

<221> misc_binding

<222> 271..290

<223> 18-171-291.mis1, potential

<220>

<221> misc_binding

<222> 292..310

<223> 18-171-291.mis2, complement

<220>

<221> primer_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 433..453

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 279..303

<223> 18-171-291 potential probe

<220>

<221> misc_feature
 <222> 24
 <223> n=a, g, c or t

<400> 282
 tgtcatcagg gagaccagga ggtnaagagg atgtttcata ccttctactg ggaggggtgaa 60
 catggagact ggggaaggtga ccagccaccc agctctgcgg aagtttgact gagggccgat 120
 ctttgacatt cagcgagacc tatctcagct cctggaggaa ataccaaggg tgaatggcct 180
 gagtcatttc agcagttccc cttgatccac ttatacctga agtggctctc caggagagagg 240
 aagtaaccag aagctgccat tgtctgcctg cagagactgt cacaggaata ytgaagaaag 300
 catcattcct agaagagggg acaccaggg ctcaaggcat gttgccagaa tcccgaacaa 360
 aatacctctg aatttctcac aggggtggag gtggaggaa tgcagggtca gggcgattta 420
 ctgctgaccc acctgttgaa actctctgct gtgg 454

<210> 283
 <211> 559
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 346
 <223> 18-172-346 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 327..345
 <223> 18-172-346.mis1

<220>
 <221> misc_binding
 <222> 347..366
 <223> 18-172-346.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..17
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 538..558
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 334..358
 <223> 18-172-346 potential probe

<400> 283
 tgaggaaata gaaagggaca caccgtctc tctaggtgct gaggccagtt aggatgtgtg 60
 cattgtcaca tagtgagggg gcctagctgc ttatgtctgc caggacaaag ccaagatggg 120
 cttagactgt tgtctcatct gtgctattca ggttcattag cagtcattct caagaccgaa 180
 gaaaataggt ttaaattggg gaaggatgaa tctgaactaa ctgtaaaaca aataaattat 240
 ttttgacagc aggagcactg gaatccattc ctgaagatgt tagggatttg cagaagcttg 300
 gcgtcacctg ggcccttaga aaccatccag tcaagcccca ctcagyatag atgtcctctg 360
 cgtaccccca tacagcctgt gcatggtgcc ctccagggga gatgccagca gttttcatta 420
 tttttaatct ccatttgatt cgggatgggc actaacgcag ctaatagact gagtggagga 480
 agtctttccc caattagcga gaggetgtgg atctcacctc ccaaggtagc caactgtcca 540
 tttcaagaca gttctgatt 559

<210> 284
 <211> 468

<212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 406
 <223> 18-177-406 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 387..405
 <223> 18-177-406.mis1

<220>
 <221> misc_binding
 <222> 407..426
 <223> 18-177-406.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..17
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 450..467
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 394..418
 <223> 18-177-406 potential probe

<220>
 <221> misc_feature
 <222> 416
 <223> n=a, g, c or t

<400> 284
 cactcccctc tatttaccta gcgaaggtct actcactatt cagcttaacc atcacctcct 60
 cagggagctc ttccctgata tactccagta ggccccatt atatgccttc actgtacctc 120
 tgattctcca tattactaac cccaacatag gtatataatc attagtgaac cactttcatt 180
 aatgactgga ccccctatct gaataagtat ttacgaggat atggagtgtg tgtggtggca 240
 ggggggtgtc catttttctt atctgctgcc cagtccttgg tccacagcct tcctggccct 300
 caatgcatgg ccaacttgac aagtgaatga ctacgtggat gggagcaaag ggaagataaa 360
 tgtccatggg gtgtttcagg gccccgggag gtgcaatgaa tagctyaccg aagggnscas 420
 cttcattcat agtctctgga taataacacc taccacatcc taactaca 468

<210> 285
 <211> 456
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 338
 <223> 18-298-338 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 319..337
 <223> 18-298-338.mis1

<220>
 <221> misc_binding
 <222> 339..357
 <223> 18-298-338.mis2, complement

<220>
 <221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 439..456
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 326..350
 <223> 18-298-338 potential probe

<400> 285
 acattgtcac caagaaccag gatctctgga gaaacagttg ggctgttgca tcgagtaatg 60
 tcactggact cggcctaagg tttcctggaa cttccagatt cagagaatsy gatttaggga 120
 aackgtggca gatgagtggg agactgggtg caagggtgtga cgcagaatc ctggaggaay 180
 agagagtaaa gcttctagga atctgaaact tttgcttcat ctctgacgct cgcaggactg 240
 aagatgggca aattgtaggc rtttctgctg agcagagttg gagccagaga tctacttgtg 300
 acttggtggc cttcttccca catctgcctc agactggrgg gggctcagct cctgggggtga 360
 tatctagcct gcttgtgagc tctagcaggg ataaggagag ctgagattgg aggggaattgt 420
 gttgctcctg gagggagccc caggcatcat taaaca 456

<210> 286
 <211> 456
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 110
 <223> 18-298-110 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 91..109
 <223> 18-298-110.mis1

<220>
 <221> misc_binding
 <222> 111..130
 <223> 18-298-110.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 439..456
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 98..122

<223> 18-298-110 potential probe

```

<400> 286
acattgtcac caagaaccag gatctctgga gaaacagttg ggctgttgca tcgagtaatg      60
tcaactggact cggcctaagg tttcctggaa cttccagatt cagagaatsy gatttaggga      120
aackgtggca gatgagtggg agactggttg caaggtgtga ccgcagaatc ctggaggaay      180
agagagtata gcttctaggc atctgaaact tttgcttcat ctctgacgct cgcaggactg      240
aagatgggca aattgtaggc rtttctgctg agcagagttg gagccagaga tctacttgtg      300
acttggtggc cttcttccca catctgctc agactggagg gggctcagct cctgggggtga      360
tatctagcct gcttgtgagc tctagcaggg ataaggagag ctgagattgg agggaattgt      420
gttgctcctg gagggagccc caggcatcat taaaca                                456

```

<210> 287

<211> 451

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 104

<223> 18-299-105 : polymorphic base A or C

<220>

<221> misc_binding

<222> 85..103

<223> 18-299-105.mis1

<220>

<221> misc_binding

<222> 105..124

<223> 18-299-105.mis2, potential complement

<220>

<221> primer_bind

<222> 1..20

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 431..451

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 92..116

<223> 18-299-105 potential probe

<220>

<221> misc_feature

<222> 437

<223> n=a, g, c or t

```

<400> 287
ttcttggaact gggggctaac ttagcaccg tctctaccag cagggtgttg ccaactcatg      60
gtgcatggat tcaaatacaa taaacagtcc tggggagatg tccmgctcct gtagcccat      120
catgggtgtc tgatttggtg agtattctag gtgcttccaa caacctcatc cttctgacct      180
gctggcctct ctgaaggggg tgtctgctct aactggatca agaatagggg acttgtttgg      240
aggaacattc ttggtttgtg atttggtctg gagtctctgt ctgcaagtcc ttctgcttgt      300
ctttttcact tgagtgtttg tgtatgtaca ggaattgctg atggaagtcc aacaggctct      360
cctagtttgt ctggtctgtc acatttgctg aacctgaag gaactgttag cggaagcgca      420
acaggcctga ctcgtgntga ttttccattg t                                451

```

<210> 288

<211> 451
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 31
 <223> 18-884-30 : polymorphic base G or C

<220>
 <221> misc_binding
 <222> 12..30
 <223> 18-884-30.mis1

<220>
 <221> misc_binding
 <222> 32..50
 <223> 18-884-30.mis2, complement

<220>
 <221> primer_bind
 <222> 1..20
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 431..451
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 19..43
 <223> 18-884-30 potential probe

<220>
 <221> misc_feature
 <222> 438
 <223> n=a, g, c or t

<400> 288
 tgtagtgtgct ttccttactc ttcagatagt sataaaggac attaaaccta agcaaacaca 60
 ttagaactat gttactataa cttttcatga aacacttctt ctgtagtgtc tataattcaa 120
 ttttagtggt aataaacctt gagacactga attctgtttt tttttcttta aaaagttttt 180
 ttttaagtata aattaaaatt attcctcttt atttgtattt ctgccctttg tgaacaaagt 240
 taattctggt ttgattgtga agaatttgct tcttttgctg gtttcttctt gtaggtattt 300
 aattgtcgct tggtagatct tgacctggcg ttgggttact gcaactctctt acctcaaaaa 360
 gatgtgtttg aaaatctctg gaagctcata gataaagcat ggcagaatta cgacaaaatc 420
 ttggtatgtc ctaaggangc acaccttcaa t 451

<210> 289
 <211> 451
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 342
 <223> 18-299-343 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 323..341
 <223> 18-299-343.mis1

<220>
 <221> misc_binding
 <222> 343..362
 <223> 18-299-343.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..20
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 431..451
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 330..354
 <223> 18-299-343 potential probe

<220>
 <221> misc_feature
 <222> 437
 <223> n=a, g, c or t

<400> 289
 ttcttgact gggggctaac tgtagcaccg tctctaccag caggggtgttg ccaactcatg 60
 gtgcatggat tcaaatgcaa taaacagtcc tggggagatg tcccgtcct gtagcccat 120
 catgggtgtc tgatttggtg agtattctag gtgcttccaa caacctcatc cttctgacct 180
 gctggcctct ctgaaggggg tgtctgctct aactggatca agaatagggg acttgtttgg 240
 aggaacattc ttggtttgtg atttggtctg gagtctctgt ctgcaagtcc ttctgcttgt 300
 ctttttcact tgagtgtttg tgtatgtaca ggaattgctg ayggaagtcc aacaggctct 360
 cctagtttgt ctggtctgtc acatttgctg aaccctgaag gaactgttag cggaagcgca 420
 acaggcctga ctggtgntga ttttccattg t 451

<210> 290
 <211> 476
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 140
 <223> 99-61513-139 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 121..139
 <223> 99-61513-139.mis1

<220>
 <221> misc_binding
 <222> 141..160
 <223> 99-61513-139.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..19
 <223> upstream amplification primer

<220>
 <221> primer_bind

```

<222> 458..476
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 128..152
<223> 99-61513-139 potential probe

<220>
<221> misc_feature
<222> 60
<223> n=a, g, c or t

<400> 290
aagaaggaca ctgggacact cagcttctc tctgtctcca cagaaccttg atgcctctcn      60
tacatggcgt ccctgtggcc tctctgtgtg gccctctat gtggcatcta cacacagcct      120
cttcacatct tctttccacr acatagtctg gactttgtac atggacatac ttagggcttc      180
tgaaggcaca caggcagacc ttctccatcc ctgggcttgg aaaccccaga acatcacctc      240
caccacattc aatcaggcaa aacaaatcac agagccagtc catattccac tgggaggtgc      300
cacctaaggg tgggagtgcc aggaggtaca gcacattggg gctattcaga ctcaccacta      360
cagaatatag atgacactga gtcaggaccc ttggctagca ggaaataagg ggcccctggg      420
cccccaacga aggagatgta gttgtagaag ctgggaagta agggggtaga gagggaa      476

<210> 291
<211> 517
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 179
<223> 99-61514-179 : polymorphic base A or G

<220>
<221> misc_binding
<222> 160..178
<223> 99-61514-179.mis1

<220>
<221> misc_binding
<222> 180..199
<223> 99-61514-179.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 497..517
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 167..191
<223> 99-61514-179 potential probe

<400> 291
atgttcacac agaatcggtc tagaaactgt attccgtgaa aggatgaaag ctcttaactt      60
ctctgtcccc acccccceaa aaaactttac tgtcacataa gagttgacta atgaccttc      120
actaaaaatt acacagtata ctgcctgcc ccaaatagca attcagtaaa tacttggara      180
ataagtgaat aatttcaatt cacagtcaca tgacaagttg tcaaaagcaa ttataaaagc      240

```

aattgtattg gactcagcac atcccactgg agaagccagg gcaaggaaac agatccctca	300
gcaccttctt tgaaatacaa agatttgaag aaggtcagag cagattggtt tggtgtgtt	360
cttcttgggc taccaggaag tcacaatgat gacagacgta cagatgtaca tttggacaaa	420
atgtacagat gtacaaagaa atgtaaagat gaaaattgat agatcaatag atcccaatct	480
aaagagcctc attcggcctg aaataaagca ttgattg	517

<210> 292
 <211> 436
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 323
 <223> 99-61516-323 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 304..322
 <223> 99-61516-323.mis1

<220>
 <221> misc_binding
 <222> 324..343
 <223> 99-61516-323.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 419..436
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 311..335
 <223> 99-61516-323 potential probe

<400> 292	
ggagactttc tcttagacac acgcctggag gcgtctgaga gggacaggct ggggtcacca	60
attcgaactt ctgccaatgc cctgcatgtc tctctcacta agagctaagc caagacttcc	120
cctgtcatca ccaactgcctg tggtcagtcc tctattacca acagagggaa acagaatgca	180
attgaggaga accaactaat tgcgaaagca aagctgaga aaccccatga gtgatggatc	240
caccaattct ggtggccaca gggaggtccc tggtgtctgg ctgcatgctg gccatgggtga	300
ccaggtgtcc ttgggcagga gayggcttca aatgcagacc ggagtcctag cgatccaagt	360
ggttctttga gaaacaaaa caccacaaag ctcccscwgg actgtaccat tgagctctca	420
atcaciaaatt cagccg	436

<210> 293
 <211> 505
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 70
 <223> 18-204-70 : polymorphic base C or T

<220>
 <221> misc_binding

<222> 50..69
 <223> 18-204-70.mis1, potential

<220>
 <221> misc_binding
 <222> 71..89
 <223> 18-204-70.mis2, complement

<220>
 <221> primer_bind
 <222> 1..17
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 487..504
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 58..82
 <223> 18-204-70 potential probe

<400> 293
 agaaaagtct gtagcacttc gtaattttat atatgggttaa ggggatctca gagataacta 60
 taggatttty aatttgata ataagaagat ggtaatatca ttaaccaaga aaggaaatgt 120
 gagaaggaga gggggaacag attgtaacca ttgttatttt actgacacat atcttcacga 180
 attcgttgaa acttgatgta atgttataag atagtgatgt ttaagagtat tctcccctgt 240
 tccctcgtat ctaccacccc ttctccagga tttgaactca gaggatcaaa aagccttcag 300
 tgttgaacat acaagctgca atgaggaaga aaatttcgca aatatgaaaa agaaggccaa 360
 aataggcatt catcacaaaa atagtcccc caaagtcact gttccaacta gtggaaatac 420
 tatagagtct cctcttcattg aaaacatctc taattcaaca tcatttaaag atgagaaaat 480
 catggagact gatagtgaac cagag 505

<210> 294
 <211> 464
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 442
 <223> 18-207-441 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 422..441
 <223> 18-207-441.mis1, potential

<220>
 <221> misc_binding
 <222> 443..461
 <223> 18-207-441.mis2, complement

<220>
 <221> primer_bind
 <222> 1..17
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 443..463
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 430..454
 <223> 18-207-441 potential probe

<220>
 <221> misc_feature
 <222> 449
 <223> n=a, g, c or t

<400> 294
 catccattat agcccagatg aaagttggct gtgacaacac tgtgggtgcgc atgggtctcca 60
 gtggaaaaca cgtaaactgt gtgacttttg agtatcgta gctggagccg tacgagctgg 120
 aaaacccaaa tggaaacagt atcggggaat tctgtttgtc tggctcttga ataaccaacc 180
 cagtgtttta catgctgata gctaagtgag tttttaatgg ccattgtgta tgattttgat 240
 gcacaactag ttaaaagcct ttcataccag tcagtattcc cagccttgag cgcacgcgcg 300
 cacacacaca cacacatata cacacgcatt aatttttgta ctttgcttct tttatgtttg 360
 taatctgtaa atgaacacat ggcagaaaat aaccctgat tggtaggata atagttctaa 420
 atggaaatgt ttgtaattct tygatgtgnt acaaacctga aact 464

<210> 295
 <211> 456
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 65
 <223> 18-210-65 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 46..64
 <223> 18-210-65.mis1

<220>
 <221> misc_binding
 <222> 66..85
 <223> 18-210-65.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 438..455
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 53..77
 <223> 18-210-65 potential probe

<400> 295
 ataatatcca tgtagctgaa ttcataatgt atacttttta aagacaactt gtttttctct 60
 ctcarttaca aaagtagact acaaatatct aaccactaa aacagcctta atctatattt 120
 taagattaga atccaggtaa cctggctttg tattctactg actatgccat tcaatacaat 180
 gaaaccttct gaaggtctaa gtattagtca tttattcaca tcctactctc taagaataac 240
 caagtggcaa cccacaacat tttcaataac atcattaaaa taatgtttac tttctggcag 300
 atatactaca actcactaac atttttaatg gttttgctct tttatagtta ccagactggg 360

ctatttactt aaataatgat tatttactca ccttcaccc cactatcttc tgcagttaca 420
 ttgccttcac tggtaatggc ttcgtcataa cstatcc 456

<210> 296
 <211> 484
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 200
 <223> 18-212-200 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 181..199
 <223> 18-212-200.mis1

<220>
 <221> misc_binding
 <222> 201..220
 <223> 18-212-200.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 463..483
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 188..212
 <223> 18-212-200 potential probe

<400> 296
 tttggctagt acaacttctt ggaaattaca cacactttaa gcatttatat tcctgggtgaa 60
 caattagttt taatatactt attgggctga gttaatatga agtacttaca gttaattcaa 120
 agatcagctt tgtggggtga gattcatgtg attattcagc catactgcct gaggagcata 180
 ctctgatact tgtggagggy atatcctgat aaagcagcga tttgaagtat tgtgggttgc 240
 ctactattta tagaacta gatatgagga ggcagatatg aagccttgac tcttgtggtc 300
 agcctgactg gacaataaca cagacagcat cactctgttg gtcttgacta cttaattaca 360
 catatctaga aaagtttatt ttgaacaatt gcaaataatg tttacaatac aacaactctt 420
 tttctctttt tttagactaa aaaatcattt agaaaaataa cacacatata aacatactct 480
 ctct 484

<210> 297
 <211> 485
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 334
 <223> 18-229-334 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 314..333
 <223> 18-229-334.mis1, potential

```

<220>
<221> misc_binding
<222> 335..353
<223> 18-229-334.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 464..484
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 322..346
<223> 18-229-334 potential probe

<400> 297
aaaccatagc catcatcttc tgccatttat tattagaaaa acattaatgt atactttatg      60
tttattttgt tggttggctt ttggcttgga tacttatgaa atttttaaaa cttatctttg      120
agactggaaa tttttactgt aattatatat gtgaagtctc tttttgcttg aaacatagtg      180
cgctaagctt ggagtttata ctgaggtagt ttaggcaag agagttacat ggtgagaact      240
atgttttaaa tataccacct caggcaagta tgagggatgt gtttggaaaa agtacagact      300
agagctgagt agaccagttg gactgttgga ataytgtagg ccagaactga gatattttta      360
agattcagcc tgttcaatat gtagcaggaa gtaataaaca agagaataga tgggagatgg      420
agttggtaag aagtaactcc aatgtggtct gcggttccca tgtctcactg ctgwggtgta      480
ctggc                                         485

<210> 298
<211> 457
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 332
<223> 18-230-332 : polymorphic base C or T

<220>
<221> misc_binding
<222> 313..331
<223> 18-230-332.mis1

<220>
<221> misc_binding
<222> 333..352
<223> 18-230-332.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 439..456
<223> downstream amplification primer, complement

<220>

```

<221> misc_binding
 <222> 320..344
 <223> 18-230-332 potential probe

<400> 298
 acaaacacaa tggattctgc cctccacatt gacacctgtt tcatttgcta tactgaggag 60
 aatcaacaaa tgcctacatt tgtttgggtt tcatgaaatt cctttgcatt atttttcata 120
 aactgaatat tgctttgtca ctacatatac ttgtttcact ttattggcac ttttgtectt 180
 cacatttgct tcaagtgtct ccagaatat aatggaaccc tgggtgtcag gtgcccaccc 240
 acatccctgg gaaatagtga agctgagatc agtaacacag acatggaagg aaccttagcc 300
 atcatgcagt tcaaaaattct tgacataaag ayaaagatgt tgagttccag aaagaaacca 360
 tctgcctggg catccatgga ctatctcgct tattcagacg catcatggcc cactaatatc 420
 atactaatat catagttaca ttagcatcgc tcctttg 457

<210> 299
 <211> 478
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 378
 <223> 18-966-378 : polymorphic base A or C

<220>
 <221> misc_binding
 <222> 358..377
 <223> 18-966-378.mis1, potential

<220>
 <221> misc_binding
 <222> 379..397
 <223> 18-966-378.mis2, complement

<220>
 <221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 458..478
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 366..390
 <223> 18-966-378 potential probe

<220>
 <221> misc_feature
 <222> 55
 <223> n=a, g, c or t

<400> 299
 gtacaggagg tgttcacac agtttggcca ctggttccta tgtatgccct ttgnaagca 60
 gtatagcatg gtggctttgg catcaaatac acccagcatc aagtactggc tcctttactg 120
 ttatgagaaa aacctgagat tgtaatgtcc ccccaaactg ggaaggagct gatagtcaa 180
 agaatgactc agacaagtcc agcttgaaga gtggatgagc tcaactcactt acagagaatt 240
 cctgggcagc agcaagacag ctccagccat cttccccacc tcccatctct aagttgcttt 300
 gaagctaatt ttctggctct ttgattactg catatgtgca atgagaatgt ttctctagga 360
 atgttccaag ctatgctmca ggatgttgag tttctcaggg acacctgctc ctctgctggg 420
 caccatggcc ttggctcacc gcctggcctt cagggttcaa gcagtggaca tacacctt 478

<210> 300
 <211> 463
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 307
 <223> 18-987-308 : polymorphic base A or C

<220>
 <221> misc_binding
 <222> 288..306
 <223> 18-987-308.mis1

<220>
 <221> misc_binding
 <222> 308..327
 <223> 18-987-308.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 443..463
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 295..319
 <223> 18-987-308 potential probe

<400> 300
 agagacctaa cattcaccca tttgtagcag ttgttttaga acagtgattg ccaaggaggg 60
 gaaaaatgag gaagcatagc agaatttctg gggaactgta gaaagagaga gcatattggg 120
 aaggctcttg gatatttgaa aattactctg aaatgtttct gaaactcctt ccactgattc 180
 tcatggaaga agtctaacct cttaggatgt gcaagttcaa tggataaat ttaacacttc 240
 atcttggtgca tgaagtgtga tattcagaag caaaatatta aaagctacag gtttttaaaa 300
 aattaamtgt taattaaaag caactcaaca ttttaaagat attctacatt ctccctttcc 360
 cccgatattt gaaattccca atgatgtctt tctgagaca tttaaataga cattcaacat 420
 tatgagagtt ccttcttttg tggggtttta taagtacgaa gca 463

<210> 301
 <211> 460
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 118
 <223> 18-1169-118 : polymorphic base G or C

<220>
 <221> misc_binding
 <222> 99..117
 <223> 18-1169-118.mis1

<220>
 <221> misc_binding

```

<222> 119..138
<223> 18-1169-118.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 442..460
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 106..130
<223> 18-1169-118 potential probe

<400> 301
gaccaagttc atgttgccaa tttattgaaa catctcactc cttagggcac aaccacaaaa      60
tgccttttgt tccccaataa ctgctttcta actgggccat gttgaacca ctttccastg      120
gggagcagtt cctttaatta caagttggcc agattttgta agttgcagtg atgtttaaaa      180
aagtaatttt aaccctatgc agtttaaaat ttcaatctca acttaactca gagctctcct      240
tcctttccac taataaagac caaacctgcc actggcttta attgggtggtg aggggggtgt      300
ctcattacac acttatccct cctccctttt tgagggtctag ctcttccagt tcttgggtca      360
gggagaagag caaaaagagg aaatatctct tactcctctg gacagggttg cagtcttctc      420
cccgaatggc agacagtttt cctgggttact actgatttgc      460

<210> 302
<211> 475
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 138
<223> 18-1172-138 : polymorphic base G or C

<220>
<221> misc_binding
<222> 119..137
<223> 18-1172-138.mis1

<220>
<221> misc_binding
<222> 139..158
<223> 18-1172-138.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 457..475
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 126..150
<223> 18-1172-138 potential probe

```

```

<400> 302
gcaaacagggt aagacatctg atatataaca ggcccccgac cgatgttagt tgccttcatt      60
gccaacaaat gtggaatgat ccccttcctc tgagttccat agagaatgag aataaaagagt      120
aggaaggggt ttctcagstt gtaaaaacttt caatgctaac atcctggcaa accaggacac      180
attgttcaaa gggctacatt tgataaacta tccaagtat tcaatatgtg gctgttatct      240
ccttccta atcctgaata gcgttttcta ttgtttcagg gagtaggggt gaaaaacagg      300
tattcgtgat gtaaataatt tgttttttca atcacataat tgaagactgt taactggctt      360
tacagcagtg attttcaatg gggagtgcag ttttggccct cccaagagac ttttagtaat      420
tccggaaaga tttttgggta tcataaccag ggagtgggag aggggttcttc tgcatt      475

```

<210> 303

<211> 533

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 92

<223> 18-1173-92 : polymorphic base C or T

<220>

<221> misc_binding

<222> 72..91

<223> 18-1173-92.mis1, potential

<220>

<221> misc_binding

<222> 93..111

<223> 18-1173-92.mis2, complement

<220>

<221> primer_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 515..533

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 80..104

<223> 18-1173-92 potential probe

<400> 303

```

ttattgtcag gttgggtctt ccttctgaag actcctgtgt attgtgcctt tgcaagttga      60
tttttcagtg aaacttcaga gggccaagat tyccccttgg ctcccacact gtagtgatta      120
agatagtgag ataacagcag ggggatagat atggggtaga tatatacatc atatcaaagt      180
actccccaag ttcttattga ttagatatta agtaataagt tcaaaattat tatataactt      240
tatagtagag aagtttggca tacatcaaat taaccaggta ttaaaagttc actgcgccag      300
taatgggaca aatcaacgtc atgtgcctcc tcatgtgctg caccgagaag gacacagtat      360
cacttcagca gtgttctggg gccaaaaatg taaaacctca agttgcttat gagtaaacc      420
cagccaaact caaaacaatg gacattctac aaagcaactg gcctgtactt ttcacaggca      480
ttgaggtcat gaaagacaag acagaagagc tgctccagag tgaagaagac cga      533

```

<210> 304

<211> 463

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 387
 <223> 18-1174-387 : polymorphic base C or T

 <220>
 <221> misc_binding
 <222> 368..386
 <223> 18-1174-387.mis1

 <220>
 <221> misc_binding
 <222> 388..407
 <223> 18-1174-387.mis2, potential complement

 <220>
 <221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

 <220>
 <221> primer_bind
 <222> 443..463
 <223> downstream amplification primer, complement

 <220>
 <221> misc_binding
 <222> 375..399
 <223> 18-1174-387 potential probe

<400> 304
 gccatttctt tgcttttagat atttgacctt attttttcag acctgtttaa tcaccagttt 60
 agcttttcagg accctctcta gaggtgggtca tgtgttattg tggaaagtac agattttgga 120
 ttcaaacaaa tgcagattca aaccttgggt ataccatcta taagatgttg aaaagtaacc 180
 tgaccttgca gtctcagttt cctcaactat aaaatagtgt ctacttgtgt ggtaaagggt 240
 taatccagca ggtctgcaca gtctaaatcc tgcacattcc aaagaaagggt ttagtcctta 300
 ctctactcct gggagataac ctctaagctt ctagaatata ctgcctgtta agaatgtttt 360
 tgtttatcta agcccttggg ctacacyaaa tagtttaagc taagaaagtg ggaaatgtgt 420
 gattaaatct gagagttgtc ttggtgactt caaaactact tct 463

<210> 305
 <211> 451
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 416
 <223> 18-1175-416 : polymorphic base G or C

<220>
 <221> misc_binding
 <222> 397..415
 <223> 18-1175-416.mis1

<220>
 <221> misc_binding
 <222> 417..436
 <223> 18-1175-416.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..19
 <223> upstream amplification primer

```

<220>
<221> primer_bind
<222> 434..451
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 404..428
<223> 18-1175-416 potential probe

<220>
<221> misc_feature
<222> 428
<223> n=a, g, c or t

<400> 305
gactagaagt tactttccca tgtctctttt ttaaaaaaca ttttcaaaga ccctagaaaa      60
tcaaatagtg acttaagggt tcagaaattt tcaagcctac tagcggagtg atgtggcaga      120
atgaacacag acttgagatt gagaaacact tggagctgaa ccttgctcta cctcttgcca      180
gctatgtgta cggggcaagg ttctgcatta gggtttcagc ttcttcattt gtaatatgga      240
accacctatc tagatggcta ctgtgaggat gaagtgatgc aaacaggtaa gacatctgat      300
atataacagg ccccgaccg atgttagttg ccttcattgc caacaaatgt ggaatgatcc      360
ccctcctctg agttccatag agaatgagaa taaagagtag gaaggggttt ctcagsttgt      420
aaaactbnca atgctaacat cctgcaaac a                                451

<210> 306
<211> 450
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 146
<223> 18-542-146 : polymorphic base A or G

<220>
<221> misc_binding
<222> 127..145
<223> 18-542-146.mis1

<220>
<221> misc_binding
<222> 147..165
<223> 18-542-146.mis2, complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 430..450
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 134..158
<223> 18-542-146 potential probe

<400> 306
aaactgtgtc ctagagtcag ccaagcaact acaaagccga agaatgactt ttgctaaatc      60
actagctact gtattaacac catttcaggt ctattggatt cagggaaata tttttactgt      120

```

cacaactgct	ttttgttgga	ttgtgraaag	tattacaatt	aatttttaaaa	atgtgtagaa	180
atgcctcagg	ggcaaggata	gaaacagata	tatatttcta	aagaaagctg	gagaaaaatt	240
ctttagaagg	tgagtaattc	caatttgga	tttagcta	aatgttcctt	tctcggtata	300
atctatTTTT	ttctaacaat	gattaatagt	tttttcttgg	tatttcaaag	cagaattatt	360
gataaaactaa	attcattaga	ctaattcatt	agtctttcac	cactcatttg	accacacggc	420
tctacatctc	tccaccaaac	tcttacagta				450

<210> 307

<211> 3000

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 1501

<223> 8-42-211 : polymorphic base C or G

<220>

<221> misc_binding

<222> 1481..1500

<223> 8-42-211.mis1, potential

<220>

<221> misc_binding

<222> 1482..1500

<223> 8-42-211.mis2, complement

<220>

<221> primer_bind

<222> 1694..1711

<223> upstream amplification primer, complement

<220>

<221> primer_bind

<222> 1263..1281

<223> downstream amplification primer

<220>

<221> misc_binding

<222> 1489..1513

<223> 8-42-211 potential probe

<400> 307

caagtga	gcg	agatga	gcgc	agcggc	gcgc	cgggcg	gtcc	tcttgt	tccac	gtagt	cgatg	60
gggtcc	gtga	tggccc	agta	cctgtc	cagc	gcgatg	gcgc	acaggt	gcaa	gatgg	atgag	120
gtgcag	caca	gcagtc	gcag	ggcgat	gaac	aggtgc	cagg	ttacct	ggcc	cagtgt	ccac	180
ttgttg	agca	cctgata	cag	cgcgcc	catg	ggcagc	acca	acaccg	acac	catgag	gtcg	240
gtgacc	gcca	aagagcc	aat	aagata	aattg	gccacg	ttct	gcaggg	agcg	ctcca	aggcg	300
atggc	agcca	ccacgc	acgc	attgcc	cagc	accgcg	caga	agatga	gcgt	gcccag	cagc	360
agagag	gtga	tcactt	ggta	gctgac	ggtc	acgtcg	gaga	taccag	tagt	gttgcc	gccg	420
gtctca	aagg	gagccg	gttg	tgatgt	gggtg	ttgttg	ccct	gaccag	gggt	gagcac	atcc	480
atgcct	gcgc	gcccgc	gcgc	ggaagg	ggga	gggaaga	aaaa	agcagc	gcga	agattc	gcct	540
cgcccc	ttcc	cctggg	gtct	tccgcc	cttc	tcctgg	gaag	tttcgg	agga	agggaa	tgca	600
gagacc	caag	cagga	agttc	ttactg	cttc	ggcga	aggg	atctcc	gagg	agcag	cttc	660
aggcgt	cccc	tgggct	ctcg	cagtcc	cagc	cgttca	gaag	ctccag	ctgg	gaaact	ggag	720
ttggc	ctgaa	agcag	ctcca	ggatct	cccc	gcggcg	gaga	ggtgg	ctgga	acgtct	gtct	780
gtcgt	gtcc	atttt	actttt	gccgt	cccc	aactgg	ctgc	cggag	ctgga	gtctcc	ccac	840
tagcaa	acag	tctcca	aatcc	cagaa	aatatc	tagaa	accgag	aagcccc	atc	ctcca	cggtc	900
actct	gtgac	cctcct	ctctc	ctattt	ccctt	ccttcc	ctctc	ctcccc	ctctc	ctcct	ctctc	960
cttct	ctctc	ttctgc	ctctc	ttctgc	ctctc	ttctgc	ctctc	ctgcct	ctctc	tttcag	ctctc	1020
cctctt	ctctc	ctcact	ttccc	tttatt	tctc	ctctgt	gcag	tcgctt	cgaa	agccag	gtctc	1080
cttcc	ctctc	actcta	acccc	tcccct	ctcta	atactt	cccc	aacccc	gagg	agtgc	ctctt	1140
tcctct	gggt	ccccgc	ctctc	ctctc	ctctc	agctc	agcgt	ctttgc	attc	gagtc	ctctt	1200

ttgtcaacag	agactcagaa	ctcacttaca	cacaccagat	ccctgccggt	cagaccaagg	1260
ttgtaacaaa	taaactccgc	ctccaaccca	gcaaaactgg	gggtggaaaa	acttggggga	1320
gggaattcca	actactcctt	gcctcatatt	atctgccaaa	ttcttaaate	gtgtcagcat	1380
cccagagtgg	caataggaga	tgagaaaagg	aagcataggg	agcctgaatg	ggaaggtgaa	1440
cagtcctggg	tcagtctccc	aattattgct	aattgatgga	agaagaccga	gtgtgtcttc	1500
stttttaaaa	agctacctcc	gttctcgcgc	cattgcactc	cagcctgggc	gacagagcga	1560
gactccgtct	ccaaaaacaa	acgaacaacg	acgacaacaa	caacaaaacg	gtacctccgt	1620
tatcatctaa	cagtccagcc	ttactccctc	agggagaata	ttgcctgtga	cttttttttt	1680
aacggtgggg	aaocgggaga	gaacgaaatt	ataaaggacg	tgtcaaagga	caaggagagg	1740
taaacaactg	catctcgaaa	tgaagaacaa	aactcagtg	gatataat	ctaaacacac	1800
acacactttt	ccatcactac	tacacttgta	atttcagtg	cactgccact	tcccatagct	1860
ttgtggctag	taaattcagg	gatggaaata	ttttgcatat	gtgttctaag	tgaagcctgg	1920
cattttcacat	ggccttttgc	acttcttacc	agagcctgca	aacctctggg	ggaaacttgg	1980
tggaatcccg	gttcgctagc	cggctagcct	ctcttaatct	cagaaactgg	gttcagcacc	2040
tgggacagtt	ctaagcaatg	aggttttatg	tcgccacctt	ctggcaaagt	ttttagagtg	2100
ccatctggaa	acccttatgc	agaaatgaag	caagtattga	ggaaatacaa	caacttttag	2160
aaagaggaag	acagttatta	aaagacaagg	tagtattgag	ttttgtctcc	ttcctatttt	2220
ctttaaaaat	ttatttttagt	gccctctttt	gctctgaacc	ttatataatca	ggcctattat	2280
atgttttagc	ttccttcgaa	agcctgaagt	atctgtcatt	cacaagttct	aactgggaat	2340
gccattttaa	taaagctagg	ctaacacttt	cacctgtgtt	ggttttgtgc	tgtcataacc	2400
tgaacttttg	aactgacata	aatttacctt	ttgttgagga	aacgaatagt	attgcatttt	2460
ccaaatgatt	taacatttgg	aaatgttaaa	tcactgaaaa	taaagatact	tacaagggtt	2520
tgttctaagc	tgtttccttt	aacaagaaaa	acaaatttaa	tcacatttga	gcattggtaa	2580
agaatgggac	ttctaagcaa	ctacagtaaa	cataccacac	aacatttcac	ttatacatcc	2640
tgattgcatg	cctgaggtga	aaggaaatgca	atctcaaaag	cagttgacac	tggataacat	2700
gaacagattc	actacagatt	gcaataatct	taatattgtg	ttcaaactctg	agctctgaat	2760
ttcatagctc	tgaattctcc	aagcccaaac	aaaagagcaa	tcaccaaagc	atcaaaaaga	2820
atccacttgg	gccaatgcat	tacaatacag	gacagtgtgt	ttggataagg	ttttgtttgt	2880
tttttttttt	tatagttcag	tgctgggcac	agttcccact	caatcatttc	agcatgccac	2940
cacaatgagc	ctgccatttg	tgatgattca	tggcattgaa	aagaaagaga	taagtataca	3000

<210> 308

<211> 3001

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 1501

<223> 8-45-389 : polymorphic base A or G

<220>

<221> misc_binding

<222> 1481..1500

<223> 8-45-389.mis1, potential

<220>

<221> misc_binding

<222> 1502..1520

<223> 8-45-389.mis2, complement

<220>

<221> primer_bind

<222> 1114..1133

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 1516..1533

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 1489..1513

<223> 8-45-389 potential probe

<220>

<221> misc_feature

<222> 11,126,133,286,315,1042,1228,2645..2646,2799,2964,2986..2987

<223> n=a, g, c or t

<400> 308

catatgcaaa	natatttcca	tccctgaatt	tactagccac	aaagctatgg	gaagtggcag	60
tgtcactgaa	attacaagtg	tagtagtgat	ggaaaagtg	gtgtgtgttt	agaatatata	120
tcacantgag	ttntgttctt	catttcgaga	tgcagttggt	tacctctcct	tgtcctttga	180
cacgtccttt	ataatttcgt	tctctcccgg	ttccccaacg	ttaaaaaaaa	agtcacaggc	240
aataattctcc	ctgagggag	aaggctggac	tgttagatga	taacgnaggt	accgttttgt	300
tgttggtgtc	gtcgntgttc	gtttgttttt	ggagacggag	tctcgtctctg	tcgcccaggc	360
tggagtgcga	tggcgcgaga	acggaggtag	cttttttaaaa	acgaagacac	actcggctctt	420
cttccatcaa	ttagcaataa	ttgggagact	gaccacggac	tgttcacctt	cccattcagg	480
ctccctatgc	ttccttttct	catctcctat	tgccactctg	ggatgctgac	acgattttaag	540
aatttggcag	ataatatgac	ccaaggagta	gttggaaattc	cctcccccaa	gtttttccaa	600
ccccagtttt	gctgggttgg	agggcgagtt	tatttgttac	aaccttgggtc	tgaccggcag	660
ggacctgggtg	tgtgtaagtg	agttctgagt	ctctgttgac	aaaaagagac	tcgaatgcaa	720
agacgttgag	ctagagggag	aggagggcgg	ggaccacagag	gaaagaggca	ctcctcgggg	780
ttggggaaagt	attaggaggg	gaggtttaga	gtgggagggga	aggagctcgc	tttcgaagcg	840
actcacagag	ggataaataa	agggaagtga	ggaggaagag	ggagacttaa	agggaaaggca	900
ggtggggaga	agggggacga	aagaggcaga	agagagagaa	gagaggagga	gagaggggga	960
gagagggaaag	gaaggaaata	gcgagaggag	ggtcacagag	tgaccgtgga	ggatggggct	1020
tctcggttct	agatatttct	gngattggag	actgtttgct	agtggggaga	ctccagctcc	1080
ggcagccagt	tcgggagcgg	caaagtaaaa	tggacagcga	cagacagacg	ttccagccac	1140
ctctccgccg	ccgggagatc	ctggagctgc	tttcaggcca	actccagttt	cccagctgga	1200
gcttctgaac	gcgctggact	gcgagagncc	agggagcgcc	tgaaaagctgc	tcctcggaga	1260
taccttccgc	ggaagcagta	agaacttcct	gcttgggtct	ctgcattccc	ttcctccgaa	1320
acttcccagg	agaagggcgg	aagaccccag	gggaaggggc	gaggcgaatc	ttcgcgctgc	1380
tttttcttcc	ctcccccttc	ccgcgcgggg	cgcgacggca	tggatgtgct	cagccctggg	1440
cagggcaaca	acaccacatc	accaccggct	ccctttgaga	ccggcggcaa	cactactggt	1500
rtctccgacg	tgaccgtcag	ctaccaagtg	atcacctctc	tgctgctggg	cacgctcatc	1560
ttctgcgcgg	tgctgggcaa	tgcgtgcgtg	gtggctgcc	tcgccttggg	gcgctccctg	1620
cagaacgtgg	ccaattatct	tattggctct	ttggcgggtca	ccgacctcat	ggtgtcgggtg	1680
ttggtgctgc	ccatggccgc	gctgtatcag	gtgctcaaca	agtggacact	gggcccaggta	1740
acctgcgacc	tgttcacatc	cctcgacgtg	ctgtgctgca	cctcatccat	cttgacactg	1800
tgcgccatcg	cgctggacag	gtactgggac	atcacggacc	ccatcgacta	cgtgaacaag	1860
aggacgcccc	ggcgcgcgcg	tgcgtcatc	togetcactt	ggcttattgg	cttctctatc	1920
tctatcccgc	ccatgctggg	ctggcgcacc	ccggaagacc	gctcggaccc	cgacgcagtc	1980
accattagca	aggatcatgg	ctacactatc	tattccacct	ttggagcttt	ctacatcccg	2040
ctgctgctca	tgttggttct	ctatgggcgc	atattccgag	ctgcgcgctt	ccgcacccgc	2100
aagacggtca	aaaaggtgga	gaagaccgga	gcggacaccc	gccatggagc	atctcccgc	2160
ccgcagccca	agaagagtgt	gaatggagag	tcggggagca	ggaactggag	gctgggcgtg	2220
gagagcaagg	ctgggggtgc	tctgtgcgcc	aatggcgcgg	tgaggcaagg	tgacgatggc	2280
gccgccctgg	aggtgatcga	ggtgcaccga	gtgggcaact	ccaaagagca	cttgccctctg	2340
cccagcgagg	ctggtcctac	cccttggtgc	cccgcctctt	tcgagaggaa	aatgagcgc	2400
aacgccgagg	cgaagcgcaa	gatggccctg	gcccagagaga	ggaagacagt	gaagacgctg	2460
ggcatcatca	tgggcacctt	catcctctgc	tggctgccct	tcttcatcgt	ggctcttgtt	2520
ctgcccttct	gcgagagcag	ctgccacatg	cccacctgt	tgggcgccat	aatcaattgg	2580
ctgggctact	ccaactctct	gttaacccc	gtcattttacg	catacttcaa	caaggacttt	2640
caaanncgct	ttaagaagat	cattaagtgt	aagttctgcc	gccagtgatg	acggaggagt	2700
agccggccag	tcgaggctac	aggatccgtc	ccattcacta	tgcttcccc	aaccctaggg	2760
aatcaacact	taagataatt	cgccacttct	cctctttcnt	ctctgctccg	ctcacggctt	2820
gcagacctgg	tccccctccc	acttctctgt	ccacggcagg	gccctttgtg	caaaggagac	2880
ccagcggagg	agcgttgaga	gcccaggaaa	ttcagagagt	ttgtgagaag	cgacattggc	2940
tcagactttg	cctgtatcat	cagnttttga	tcccagcaat	tgcttnttc	tctcttctat	3000
c						3001

<210> 309

<211> 498

<212> DNA
 <213> Homo Sapiens

 <220>
 <221> allele
 <222> 270
 <223> 18-994-270 : polymorphic base C or T

 <220>
 <221> misc_binding
 <222> 250..269
 <223> 18-994-270.mis1, potential

 <220>
 <221> misc_binding
 <222> 271..289
 <223> 18-994-270.mis2, complement

 <220>
 <221> primer_bind
 <222> 1..19
 <223> upstream amplification primer

 <220>
 <221> primer_bind
 <222> 481..498
 <223> downstream amplification primer, complement

 <220>
 <221> misc_binding
 <222> 258..282
 <223> 18-994-270 potential probe

 <220>
 <221> misc_feature
 <222> 477
 <223> n=a, g, c or t

 <400> 309
 actatggaaa accacatact tctctgcaaa tgtaattcctt ggcaaagatt tgtctccatt 60
 ctggacattt gaaatttctt tcccagttta gaatgatagt gtcccagctt acacctaaaa 120
 tattgcttta atattctttg tttgagtgtt tagtgaaaag ggagtgcaaa ggaaattcac 180
 tcaactctcc actggaaatg aatacccat catttttctc atgagttccc gtagcaataa 240
 agcattgtaa atgtgtagca attactgaay ctgtggtata acaattttct ccacacaaat 300
 ataattttat atttctttaa agaagatttt aaaaatatct aacaaagaga aagcctgcca 360
 agataatctt aagcaaatcc ttgtttgatg tgcaacagtg gatgggaaag taggaccagg 420
 ggtcctgctg ggatgttctg tccaacattg aactcctcaa agaacccttg tcaaagncaa 480
 gttcctctgt ccttagaa 498

 <210> 310
 <211> 467
 <212> DNA
 <213> Homo Sapiens

 <220>
 <221> allele
 <222> 165
 <223> 18-912-165 : polymorphic base C or T

 <220>
 <221> misc_binding
 <222> 146..164
 <223> 18-912-165.mis1

```

<220>
<221> misc_binding
<222> 166..184
<223> 18-912-165.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 447..467
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 153..177
<223> 18-912-165 potential probe

<220>
<221> misc_feature
<222> 450
<223> n=a, g, c or t

<400> 310
catttttctc accccgacta tgctcttact ctttcaaaag tgaacaataa aaatattgac      60
agaaggacag cattgtaaaa gtacatttat taatgcttgt cactataaat ctgataattt      120
ctcacataaa aaatactctt tttgggtttt tactgaactt taaayatttt attaggactt      180
acaaatttca aatacttatt ttatgctttt gaacaaatgc atgaacttcc agggaaagag      240
tagggtcgtt ttcaatactg atcattgaac tttcattggc atgttctttt attcccttca      300
ctaacttctg attatgtaaa gaagtctcag aatgcagcaa tcacatcttg ttttctactt      360
gtcttttact cagaatttcc cagagaactg gaagcttacc aaatacttta aagaatgggg      420
agaatgtaac atccacatgc aaatctcttn cctaatatat cctccca                      467

<210> 311
<211> 463
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 124
<223> 18-991-124 : polymorphic base C or T

<220>
<221> misc_binding
<222> 105..123
<223> 18-991-124.mis1

<220>
<221> misc_binding
<222> 125..144
<223> 18-991-124.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind

```

```

<222> 444..463
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 112..136
<223> 18-991-124 potential probe

<400> 311
cattctcat atactcatcc aaatggcaga ttgttctaata gctgtgatat gtatttatac      60
cttttcagca ggccctgcc atctggattt ggaattcttt tagcagaaga caaagccttt      120
tcaygtttac cgatgaagct gcaaaaggaa agaccacag gaaaaacaat ccctgacttt      180
ccctttctgt cattcgcca aatctccctg gctcaaaacc tcatcagcat cttctactcc      240
ctctctcttc acatccagac accaagtctt gccagttcct tctttgatgc atttttcatac      300
atcttacttg ttttccattc cttctgccag cttcccatat tcaggccttt attgctctac      360
acctgcctca ttgaaatcac ctccaaagag aacacatctg ctttcgttat tagtggtctc      420
cactggctaa aaccacagtt tcagcttttt aacctggcat aag                          463

<210> 312
<211> 551
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 219
<223> 18-920-219 : polymorphic base C or T

<220>
<221> misc_binding
<222> 199..218
<223> 18-920-219.mis1, potential

<220>
<221> misc_binding
<222> 220..238
<223> 18-920-219.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer.

<220>
<221> primer_bind
<222> 534..551
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 207..231
<223> 18-920-219 potential probe

<220>
<221> misc_feature
<222> 536
<223> n=a, g, c or t

<400> 312
taccctctaaa cacaactaca atctctggac attatatata aaaaatgatt taaaaaat      60
aaacagtggg tagagacaga ctggctaggg acctcaaaat atgaagagca acttatgggc      120
cttggtgtttt tcttttctta cattaatatc ttagacatag agtttatgaa gccagcaacc      180
tggaagggcc aatgggcata gataaaaact gcccacayc cccaagtaaa agtctgtctc      240

```



```

ctctagggaa aaattcagga aagaagcatc caagaagaga aaaaaatttt agataataac 300
tactcaattt agccaaacat tggaaagaaa aaacaaagta ttctgtcccc tgccccacac 360
cagcaaagac catatgagta acctagactt tcaccacag cagcctgaaa taatctcttc 420
caagcctctt agaggtggta ttaaaaaaag tccaagtagg aaaaaacatg actttatcct 480
tcctaggtgg taacaagacc ccctcctgat gcaaggtcag tggtgacaat ttaggnagta 540
tgggcttcta t 551

```

```

<210> 313
<211> 457
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 312
<223> 18-911-312 : polymorphic base A or G

```

```

<220>
<221> misc_binding
<222> 293..311
<223> 18-911-312.mis1

```

```

<220>
<221> misc_binding
<222> 313..331
<223> 18-911-312.mis2, complement

```

```

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

```

```

<220>
<221> primer_bind
<222> 437..457
<223> downstream amplification primer, complement

```

```

<220>
<221> misc_binding
<222> 300..324
<223> 18-911-312 potential probe

```

```

<400> 313
ccacatttcc caaattatgt aaggaaaatt tcctataagt tgtttctcct agtcatttcc 60
aatcaaaatt catagtcttg aacaaaacac aattgcccta ctgctacagt atttggggat 120
tggaagaat taaattttaga ataataatctt taacctaac aaataattga ttctaatttc 180
aattacatga aaaaaaagta aaaacttttt tttcagtagg agctttttaga aacaactttt 240
ataatctcat aagcaaatat tcaactcttt actgtataga ttctttcttc agtaataaaa 300
acaattcagc crtagtttgg ggataatgga caaacatacc aattactgag aaactccaac 360
catcagcctt cagtaatgat agggcttcaa gggtcacagc aaaacttcag cttaaattctt 420
tttagtttgt gtccctgggc aaggaatwac attgaaa 457

```

```

<210> 314
<211> 477
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 368
<223> 99-65963-368 : polymorphic base A or G

```

```

<220>

```

```

<221> misc_binding
<222> 349..367
<223> 99-65963-368.mis1

<220>
<221> misc_binding
<222> 369..388
<223> 99-65963-368.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 459..477
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 356..380
<223> 99-65963-368 potential probe

<220>
<221> misc_feature
<222> 460
<223> n=a, g, c or t

<400> 314
gcttctgtat tctaaactgg aagtagacat catatcccag ctaaacaggg aaagttag      60
aactttggga atagttgtc tatgcatgta taatgctgag aagggtctgc agtgaagaag    120
ataagataga cttctccagc acaactatta ctcatgtgat aattcagttt catttttgct    180
cacataatct aagtaaagcc atatcagaaa ccaagttttt ctgtatgtta cactaaattt    240
taagaacaaa gtctatatat aaaataatcc aaaccccaaa tttgctcatc caaattatgt    300
cttgccagc aagttttaca ttagaagttt tgagacttcc atttatttgt gtcttttaca    360
gaattgtrtg acaatgactt ttggacattt gttctttcgg ctttgaata tttacacaag    420
aatggagaag gaacatcaa ctggagcata attgtcaagn caatagagaa tttagag      477

<210> 315
<211> 502
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 225
<223> 99-65966-225 : polymorphic base C or T

<220>
<221> misc_binding
<222> 206..224
<223> 99-65966-225.mis1

<220>
<221> misc_binding
<222> 226..245
<223> 99-65966-225.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

```

```

<220>
<221> primer_bind
<222> 486..502
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 213..237
<223> 99-65966-225 potential probe

<220>
<221> misc_feature
<222> 485,490
<223> n=a, g, c or t

<400> 315
tacctccata tacaatctct agcacctttt tctgtactta acactactct gtgaaccttc      60
tgcttttagct aaaatgttct aattgggtatt tctaaccaga tctgctactt caaattttaag    120
tggcacatta tgtgtaaaaa ccagggtggca aaattataaa cattatataa gtttgaattt      180
tttgcccttg accctaccct ggccaccctg ttgcaactct ttaaygggta atgattctct      240
cctcattctg atgctctcct ccttactctg ctcaaaactt tcttcctctc atctagccat      300
tcctttggct ttagacccat cttttcctct ctcttccaag accctttcgg gttaatacaa      360
cacatgggag gttttgagtc tgcattcttc tcaaggatca acatttgcac aatcaaccca      420
ggcaattaat caacatccag caatcagata gaaatttcat actaggccct cacttgccag      480
gaagnaaggn atcagggtgt tt                                         502

<210> 316
<211> 452
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 75
<223> 99-65968-75 : polymorphic base C or T

<220>
<221> misc_binding
<222> 56..74
<223> 99-65968-75.mis1

<220>
<221> misc_binding
<222> 76..95
<223> 99-65968-75.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 432..452
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 63..87
<223> 99-65968-75 potential probe

<220>

```

<221> misc_feature
 <222> 439
 <223> n=a, g, c or t

<400> 316
 cctgaccttt gtttactgga ggtttaccca tgctcacttt gccctgcagc catcattctg 60
 acaccagaaa gcagyagaat gaacaaacat aacaacagaa acaagagggtg tttttgacta 120
 cttaagtagg gaaataatag agcataataa ttaattttta catagtaata cgtcataatat 180
 acaaaaccct actatggaag aagaccagc cagaaaataa aatgcccctc tacttttaaat 240
 tgatgaaccc caaaacaatc aactgtttct tttgaaacag gggagggttat tttcctccag 300
 ctgaatgttg cagggtagac agaggaggga tctcagcacc acccactgtt ttaaaaaggc 360
 agattggacc cctgttgctt tccccagaga ctgtagtttt cctccatata tcttcaattc 420
 tgtccatggt agaaagaanc ctatatgtta cc 452

<210> 317
 <211> 2512
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 1501
 <223> 99-5069-331 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 1482..1500
 <223> 99-5069-331.mis1

<220>
 <221> misc_binding
 <222> 1502..1521
 <223> 99-5069-331.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1171..1189
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 1702..1719
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 1489..1513
 <223> 99-5069-331 potential probe

<220>
 <221> misc_feature
 <222> 572,758,2175..2176,2329,2494
 <223> n=a, g, c or t

<400> 317
 cccattcagg ctccctatgc ttccttttct catctcctat tgccactctg ggatgctgac 60
 acgatttaag aatttggcag ataatatgac ccaaggagta gttggaattc cctcccccaa 120
 gtttttccaa ccccagtttt gctgggttgg aggcggagtt tatttgttac aaccttggtc 180
 tgaccggcag ggacctggtg tgtgtaagt agttctgagt ctctgttgac aaaaagagac 240
 tcgaatgcaa agacgctgag ctagaggag aggaggcgg ggaccagag gaaagaggca 300
 ctctcggggg ttggggaagt attaggaggg gaggggttaga gtgggaggga aggagctcgc 360
 tttcgaagcg actcacagag ggataaataa agggaagtga ggaggaagag ggagacttaa 420
 aggggaaggca ggtggggaga agggggacga aagaggcaga agagagagaa gagaggagga 480

gagaggggga	gagaggggaag	gaaggaaata	gcgagaggag	ggtcacagag	tgaccgtgga	540
ggatggggct	tctcggttct	agatatttct	gngattggag	actgtttgct	agtggggaga	600
ctccagctcc	ggcagccagt	tcgggagcgg	caaagtataa	tggaacagca	cagacagacg	660
ttccagccac	ctctccgccg	cggggagatc	ctggagctgc	tttcaggcca	actccagttt	720
cccagctgga	gcttctgaac	gcgctggact	gcgagagncc	agggagcgcc	tgaaagctgc	780
tctctcgaga	tacccttcgc	cgaagcagta	agaacttcct	gcttggttct	ctgcattccc	840
ttcctccgaa	acttcccagg	agaagggcgg	aagaccccag	gggaaggggc	gaggcgaatc	900
ttcgcgctgc	tttttcttcc	ctcccccttc	ccgcgcgggg	cgcgacagca	tggtatgtgt	960
cagccctggt	cagggcaaca	acaccacatc	accaccgggt	ccctttgaga	ccggcggcaa	1020
cactactggt	atctccgacg	tgaccgtcag	ctaccaagtg	atcacctctc	tgctgctggg	1080
cacgctcatc	ttctgcgcgg	tgctgggcaa	tgctgctgct	gtggctgcca	tcgccttgga	1140
gcgctccctg	cagaacgtgg	ccaattatct	tattggctct	ttggcgggtc	ccgacctcat	1200
ggtgtcggtg	ttggtgctgc	ccatggcgcg	gctgtatcag	gtgctcaaca	agtggacact	1260
gggcccaggta	acctgcgacc	tgcttcacgc	cctcgacgtg	ctgtgctgca	cctcatccat	1320
cttgccactg	tcgcccacgc	cgctggacag	gtactggggc	atcacggacc	ccatcgacta	1380
cgtgaacaag	aggacgcccc	ggcgcgccgc	tgctgctcat	tcgctcactt	ggcttatttg	1440
cttcctcatc	tctatcccgc	ccatgctggg	ctggcgccac	ccggaagacc	gctcggaccc	1500
ygacgcatgc	accattagca	aggatcatgg	ctacactatc	tattccacct	ttggagcttt	1560
ctacatcccg	ctgctgctca	tgctggttct	ctatgggcgc	atattccgag	ctgcgcgctt	1620
ccgcataccg	aagacgggtc	aaaagggtga	gaagaccgga	gcggacaccc	gccatggagc	1680
atctcccgc	ccgcagccca	agaagagtgt	gaatggagag	tcggggagca	ggaactggag	1740
gctgggctg	gagagcaagg	ctgggggtgc	tctgtgcgcc	aatggcgccg	tgaggcaagg	1800
tgacgatggc	gccgcccctg	aggtgatcga	ggtgcaccga	gtgggcaact	ccaaagagca	1860
cttgccctct	cccagcgagg	ctggtcctac	cccttggtgc	ccgcctctt	tcgagaggaa	1920
aaatgagcgc	aacgcccagg	cgaagcgcaa	gatggccctg	gcccagagag	ggaagacagt	1980
gaagacgctg	ggcatcatca	tgggcacctt	catcctctgc	tggtgcccct	tcttcatcgt	2040
ggctcttgtt	ctgcccctct	gcgagagcag	ctgccacatg	cccaccctgt	tgggcgccat	2100
aatcaattgg	ctgggctact	ccaactctct	gcttaacccc	gtcattttac	catacttcaa	2160
caaggacttt	caaanncgct	ttaagaagat	cattaagtgt	aagtcttgcc	gccagtgatg	2220
acggaggagt	agccggccag	tcgaggctac	aggatccgtc	ccattcacta	tgcttcccc	2280
aaccctaggg	aatcaacact	taagataatt	cgccacttct	cctctttcnt	ctctgctccg	2340
ctcacggctt	gcagacctgg	tcccctcccc	acttctgctg	ccacggcagg	gccctttgtg	2400
caaaggagac	ccagcggagg	agcgttgaga	gccagggaaa	ttcagagagt	ttgtgagaag	2460
cgacattggc	tcagactttg	cctgtatcat	cagnttttga	tcccagcaat	tg	2512

<210> 318

<211> 493

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 175

<223> 99-5070-176 : polymorphic base G or T

<220>

<221> misc_binding

<222> 156..174

<223> 99-5070-176.mis1

<220>

<221> misc_binding

<222> 176..194

<223> 99-5070-176.mis2, complement

<220>

<221> primer_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 476..493

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 163..187

<223> 99-5070-176 potential probe

<400> 318

cttattggct	tcctcatctc	twtcccgccc	atgctgggtg	gcgcaccccg	gaagaccgct	60
cggaccccca	cgcatgcacc	attagcaagg	atcatggcta	cactatctat	tccacctttg	120
gagctttcta	catcccgtg	ctgctcatgc	tggttctcta	tgggcgcata	ttcckagtgc	180
gcgcttccgc	atccgcaaga	cgggtcaaaa	ggtggagaag	accggagcgg	acacccgcca	240
tggagcatct	cccgccccgc	agcccaagaa	gagtgtgaat	ggagagtcgg	ggagcaggaa	300
ctggaggctg	ggcgctggaga	gcaaggctgg	gggtgctctg	tcgccaatgg	cgggtgaggc	360
aagggtgacga	tggcgccgcc	ctggagggtga	tcgaggtgca	ccgagtgggc	aactccaaag	420
agcacttgcc	tctgcccagc	gaggctggtc	ctacccttg	tgcccccgcc	tctttcgaga	480
ggaaaaatga	gcg					493

<210> 319

<211> 450

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 348

<223> 18-511-348 : polymorphic base C or T

<220>

<221> misc_binding

<222> 328..347

<223> 18-511-348.mis1, potential

<220>

<221> misc_binding

<222> 349..367

<223> 18-511-348.mis2, complement

<220>

<221> primer_bind

<222> 1..20

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 430..450

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 336..360

<223> 18-511-348 potential probe

<400> 319

agtattagat	gtgacattgg	ttacatgaag	gcatttgatg	gtgctgcatg	tgagtggaa	60
agagaaataa	aaatgcatca	attctgaaat	caaataattg	gtcatgctta	gttataggca	120
aatagaaaac	ccattactct	gagcaaatgt	attaaatgtt	aatagaaaat	gttaaaatat	180
atataaatac	agaattttcc	tgattgtata	ccacaatgg	atggcttatg	ttttaaagga	240
ctatgattct	ttttctaata	ttcaccatct	ataagcttaa	gaatgtcaac	aatgtttacc	300
tacatgtgaa	tggaaattga	gaaaagaagg	ttactacttg	tcaaattycc	tgctagacca	360
gttggtaaat	ttctatgcaa	ctaaatgata	tatttaatgt	taatttggat	gattttcattt	420
tagcataatc	taaacagaaa	ttctaagtc				450

<210> 320
 <211> 475
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 352
 <223> 18-523-352 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 332..351
 <223> 18-523-352.mis1, potential

<220>
 <221> misc_binding
 <222> 353..371
 <223> 18-523-352.mis2, complement

<220>
 <221> primer_bind
 <222> 1..20
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 455..475
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 340..364
 <223> 18-523-352 potential probe

<400> 320
 ttcagccctt tctcgtcacc gagcccgttg aaatagtact acacacaaaa taaaaccag 60
 cagggtagag agtgggagag aaggccaact gtgaaggcta ttcacaatat taggatgcac 120
 aaaggagttg atgagatcag ttacatgatg gtactcagtg tgaaatgtag tatcttttca 180
 atactgtttt gctgtgattt ccttaggaag attaatagcc ttgtgagacc ttgttaatta 240
 tttttgctat gcttaaagta agtagataat tttctcccac aagtgtctcc taatagatag 300
 taaattccct agatcatcct ccacacgaga cattggggag gtggtaatgt trggctctgt 360
 gatgtaaaat caacccttct gtctccacca ttagttcttc ataccactct tggggtcaaa 420
 acaactaaac aagaaatctt ctagtcacga gtttgtggkt tctgttttag agtgc 475

<210> 321
 <211> 509
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 480
 <223> 18-545-478 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 461..479
 <223> 18-545-478.mis1

<220>
 <221> misc_binding
 <222> 481..500

<223> 18-545-478.mis2, potential complement

<220>

<221> primer_bind

<222> 1..21

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 489..509

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 468..492

<223> 18-545-478 potential probe

<400> 321

cattcatatt	tcctgaagaa	ccactggaaa	cagttattta	atagtgtggc	taaattgata	60
ttcagagaaa	cacttcctgt	atatttgac	atattatgtat	atattatgtcc	tattcctgga	120
atagatttac	aagttttgtt	tttcagaaaa	tttcagaatt	tctggaatgt	gcagaagtat	180
taacaggtaa	cttagatttg	gaatacactg	tattagagat	aactggaaaa	atgagaggct	240
tcctacactg	gaaggtcaaa	gatctttcct	ggaggggagt	taggaatttg	cctttactta	300
ccattattct	gttaaaagag	attatgaata	atgcagtttc	acaaaaggaa	tgggacaatg	360
gtgtaagtaa	acctcccat	cacgttttca	gtggctttcc	tttgagtctt	gaacgttttc	420
cactgggtgt	tatagtcgag	agtccccac	ctcctgagga	agcaagacct	ggcaaaccr	480
agacgatgcg	ctcttacttg	tgttgtttg				509

<210> 322

<211> 477

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 194

<223> 18-522-194 : polymorphic base G or C

<220>

<221> misc_binding

<222> 175..193

<223> 18-522-194.mis1

<220>

<221> misc_binding

<222> 195..214

<223> 18-522-194.mis2, potential complement

<220>

<221> primer_bind

<222> 1..21

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 457..477

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 182..206

<223> 18-522-194 potential probe


```

<400> 322
gtagcaaaat aggattttca gctggggttag aaaataccaa caacttggat taaaaaaaaa 60
atgctttttt gatctgggtg gttttgatag actgtcaaaa atattaatct taaaatttat 120
cgtaaatagt agtcatgcaa acctttcatt atatattctc tcaaattgat ttttttcaaa 180
gaacaagttt tcaaaaatac actggattca acaatttttg aattacagtc agatttgaat 240
ggctctgtgc agatccactt aacttgtgag tagtaatgac cacttaacta gtaaataata 300
ctatctcata agcagtaaat aacttttatg aaaaatgaaa cgatataatt gctaaattaa 360
gtttctcact ttatactttt gctgtatcta aagataattg gtattcctac aggttaacat 420
attgttgatt catatatatg gctaccatat taagtgctaa tacttcattg ttgcatg 477

```

```

<210> 323
<211> 450
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 284
<223> 18-524-284 : polymorphic base A or G

```

```

<220>
<221> misc_binding
<222> 265..283
<223> 18-524-284.mis1

```

```

<220>
<221> misc_binding
<222> 285..304
<223> 18-524-284.mis2, potential complement

```

```

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

```

```

<220>
<221> primer_bind
<222> 430..450
<223> downstream amplification primer, complement

```

```

<220>
<221> misc_binding
<222> 272..296
<223> 18-524-284 potential probe

```

```

<400> 323
actacttcgg tggatatttct tagaccaaca aatgagaatt gataaagcct ccaggatctt 60
gtgtcgccca cttcaacaga acttcgcttc cattgataaa caatttcttc acgtggatag 120
ccatctgccg tgagatagga aagctcacat taaaaatgat tataaattag catatgtagc 180
aaccatcttc tatgaacatg aacttgaggt aaagactgag aaagatagtt acaagctaaa 240
tgaggatctt ggaccaaagg gcattgcaat gagaacataa attrcaatga ctttgcaccc 300
taatgggaag ttagattcaa aaatccaaag gtcaaattta ctcttgaaaa taatttaaatt 360
gacatagaag gtatactaca tgtgatttta tatatgccat atgcatactt tacatcatct 420
ggaatagtgc ataccaagtg accagtctat 450

```

```

<210> 324
<211> 505
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 52

```

<223> 18-626-52 : polymorphic base C or T

<220>

<221> misc_binding

<222> 33..51

<223> 18-626-52.mis1

<220>

<221> misc_binding

<222> 53..72

<223> 18-626-52.mis2, potential complement

<220>

<221> primer_bind

<222> 1..21

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 485..505

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 40..64

<223> 18-626-52 potential probe

<400> 324

gaaacagaga	ggaagtcctg	gcacctgtgg	aaagttgggt	tggttgagca	gygagggata	60
aattgagggg	gtagaagtct	attctgtagg	aagtggaggg	cccctagggg	tttatgagca	120
ggacagtcac	ttgttggttag	ctgcatcctg	cagctggcag	caggggagag	gtgaggagca	180
tctggctcgg	gaaggcagag	gtgggaaggg	agagaggcat	aaggagaatg	tgaaagggag	240
tgagacaaga	tttggcagct	gaatctgtct	gggcttcaaa	gcatcacatt	tattcttcca	300
gtcagcactt	ccactgggtg	acccctccca	ggcccatcca	agatgaccct	ttctgaaaag	360
cccccaagct	gtggttgctc	ctgaaatctg	cttttgggag	aatccctgtt	gcttcttgcc	420
catggctgct	gctggatttg	gctgaaggtc	tatttccttg	ggtatcctgg	actcattagt	480
gtgtgcgaca	agttgaagtg	ctctc				505

<210> 325

<211> 486

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 189

<223> 18-629-189 : polymorphic base C or T

<220>

<221> misc_binding

<222> 169..188

<223> 18-629-189.mis1, potential

<220>

<221> misc_binding

<222> 190..208

<223> 18-629-189.mis2, complement

<220>

<221> primer_bind

<222> 1..20

<223> upstream amplification primer

```

<220>
<221> primer_bind
<222> 466..486
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 177..201
<223> 18-629-189 potential probe

<220>
<221> misc_feature
<222> 470
<223> n=a, g, c or t

<400> 325
cgtcacactc tattgtgtgc actacaggtc atcaataacc tgtaaataat gataaaaatt      60
tagtgtttca caagtgtatt tgggtttcac ataggctgac tctagargct gtgggcgtag      120
atcaccttgc tgtttggtt ccacaggttc tgactaccct aaaagtaaga tgattgcctt      180
tttcccttyg aaccaaataa aaagatgaga agagactata gcttgcatgt agcgctaagg      240
agaccagctg gcagcagggt cacgtggaaa tactctgaat caagcaagtt tgcctagctt      300
agctcggtat ccagtccttg gaatggaagt ggaaattgtt ctccgcattg ggcacgccat      360
tgtcacatcc acatccaaad atgccttctg agcatgacag ccgcgttatc ctgaaagaca      420
atacatcaag ccaagggcaa ataatatcca atgtcaaatg ctctcggggn ttgagaggt      480
ggatat                                         486

<210> 326
<211> 457
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 71
<223> 18-1131-71 : polymorphic base C or T

<220>
<221> misc_binding
<222> 51..70
<223> 18-1131-71.mis1, potential

<220>
<221> misc_binding
<222> 72..90
<223> 18-1131-71.mis2, complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 437..457
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 59..83
<223> 18-1131-71 potential probe

<400> 326
cgaagaccaa aaaagaggaa gcattcagcc agctcaaaga aattattgca tcatttcctt      60

```

```

gtgtgcggtt yaggtaaata ataacctcta atccttgtca agagtaaact gtcttgtcaa 120
agagaattag gaaattacct cagggcgggg gttacagggt ggggtagaga aggagcagtt 180
catcaggaag aaattacttg ctgcattttg agatgaacat ttctgaatga ctgaagaaaa 240
tgtggggcta agggaatagg gactccgatg ggagacagga ggaacgtgca tggggcatgt 300
gtgtgtgttg tgggggtagg tgaagaggga ggactggag tgtccctgcc atggagggtg 360
ctgccctggg tggcttgaac tgctgggcca tggggtgttc ttctcttctc cgtcttgggc 420
agcctgcttt ggccttgggt gctcacagag atagagt 457

```

<210> 327

<211> 517

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 126

<223> 18-534-126 : polymorphic base C or T

<220>

<221> misc_binding

<222> 106..125

<223> 18-534-126.mis1, potential

<220>

<221> misc_binding

<222> 127..145

<223> 18-534-126.mis2, complement

<220>

<221> primer_bind

<222> 1..19

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 497..517

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 114..138

<223> 18-534-126 potential probe

<220>

<221> misc_feature

<222> 443

<223> n=a, g, c or t

<400> 327

```

gtagttagtt gcaccagagt ataaatactt ggtaaaacac acaagaggaa gtagaattta 60
cacacaagtg btaactttca ccagcaaatt cacgtgggca cttggacata aaaaaaata 120
aaaaaycctt aagataatta tatttataat atggatacag ttacagtacc atgataaagg 180
agtataaaaa ggtattttcc caatgaatca ttagctcaat aacatactag acaacagaag 240
tagagtttga attttattta agatctgccc agcccctctc cctttaaaaa atattttaatt 300
tctttttgtg caagtaacat cttctgtgga ttttgtaatt cctaacactg tgcaaaaatg 360
gcattttgaa ccactccttt tttttgtttt tgtttttatc cacatgtgca gtaatctgaa 420
ctgtttctct ctctcgctct cbntttaatg tctgtcttc aattgacaga gtcacatgct 480
acagagagag gctctgcgcc tggctccttc aactaat 517

```

<210> 328

<211> 514

<212> DNA

<213> Homo Sapiens

```

<220>
<221> allele
<222> 59
<223> 18-596-59 : polymorphic base A or G

<220>
<221> misc_binding
<222> 40..58
<223> 18-596-59.mis1

<220>
<221> misc_binding
<222> 60..79
<223> 18-596-59.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 495..514
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 47..71
<223> 18-596-59 potential probe

<400> 328
tcaactccag taggtggcag gtatatagat atctgtttct aattatgggtt acttttctrt      60
tctcttcact tttctgttta acaaaatgta aaatgttaag gaaaaggaaa acctagttga      120
gttcaacaga accaaatgat ggatgggtgg aaccatgaat gaagtagctg ttattggaag      180
gaaacaatca taaactccaa tgttcaaaaa taaaatctga tggtcctttg ttaattctt      240
ggatgaaaat gaaccatcca tcgaacagaa acctcctgat gctgctgttg gtaacgtctg      300
gttgtcacca gccacggacc ttgttttctt ttcatcactg tcatgtttct tctccctctt      360
tggggatctg tcttccatgt gttttctata aaatcagcat aacagttcct agtgaaaaaa      420
tattttactg cacatgtgta agatttgga gtatagacta aaggcaggca aattacaagt      480
aagtttctgc catgctgtcg tttcaccttg attc                                514

<210> 329
<211> 470
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 27
<223> 18-597-27 : polymorphic base G or C

<220>
<221> misc_binding
<222> 7..26
<223> 18-597-27.mis1, potential

<220>
<221> misc_binding
<222> 28..46
<223> 18-597-27.mis2, complement

<220>

```

```

<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 450..470
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 15..39
<223> 18-597-27 potential probe

<220>
<221> misc_feature
<222> 428,455
<223> n=a, g, c or t

<400> 329
atgtgggagc ttgcgttctg tcaagasctg acaccaaaca gttattgggc actccaagat      60
ttaattcctc cctagtctcc cactcacagc aatctacctg attcaacttc ctctgttttc      120
caagctcttg tggctaggac agattctctt agcctctcag ctactgctcc tcatTTTTga      180
gatctgtctt ttgcggctgc cagctgatgt ctttattctg tgctgggtcat ttttccagcc      240
ctgcaatttg aaattactca tctgatttca tgggtggctg gcaaagggat ctgtcaaadc      300
tgcatacatt taggggaaac tgaaaatgaa actacatgct ggaatttttt aaagtataga      360
cttttctata gagaaaagaa aaatgtagaa atacagggca ggggaggtag atatctgtag      420
ctactggntg accccccgcc ccccaaatc agttnctagt tctccatget      470

<210> 330
<211> 476
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 203
<223> 18-730-203 : polymorphic base A or C

<220>
<221> misc_binding
<222> 184..202
<223> 18-730-203.mis1

<220>
<221> misc_binding
<222> 204..223
<223> 18-730-203.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 456..476
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 191..215
<223> 18-730-203 potential probe

```

<220>

<221> misc_feature

<222> 458

<223> n=a, g, c or t

<400> 330

tgaagctgga	ctcttgactg	gaggcagagt	gatgatcaga	cgggagcacc	cctgtgccac	60
tcactcctga	actccctgtg	ctcttgatca	gcctacaccc	tgggggagca	ttaagataaa	120
atgcacgcta	atatcttcct	gctttggaaa	ggaaactgca	atagcaaata	ctgatgtgtg	180
aatcgtaact	tacagtttac	aamgatgtga	gcatccagga	tcacgactga	ctggcaaaac	240
tgccttttagt	atcttcctga	atctgaggaa	gctgagcttc	gaggtaatta	agactcagac	300
gctcaactgt	gcctgctggg	ccgaggtacc	tcctgagtta	gagctctccc	aatttagttt	360
atgtcttagg	gatgtaaaat	gatgctgctc	tagattctta	ccaggtatat	atatttaatt	420
tattactatt	gtatctcatt	gattgttatt	tggtggtnaa	ttttaaagtg	gcaggc	476

<210> 331

<211> 453

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 89

<223> 18-734-89 : polymorphic base A or G

<220>

<221> misc_binding

<222> 70..88

<223> 18-734-89.mis1

<220>

<221> misc_binding

<222> 90..108

<223> 18-734-89.mis2, complement

<220>

<221> primer_bind

<222> 1..20

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 433..453

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 77..101

<223> 18-734-89 potential probe

<220>

<221> misc_feature

<222> 435

<223> n=a, g, c or t

<400> 331

tcagccgatg	aggagctaac	aactcaatgc	caaactctgct	caaggatgaa	aggggaagcag	60
ggagaggaag	agaaggagag	atgcaggggrg	gaggatatag	gggtcctctg	ggacttgtag	120
aggtctgagg	gtggagaggc	ctcctgcaaa	ggcctggagg	gaggcagact	gaggacatga	180
gacgcgatgg	gattcgtgaa	gtgtggaggc	tgtggcccac	tcatacttt	cctcaatcgg	240
actggggacg	gcacagtcac	tgatggctcc	tcctggactc	gaggccaagt	ggcataactaa	300
cccagagacca	ggggcacgtg	cctgagcact	gccagcaagg	agagctgtgg	ggaggccggc	360

tggggcccag gccagcctga cctgaggcct cgctgggtgc aagtcctgtg agccgctttc 420
 tccatggtta ggggncagag gttggatgat aat 453

<210> 332
 <211> 455
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 321
 <223> 18-895-321 : polymorphic base A or C

<220>
 <221> misc_binding
 <222> 302..320
 <223> 18-895-321.mis1

<220>
 <221> misc_binding
 <222> 322..341
 <223> 18-895-321.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..19
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 435..455
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 309..333
 <223> 18-895-321 potential probe

<220>
 <221> misc_feature
 <222> 428
 <223> n=a, g, c or t

<400> 332
 aggaagggaa ataaataggg gcttgatgta ttttatgatg tcttttgtgg ctgttgaaaa 60
 acatgccctg ctggccagaa tgtgtgaacc tggttccccg ctttgctaga aaccccaactt 120
 cttcaaaagc aattgggcgc gcagggtcaa gaggtaaaag tgctcaaaga acctgatgta 180
 aaattcctct tacaaaaata tcttctaata taaataatct caaataccta agaaaacttg 240
 taagccaaat acgttcacta caggaaaatt tataacagca aaatcattca ctacgtaaac 300
 atccccaatt aggaagaag mtaacacaag gcgctcttgc cctgtcaa atgcagccat 360
 ttaaaataat acatttttaa gaaattgtga tcatgtattg ggtaggaaaa aagcacagta 420
 ccaaaactngc acagcctgat cccaactgta taaaa 455

<210> 333
 <211> 561
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 69
 <223> 18-896-69 : polymorphic base A or G


```

<220>
<221> misc_binding
<222> 50..68
<223> 18-896-69.mis1

<220>
<221> misc_binding
<222> 70..89
<223> 18-896-69.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 544..561
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 57..81
<223> 18-896-69 potential probe

<400> 333
ttttaccaca catcgtttca tttaaaaata tacagctctt ggaaacatgc gtctattttcc      60
ccttatgcra acagcaacag aaaagcattc tttcaacaga tgagcatggt gaatctagct      120
cctggccaaa gtcttgtgtg tgatttttca ggccaactac agacaattac agatgcttta      180
cctggcagtc tcatggggta agctgccctc cccacaccag acctggtgca cagtcagtgc      240
actgcagtct ctgatgggag cggctgcaac taccaggccc tggccagcca tgctgttagg      300
catctctcta ttcctatctc ccaggcctgt tgactgggga cccttcttat caggcataga      360
tgactttgaa ggacggttct cactgtgac tcagggttta gtacttttcc actcctagcc      420
cttgccctga cccatcctcg tagcccccag gttcataaat gtaagcagcc tttctttgga      480
gaagagctat gatccccacc tctgagctga tccacctgcc ccacacctta cactgttctg      540
tgggaaaatg ggtggtgag t                                     561

<210> 334
<211> 459
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 58
<223> 18-903-58 : polymorphic base A or G

<220>
<221> misc_binding
<222> 39..57
<223> 18-903-58.mis1

<220>
<221> misc_binding
<222> 59..77
<223> 18-903-58.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>

```

<221> primer_bind
 <222> 442..459
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 46..70
 <223> 18-903-58 potential probe

<400> 334
 cagggttcca aataacagct ttccctctt aagggtggaaa acatggacag gcaccacrtt 60
 gttttatgag gctctgagtc tgtgccatgg aacatcatgc tagaactctc cgatattcct 120
 gccaaatcct aaaatccccc agttctccct gcagctcctg aaatcctact gaagtgtatt 180
 cctcaatctt catggagggt ctccattctt gcccttggca ctgctgcccc actcagaatc 240
 ctgctgcccc caaggtaaaa cccaagccct atggccccac aggccagagc cacctctccc 300
 accctgccct ccttcctaga ctgagccctg ttctctctcc cagccacact ggggggtcctg 360
 cataggtgat gacacagtga tgttccatcc cagtccttac acacattctc cccattctct 420
 tgccatgccc atcagcaagc acatccgctc taataccac 459

<210> 335
 <211> 453
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 216
 <223> 18-590-216 : polymorphic base G or T

<220>
 <221> misc_binding
 <222> 197..215
 <223> 18-590-216.mis1

<220>
 <221> misc_binding
 <222> 217..236
 <223> 18-590-216.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..20
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 434..453
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 204..228
 <223> 18-590-216 potential probe

<220>
 <221> misc_feature
 <222> 417..418
 <223> n=a, g, c or t

<400> 335
 cattgtgggg tggcgttttg tgttctgaac cgtttcgtct ccctcttgcc cacactgagg 60
 ttcacaggcg cctgcagagg agctggtgtg ggacgatggg gagattggga ggcaacatcg 120
 cctcctctgc atgaaatgct catgggcaca tgtctgctgc ctctacctac caaaggacag 180

aaccagccaa	ctggcatggc	aggcagggag	ccagckcagc	ctccaggccg	tccatcctct	240
ctcctcagta	ccagggcctc	ccgtcaacgc	cagcgccaac	agagagcctg	ggcccccccg	300
accctccct	cctgctggct	ctccttcttc	cttctagggc	ccctgctgcc	cctctgtctc	360
cagaattgtc	ccctgcttgc	catttaaccc	atccccagtg	cttggtktcc	ccgaggnncc	420
cagcctctca	gccctcaatg	gtcacctgtc	cca			453

<210> 336

<211> 534

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 433

<223> 18-817-436 : polymorphic base G or C

<220>

<221> misc_binding

<222> 414..432

<223> 18-817-436.mis1

<220>

<221> misc_binding

<222> 434..452

<223> 18-817-436.mis2, complement

<220>

<221> primer_bind

<222> 1..21

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 514..534

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 421..445

<223> 18-817-436 potential probe

<400> 336

ccatcatttt	cacttgaata	cttcttgcag	ttttattcat	ttccttgcct	catactacaa	60
aaattttaatt	gtgcagtc	taacaaaaat	taggatggaa	aatatcaacc	tggggttggt	120
ttttccactc	atatggagaa	ggcttcttca	gcttactgag	ccagttaaag	atgtctgtca	180
tcatttgctg	ttgattgtgg	catatatacc	attgcaacat	gcatcattag	cgcagttagt	240
accttggttac	agcttttggc	tttatattct	tactgtgtct	tagggtctca	gatgggttgc	300
gttacatttc	tcagatgtaa	tacaagtata	tctctgtgac	aagttcttat	ttttaatttt	360
tttaacctct	ttttatgtgc	agttacctaa	aattattctg	tagggacttg	actccaatcc	420
ctgaagtaga	ggsatttttg	catagtcacg	ttcctgctgt	cttgccagg	gacttttctt	480
gtgtgctgtg	tttatatatt	tgattcctaa	cacgtaagac	ctttttcgga	gcaa	534

<210> 337

<211> 483

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 85

<223> 18-829-85 : polymorphic base G or T

<220>

```

<221> misc_binding
<222> 66..84
<223> 18-829-85.mis1

<220>
<221> misc_binding
<222> 86..105
<223> 18-829-85.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 464..483
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 73..97
<223> 18-829-85 potential probe

<400> 337
caaggggtcta gtgttttttag ctgtcttccc agccctgctc cagagccccc atgtaacctg      60
ctgccctgca gtgccagca cagakcagtg tctgttgaat gcgtgagtca agcaaaacat      120
caaacagaat ccttgacatg ggaaaaacat gctcccagcc accaccagct gaacattgac      180
atccagctgc tttccactg ggcagtggct tgtgaagatg gggacagagt atcataaatc      240
atctcctttg tggacagcag ggatgatcct gaccttcttg tcacagacta aacagactaa      300
gtagccagaa gaaaaaaaaa gaaagaaaga aaaaaggggc ttaaaggcac tcagctgtca      360
aaattataag gagggtttgt taaaactatt ttttaaaaaa gaaaagtggg taagttatgc      420
agtaggatat aatattctat aataacttat taccaaactt ttagccttaa tccagttgct      480
att                                                                                   483

<210> 338
<211> 597
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 387
<223> 18-832-387 : polymorphic base A or G

<220>
<221> misc_binding
<222> 368..386
<223> 18-832-387.mis1

<220>
<221> misc_binding
<222> 388..407
<223> 18-832-387.mis2, potential complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 580..597

```

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 375..399

<223> 18-832-387 potential probe

<400> 338

cagtctatgt	gttggttcctt	gtgtaagagc	agggtacttta	ccataaatcc	tgcccttagg	60
tcaaacaacc	gtgatatcat	atttcaattg	tcctacacat	ctcttctgaa	gcatctacac	120
cctttcccga	tggtgtgtaa	accctgggtc	tggggatgat	ggcgcagggt	ctaccatctc	180
aactcgagc	gaccagagac	acaaacctgg	cttctgtttg	taagtcccta	ttaaagtgtt	240
ctttctaaga	aactggattt	gtcagcctcc	tttttgggcc	tctcagcttc	cttggatttg	300
ggaggcagg	ttgcatagac	ctgctcacca	caaaacagg	agctaccaac	cttaggggtg	360
gggaaacagg	ggcagagggt	gagggttrtca	gaacctggaa	gctgggagga	ggagtgtcac	420
agagctggga	gctggacctc	tgtgcaggac	actgctgcag	ctgccatggc	aggctcagag	480
ggggacttta	aggaatggct	ggtgcyatga	cccctgcagg	gcacagagag	tctggctcag	540
agtgtgggga	gagctggagg	gaggccgaca	aggacagcag	gtgagcagg	cccttct	597

<210> 339

<211> 461

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 259

<223> 18-833-259 : polymorphic base C or T

<220>

<221> misc_binding

<222> 239..258

<223> 18-833-259.mis1, potential

<220>

<221> misc_binding

<222> 260..278

<223> 18-833-259.mis2, complement

<220>

<221> primer_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 441..461

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 247..271

<223> 18-833-259 potential probe

<400> 339

tagcttggtg	tcttcgagtt	tttggtagag	ccttggtgctg	ggggtggcag	gaagagagag	60
gggacacagc	atggccagtg	ctatatagca	tgggaatgctt	ttaacagaga	acaaagtgtt	120
tgtaactaaa	ggcaggaatc	tggggctcag	taggtgttga	gtaactgaat	tgctatgaat	180
gattttccgt	caaaatctaa	ataacattcc	agcctttgcc	agcttcatag	gggaattaga	240
tagtaggaat	gcaactgagyt	tgtgctcctg	ggaagactcc	acgattgggg	gaaggaaggc	300
aacagaaatg	agggcagggg	tgttgtttat	ctccgtccaa	gcacaggagg	ccccgggtgg	360
gatgacagg	gggatgacct	ccgtttactg	gtggcccaaa	agcacaccta	tgcttcagg	420
atgaagtgcg	ctctgctcct	cacccaaagg	tttatttctg	g		461

<210> 340
 <211> 450
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 271
 <223> 18-839-271 : polymorphic base G or T

<220>
 <221> misc_binding
 <222> 252..270
 <223> 18-839-271.mis1

<220>
 <221> misc_binding
 <222> 272..291
 <223> 18-839-271.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..20
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 430..450
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 259..283
 <223> 18-839-271 potential probe

<220>
 <221> misc_feature
 <222> 434
 <223> n=a, g, c or t

<400> 340	
ctacagcact tacacaagcc accaactggc acccacagca cttatcactc catgtgtctg	60
ctcaaccagc ctgggtaagg aaccctaccc tctctgtctc tgtccacctc caacaggcca	120
tggtgcaccc tgcattggggg ctgcctcatg ggggtctcca ggaacacctg ctgagtgaat	180
gcataaagag tccttgggctg ctgcacactg agctcacagt taactaaatg ctagaagatt	240
ttgtaatatg tccttttgtg tcaccttata kaagctcact ggtatttata cactcagttt	300
tccacattca aaacatacac agctgtgtgt gtggaggagg cgggtgctgg gggcccttgg	360
ggcagcttgg agaattgtgc aatctgggtg tgtccgccag gaaaacaggg ccgagtcattg	420
ggttacagag tggnaagagt ggattcagag	450

<210> 341
 <211> 496
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 194
 <223> 18-770-194 : polymorphic base G or C

<220>
 <221> misc_binding

<222> 175..193
 <223> 18-770-194.mis1

<220>
 <221> misc_binding
 <222> 195..213
 <223> 18-770-194.mis2, complement

<220>
 <221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 479..496
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 182..206
 <223> 18-770-194 potential probe

<400> 341
 ccaggtgata actaagtcac gaacgtttca gcaaacacct gctctagcct gggcactctg 60
 cttgttgaca tgcaaggtga tgagagtcac actgtgacat gaattagcat cacgacaccc 120
 tggcaaacct tttgtgatgc ctcccgtgaa agcacgtcat agttctcctt aaatgggatg 180
 tccctttcct ctgsaggagc agcgtcttcc ccagaacagt tagcatcact tctccgatac 240
 agaggataat gctgtccggg gtggagagag gagttcaggc ggctatcgtg aaaccacagg 300
 ctgcctgctg tctgccatga gccctttcct ccccccagctc acctgcagga ggacagggggc 360
 agacgtgggc agcagaggcc caggtccaca cccgctggag ccacgtgcct gctgggtaca 420
 agtcaggcca ttaatccgca cacctgaccc tcatcaaagg gcaagaagcg ctaggggggct 480
 gagtgagcaa ccgaag 496

<210> 342
 <211> 481
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 302
 <223> 18-771-302 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 283..301
 <223> 18-771-302.mis1

<220>
 <221> misc_binding
 <222> 303..321
 <223> 18-771-302.mis2, complement

<220>
 <221> primer_bind
 <222> 1..21
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 461..481
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 290..314
 <223> 18-771-302 potential probe

<400> 342
 cttaaacaca cacttagagg gaaataattc aaactgtatc atgcttctat tatgagtcag 60
 cagagaaagc cacctactag agactctgcc ttcctggcag agggaaaggt gagcattggt 120
 ggtgaagcca ctggacagaa atgacctcac ctgcagacct gctgtgtcca aggtcaacag 180
 agtgctgggc acccacagga aggacaagat taaaagagaa aaggcttcca ctcccacctg 240
 ttttctccac cgcgtctata atcagtatag agtatagagt cctgtccact gtgctgcagc 300
 crcatacaca gccagaaaag gatgtagaga tgggcactga ggtggcctcg cagagcggga 360
 gctgctcatg gtcaggctaa gggtcaggat gctctgggtct aaaagcccag gccaatggag 420
 atgggtggca cagagctaca gaggaactgt gacacacttg ccaccaaadc ccatagtagt 480
 t 481

<210> 343
 <211> 449
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 53
 <223> 18-827-53 : polymorphic base G or T

<220>
 <221> misc_binding
 <222> 33..52
 <223> 18-827-53.mis1, potential

<220>
 <221> misc_binding
 <222> 54..72
 <223> 18-827-53.mis2, complement

<220>
 <221> primer_bind
 <222> 1..21
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 429..449
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 41..65
 <223> 18-827-53 potential probe

<220>
 <221> misc_feature
 <222> 431
 <223> n=a, g, c or t

<400> 343
 gtttgggatg gaaggcagta ggtattggca ggacagctat tgcacaaaat taktcattga 60
 cctgaacatt ctcaattctt gtttcttttg aagttataaa ggcagatatt taacatgctt 120
 taattaataa agttcttttg cacttttcgaa gactattcga tggataaacac attccgtccc 180
 ctgccttccc agcgtgggct gcctctggcc tagaaatgca aatgtttgct tgttcgtaaa 240
 aaatgcgtag ccgagagctt caaaatgtga gcaagaacat catatttggt tgcaagtaac 300


```

tagcaaagca gcagaaacat tggctgactc caataatctt taatcattat ccccttccct 360
gcagtttctc tcagaaaccg ttacctgta atttgtagg agacagctct gagcttctca 420
ttatgagcct ncactaattc caccagctc 449

```

```

<210> 344
<211> 429
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 318
<223> 18-768-318 : polymorphic base A or G

```

```

<220>
<221> misc_binding
<222> 299..317
<223> 18-768-318.mis1

```

```

<220>
<221> misc_binding
<222> 319..338
<223> 18-768-318.mis2, potential complement

```

```

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

```

```

<220>
<221> primer_bind
<222> 409..429
<223> downstream amplification primer, complement

```

```

<220>
<221> misc_binding
<222> 306..330
<223> 18-768-318 potential probe

```

```

<400> 344
gtggaaatct cattgcagtt catcactgcc ttgctctacc cgcagcctga tgatgtgctt 60
tccaggactg aggccgggtg ccgcttgccc atggcacatc atcagagcat ggcttctgct 120
gcgctttctg tggctggcat tgccagtttc ccagcaagct gggctcttaa ttctcccgct 180
aaccgcctct tgccacctcc tgtcactcag ctcaggcagc ggctcggcgg ccgggggggtc 240
cttccaacag ggtctgcctc cccaggccct tccctctttc cctcctcatg gctgtgggtcc 300
aggccctcac tcctctcrtc tcagcagctg ccacagcttc ctgcctgacc tcctgtagct 360
ggtcactcac ctttcagaa cattctgtga actaccaaag tcacccttct gagacacaac 420
cttacctgc 429

```

```

<210> 345
<211> 450
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 26
<223> 18-769-26 : polymorphic base G or C

```

```

<220>
<221> misc_binding
<222> 6..25
<223> 18-769-26.mis1, potential

```

```

<220>
<221> misc_binding
<222> 27..45
<223> 18-769-26.mis2, complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 430..450
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 14..38
<223> 18-769-26 potential probe

<400> 345
agttatgctg agagcaccag gcacasgttg aacaccgcag tcttagaaac agcagagggga      60
agactgcctt ctcaggtccc cctcaggtga ggcagggaac gggccctcct cacctgagac      120
caagggggcc cagccttctc cctgcacagc tcacccccga ccagcccagg ctccagcagg      180
agagacaagt aaggcccaag tgtgcctgag tggaaaatgt ctgggacact gacctgtcaa      240
aactggcccc tggtcactg gggtcccatc aaatatagtg ggggatccat aacagagatt      300
cagagaggca ccgtggagtt ccagggtcac cggtcagcga ggaacaagga gggaaagggtg      360
tcttcctgcc ccttgatgct caactaagca tctgttcctc agaaatacat gtgtccaggt      420
cgtctccatg ggcttttctt tgcagatact                                     450

<210> 346
<211> 453
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 320
<223> 18-709-321 : polymorphic base C or T

<220>
<221> misc_binding
<222> 300..319
<223> 18-709-321.mis1, potential

<220>
<221> misc_binding
<222> 321..339
<223> 18-709-321.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 433..453
<223> downstream amplification primer, complement

<220>
<221> misc_binding

```

<222> 308..332

<223> 18-709-321 potential probe

<400> 346

ttagacgtgg	ctgcacttgg	ccaatgtgct	gtgaacccac	agtgagcggg	tccctgcgag	60
tgaagcttgg	tagaggagtg	tgtggctcct	tcaccacctc	ccctgccacg	gggtcccgca	120
ggccatattg	agacaggctc	ctgtcagctg	gggccctgag	ggctcagagg	agcagcacat	180
cctgatggat	acagggggccc	agatgggtggc	ttcggagata	agagacaaac	ctgctacctt	240
gctatccctg	caagcgaggg	gcacgccagg	ctgagggcgg	catggcaaag	gcggaggagg	300
tggtccccc	cagctctcty	gggaaacgac	acgtgcttcc	tgctaccagc	aggcagactc	360
ggatggagg	ggagggggacg	agagtgtggc	aggcaggcga	ccaaaagtca	acgcagtttg	420
gtctctgatg	accccaaagt	aaaaaccagt	ccc			453

<210> 347

<211> 514

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 281

<223> 18-714-280 : polymorphic base C or T

<220>

<221> misc_binding

<222> 262..280

<223> 18-714-280.mis1

<220>

<221> misc_binding

<222> 282..300

<223> 18-714-280.mis2, complement

<220>

<221> primer_bind

<222> 1..19

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 495..514

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 269..293

<223> 18-714-280 potential probe

<400> 347

acttgaagga	ctccgacagc	ctcatgggcg	actgtattaa	gccccagcaa	tccgagaggt	60
gggctccggg	gctgggtggg	tctcctctgc	caggtgggtc	tcctctgcct	gtgggtcccag	120
cagctcggca	gcagggggccg	gcccagatgg	ccgttggtca	cagagacagc	tgggctttgc	180
tgagtgcgtc	gtggtccagc	ctaggcccat	gccactgaag	cctttctcag	aggtgtgggg	240
tctgcaggga	ccggtccat	gtgagcccag	gatcagggca	ytgggggaag	aaccagctga	300
ggacattccc	cagcccca	acaaaggcac	ggcagtcctc	gagcagggag	gagtgaggag	360
ccacatgtgg	gatcccgct	ctctggcgtg	tgagctgtgg	atggcatctg	gtaccagccc	420
catgccgct	ggccgctggc	gagcttgag	gctctgcagg	caaccggaac	agcatactgc	480
aggtgcacrc	gggktcctcg	tgccgagtga	ttaa			514

<210> 348

<211> 451

<212> DNA

<213> Homo Sapiens

```

<220>
<221> allele
<222> 271
<223> 18-843-271 : polymorphic base C or T

<220>
<221> misc_binding
<222> 252..270
<223> 18-843-271.mis1

<220>
<221> misc_binding
<222> 272..290
<223> 18-843-271.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 433..451
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 259..283
<223> 18-843-271 potential probe

<220>
<221> misc_feature
<222> 438
<223> n=a, g, c or t

<400> 348
ggagagacat ttgctttcag tggctcatca ataattcaca tagaaacgag catttctaaa      60
gcacagtgag gagacagagc tggaacagtt tcttgccagg acatatcatg ggcaactgga      120
acccaagtgt aggcaagaca ggaaaaacca ccacctgcaa attatctttt ccctcaaattg      180
gataaacacg cgcaggggtgc ggtgaaagcc gtcattccgt tcagcagcag ccacgccgct      240
gagacggagc aacgggccgag catacgcagc ygcactcacc accgctggta caggtagacc      300
agaaacacca cgtcgtcccc gaagcaggcc agccggtgag acgtgggcat ggtgatgatg      360
aaggcaaaga cgtcacatcaat gaaggtgttg aaagcctgca gggccagacg ggaggagggt      420
gaaccccagt tgctgggnct ggaatcctac t                                     451

<210> 349
<211> 460
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 265
<223> 18-850-265 : polymorphic base C or T

<220>
<221> misc_binding
<222> 246..264
<223> 18-850-265.mis1

<220>
<221> misc_binding

```

<222> 266..284
 <223> 18-850-265.mis2, complement

 <220>
 <221> primer_bind
 <222> 1..20
 <223> upstream amplification primer

 <220>
 <221> primer_bind
 <222> 443..460
 <223> downstream amplification primer, complement

 <220>
 <221> misc_binding
 <222> 253..277
 <223> 18-850-265 potential probe

 <400> 349
 gaagacatta ttgaatgctc ttagaagatt gtaarattgc tctctggaag tgtgggggaa 60
 ggtggaagt ataccatgc attgttagta gaaagccacg ctagagctca cacagccttg 120
 cactttgata ggagtgggga ggggtgcagg ggaaggagar gcaaaccaga gtgtctgtct 180
 tgaggcctcc atgggccagt gcccagccc tgtggtgagg gctggcactt cccagctccc 240
 gtgccccagc tgtaccatct caggygctga gaacgcaccc atcccttccc agaggaatgc 300
 ccgtgaatgc ctcggggctc tgccctccgc accaggatg tccctagccc tggctgctga 360
 attgttgctg tcctgttggtg tgtttatttt tcatattggc tgaagaccaa gaggggaagaa 420
 gcacagaatt cctcaactcc cagtgtgccc atgagtaaga 460

 <210> 350
 <211> 459
 <212> DNA
 <213> Homo Sapiens

 <220>
 <221> allele
 <222> 296
 <223> 18-853-296 : polymorphic base C or T

 <220>
 <221> misc_binding
 <222> 277..295
 <223> 18-853-296.mis1

 <220>
 <221> misc_binding
 <222> 297..315
 <223> 18-853-296.mis2, complement

 <220>
 <221> primer_bind
 <222> 1..20
 <223> upstream amplification primer

 <220>
 <221> primer_bind
 <222> 440..459
 <223> downstream amplification primer, complement

 <220>
 <221> misc_binding
 <222> 284..308
 <223> 18-853-296 potential probe

```

<220>
<221> misc_feature
<222> 441
<223> n=a, g, c or t

<400> 350
atgcccactg cacagatgag gagccgaggc caggaagggt tttgccagat gcctgggctg      60
gggccagggc tcaggaccac ccactgaact gcctgctcgg cccaccctgg caagtgtgtg      120
caagggcccc gtggtgccga cgaggagggc catggggagg agatgttggt gtcctgagac      180
tcccagcccc acctgagggg gaagagggtg ggagagcaag gctgggagcc acccttgggg      240
gctgtgcatg tgccccctga cattggagga cacaggccac gccacacctg tgccayccag      300
ggagtgggaa ggaagcacgt ggccgtggag aggccagcag gtggcaggaa gggctgcaag      360
ccccaacca cggggtcaca cgtaggggac ccagcacccc atgcaggagc tggctgtgcc      420
ctgcatctgc acaggccggg ncatgaactg gcatcagca                               459

<210> 351
<211> 463
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 332
<223> 18-867-331 : polymorphic base A or C

<220>
<221> misc_binding
<222> 313..331
<223> 18-867-331.mis1

<220>
<221> misc_binding
<222> 333..352
<223> 18-867-331.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 445..463
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 320..344
<223> 18-867-331 potential probe

<220>
<221> misc_feature
<222> 424
<223> n=a, g, c or t

<400> 351
tgtgaactgc tctatgtctc cttgcagttc tatcagtttt tgccgaattc attatgaagc      60
tatgttatta ggtacataaa catttgtcct tttggtgaac tgatgctatc ataaaatgac      120
attgttttaga catgatctgt tttgaggatt cctatggcct gcatattagg tggcttgaag      180
tcccacagtt ctctgatgct tggttcattt ttttgtcttt tttctttatt tcattttgaa      240
cagtttgcac tgccatctat gtcttcaagt tcatgtatcc tttcttctg agatgttgaa      300
tccacccctc ctctcaacca gtgcattttg cmtctgagac attgtggttt tcatctctag      360
aatttggatt cgtgtctttt aaaaaatatc tgtcatgtct ctattaaaca tattcagtct      420

```

cgcnttttggc tagctcttgg aatkgaggta acagttatga ttg

463

<210> 352
 <211> 449
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 73
 <223> 18-877-73 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 54..72
 <223> 18-877-73.mis1

<220>
 <221> misc_binding
 <222> 74..93
 <223> 18-877-73.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 432..449
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 61..85
 <223> 18-877-73 potential probe

<220>
 <221> misc_feature
 <222> 377,402
 <223> n=a, g, c or t

<400> 352	
ctgataccac	ccgaacacgc atttccttgc tctccacttg ttcaaagcct ttacacccac 60
tgcttgccat	ccyacagctt ccagaacact gaggccatcg ggaacaagca cacaggcttc 120
cacagaaggt	ctcagggtccc ggggctgaaa gcctttctcg agtgcgtgga ggcacatgga 180
cctcagacag	ttcagggtcac tgcccgaac tcacctcaat ggcggctcca acacccgccg 240
ggaccagcac	cagcagggtc gtctgctcgt ccagcaggaa cagaaagatg accacggtgc 300
tgaagcagcg	ccagagcact ggggacagga tggctgggct gggagggggt gcagggcaga 360
ccccacctgt	gttcccncaa gtcacacaca taccctcagt cncctcatcc caacccacca 420
cgcccaagaa	gcttcaggta ctccccagt 449

<210> 353
 <211> 450
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 85
 <223> 18-856-85 : polymorphic base C or T

<220>

```

<221> misc_binding
<222> 66..84
<223> 18-856-85.mis1

<220>
<221> misc_binding
<222> 86..104
<223> 18-856-85.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 430..450
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 73..97
<223> 18-856-85 potential probe

<400> 353
ctgcttcctc tctcaagaca gcacctctcg aatctggccc caagtgagac acagcaacag      60
cgacacatga gagagactgt gattyggggg aaaagctgct gtcggcacac gtgtctccat      120
aaccactgga acgcaggcca ccactggcac agctgcgccg caaagcctgc cccgggcctc      180
taacaagaca gatctgcaga cagacacaca gggcagcctt ctgcagctgc ctgcccctgt      240
ccaccatctc ctgaatgcct gcaaggagtc agcggcatga ggcttcacaa gaggtgacca      300
cgagctggtg ccacagctca cacagctctg tatggggcat tttagcagaa cttgctgtcc      360
tgaggtttgt cagcagcaca ccagcaaact ccagcaaaca gagaaagagg ttggaattgc      420
aggggccgac agagaaacta ctcagggata                                     450

<210> 354
<211> 480
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 101
<223> 18-861-101 : polymorphic base C or T

<220>
<221> misc_binding
<222> 82..100
<223> 18-861-101.mis1

<220>
<221> misc_binding
<222> 102..120
<223> 18-861-101.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 462..480
<223> downstream amplification primer, complement

```


<220>
 <221> misc_binding
 <222> 89..113
 <223> 18-861-101 potential probe

<400> 354
 ccctcaaagt gataaacagg cgcagggtgc ggtgaaagcc gtcattccgt tcagcagcag 60
 ccacgccgct gagacggagc aacggccgag catacgagc ygcactcacc accgctggta 120
 caggtagacc agaaacacca cgtcgtcccg gaagcaggcc agccggtgag acgtgggcat 180
 ggtgatgatg aaggcaaaga cgtcatcaat gaagggtgtg aaagcctgca gggccagacg 240
 ggaggagggt gaaccccagt tgctggggct ggaatcctac tgtttttggg aacctaacca 300
 agccaacggc ttttggcaga tgcttggaac taactggaac tcctcacagc aacaacaaaa 360
 agagcagaaa gccggcaagt ggagatacgg agctctgttc cctcatgggc tccccacagc 420
 tgctggcacc cgacacactg cgggtcttgc ccaggctccc acatcgggga accaaagaga 480

<210> 355
 <211> 465
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 323
 <223> 18-635-323 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 304..322
 <223> 18-635-323.mis1

<220>
 <221> misc_binding
 <222> 324..343
 <223> 18-635-323.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..21
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 445..465
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 311..335
 <223> 18-635-323 potential probe

<220>
 <221> misc_feature
 <222> 81
 <223> n=a, g, c or t

<400> 355
 gataattgtc tcaggttaag cttgagcata acatgcacca tgacacatat gatataaggc 60
 aatgaggcca sggagtgggtg nctcacgcct gtaatcccag cactttggga ggtcgaggca 120
 gcactttggg attgcttgag ccaggagtt cgagataatg caatgcaaac atttttgtgg 180
 ccaccagaaa gaaattgatc tacaccagtt ctttggaac tgaattatcc atggcaaaaa 240
 aaaactatat tccatattca gttttcaatg ttgctgaaat tatctgagat ttccatccaa 300
 gttgacatct taaaacttta tcttgatcat cactccctt actatgtagt cttatttggc 360

```

catattttgc ttacccttat caactaagga gccagtgtaa atctctgagt tgcagatctg      420
gaagtgatgt 'gaagaaatgt tatagaggga gtgtacttat cagtg                      465

```

<210> 356

<211> 493

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 205

<223> 18-636-205 : polymorphic base C or T

<220>

<221> misc_binding

<222> 186..204

<223> 18-636-205.mis1

<220>

<221> misc_binding

<222> 206..225

<223> 18-636-205.mis2, potential complement

<220>

<221> primer_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 473..493

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 193..217

<223> 18-636-205 potential probe

<220>

<221> misc_feature

<222> 36

<223> n=a, g, c or t

<400> 356

```

cgcccttagc ataagatgca tccatttget gggccttggt ctgtaatcag agggccttag      60
cctggccttc cttctgctgc cctccaccca aggaagtaag gaggtaggag ggccaagggg    120
gcagctttgc tcccctctct aaactacatt ttgcatctgc tggaccccca cattctctgt    180
ccaaatggct ttgaaccacac ttccyggcca cacaagcctc ttcttgggat gtgctgcagg    240
catacacacc cttaggccta aggagttaa ccaagaggca gcaatgagag gtgtgaagag    300
acttggttag gaggaacttg ggtaagcagg ctgcggtcca gggctcacga cggctgctca    360
caggtccttg gagatggaag gacatgggga aagaagaggg ccaaccata tccaaggagt    420
tcaagaattc taaattcaac ctgaccttcc aggctgttat ggagggatat ctgtcaagggt    480
aaaggagata gct                                     493

```

<210> 357

<211> 589

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 427

<223> 18-649-427 : polymorphic base G or T

```

<220>
<221> misc_binding
<222> 408..426
<223> 18-649-427.mis1

<220>
<221> misc_binding
<222> 428..447
<223> 18-649-427.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 570..589
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 415..439
<223> 18-649-427 potential probe

<220>
<221> misc_feature
<222> 536
<223> n=a, g, c or t

<400> 357
tctgtgtaat gcccaacgat ttttcattag ctgggagctg ttttagggac attttacagg      60
ttaatgactg tgggagagga gaataaaatc aaaactgcaa gaaccattt ttgtcttcat      120
aagcattgca ttttaaataa cgagggcttg aagacttctc agaagagaca ctactactg      180
gagttaaagt tatatgaagt ccctgagccc ttaatcatcc aagactggac ctaagcagtc      240
ctcttcgttt gtagtctctt tcaatatctg cttatcaagg acaacgagaa tatcttagtc      300
tactaattaa tcttttttat caccatagtc taccaagaaa gaaagctgat aagataataa      360
agatgattca ttcctcagag taggaaaaaa taaaagaaa aatttaaaaa gatgctaaat      420
atgagckctg agtctcaaca ctgtctcaag atgaggcaga tgtcaacttt cttgcctatt      480
ctgcttgcta tttaggcata tctcttgagc aaaaccagtc atttgtcttc tcattntycc      540
aaaaattaaa ttcaagaaca aattggtgag gaaggttatt agaatctca      589

<210> 358
<211> 432
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 316
<223> 18-1134-316 : polymorphic base A or G

<220>
<221> misc_binding
<222> 297..315
<223> 18-1134-316.mis1

<220>
<221> misc_binding
<222> 317..336
<223> 18-1134-316.mis2, potential complement

```

```

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 412..432
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 304..328
<223> 18-1134-316 potential probe

<400> 358
catcttggtg tctacgtttc tggggctgag aagatatttt gctccacacc tgccagcatg      60
ccctttccag ccctgaggtg caccagtgag tgtgtgtccc ttctccagct ttctctggggt      120
aaaagtacca cctttggatc aaggcttgct ggctgcggct cagaggatct gcgcagagga      180
agcagtgtgt cctcaggaga tcctgaagga ggggaggggg gactcttcct acttggaact      240
ctttgtttat tggttaatga aagggaacaa ataagtcctt ttctaaaatt ttagtttaga      300
gtttaagttg gaaggraaaa aaaaagaaaa gaacacattt gaggattaac tatttattga      360
cttttctctg aagttctcaa ttgaagggtt aactcaggga ttttccaggc tggggtaaaa      420
ctcaaccaac tg                                     432

<210> 359
<211> 432
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 316
<223> 18-633-316 : polymorphic base A or G

<220>
<221> misc_binding
<222> 297..315
<223> 18-633-316.mis1

<220>
<221> misc_binding
<222> 317..336
<223> 18-633-316.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 412..432
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 304..328
<223> 18-633-316 potential probe

<400> 359
catcttggtg tctacgtttc tggggctgag aagatatttt gctccacacc tgccagcatg      60
ccctttccag ccctgaggtg caccagtgag tgtgtgtccc ttctccagct ttctctggggt      120

```

```

aaaagtacca cctttggatc aaggcttgct ggctgcccgt cagaggatct ggcagagga 180
agcagtgtgt cctcaggaga tcctgaagga ggggaggggg gactcttcct acttggaact 240
ctttgtttat tggttaatga aagggcaaaa ataagtcctt ttctaaaatt ttagtttaga 300
gtttaagttg gaaggaaaaa aaaaagaaaa gaacacattt gaggattaac tattttattga 360
cttttctctg aagttctcaa ttgaaggta aactcaggga ttttccaggc tggggtaaaa 420
ctcaaccaac tg 432

```

<210> 360

<211> 533

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 425

<223> 18-489-425 : polymorphic base C or T

<220>

<221> misc_binding

<222> 406..424

<223> 18-489-425.mis1

<220>

<221> misc_binding

<222> 426..445

<223> 18-489-425.mis2, potential complement

<220>

<221> primer_bind

<222> 1..20

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 515..533

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 413..437

<223> 18-489-425 potential probe

<400> 360

```

tagcctctat gctcacgctg gtccctatct ttccaccct tcctggctgg cccagtggtg 60
tcctaacaca gagtgccct ctctgaatca ccgaaccgcc caccttgggg ccctggggcg 120
gcactagttc cctgagtcac tccgtgagcc cggtaacaca tcctgtgccc cagggtgaag 180
ttcaagcggg aggcggggccc aggagaacct gtctgactgg tcccaggca ggtcccatgg 240
tggccagaac agagttcaag ggggaactgca ccaccgtcag accctgtgag tgtggggggc 300
tggtgtcctg gggcagcagg cagcagggcc tgcaggggtc atcagggacc ctggcaccct 360
gggactccag aggagccccc cagccctatc tgggcatatc ccagggttcc cagccccctg 420
gaaayggggt gataacagct tctcctgtaa gggctttgat gcctggtcct gggccctgtg 480
cccagagctg agcacctgct ggcccggacc ccacctttct tgtegccac gtt 533

```

<210> 361

<211> 485

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 212

<223> 18-492-212 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 193..211
 <223> 18-492-212.mis1

<220>
 <221> misc_binding
 <222> 213..231
 <223> 18-492-212.mis2, complement

<220>
 <221> primer_bind
 <222> 1..20
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 465..485
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 200..224
 <223> 18-492-212 potential probe

<400> 361
 agtcgggggag acaagcatag agccacaggc gtgatgacaa acaggacaca gatggcagga 60
 aggaggccag ttctaagcgt ttacacacgg ggcagctctg ctccggcacac aggtccccc 120
 cggggggctgc agagggccct acctggggct tgctcaacag ggctggaaac ccccagcaaa 180
 ggctgggaact gctgcaagaa gccctgccct tyggggctga tccggtgtga taaaggggga 240
 ccaggattct ggcaggggat tcgactgcga tccagtaatc caggagagagc cagtacaggt 300
 gcgtagagac aggccaggca gcaccaggta ggccacacgc ttgggcagcg cctgtggaca 360
 ggctgagagg acacctggag gccagcctgg gagacccac aggctgcagc caggccccgc 420
 gctcatctct ggacccaggg gctggccact cacctccatc cagcctctgg gaatctaaag 480
 gaatg 485

<210> 362
 <211> 570
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 156
 <223> 18-488-156 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 137..155
 <223> 18-488-156.mis1

<220>
 <221> misc_binding
 <222> 157..175
 <223> 18-488-156.mis2, complement

<220>
 <221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

<220>
 <221> primer_bind

<222> 550..570
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 144..168
 <223> 18-488-156 potential probe

<400> 362
 tgtctagcct cactcggggc actcagggtc ctgccagtg gggctgggtt gggggvatgc 60
 acaagatggg gcctcaggag gaagatctgc aggagacaca tgctttcttt gcacgagcag 120
 tggcttgctt gggggagagc aggctgggcc cagagyggcc ctccccacc ccatctcctt 180
 ggtcctgtgc cgtttctgcc ctggtgtctg gtctggggtg tgcacccac ttctgccacc 240
 cattttgcac ctgcacaggc agctggctcc ccagttccca acaggccacc cagccaggcc 300
 cctggcccag ctccccacc atctccacc accacagggc ctctcagtc cccacactc 360
 ccagacctca ggtggtgcct ccagagcgag ctgtgtccac acagggtct actggaatgc 420
 ctggtctctt ggagaggctg aggctgactg aatgggtctt gggcagcagc tggcacggat 480
 gccatcctgg ttggggctca cctccaagag aagcgtgtcc ggcaggtagc ggtccttcca 540
 gtggtcgagg aagaccatgt ccagtgtgtc 570

<210> 363
 <211> 450
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 266
 <223> 18-491-266 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 247..265
 <223> 18-491-266.mis1

<220>
 <221> misc_binding
 <222> 267..285
 <223> 18-491-266.mis2, complement

<220>
 <221> primer_bind
 <222> 1..20
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 430..450
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 254..278
 <223> 18-491-266 potential probe

<400> 363
 ggtagagcca tacaatgagg tatgattcag ttattaaaat gaataaagta cagatgaatt 60
 cacggttcat caaaatggat gaaccttctg caccggctgc ctggccatcg gctcgcaage 120
 tcatgagacc cccgtgaggt ccacattccc tcctctgtga aacggctgat ggtcttacct 180
 ctccagcaca gttagagggca ggcattgatc tgccacaca gcacctgcac atgcttgcca 240
 catgcacgcc acatgcagat gcacgygtga gggcctctc agtgcctcac agtggcgcca 300
 ggacacaggc agctgggctt gacacctctg gctctaaaga gcatgaagct tctgggcctc 360
 agtgccaggc ctgcccaagc ttctctgccc agcagtctgc tgcagagcta gagagtccat 420

cacctctgtc acctgkctag tattctctct

450

<210> 364

<211> 435

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 141

<223> 18-497-141 : polymorphic base C or T

<220>

<221> misc_binding

<222> 122..140

<223> 18-497-141.mis1

<220>

<221> misc_binding

<222> 142..160

<223> 18-497-141.mis2, complement

<220>

<221> primer_bind

<222> 1..21

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 416..435

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 129..153

<223> 18-497-141 potential probe

<400> 364

ctcatgttgt	cagtagttac	caagtaaaat	ctgttttttc	tgcatctaact	agtgtctcac	60
tgggctctgc	agggcagctc	ctacggtccc	tcaggcttgg	agggtcactt	taaacaataa	120
aaagcaacag	gacacaaaaa	yccttggtg	gaaaaatcca	aaaagcaggt	ctgttagcag	180
ggcaggcccg	gagtgaactc	ccctttctct	aacattccca	cgtggctcctg	cacaccacac	240
atccccccga	ccctggggag	tcctggggcc	cttcctgggtg	gagcagcctc	tctcttgcag	300
ggaaaggccc	tggggtaccc	caaggcctcc	aacaggggagc	ctgttggaga	agtcaccaag	360
gccctctgag	tctgggggctc	cacagaccct	cccccaggcc	tcttgcaact	ctccagctct	420
gagagtctga	tccca					435

<210> 365

<211> 475

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 174

<223> 18-503-174 : polymorphic base A or G

<220>

<221> misc_binding

<222> 155..173

<223> 18-503-174.mis1

<220>


```

<221> misc_binding
<222> 175..194
<223> 18-503-174.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 455..475
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 162..186
<223> 18-503-174 potential probe

<220>
<221> misc_feature
<222> 57,422
<223> n=a, g, c or t

<400> 365
agtgctgcat tctcttgggc cttgctatga gctctgggct cctgctcttt gctggcntgt      60
accaggcagt gggttcaaag aggagcagaa aattaatgga caatatgtca gaaggcagag      120
gcaagacaga cacttgctgg ggccaagccc tgcagggtgga gaggggtatgc ctgrctaaag      180
tgggtgaaag gcaaggttat gaggttctcc aggacactgg agtgcacagg tgggtgtgtcc      240
ccaggtaacg cctgccaccc agcccttctc cccacagaac agcatctgcc ctaccacacct      300
ttgaggtaact ttgggggtcct tccttcccag caggctaccc aagcccttcc aagtgcttaa      360
aggcagathtt cctatgcttg caaacgactg ccctatgcca gtgtttatca gcccgagagg      420
gntcctgggt gtgcacaggg ggcgagcaag ctgcccaaga taagcacatc catac          475

<210> 366
<211> 501
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 95
<223> 18-490-95 : polymorphic base A or G

<220>
<221> misc_binding
<222> 75..94
<223> 18-490-95.mis1, potential

<220>
<221> misc_binding
<222> 96..114
<223> 18-490-95.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 481..501
<223> downstream amplification primer, complement

```

<220>
 <221> misc_binding
 <222> 83..107
 <223> 18-490-95 potential probe

<220>
 <221> misc_feature
 <222> 239
 <223> n=a, g, c or t

<400> 366
 tgtgaaccac aagaggaggg aaccactctg ctcaagttgt atttcccctg aagagtcctt 60
 agtaccttgg aaatgatgtg taagaccaag ggctrgttta ycaagaacat acacaaacca 120
 gtaagaaaaa gatgatgaga cagatagggtc acagtggcca acatgcagct cacaggaaaa 180
 ggccaaaggg cagagccccg agcagggtgat ggaacccggg gcagggctca gtgacagtng 240
 ggggtgccct gtccacagct gcaggagtgg gaatcgtgct gccttctgct gctacccttg 300
 ggaaggggtcc caggcctgca gggaaacccg tggcccactg tgtttcccag cggggcagga 360
 cgtgccatga cccacagggc tcgtggggaa aaaacaagag atgggtgcttc cctaaggaca 420
 gtgtccttat tctggcagga agatgacagg gggaaccatg gtggagaggg accatgcaga 480
 cctgaagcag ccagaacttt c 501

<210> 367
 <211> 448
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 114
 <223> 18-699-115 : polymorphic base G or C

<220>
 <221> misc_binding
 <222> 95..113
 <223> 18-699-115.mis1

<220>
 <221> misc_binding
 <222> 115..134
 <223> 18-699-115.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..21
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 428..448
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 102..126
 <223> 18-699-115 potential probe

<400> 367
 ccattcttct ctcatataaa ctgagagtga gatgaacata ttctactaaa taaagatggg 60
 atgagaattc ttaacttcat actttgctgt ttttccctta cggaccctcc agcsaagaaa 120
 actgtgttaa actgttcaga aaccagcaa atctggctgg aaagagaaca ttatgtccaa 180
 gccacaggaa gcatgaaaag gaaataaaag aatttctctg gaagtataaa gttagaagtg 240
 ttaagatgcc ttggaagcca ggaacaattg aaatattttc aaagcacaaa gtttctgatt 300

```

tcctcaaagg caaaatattt gagtaagact taactatatt ctagcttcta atatattagc 360
ttatttttatt ttcaccctgt atttggctga cttaggtgca gacattctag taataatgag 420
atatttggag tattagcatg gctatttta 448

```

<210> 368

<211> 478

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 293

<223> 18-1099-293 : polymorphic base C or T

<220>

<221> misc_binding

<222> 274..292

<223> 18-1099-293.mis1

<220>

<221> misc_binding

<222> 294..312

<223> 18-1099-293.mis2, complement

<220>

<221> primer_bind

<222> 1..19

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 459..478

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 281..305

<223> 18-1099-293 potential probe

<400> 368

```

ttgatgtact cgcctaccc cggttcaact gctaagtgc agcctcacag gggcagctgc 60
tggaatcttg ggacaggaag gctggagagt gagagtctgt ccaagccctg ctgagatccc 120
aattgagagt gttggtacag acttggtccc ctctagatag gacaaaaacc ttgagactgg 180
aaattcttgg agaagatcaa aacgctggga taaagctatg aaccaaagca aggggaagat 240
tttttctgag gggacctgtg agtctccctg ccatctgggg agagaagaat gtygggcaga 300
gtcctgtcta cctgtgaatg tggaagaaga gcagtggatg tgagatacac aaactgtagt 360
gtctactatg acaatgaatc ttgcaataca catattcaat tttgaattaa gaatgttata 420
cgataaataa tggtttctaa aatagaaaag tcatgtaagg ggaaagactg ataaaaatc 478

```

<210> 369

<211> 476

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 22

<223> 18-1105-22 : polymorphic base A or G

<220>

<221> misc_binding

<222> 3..21

<223> 18-1105-22.mis1

```

<220>
<221> misc_binding
<222> 23..42
<223> 18-1105-22.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 456..476
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 10..34
<223> 18-1105-22 potential probe

<400> 369
ttctctcaag catagtggcc trtgccccag gaatgtagca taatgcatat ttacatctat      60
ctctgtatag gcaggtgtag attaaattgc aacataattg gcacagcatt tgtctctatc      120
ttaatgatga tacagatgga aaactaaaaa agatgagaga tttttcttct aaaaaaact      180
tttaaagtta tggagttaga acatatagtt actgtagacc caatcaccac aagtgctagc      240
aattgtccat gtatatacag agacttaaag gcaaattgag aggcaagcag ttaattatct      300
aaatgctgta gagctatgta gcagcccaga gataaagggt aacgggaaag ttttcaatca      360
caactttatt atgtaggtat acaccataag ctaaacttaa ctcaaacata atccaccttc      420
agacctctga gcagcaagtt atatagggaa ggaaggatga cacaagtttg aatgac          476

<210> 370
<211> 495
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 418
<223> 18-562-418 : polymorphic base C or T

<220>
<221> misc_binding
<222> 399..417
<223> 18-562-418.mis1

<220>
<221> misc_binding
<222> 419..438
<223> 18-562-418.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 475..495
<223> downstream amplification primer, complement

<220>
<221> misc_binding

```

<222> 406..430

<223> 18-562-418 potential probe

<400> 370

acttgcatg	tggatgaggg	gaagcacagg	cagaggtgag	cgctgggtg	ctggcgaggg	60
attttcctga	catcgctggt	ggggatggtg	gaccaagtgc	agagctgggg	tctgaggcac	120
gaggggaact	ttcttttcct	cttccttaag	cctggggatg	tggccagaac	cttggggagc	180
tgtggaggcc	actgtgagct	gcagacagag	tccaagaagc	gggtgaagac	cctgcggtcc	240
atctctttgc	tcctttccct	cttcccacat	ttaacaatta	gtttctccca	tgggggcccc	300
atcaagtcac	ctcctcaaac	ctggccagt	cttcatccac	tgctgcctta	tcttctcccc	360
agaaaatact	tcttccccaa	ctgtgaggat	tatgctccga	aactaccccc	cagcaccygg	420
tagactttca	cagctgagag	acattgacct	caaagtttag	gttgcaagt	agtccacaga	480
accacttccg	cacat					495

<210> 371

<211> 476

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 204

<223> 18-564-204 : polymorphic base C or T

<220>

<221> misc_binding

<222> 185..203

<223> 18-564-204.mis1

<220>

<221> misc_binding

<222> 205..224

<223> 18-564-204.mis2, potential complement

<220>

<221> primer_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 456..476

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 192..216

<223> 18-564-204 potential probe

<400> 371

tcacgcattg	ctttgaacac	agcaggctact	cactacatag	tggttgattg	ataccttggt	60
cacacctccc	tagaagtgga	cacctattgt	cttgccctgcc	aaacccatct	tccttctctg	120
gaagctgttc	cctgtctctc	taccccgctc	tcccccatcc	tcattgtaac	gatggaagac	180
ttccttctct	acagccccc	cccygccatg	cacgtctctc	tcagctccag	agaggaagct	240
acagtgtctc	accaagctct	tggaggagag	cagcagttac	agccaacatt	tattgaacat	300
gtgccagaga	ctgttccaga	tgggtacataa	actcttaatt	caagctcatt	aaaccctgac	360
aagatcccta	caaggcaggc	aatattttta	tccccatttt	acacaggagg	agaccaaggc	420
agaggcctcc	cggctgctgc	gtctcccatg	cagtacatag	gtttatcaca	ctccaa	476

<210> 372

<211> 467

<212> DNA

<213> Homo Sapiens

```

<220>
<221> allele
<222> 261
<223> 18-1032-262 : polymorphic base A or C

<220>
<221> misc_binding
<222> 242..260
<223> 18-1032-262.mis1

<220>
<221> misc_binding
<222> 262..281
<223> 18-1032-262.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 447..467
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 249..273
<223> 18-1032-262 potential probe

<400> 372
ccactcaaat tctgatagac atttttccct aacctaaaat atttttatat ttaaaagtct      60
ttactcatca aacacacgca catcaaaaat gtgtagaaaa ttgaagttta tttttatttc      120
acgtcaccaa tatgccctaa tagtttcata aaattatact ggattgagct attattagaa      180
ttattactag tatacaactg agaaaaatat tatgtataca gtataaatat taataatttt      240
aatatataaa tggtaaaaac maaatccatg gggaaaacat gtctaacaaa atatgcagaa      300
gtttctcttt tttcccagtt ttctcatgtc catggataga tattgcctat tggtttaata      360
gttgagtatt cataatcgat tcctactctt ctttttatat cgtatgcact gagaaaactt      420
gctcacataa ataggtaggt gggaatggga agagttttgc tacagta                      467

<210> 373
<211> 466
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 412
<223> 18-1035-412 : polymorphic base A or C

<220>
<221> misc_binding
<222> 393..411
<223> 18-1035-412.mis1

<220>
<221> misc_binding
<222> 413..431
<223> 18-1035-412.mis2, complement

<220>
<221> primer_bind

```

<222> 1..21
 <223> upstream amplification primer

 <220>
 <221> primer_bind
 <222> 447..466
 <223> downstream amplification primer, complement

 <220>
 <221> misc_binding
 <222> 400..424
 <223> 18-1035-412 potential probe

 <400> 373
 cagatatgat ccactggaaa caggatcatt aacgcctttg catctaata ga ggtcagataa 60
 ttgattccag aaaactcaga accaattgag aaaattcctc attaatatc agcttcccct 120
 gggcactctc agggcagctg gttaagccat tctctgtaag gtttactgtc tttgaacctg 180
 aagcctctag tccacaggtc agagcaagga cagctggaat ccacaatcat gagctacaga 240
 gcaggataga ctgaaccagg tcagctcttg tctctgacct tgatggtgtg gatgccctgc 300
 catcagcctc cccactgagc ccagctcacc tagggggaga gggagcttct aaaatgcaaa 360
 tcgcatcaga tcactactct gcttaaaactc ttcagcagct cccagtgcc gmagacagtc 420
 cagactcctt actggtatga ggatccctcc tcctcccatt tctcct 466

 <210> 374
 <211> 484
 <212> DNA
 <213> Homo Sapiens

 <220>
 <221> allele
 <222> 293
 <223> 18-1036-293 : polymorphic base A or C

 <220>
 <221> misc_binding
 <222> 274..292
 <223> 18-1036-293.mis1

 <220>
 <221> misc_binding
 <222> 294..313
 <223> 18-1036-293.mis2, potential complement

 <220>
 <221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

 <220>
 <221> primer_bind
 <222> 467..484
 <223> downstream amplification primer, complement

 <220>
 <221> misc_binding
 <222> 281..305
 <223> 18-1036-293 potential probe

 <220>
 <221> misc_feature
 <222> 463
 <223> n=a, g, c or t

```

<400> 374
acaacacacc ttttctcctt aaattcatat ttccactcaa attctgatag acatttttcc      60
ctaaccctaaa atattttttat atttaaaagt ctttactcat caaacacacg cacatcaaaa      120
atgtgtagaa aattgaagtt tattttttatt tcacgtcacc aatatgccct aatagtttca      180
taaaattata ctggattgag ctattattag aattattact agtatacaac tgagaaaaat      240
attatgtata cagtataaat attaataatt ttaatatata aatggtaaaa acmaaatacca      300
tggggaaaaac atgtctaaca aaatatgcag aagtttctct tttttcccag ttttctcatg      360
tccatggata gatattgcct attggtttaa tagttgagta ttcataatcg attcctactc      420
ttcttttttat atcgtatgca ctgagaaaac ttgtccacat aantaggtag gttgggaatg      480
ggaa
484

```

```

<210> 375
<211> 484
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 95
<223> 18-1038-95 : polymorphic base C or T

```

```

<220>
<221> misc_binding
<222> 75..94
<223> 18-1038-95.misl, potential

```

```

<220>
<221> misc_binding
<222> 96..114
<223> 18-1038-95.mis2, complement

```

```

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

```

```

<220>
<221> primer_bind
<222> 466..484
<223> downstream amplification primer, complement

```

```

<220>
<221> misc_binding
<222> 83..107
<223> 18-1038-95 potential probe

```

```

<400> 375
gccacaatga atgttgagga aaaagtctgg atatttaaga atgatacctta caatccagat      60
gtcaattctg taaactgtga atagcagttt gtcaytgata cttaagagtt gagaggctaa      120
ctccattgct tctagcaact aacaaaatgg ggattccatc tgaggaagta aattctgggt      180
gattatgaag tatgaggctt ggaatggaaa agggatggat gaatagcttc atgtcagctt      240
ccaatacta ttaggtgttt ttaaaccaag tatatgttgt ggtaacaaat atgaaathtt      300
taaaagaaaa caaaaataat caacatatac acatatataa aatgacattt atgattttta      360
gataacaag ttactacctg aaagggtctc agagattgat gatttattag gagaactgag      420
aacggcaaat gatacttgaa gtggttctat gttttcctaa acaaaggaaa agacagaagt      480
taga
484

```

```

<210> 376
<211> 455
<212> DNA
<213> Homo Sapiens

```

```

<220>

```


<221> allele
 <222> 361
 <223> 18-1040-361 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 342..360
 <223> 18-1040-361.mis1

<220>
 <221> misc_binding
 <222> 362..381
 <223> 18-1040-361.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..19
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 437..455
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 349..373
 <223> 18-1040-361 potential probe

<400> 376
 ttcagacagg gggatcaact caagaaaaac cttgacagtt ggaaagtagc ctggtatatt 60
 tgagggatct gagacagaat cagtttcatt agggttccct tttgaagtaa tgggagggtga 120
 gggtggccag ataaggggtat acctcaaatg cctgtaggta gtgagggaac cttcttaatc 180
 aaaggaataa cagagaaagt gctgcttcag ataaccaagg ccaaggctga gttttgaatg 240
 ctgtctgggc ttagcttcca atgactgagg gagttatttc cctggatgaa ggtatgttct 300
 tattttcaatt gattcttaaa gtacttttta ttaatatatta ttaaggagag ttatccaact 360
 rctcatgaag tttaggcggt tacactaggg caagatatgt ttccctcatc ttctcatcta 420
 ccaccttctt gaagtcctgr aaatctaagg aatgg 455

<210> 377
 <211> 403
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 356
 <223> 18-748-356 : polymorphic base C or T

<220>
 <221> misc_binding
 <222> 336..355
 <223> 18-748-356.mis1, potential

<220>
 <221> misc_binding
 <222> 357..375
 <223> 18-748-356.mis2, complement

<220>
 <221> primer_bind
 <222> 1..20
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 383..403
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 344..368
 <223> 18-748-356 potential probe

<220>
 <221> misc_feature
 <222> 27
 <223> n=a, g, c or t

<400> 377
 gagctgggtc acattgatac tgaaagnaag acaacccatt agatgctggt aacaaaaata 60
 ctatcagaaa agaagagcca aaagaagagc caaagttatc catccacctg acctttttcc 120
 catcctccat cttgtctttt tctcctctag ccaccagggg gcactttggg gctagctcct 180
 tgaggacact ggagattctg agctttcaca agtacctcaa tattggcggt ggggtcagtg 240
 gatgggggatg gaatgaatca gaaagtagag ctaaaggaga aacctaggga ttctgtagag 300
 cagaaagggtg agttcccaaa atcttcagct caaatatacc cctctaattct aatcaytaaa 360
 tgctgaattc actaagaaac tacccgagcc cgacagattt tta 403

<210> 378
 <211> 448
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 179
 <223> 18-937-181 : polymorphic base A or C

<220>
 <221> misc_binding
 <222> 160..178
 <223> 18-937-181.mis1

<220>
 <221> misc_binding
 <222> 180..198
 <223> 18-937-181.mis2, complement

<220>
 <221> primer_bind
 <222> 1..20
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 428..448
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 167..191
 <223> 18-937-181 potential probe

<400> 378
 cccaatctct ctacccaac ccacttccaa catcctccca tgatagcaga atgatctctc 60
 tgaagggttca atgacaataa tgaacatgaa aacacttcgt aatacggtac acaaatagca 120

acacctacct	atacacaaat	gtaccgatgt	ggcaggagag	acagaaatgc	tgtctttamt	180
cactgttgac	tatgcagggtg	taaaggccag	tgcattgcaa	gggaatgaaa	tcgatagact	240
aagaggaaatg	tttctgggaa	ataatgggtct	aagttggcac	acacagtatt	ggaaccctca	300
aacgagtcaa	aaaggcattc	aaggtggact	tgcttgcttg	gcaattgtat	gtcactgtga	360
taaacctgat	gagagatgta	agatgtagat	ctaattatgc	ctatttttca	ggtaactgag	420
gctgagagag	gcagtaattt	gcagaaga				448

<210> 379

<211> 449

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 175

<223> 18-942-175 : polymorphic base C or T

<220>

<221> misc_binding

<222> 156..174

<223> 18-942-175.mis1

<220>

<221> misc_binding

<222> 176..195

<223> 18-942-175.mis2, potential complement

<220>

<221> primer_bind

<222> 1..20

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 431..449

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 163..187

<223> 18-942-175 potential probe

<400> 379

gactcctgtg	tttctgagcc	ctggataatt	tcacacacat	gtctgggttg	gggctccaca	60
ttttcagaaa	aatatagaaa	tcttgaggga	gggccagggt	agaccaaggg	aaatgattaa	120
tgggttgaaa	gttgaggttt	atgaagaaag	gttgtgagat	ctgatctttt	gctaygagaa	180
aagtctgagt	ggtgacttaa	taacataagg	aggtagtaa	gcagctgttc	tccatcttca	240
ctaagggttg	atgaaatgaa	ataagatata	aattgcaaca	ggaacaaaaa	tgcatataca	300
gtgaggactt	ccaagcacca	gcattgctgg	attctagata	gctcccaaaa	agaaggatgt	360
gtagtctact	tccttgggtct	gcaatgacag	gcctataaat	agtgagaaag	atgagataat	420
ctcttaagat	cccttctgga	cctatctttt				449

<210> 380

<211> 452

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 221

<223> 18-1213-221 : polymorphic base A or T

<220>

```

<221> misc_binding
<222> 202..220
<223> 18-1213-221.mis1

<220>
<221> misc_binding
<222> 222..241
<223> 18-1213-221.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 434..452
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 209..233
<223> 18-1213-221 potential probe

<220>
<221> misc_feature
<222> 403
<223> n=a, g, c or t

<400> 380
ctttcgggtt ctcatttgcc tgtagccaag acccttgaag agaacttata tggctagggt      60
ccagaggaca ttttcaatta tccatttgat gaactctgtc aaccgtctac ctgtgtttct      120
gctttaaagc tgaattttct tctcattagt tcaaccaatt tgtgcagacc ttaaaattta      180
gaataaagaa taagacagca gtaccgtact taacttggag wccctggacc tcctcggagc      240
ataaaaatca cctgggtgag tgttaaaatg aaggctccctc ctcctgaaat tgtgatttag      300
taggggtggg gcagggccca ggagttataa ttttaataaa taccacaagc aattcgaabg      360
cagacaatch gaagtcacac tttgagaaac actctcttgg ggntacaaca ctgggtatca      420
gaggaatctc ccaccaagcc cacacccaaa tt                                452

<210> 381
<211> 448
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 145
<223> 18-937-147 : polymorphic base C or T

<220>
<221> misc_binding.
<222> 126..144
<223> 18-937-147.mis1

<220>
<221> misc_binding
<222> 146..165
<223> 18-937-147.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

```

<220>
 <221> primer_bind
 <222> 428..448
 <223> downstream amplification primer, complement

 <220>
 <221> misc_binding
 <222> 133..157
 <223> 18-937-147 potential probe

 <400> 381
 cccaatctct ctacccaac ccacttccaa catcctccca tgatagcaga atgatctctc 60
 tgaagggttca atgacaataa tgaacatgaa aacacttcgt aatacgttac acaaatagca 120
 acacctacct atacacaaat gtacygatgt ggcaggagag acagaaatgc tgtctttact 180
 cactgttgac tatgcagggtg taaaggccag tgcattgcaa gggaatgaaa tcgatagact 240
 aagaggaatg tttctgggaa ataatgggtc aagttggcac acacagtatt ggaaccctca 300
 aacgagtcaa aaaggcattc aaggtggact tgcctgcttg gcaattgtat gtcactgtga 360
 taaacctgat gagagatgta agatgtagat ctaattatgc ctatttttca ggtaactgag 420
 gctgagagag gcagtaattt gcagaaga 448

 <210> 382
 <211> 473
 <212> DNA
 <213> Homo Sapiens

 <220>
 <221> allele
 <222> 407
 <223> 18-946-408 : polymorphic base C or T

 <220>
 <221> misc_binding
 <222> 387..406
 <223> 18-946-408.mis1, potential

 <220>
 <221> misc_binding
 <222> 408..426
 <223> 18-946-408.mis2, complement

 <220>
 <221> primer_bind
 <222> 1..19
 <223> upstream amplification primer

 <220>
 <221> primer_bind
 <222> 453..473
 <223> downstream amplification primer, complement

 <220>
 <221> misc_binding
 <222> 395..419
 <223> 18-946-408 potential probe

 <400> 382
 aattagtttt tgtgtgcgga caagatggaa ggtaatggaa atttggttg caaagtagtt 60
 ctaacatgat ctacatccac aatctgggta taatgctata agaattattat gtgggaatag 120
 tagttcaaat cagtatttag tatgaacata aagggacaaa caatgcaaag ctaacttaag 180
 ttgtttacac ttggaactta tttaaattaa aaaggccagt ggatgggtcat atgtttggct 240
 cattcttctc aaggccttca ggaaaacatg cctatgaaat aaaagatcct caatattaaa 300
 cattttactg catttggggg acacatgaaa tctggtaata aagggaagtgt tgggtcttcat 360

```

ttttctaatt cagcatggaa actatcttga ggaaaactga ctatgggctt agtttgtgtc 420
tcagaaatat atttagtctg aatcatggcg tcgacatctg acttccaaaa ttg 473

```

```

<210> 383
<211> 497
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 133
<223> 18-787-133 : polymorphic base A or G

```

```

<220>
<221> misc_binding
<222> 113..132
<223> 18-787-133.mis1, potential

```

```

<220>
<221> misc_binding
<222> 134..152
<223> 18-787-133.mis2, complement

```

```

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

```

```

<220>
<221> primer_bind
<222> 480..497
<223> downstream amplification primer, complement

```

```

<220>
<221> misc_binding
<222> 121..145
<223> 18-787-133 potential probe

```

```

<400> 383
cactgtgaac tactttaata cttgcacatt ttccctaaag tcaattgcc a tggtatcaat 60
gatgcttaaa aatagagtga aattttgtta tgtgactttc acctcaataa attattaata 120
aaaaataaaag tgrgccataa gtaggtactt cccagatttt atttatatatt atcaacactt 180
tattctgggt cctttacagg ctgtagaaga ttctgatagg catgaaaact acaacatatt 240
taaaaaaaca ttgcttagga tatctccggc ctttcaagtt tgttctcaa aataactttg 300
cttgatcaaa tgaactatat tttggtttac taaagatggt ctcagaaaga agaatatgtg 360
tacatcaatg atttgtaatg catttaaaat tcaatactat tttttaaaaa tttaagtatt 420
ataatggtac tatttatagc tagcagaagt agatataggg ccaagtttta atttgcttgg 480
aaggttgagg cattcct 497

```

```

<210> 384
<211> 552
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 239
<223> 18-1149-239 : polymorphic base A or G

```

```

<220>
<221> misc_binding
<222> 220..238
<223> 18-1149-239.mis1

```

<220>
 <221> misc_binding
 <222> 240..259
 <223> 18-1149-239.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..21
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 532..552
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 227..251
 <223> 18-1149-239 potential probe

<400> 384
 ggggactaga gcaagagatt gaaaaaagaa tgaaaataag catacattca cacagaaaca 60
 cacacatgca cacaacttga gatcaccaaa gccaaacttc tcttttgctc ttcttgcttg 120
 ggacataccc aaagtgtggc agttcaacag taagctgtag ggataagtgc tcgagctctg 180
 gagttagaga aaatgggttc tgaccctaatt tcatttcttt gtatctatat tacttgctrc 240
 aagttactga atctttctga cccttaattt ccttcatctg caaaaaggga taataacact 300
 tatttcttag gagtggttg aagattaaat aagatgatgt atactgagtg attggcacag 360
 tgcctaatac ataataaatc aaattaaagg gcagtgaagt tcagtataca tttgggagga 420
 ctcttggctt ttaggaaaga agtcagaaga cccaagtcc ctcccatctc ctctgctgca 480
 ttatttttct ggaacggatt agggaggggt tggcaagaaa gaacagatga tgtccctatg 540
 ctattcacac tg 552

<210> 385
 <211> 500
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 291
 <223> 18-1159-291 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 272..290
 <223> 18-1159-291.mis1

<220>
 <221> misc_binding
 <222> 292..311
 <223> 18-1159-291.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..20
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 480..500
 <223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 279..303

<223> 18-1159-291 potential probe

<400> 385

atgtgtcttg	tcagtgaag	caaacagcac	tcttctctgc	cttaaagtgt	acagattctg	60
acagaaaaat	atcttaatta	atcagacttt	atcatgggca	ttcaaagggtg	attgaaacaa	120
taggtgaagt	tcaacttgaa	ggtaatcaca	aagggcaatt	tacagtgttt	cttagagttg	180
ggtaggtact	gtcctcttg	ttagattcag	aaatgctgcc	tgctgtttct	ttctgggttg	240
aggtatctag	tagccttgcc	tgctcttatg	tgacaagcac	aaattactcc	rotgtgatga	300
atctcatggg	atcacagaag	gtagaggtga	caaggagatc	tatcacatca	tatcaggtcc	360
aaattcccag	gtgccctgta	ctgcatttcc	tctgccttcc	actgtatttc	attttaacct	420
gggttaaaagt	agcagcatct	tccactgggc	tgtactgttc	ggaaatgggt	ggctaccatg	480
ggttgcttta	ggattctaca					500

<210> 386

<211> 449

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 273

<223> 18-1135-273 : polymorphic base C or T

<220>

<221> misc_binding

<222> 254..272

<223> 18-1135-273.mis1

<220>

<221> misc_binding

<222> 274..293

<223> 18-1135-273.mis2, potential complement

<220>

<221> primer_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 429..449

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 261..285

<223> 18-1135-273 potential probe

<400> 386

gcaagcgtg	agctaaagt	gaagtgtagg	agagggtgagt	tgcttaggtc	taaggagaaa	60
gactgcttag	gtgtgtgttc	acccccagga	cgaagaaagg	aacactgggt	gagattttgt	120
tcaactaccc	atagttacca	ccagatgggtg	aaactgatcc	cgggcctctt	gggtattgat	180
cagtttatgg	ggagatgggg	agaagactat	ctttcacttg	ttaattcatt	aatttctttc	240
gcaaataattt	tttcagtacc	tgctaagtcc	cayggactat	gctaggagct	gctgttaaaa	300
tgacaaacca	gataagggtca	ctgcccttaa	tcaacttaca	gttgggtgag	aagctatcag	360
gtacaagtat	ggccctagaa	caaattagtc	ttttctagtt	aataatctta	tgtgatgaga	420
tttggcttct	cctttgggtga	cttgccctca				449

<210> 387

<211> 450

<212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 108
 <223> 18-1136-108 : polymorphic base G or C

<220>
 <221> misc_binding
 <222> 89..107
 <223> 18-1136-108.mis1

<220>
 <221> misc_binding
 <222> 109..128
 <223> 18-1136-108.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..21
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 433..450
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 96..120
 <223> 18-1136-108 potential probe

<400> 387
 gtattactaa attcctcatc cctggtaaca tttccatggt agctgttttc tatttgtttt 60
 ttctttttcca caatgggtgcg gcctagaaac agttaacctt cttcgggsta ttacatacct 120
 tagacatata aaaaagctat gagcattcaa cactgaaata atcatataaa ccaaacatac 180
 tgcacactac ttcagggata ctctgaagcc catccttaga cccagactc aaacaaaaca 240
 aaatacgatg taaagaactg acacaaatca tcggagttta gagaacaacg tgacgggcag 300
 cagaggagag gagagggttg aagcaaactt ttttggtttt ttttcctaa gtagggctgg 360
 ttctggcttg tcttccttct cccactttg cttcttactc ttgggcttac aaactgcctg 420
 gtttccttc tccaagtcag ggcttcggtt 450

<210> 388
 <211> 450
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 68
 <223> 18-1147-68 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 49..67
 <223> 18-1147-68.mis1

<220>
 <221> misc_binding
 <222> 69..88
 <223> 18-1147-68.mis2, potential complement

```

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 430..450
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 56..80
<223> 18-1147-68 potential probe

<400> 388
atctggattt aaagttcttg gaagggaaag ttgaccttct agacagggca acacttgccc      60
ttgccctrty tatttacctc agtaagcaac aagctgtagc tgtaacctaa tgtgtggcca      120
aggaatggga atttcaatgg ttctactagg aatatttggt caaatgctga tgggtgtctg      180
tattaaagct aagctatgcy ttttctgata aatgtataaa ttattctttt cccttattaa      240
acaaatgttt attgagtacc tactgtgtac cagacacagt tccatgcact gagaatacat      300
cagctaaaaa cataatcaaa attcctagct ttcattggagt ttattatatt ctatttgggg      360
agtgggaatg aggttagcagt tggtgaaatg gaaacagaga ccatgactag tctggttaac      420
agaaaactac agaaggacaa acactcagac                                     450

<210> 389
<211> 595
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 295
<223> 18-1157-295 : polymorphic base A or T

<220>
<221> misc_binding
<222> 276..294
<223> 18-1157-295.mis1

<220>
<221> misc_binding
<222> 296..315
<223> 18-1157-295.mis2, potential complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 576..595
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 283..307
<223> 18-1157-295 potential probe

<220>
<221> misc_feature
<222> 568

```

<223> n=a, g, c or t

<400> 389

gagtcactag	agagtctttt	gtggacacct	gctccttctg	aaacaattga	cttgtctact	60
ttcacaaaaca	gcagtatttg	tattaaagaa	ccagttggca	tcaatgcca	agtgcagggtg	120
tcctaataata	taagatgggtg	cttcattcag	aaaactcaag	gtagagtaaa	ataaattatc	180
aacatcttgg	ctccatgctc	cattcacacac	tgtaattttt	acagggttat	gcttccatct	240
ctgagcagag	aactcctggc	agggacagct	gctcctgtgt	ctcacattgg	gctgwgtca	300
tcacagtagg	agtcacaaag	agcagcagggt	tagcgagaag	gtgatatgac	atcagagaaac	360
tgagcagtg	aggagggaga	aggatgggcc	tctccaaagt	gcttttcatt	tactccttta	420
atctttgtgt	gtatatacat	gcattgggtta	ctaaggaaaa	aggaaaagtt	gacttgaatt	480
tgactgagaa	aattatcara	cctgctttta	cttgtacatg	tagctcattt	tcaaaaatac	540
ttttgtgtat	ccactgggtat	gttgatgntc	ctatcagca	ataggtctgt	acgct	595

<210> 390

<211> 569

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 459

<223> 18-802-460 : polymorphic base A or G

<220>

<221> misc_binding

<222> 440..458

<223> 18-802-460.mis1

<220>

<221> misc_binding

<222> 460..479

<223> 18-802-460.mis2, potential complement

<220>

<221> primer_bind

<222> 1..21

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 549..569

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 447..471

<223> 18-802-460 potential probe

<400> 390

cctattagca	attcattggt	ctccaaaaga	attcattcaa	atagacatac	cagagcagag	60
aggttcagag	catgagtttc	agagcatgat	aaacctgggg	ttaaatccat	ggtctgtcaa	120
gtactgacca	tgtgaatttg	gacaacttac	taacctctta	taaacttgtc	ttctctttca	180
taaaatgggg	ttaatcatat	ttacttccta	gggctaatta	tttgataaaa	gaggatatct	240
aaaacctatt	agagtgccga	catgcagtaa	atgactatac	attaaatttt	ctattcagaa	300
tattattctt	ttatactaata	attcccaata	ttagtaagat	taaatgaatg	atattttatt	360
tcctagtcct	ctgttttgggt	accctattta	ttctgattga	aagagtcttg	ttattgggtga	420
tgtcagaaga	agaaaggccc	tattaatatt	ttcagaacrt	ggaattttga	attaatataa	480
actggaagag	tcctttgaca	attgtaagct	attccaaagt	cacataaaga	ataacaatgg	540
acctctctgt	gcagcatttt	tatgatgcc				569

<210> 391

<211> 455

<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 109
<223> 18-1064-110 : polymorphic base C or T

<220>
<221> misc_binding
<222> 89..108
<223> 18-1064-110.mis1, potential

<220>
<221> misc_binding
<222> 110..128
<223> 18-1064-110.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 438..455
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 97..121
<223> 18-1064-110 potential probe

<400> 391
tctgtgactg taaatcccaa ggatttaaata gaaaaataga aaaatgccca ctaattagtc 60
attcactttg ggcatttaac agaaattctt tgagtatatt ttatatcayc tctattacaa 120
tcacactcct ttctaaagtc atagcttgcc ttccagcaag atattcaaga ctaattcatt 180
ctcagtacc acgagtcatt cctttgtggt tatatttccc ccagagtaat ataccctgcc 240
acttctttct ctgtcatatt gtcattttgt tagaatgatg aattctagca tacttcccaa 300
ataattattt tcagttaatc tgtctataaa atctctttat ttttaacaga gtcaacaaaa 360
tgtactgagt gggcacagtc agcaaacatc tctaccagtc cagacacaga gcactcttac 420
agccccactg tataacacta tgggtgatttc tcagc 455

<210> 392
<211> 516
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 327
<223> 18-1068-327 : polymorphic base C or T

<220>
<221> misc_binding
<222> 307..326
<223> 18-1068-327.mis1, potential

<220>
<221> misc_binding
<222> 328..346
<223> 18-1068-327.mis2, complement

<220>
 <221> primer_bind
 <222> 1..19
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 496..516
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 315..339
 <223> 18-1068-327 potential probe

<400> 392
 ctactagatt ttgcacagga aaaatattca catataagta tcaagggttaa cgttacccaaa 60
 tgatttttaaa tttggattaa ccaagatatt tactaaatgc taccatctgg gataaatcca 120
 ttctcactta atctttcaca cagattgagc ttcacatggt acaagatatt tcccacgaag 180
 tataccagag gataagagct tgggatttaa attccaacag gcagggttca ggtaccaccc 240
 ttgctagtac tagcatcact gcacaactgc tatcttctaa gcttgagtct gcatgtgtgt 300
 aaatggggaat aatgacaata acatctycct cacagggtcca ctgtgaggat taaatgagga 360
 aaggcacgta ctccttagta gtcatcacat aatcatatat gtaaacattt agtcaatggt 420
 ggttactatt tataaaccag taaaatctct cccacatgct ccttagccat tagcacattt 480
 ttttaaataa taaaagtga aagcatcttg tgaatg 516

<210> 393
 <211> 472
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 365
 <223> 18-1069-365 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 345..364
 <223> 18-1069-365.mis1, potential

<220>
 <221> misc_binding
 <222> 366..384
 <223> 18-1069-365.mis2, complement

<220>
 <221> primer_bind
 <222> 1..19
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 455..472
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 353..377
 <223> 18-1069-365 potential probe

<400> 393
 tcaggacagg cagataagggt agttgtcata tttcatttgt tattttttaa attgtaaacc 60

```

gattgattag aaaacaataa ttgatttct taatcaaatt ttttaatgtg attttaatga 120
gatgctcact gcagccaatg ttcttaaatt tgaaataaaa acactgaatg tattcattgt 180
ttaagactt cataattaaa gggtacaac aaattttttt tcttgccaa aaatatgcta 240
caaatatta tagaatacaa attctgcagc acactgttag aaaagggtta tgacaggctc 300
tgtgtcactg tgaagctttt gtcttttcaa tatagatgct agagaatttc catgtagtaa 360
cagtrgttag ggtagcttac cttttttaag tttgttaaat gctcaaaata tattatctca 420
aatagtcatt tattaaga aaatgtatgt gaggcctcct tttatttccc ag 472

```

<210> 394

<211> 458

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 367

<223> 18-1073-367 : polymorphic base A or G

<220>

<221> misc_binding

<222> 348..366

<223> 18-1073-367.mis1

<220>

<221> misc_binding

<222> 368..387

<223> 18-1073-367.mis2, potential complement

<220>

<221> primer_bind

<222> 1..20

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 441..458

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 355..379

<223> 18-1073-367 potential probe

<400> 394

```

agagagacga ctttcacggg gcactcatag caaaatctaa cctgaggagg aagctcactc 60
acagattggt ggaaatcgct agacctcagc ctgagtttac aaggatggac agggcagctg 120
aaaacatgga gccctgggtt tagagacaat ggtcattaca gacctacggg gtctagactg 180
acagatacta aggctgcaag gtcagggtta cctcagcact ataaactcat tccatcacc 240
ccaagcgact tgaattcttt ataatcatgc attgttttta caaaaatggg agtcatatgt 300
gttaggtaat gtccctcct ccccccataa aacaaaaaat ccatttcatt tccttctcgt 360
aaacaargtc atggtttggc tccctcttc ctggctagt agagcttaga gactaaaaca 420
caattttcac taccacagta ctctttgtcc tctcctct 458

```

<210> 395

<211> 475

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 272

<223> 18-1070-272 : polymorphic base A or T

```

<220>
<221> misc_binding
<222> 253..271
<223> 18-1070-272.mis1

<220>
<221> misc_binding
<222> 273..292
<223> 18-1070-272.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 455..475
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 260..284
<223> 18-1070-272 potential probe

<400> 395
atcagacatt tctactaggt ccattgacaa atttatttga ccggagtacc tcattttctt      60
catatattac cctgtataaa atccagaatt gttacagcag tacatttcac cattagctat      120
tagatacctt gtttaatcac ctttttcatt atttttaaatt gtgtctcatc tgctaatact      180
gacattatct taaagattct ttgtatttga atcctcaaatt tctatagcat actgtctaaa      240
aattgagata cacacacaca cacacacaca cwcacacaaa tttgtgtgta tctataactt      300
tggttaagagt ggatggcctt tcagcgagag ttgagaaaaa ctagacttgg agaattcatt      360
tcaagccttg ttttaaaacc aagttcatat gacattgacc attaggccac tctagtctgg      420
tacttagaaa gatgtaggct gtatataata gatacctaca attagtattt gaagc          475

<210> 396
<211> 469
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 35
<223> 18-1057-35 : polymorphic base C or T

<220>
<221> misc_binding
<222> 16..34
<223> 18-1057-35.mis1

<220>
<221> misc_binding
<222> 36..54
<223> 18-1057-35.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 449..469

```

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 23..47

<223> 18-1057-35 potential probe

<400> 396

caagcagtc	attacacctc	tcataaattt	attayacacc	tgcatTTTTa	taactattat	60
gctTTTTaat	tgTtgccac	catttttagt	gcttctgaat	tgTtatggTt	ctcaagcagc	120
agTtgTcacc	ttggTTTTga	attaatgctg	tgacgcttgc	ttccaggacc	cctatggTgt	180
agccgtgggt	ggaactgtgg	ggcactgcct	gtgcacggga	ttggcagtaa	ttggaggaag	240
aatgatagca	cagaaaatct	ctgtcagaac	tggtaatgct	tgaaaattac	aaatcagata	300
acattTTtaga	atcactgaga	gattaaagg	tgTtagcttt	gattatttaa	atttctgctg	360
ctgaagtata	cttggtTTTT	ctaattacct	accatctctt	ataataagag	gtattaawcc	420
tggtatwgca	aatacggact	ttttcacct	gtgtagaagt	tagcaaaat		469

<210> 397

<211> 577

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 415

<223> 18-1062-415 : polymorphic base C or T

<220>

<221> misc_binding

<222> 396..414

<223> 18-1062-415.mis1

<220>

<221> misc_binding

<222> 416..435

<223> 18-1062-415.mis2, potential complement

<220>

<221> primer_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer_bind

<222> 557..577

<223> downstream amplification primer, complement

<220>

<221> misc_binding

<222> 403..427

<223> 18-1062-415 potential probe

<400> 397

acagcacaag	tacctagcaa	attagataca	tctaacaaat	gactgtttta	taaagtagat	60
aatTTtatctt	tatatTTta	aatTTtaaaa	gaaacataga	aatTTtttcc	agTTtgagtg	120
tccaattggT	taacaatggT	gaaaattaga	atgTTtaatt	ttcccttatt	aaatacagta	180
aagTTtttatt	tataaattaa	taacaatata	ttgccaggTc	tcactTTttgc	ataaaataca	240
gctTTtatggc	ataatgggag	tccaggattt	attataacaa	ataagatggg	atttcaatat	300
acactgaaat	agattacaga	tttttaatat	ggTcacaatt	tcattTTtata	tatatTTttaa	360
tattgaaaaa	ggacctaata	gggcataTgg	agtaatgctg	tattTtaaaga	agTcygtatt	420
tttcataaac	ttgcaaaagg	atagTgctac	tgaatacaac	attTgacttt	tttgttaaca	480
gctactactt	acattTTtaaa	tattctgggg	ttaatgaatc	actTTccagc	agatgagtag	540
agagtatttt	ataaacctct	gaatgTtccc	cttctgg			577

<210> 398
 <211> 453
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 165
 <223> 18-1082-165 : polymorphic base A or G

<220>
 <221> misc_binding
 <222> 146..164
 <223> 18-1082-165.mis1

<220>
 <221> misc_binding
 <222> 166..185
 <223> 18-1082-165.mis2, potential complement

<220>
 <221> primer_bind
 <222> 1..18
 <223> upstream amplification primer

<220>
 <221> primer_bind
 <222> 433..453
 <223> downstream amplification primer, complement

<220>
 <221> misc_binding
 <222> 153..177
 <223> 18-1082-165 potential probe

<220>
 <221> misc_feature
 <222> 50
 <223> n=a, g, c or t

<400> 398
 cctcattttt tcatggcgct tcagtcgtca ccctcgtttg agtatatttn gatttgacta 60
 ctacttcacc caagtagcat aacagctgct ttctctcagc cttttatatt ctagaatcat 120
 atgcagtaac attcccata atagcctcac taaattgaag gacarttcta cagaaacatc 180
 catgttatTT gtgtgaggta taataggaga cccagagcaa ttcaggttta tgagctacta 240
 caaagggtcca caatgtagtc tgcaatttga agagattgtg aaagaacca gttaatcatc 300
 cagcactgta ggatgcagca attgtcctac atggtaactc tgtgaggaag atgatagcta 360
 ctactgtgga gatcttaaga ggagttttca gcttaaatgc caagttagaa gtagcacatg 420
 ttggtaaaaa aggtcatatt tgtagttttc tgc 453

<210> 399
 <211> 494
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> allele
 <222> 363
 <223> 18-1080-361 : polymorphic base C or T

<220>
 <221> misc_binding

```

<222> 343..362
<223> 18-1080-361.mis1, potential

<220>
<221> misc_binding
<222> 364..382
<223> 18-1080-361.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 475..494
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 351..375
<223> 18-1080-361 potential probe

<220>
<221> misc_feature
<222> 342
<223> n=a, g, c or t

<400> 399
ttatcggacc taaggctgca actttgcctt catatttatg atgcttttaa ataataattaa      60
tattttaatct ttattaagaa cccaatgtgg taggcactgt tattcctatt ttctaaagaa      120
agaaactgag gccacagagaa gttaacagct tgaccaagtc acacatgtgg taagtagggc      180
agcccaagtt tgaaccattc agtctacctc agggcccacc acgctcctgg ccacttaact      240
gtgccgctct aaccagctga gcgaacctgt gtgcagaagg cattgtctgt ctggcctcag      300
agtatttggt tttcatatag tcataactat gctcaaattt tntaatttaa aatatgggtc      360
ttyaggacat aaagtgaaag aacgtgtgtg atttggtcga agatatagat tgctttctat      420
accataaaat ctgtagctca gattccttta aaaaatgaaa ctctctcata cttiyagaaag      480
agggaagccc ataa                                         494

<210> 400
<211> 511
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 297
<223> 18-506-297 : polymorphic base G or T

<220>
<221> misc_binding
<222> 278..296
<223> 18-506-297.mis1

<220>
<221> misc_binding
<222> 298..317
<223> 18-506-297.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

```

```

<220>
<221> primer_bind
<222> 491..511
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 285..309
<223> 18-506-297 potential probe

<220>
<221> misc_feature
<222> 46,100..101,104,123,166
<223> n=a, g, c or t

<400> 400
atctccacct tgccgtggtg gaacaccccc acgcaggagt aggtgntgcc caggtcgatg      60
ccgatcgccg cggctttggc catgccggtk ccctgctctn ngtnnggctcs gctctgagay    120
ysnggggtgg aaacggmrsa ckggatccgc gasaagagct crgtcnttcs gracgccgga    180
aactcracrc gccggtgcct gcagccgcac aggttcgctc tggaaagcct tgggaccgcg    240
ggagtcactc tcgaaagacg aagcggaccc tcgcagcagc tcctcaggct ggccggtkwtc    300
cggaccgcky gccctsggc ttttataagt cgtcryggag acccgctttt ycccttctga    360
gccaatcacc ragctcgatg aggctgccag gtcgggaata ttccaggggt ttcgctccc      420
gtcctgcccc ccagccttcc ttggaccaat cagaggscag rgtgccgccc yctgctcaga    480
astctccaga gtcttctggg attcactgga g                                     511

<210> 401
<211> 400
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 38
<223> 18-570-38 : polymorphic base A or G

<220>
<221> misc_binding
<222> 19..37
<223> 18-570-38.mis1

<220>
<221> misc_binding
<222> 39..58
<223> 18-570-38.mis2, potential complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 380..400
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 26..50
<223> 18-570-38 potential probe

<400> 401

```

```

gaagaactgc ttcattcggg gctcagtggt ccgatacrtg cagytgccag cagaygaggt    60
csacamacag ttgctacagg atgcrzcaag gaaggaascc ctgcagcaga aacagtgatg    120
gctcctcctc ctcttccccct ycctctttca ttggtgaccc ataaccceaa gtcccagccc    180
agaacccta accccaata cttgaagggg ttttggtttt ttactaatga tggttttgtg    240
ggtttttttt aagggatgag tggatgagag gagtaatagg gaacagctat cctctcttga    300
gaaggggagg ataagtaggc tgggaaactt caaagccttc ccagtcceca gcacctgcct    360
ttctcactac ttctctggag atggtaggag agtttcctag                                400

```

<210> 402

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-473-362 : polymorphic base C or T

<400> 402

```

ttcttagggc taagaaatca gaaygtgcct ttagaaataa taagtat                                47

```

<210> 403

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-12361-88 : polymorphic base C or T

<400> 403

```

acctggcatt atttggatg cttyatttcc tctgtacctg gccttca                                47

```

<210> 404

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-12368-335 : polymorphic base A or C

<400> 404

```

ggtgacagta atacctacca ctamggtggt gtgagaatta aatgagg                                47

```

<210> 405

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-12370-67 : polymorphic base A or G

<400> 405

```

tttaaaagga aaagcagagt tcartgcaaa ttctagaaat agttgtc                                47

```

<210> 406

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-32148-315 : polymorphic base G or C

<400> 406

gtggttctct ggaaaccgag gctsgttgca aaccctctaaa aagtact

47

<210> 407

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 19-46-322 : polymorphic base C or T

<400> 407

ggccctggct gttccctgct gtgyactgcc caaggctaga catcaca

47

<210> 408

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 19-47-315 : polymorphic base C or T

<400> 408

cgctgttttg ggggaagtct ctgcacttt gggatcctgc tgaagct

47

<210> 409

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 19-51-347 : polymorphic base A or G

<400> 409

gtgtttctct ttcaacttact tggrrtgatca accttggggg gtgtgat

47

<210> 410

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-32052-262 : polymorphic base C or T

<400> 410

cctatttttt ataacgtatt aacyttatta ttttcttatt atttttaa

47

<210> 411

<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 10-213-292 : polymorphic base G or C

<400> 411
tcatcatgac ccaaagtact ggasagagcc tgagaagttc ctccctg 47

<210> 412
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-419-135 : polymorphic base C or T

<400> 412
cacttcctt ctgttggggc aaaytcagtt tttttgtga aaatggt 47

<210> 413
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-424-419 : polymorphic base G or C

<400> 413
atttccaagg gtaaaaggta gagsaggggg tgtggaggtt tggatat 47

<210> 414
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-429-289 : polymorphic base A or C

<400> 414
aggtaaagcg tcttttttcc cttmaactag cccatttgaa actcttc 47

<210> 415
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-246-256 : polymorphic base C or T

<400> 415
tgggggtggca gtgaccgttc caayatggat gaggagaag cagggtc 47

<210> 416
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-355-67 : polymorphic base C or T

<220>
<221> misc_feature
<222> 7
<223> n=a, g, c or t

<400> 416
gactagntcc cctagagctg aggyctgtct tgaaggactc actgggg

47

<210> 417
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-353-267 : polymorphic base C or T

<400> 417
tggcctctag gggatctgca gtttygggcgg tgggcgggttc tgattgg

47

<210> 418
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-338-305 : polymorphic base A or G

<400> 418
cctgcagcag ttctttggct tctrtccact cctgggggttg gggagga

47

<210> 419
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 24-243-346 : polymorphic base C or T

<400> 419
ttccaggagg aagccactgc aaayagggcc tgcagctgcc ctctctc

47

<210> 420
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-62531-351 : polymorphic base C or T

<400> 420
ccctagaggc agttgactta ccctctgcag ccctccctgc cgctca 47

<210> 421
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-54279-152 : polymorphic base C or G

<220>
<221> misc_feature
<222> 9
<223> n=a, g, c or t

<400> 421
acccggcang ggctctataa atasagatgg aaagagggag gtgggcg 47

<210> 422
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-168-245 : polymorphic base A or T

<400> 422
caagctattt gcatataggg aagwtccca gtctgccct gttctcc 47

<210> 423
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-171-291 : polymorphic base C or T

<400> 423
ctgcagagac tgtcacagga ataytgaaga aagcatcatt cctagaa 47

<210> 424
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-172-346 : polymorphic base C or T

<400> 424

ccatccagtc aagccccact cagyatagat gtcctctgcg taccccc

47

<210> 425

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-177-406 : polymorphic base C or T

<220>

<221> misc_feature

<222> 34

<223> n=a, g, c or t

<400> 425

ccccggaggt gcaatgaata gctyaccgaa gggnscaact tcattca

47

<210> 426

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-298-338 : polymorphic base A or G

<400> 426

ttcccacatc tgcctcagac tggrgggggc tcagctcctg gggatgat

47

<210> 427

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-298-110 : polymorphic base C or T

<400> 427

ggaacttcca gattcagaga atsygattta gggaaackgt ggcagat

47

<210> 428

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-299-105 : polymorphic base A or C

<400> 428

taaacagtc tggggagatg tccmgctcct gtagcccat catgggt

47

<210> 429

<211> 47

<212> DNA

<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-884-30 : polymorphic base G or C

<400> 429
gctttcctta ctcttcagat agtsataaag gacattaaac ctaagca 47

<210> 430
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-299-343 : polymorphic base C or T

<400> 430
tgtgtatgta caggaattgc tgayggaagt ccaacaggct ctcctag 47

<210> 431
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-61513-139 : polymorphic base A or G

<400> 431
gcctcttcac atcttctttc cacracatag tctggacttt gtacatg 47

<210> 432
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-61514-179 : polymorphic base A or G

<400> 432
tacgaattca gtaaatactt ggaraataag tgaataattt caattca 47

<210> 433
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-61516-323 : polymorphic base C or T

<400> 433
accaggtgtc cttgggcagg agayggcttc aaatgcagac cggagtc 47

<210> 434
<211> 47

<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-204-70 : polymorphic base C or T

<400> 434
ctcagagata actataggat tttyaatttg gataataaga agatggt 47

<210> 435
<211> 46
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-207-441 : polymorphic base C or T

<220>
<221> misc_feature
<222> 31
<223> n=a, g, c or t

<400> 435
aaatggaaat gtttgtaatt cttygatgtg ntacaaacct gaaact 46

<210> 436
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-210-65 : polymorphic base A or G

<400> 436
agacaacttg tttttctctc tcarttaca aagtagacta caaatat 47

<210> 437
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-212-200 : polymorphic base C or T

<400> 437
catactctga tacttgtgga ggg yatatcc tgataaagca gcgattt 47

<210> 438
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24

<223> 18-229-334 : polymorphic base C or T

<400> 438

agaccagttg gactgttgga ataytgtagg ccagaactga gatattt

47

<210> 439

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-230-332 : polymorphic base C or T

<400> 439

gttcaaaatt cttgacataa agayaaagat gttgagttcc agaaaga

47

<210> 440

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-966-378 : polymorphic base A or C

<400> 440

ctaggaatgt tccaagctat gctmcaggat gttgagtttc tcaggga

47

<210> 441

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-987-308 : polymorphic base A or C

<400> 441

gctacaggtt tttaaaaaat taamtthtaa ttaaaagcaa ctcaaca

47

<210> 442

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-1169-118 : polymorphic base G or C

<400> 442

ggccatggtg aaccacttt ccastgggga gcagttcctt taattac

47

<210> 443

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele
<222> 24
<223> 18-1172-138 : polymorphic base G or C

<400> 443
aagagtagga aggggtttct cagsttgtaa aactttcaat gctaaca 47

<210> 444
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1173-92 : polymorphic base C or T

<400> 444
tgaaacttca gagggccaag attycccctt ggctcccaca ctgtagt 47

<210> 445
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1174-387 : polymorphic base C or T

<400> 445
ttatctaagc ccttgggcta cacyaaatag tttaagctaa gaaagtg 47

<210> 446
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1175-416 : polymorphic base G or C

<220>
<221> misc_feature
<222> 36
<223> n=a, g, c or t

<400> 446
aagagtagga aggggtttct cagsttgtaa aactbncaat gctaaca 47

<210> 447
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-542-146 : polymorphic base A or G

<400> 447
caactgcttt ttgttggtt gtgraaagta ttacaattaa ttttaaa 47

<210> 448
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 8-42-211 : polymorphic base C or G

<400> 448
ggaagaagac cgagtgtgtc ttcsttttta aaaagctacc tccgttc

47

<210> 449
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 8-45-389 : polymorphic base A or G

<400> 449
agaccggcgg caacactact ggtrtctccg acgtgaccgt cagctac

47

<210> 450
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-994-270 : polymorphic base C or T

<400> 450
gtaaatgtgt agcaattact gaayctgtgg tataacaatt ttctcca

47

<210> 451
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-912-165 : polymorphic base C or T

<400> 451
ttgggttttt actgaacttt aaayatttta ttaggactta caaat

47

<210> 452
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-991-124 : polymorphic base C or T

<400> 452
tagcagaaga caaagccttt tcaygtttac cgatgaagct gcaaaag 47

<210> 453
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-920-219 : polymorphic base C or T

<400> 453
gcatagataa aaactgcccc acayccccaa gtaaaagtct gctctct 47

<210> 454
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-911-312 : polymorphic base A or G

<400> 454
tcagtaataa aaacaattca gccrtagttt ggggataatg gacaaac 47

<210> 455
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-65963-368 : polymorphic base A or G

<400> 455
atttgtgtct ttacagaat tgtrtgacaa tgacttttgg acatttg 47

<210> 456
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 99-65966-225 : polymorphic base C or T

<400> 456
gccaccctgt tgcaactctt taayggtaa tgattctctc ctcattc 47

<210> 457
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24

<223> 99-65968-75 : polymorphic base C or T

<400> 457

atcattctga caccagaaag cagyagaatg aacaaacata acaacag

47

<210> 458

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-5069-331 : polymorphic base C or T

<400> 458

accccggaag accgctcgga ccgygacgca tgcaccatta gcaagga

47

<210> 459

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-5070-176 : polymorphic base G or T

<400> 459

ggttctctat gggcgcatat tccagtgcg cgcttccgca tccgcaa

47

<210> 460

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-511-348 : polymorphic base C or T

<400> 460

agaagggttac tacttgtaa attycctgct agaccagttg gtaaatt

47

<210> 461

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-523-352 : polymorphic base A or G

<400> 461

gacattggggg aggtggtaat gttrggctct gtgatgtaaa atcaacc

47

<210> 462

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele
<222> 24
<223> 18-545-478 : polymorphic base A or G

<400> 462
aggaagcaag acctggcaaa ccragacga tgcgctctta cttgtgt 47

<210> 463
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-522-194 : polymorphic base G or C

<400> 463
ttttttcaaa gaacaagttt tcasaaatac actggattca acaattt 47

<210> 464
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-524-284 : polymorphic base A or G

<400> 464
gcattgcaat gagaacataa attrcaatga ctttgcattc taatggg 47

<210> 465
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-626-52 : polymorphic base C or T

<400> 465
ggaaaagttgg tttggttgag cagyaggga taaattgagg gggtaga 47

<210> 466
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-629-189 : polymorphic base C or T

<400> 466
taagatgatt gcctttttcc cttygaacca aatgaaaaga tgagaag 47

<210> 467
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1131-71 : polymorphic base C or T

<400> 467
gcatcatttc cttgtgtgcg gttyagggtta aaaataacct ctaatcc 47

<210> 468
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-534-126 : polymorphic base C or T

<400> 468
tggacataaa aaaaaataaa aaayccttaa gataattata tttataa 47

<210> 469
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-596-59 : polymorphic base A or G

<400> 469
tttctaatta tgggtacttt tctrttctct tcacttttct gttaac 47

<210> 470
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-597-27 : polymorphic base G or C

<400> 470
tgggagcttg cggttctgtca agasctgaca ccaaacagtt attgggc 47

<210> 471
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-730-203 : polymorphic base A or C

<400> 471
gaatcgtact ttacagttta caamgatgtg agcatccagg atcacga 47

<210> 472
<211> 47

<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-734-89 : polymorphic base A or G

<400> 472
ggaagagaag gagagatgca gggrrggagga tataggggtc ctctggg 47

<210> 473
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-895-321 : polymorphic base A or C

<400> 473
aacatcccca attaggggaag aagmtaacac aaggcgctct tgccctg 47

<210> 474
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-896-69 : polymorphic base A or G

<400> 474
catgctgcta tttcccctta tgcraacagc aacagaaaag cattctt 47

<210> 475
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-903-58 : polymorphic base A or G

<400> 475
tggaaaacat ggacaggcac cacrttgttt tatgaggctc tgagtct 47

<210> 476
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-590-216 : polymorphic base G or T

<400> 476
ggcatggcag gcagggagcc agckcagcct ccagggcgtc catcctc 47

<210> 477
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-817-436 : polymorphic base G or C

<400> 477
gactccaatc cctgaagtag aggsattttt gcatagtcac gttcctg 47

<210> 478
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-829-85 : polymorphic base G or T

<400> 478
tgccctgcag tgcccagcac agakcagtgt ctgttgaatg cgtgagt 47

<210> 479
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-832-387 : polymorphic base A or G

<400> 479
aaacaggggc agaggttgag gttrtcagaa cctggaagct gggagga 47

<210> 480
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-833-259 : polymorphic base C or T

<400> 480
ttagatagta ggaatgcact gagyttgtgc tcctgggaag actccac 47

<210> 481
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> all le
<222> 24
<223> 18-839-271 : polymorphic base G or T

<400> 481

atgtcctttt gtgtcacctt atckaagctc actggtattt atacact

47

<210> 482

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-770-194 : polymorphic base G or C

<400> 482

aaatgggatg tccctttcct ctgsaggagc agcgtcttcc ccagaac

47

<210> 483

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-771-302 : polymorphic base A or G

<400> 483

gtcctgtcca ctgtgctgca gccrcatata cagcccagaa aggatgt

47

<210> 484

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-827-53 : polymorphic base G or T

<400> 484

aggacagcta ttgcacaaaa ttaktcattg acctgaacat tctcaat

47

<210> 485

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-768-318 : polymorphic base A or G

<400> 485

tgggtccaggc cctcactcct ctctctctcag cagctgccac agcttcc

47

<210> 486

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-769-26 : polymorphic base G or C

<400> 486
ttatgctgag agcaccaggc acasgttgaa caccgcagtc ttagaaa 47

<210> 487
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-709-321 : polymorphic base C or T

<400> 487
gaggtgttcc cccacagctc tctygggaaa cgacacgtgc ttcttgc 47

<210> 488
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-714-280 : polymorphic base C or T

<400> 488
catgtgagcc caggatcagg gcaytggggg aagaaccagc tgaggac 47

<210> 489
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-843-271 : polymorphic base C or T

<400> 489
agcaacggcc gagcatacgc agcygcactc accaccgctg gtacagg 47

<210> 490
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-850-265 : polymorphic base C or T

<400> 490
tgccccagct gtaccatctc aggygctgag aacgcacca tcccttc 47

<210> 491
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele

<222> 24
<223> 18-853-296 : polymorphic base C or T

<400> 491
cagggccacgc cacacctgtg ccayccaggg agtgggaagg aagcacg 47

<210> 492
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-867-331 : polymorphic base A or C

<400> 492
tcctctcaac cagtgcattt tgcmtctgag acattgtggt tttcatc 47

<210> 493
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-877-73 : polymorphic base C or T

<400> 493
tttacaccca ctgcctgcc tccyacagct tccagaacac tgaggcc 47

<210> 494
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-856-85 : polymorphic base C or T

<400> 494
gacacatgag agagactgtg attyggggga aaagctgctg tcggcac 47

<210> 495
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-861-101 : polymorphic base C or T

<400> 495
agcaacggcc gagcatacgc agcygcactc accaccgctg gtacagg 47

<210> 496
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-635-323 : polymorphic base A or G

<400> 496
agttgacatc ttaaaacttt atcrtgatca tcactccctt tactatg 47

<210> 497
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-636-205 : polymorphic base C or T

<400> 497
caaatggctt tgaaccact tccyggccac acaagcctct tcctggg 47

<210> 498
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-649-427 : polymorphic base G or T

<400> 498
ttaaaaagat gctaaatatg agckctgagt ctcaacactg tctcaag 47

<210> 499
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1134-316 : polymorphic base A or G

<400> 499
agtttagagt ttaagttgga aggraaaaaa aaagaaaaga acacatt 47

<210> 500
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-633-316 : polymorphic base A or G

<400> 500
agtttagagt ttaagttgga aggraaaaaa aaagaaaaga acacatt 47

<210> 501
<211> 47
<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-489-425 : polymorphic base C or T

<400> 501

caggggttccc agccccctgg aaaygggggtg ataacagctt ctctctgt

47

<210> 502

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-492-212 : polymorphic base C or T

<400> 502

ctgctgcaag aagccctgcc cttyggggct gatccggtgt gataaag

47

<210> 503

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-488-156 : polymorphic base C or T

<400> 503

gggagagcag gctgggcccga gagyggccct tccccacccc atctcct

47

<210> 504

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-491-266 : polymorphic base C or T

<400> 504

tgcacgccac atgcagatgc acgygtgagg gcatacctcag tgcctca

47

<210> 505

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-497-141 : polymorphic base C or T

<400> 505

taaaaagcaa caggacacaa aaayccctgg ctggaaaaat ccaaaaa

47

<210> 506

<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-503-174 : polymorphic base A or G

<400> 506
tgcagggtgga gaggggtatgc ctgrctaaag tgggtgaaag gcaaggt 47

<210> 507
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-490-95 : polymorphic base A or G

<400> 507
aatgatgtgt aagaccaagg gctrgtttay caagaacata cacaac 47

<210> 508
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-699-115 : polymorphic base G or C

<400> 508
ttttccctta ccgaccctcc agcsaagaaa actgtgttaa actgttc 47

<210> 509
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1099-293 : polymorphic base C or T

<400> 509
gccatctggg gagagaagaa tgtygggcag agtcctgtct acctgtg 47

<210> 510
<211> 45
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 22
<223> 18-1105-22 : polymorphic base A or G

<400> 510
ttctctcaag catagtggcc trtgccccag gaatgtagca taatg 45

<210> 511
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-562-418 : polymorphic base C or T

<400> 511
ctccgaaact accccccagc accyggtaga ctttcacagc tgagaga

47

<210> 512
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-564-204 : polymorphic base C or T

<400> 512
ttccttctct acagccccg ccyggcatg cacgtctctc tcagctc

47

<210> 513
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1032-262 : polymorphic base A or C

<400> 513
tttaatatat aaatggtaaa aacmaaattc atggggaaaa catgtct

47

<210> 514
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1035-412 : polymorphic base A or C

<400> 514
tcttcagcag ctcccagtg ccmagacag tccagactcc ttactgg

47

<210> 515
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1036-293 : polymorphic base A or C

<400> 515
tttaatatat aaatggtaaa aacmaaatacc atggggaaaa catgtct 47

<210> 516
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1038-95 : polymorphic base C or T

<400> 516
aaactgtgaa tagcagtttg tcaytgatac ttaagagttg agaggct 47

<210> 517
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1040-361 : polymorphic base A or G

<400> 517
ttattaagga gagttatcca actrctcatg aagtttaggc ggttaca 47

<210> 518
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-748-356 : polymorphic base C or T

<400> 518
aatatacccc tctaatactaa tcaytaaatactg ctgaattcac taagaaa 47

<210> 519
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-937-181 : polymorphic base A or C

<400> 519
gagagacaga aatgctgtct ttamtcactg ttgactatgc aggtgta 47

<210> 520
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24

<223> 18-942-175 : polymorphic base C or T

<400> 520

ttgtgagatc tgatcttttg ctaygagaaa agtctgagtg gtgactt

47

<210> 521

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-1213-221 : polymorphic base A or T

<400> 521

gcagtaccgt acttaacttg gagwccctgg acctctcgg agcataa

47

<210> 522

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-937-147 : polymorphic base C or T

<400> 522

cacctaccta tacacaaatg tacygatgtg gcaggagaga cagaaat

47

<210> 523

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-946-408 : polymorphic base C or T

<400> 523

atcttgagga aaactgacta tggycctagt ttgtgtctca gaaatat

47

<210> 524

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-787-133 : polymorphic base A or G

<400> 524

aattattaat aaaaaataaa gtgrgccata agtaggtact tcccaga

47

<210> 525

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele
<222> 24
<223> 18-1149-239 : polymorphic base A or G

<400> 525
tctttgtatc tatattactt gctrcaagtt actgaatctt tctgacc 47

<210> 526
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1159-291 : polymorphic base A or G

<400> 526
atgtgacaag cacaaattac tccrctgtga tgaatctcat gggatca 47

<210> 527
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1135-273 : polymorphic base C or T

<400> 527
ttttcagtag ctgctaagtc ccayggacta tgctaggagc tgctgtt 47

<210> 528
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1136-108 : polymorphic base G or C

<400> 528
agaaacagtt aaccttcttc gggstattac ataccttaga catataa 47

<210> 529
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1147-68 : polymorphic base A or G

<400> 529
agggaacac ttgcccttgc cctrtgtatt tacctcagta agcaaca 47

<210> 530
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1157-295 : polymorphic base A or T

<400> 530
ctcctgtgtc tcacattggg ctgwgctcat cccagtagga gtcatca 47

<210> 531
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-802-460 : polymorphic base A or G

<400> 531
ggccctatta atattttcag aacrtggaat tttgaattaa tataaac 47

<210> 532
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1064-110 : polymorphic base C or T

<400> 532
ttcttttgagt atattttata tcayctctat tacaatcaca ctccttt 47

<210> 533
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1068-327 : polymorphic base C or T

<400> 533
tgggaataat gacaataaca tctycctcac aggtccactg tgaggat 47

<210> 534
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1069-365 : polymorphic base A or G

<400> 534
gagaatttcc atgtagtaac agtrgttagg gtagcttacc tttttta 47

<210> 535
<211> 47

<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1073-367 : polymorphic base A or G

<400> 535
tttcatttcc ttctcgtaaa caargtcatg gtttggtcc cctcttc 47

<210> 536
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1070-272 : polymorphic base A or T

<400> 536
tacacacaca cacacacaca cacwcacaca aatttggtg tatctat 47

<210> 537
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1057-35 : polymorphic base C or T

<400> 537
ttacacctct cataaattta ttayacacct gcatttttat aactatt 47

<210> 538
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1062-415 : polymorphic base C or T

<400> 538
gtaatgctgt atttaaagaa gtcygtattt ttcataaact tgcaaaa 47

<210> 539
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1082-165 : polymorphic base A or G

<400> 539
tagcctcact aaattgaagg acarttctac agaaacatcc atgttat 47

<210> 540
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-1080-361 : polymorphic base C or T

<220>
<221> misc_feature
<222> 3
<223> n=a, g, c or t

<400> 540
ttntaatttta aaatatgggt cttyaggaca taaagtgaag gaacgtg

47

<210> 541
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-506-297 : polymorphic base G or T

<400> 541
cagcagctcc tcaggctggc cgtkwtccgg accgckygcc cctsggc

47

<210> 542
<211> 47
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 24
<223> 18-570-38 : polymorphic base A or G

<400> 542
ttcggggctc agtgggtccga tacrtgcagy tgccagcaga ygaggtc

47

<210> 543
<211> 123219
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> 53695..55695
<223> 5'regulatory region

<220>
<221> exon
<222> 55696..55860
<223> exon 1

<220>
<221> exon
<222> 63298..63534
<223> exon 2

<220>
<221> exon
<222> 72940..73022
<223> exon 3

<220>
<221> exon
<222> 74834..74978
<223> exon 4

<220>
<221> exon
<222> 77044..77214
<223> exon 5

<220>
<221> exon
<222> 77764..77844
<223> exon 6

<220>
<221> exon
<222> 80888..81036
<223> exon 7

<220>
<221> exon
<222> 86504..89112
<223> exon 8

<220>
<221> misc_feature
<222> 89113..123219
<223> 3'regulatory region

<220>
<221> allele
<222> 68753
<223> 24-243-346 : polymorphic base A or G

<220>
<221> allele
<222> 108366
<223> 99-62531-351 : polymorphic base A or G

<220>
<221> primer_bind
<222> 68583..68603
<223> 24-243.rp

<220>
<221> primer_bind
<222> 69081..69098
<223> 24-243.pu complement

<220>
<221> primer_bind
<222> 108259..108276
<223> 99-62531.rp

<220>
<221> primer_bind

<222> 108699..108716
 <223> 99-62531.pu complement

 <220>
 <221> primer_bind
 <222> 68734..68752
 <223> 24-243-346.mis

 <220>
 <221> primer_bind
 <222> 68754..68772
 <223> 24-243-346.mis complement

 <220>
 <221> primer_bind
 <222> 108347..108365
 <223> 99-62531-351.mis

 <220>
 <221> primer_bind
 <222> 108367..108385
 <223> 99-62531-351.mis complement

 <220>
 <221> misc_binding
 <222> 68741..68765
 <223> 24-243-346.probe

 <220>
 <221> misc_binding
 <222> 108354..108378
 <223> 99-62531-351.probe

<400> 543
 aggacagggg tttgagacca gcctgggaaa cataatgaga ccccatctct ataaaaaaaa 60
 aaataaaaaa ggtagccagg tgtgtgtgtg catgcctgta gtcccagcta cctgggaggg 120
 tgaggctgga ggatcacttg tgcccaggag ttcaaggctg caatgagtta tggtcacccc 180
 agtgactct agccttgga acagagttag actttgtctc taaaataata atgataataa 240
 tatagtcaat attttccttt gtgatgtgag cttttgtgtg tttgttaaag aaatgcttcc 300
 ttttcttgag gcaataaaat attctcccat attccctttt aaatgttttt aagttttact 360
 gcttgttttg agaataaatg cttctggaat tgtgttttat gtacaatggg acctagagag 420
 tctatttatt ttttctctca tggcaacaac cagttgccta accagttgtc ctggcattac 480
 ttatttagaa ctccatcctt tttcaattca acctgtgaca tatattaagc ttccatgaat 540
 gcatggcctg cttattttat tccattcgtc tatttccatg ctaatatcac actggcataa 600
 ttccttttag tttatagcaa gtcttgatat ctgtcacagt aagttccccc aacttgttca 660
 tcttcttcag agcaattaag ctattccttag ttcttttctc ttttatataa aatttggaaac 720
 tagcttggca acttttgcaa agaaccctgt tgggattttg attggaattg tattgaaacc 780
 atcacacaat ttggagaggc atgacatctt ataagactga gttccctcat ttatgaatcc 840
 tcctatttat gtaggtcttc ttaaaccatc ttctatatgg aagtataatt ttctgtgcaa 900
 aggtccttgca catatgcca tagatttatt ttcagtaaat tttatttcac tattgtaaat 960
 ggtatcattc ttaaaattat gcgttcttta tgtgagaggc agaggattct gcatgtgctc 1020
 attaaatcaa gaatattaat tgtgtgtgtc aaatcctttc tattcttacc aatttttctt 1080
 ttttactctt tggcctgtca atgaaagacg tatgttgaaa catcacacc attaggtagg 1140
 ctgctatgat ttgaatgtgt cctcccaaaa tttatatgtt gaaacagaat ccccaatgtg 1200
 atagtattaa gaggtgaggc cctgtgggag gtgattaagt attgaggtgg gaccttcag 1260
 aatgagatta ataagaggcc caaaggagtc tgttttctca ttctggcatg taaagacaat 1320
 gccagaaggc accatctatg aagcaaagaa caaacctca ccagacacag aatttgcctg 1380
 tgagttaatc ttgtactttc cagcctccag aactgtgagc aataaatttc tacggcttat 1440
 aaattaccca gtctatagt cttttttata gcagcccaaa cagactgatg caatgactat 1500
 tattgtttta aaaaaaagaa aaaaaaagta ggaagtgttg gtgagcatat ggaggaatta 1560
 gaaccctcat atgctgttga tagggatcta aaatagttaa gtcactgtgg aaagcaacat 1620
 ggctatttcg caaaaaaaaa aaaaaaaaaa aaaaagcata aaattaacat acaattctgc 1680
 tgtgccactt ctgggtatag ctaaaagtag tgaagcaga gacttgaaca aatatttgca 1740

cactcatggt	catagcagca	ttagccacaa	cagcggaaag	gtggaggcaa	cccaggtgtc	1800
gtccatcaac	agatgaatga	gaatatgatg	tggcaggtag	ctgcaatgga	atgttattca	1860
cccttaaaaa	ggaagacatt	ctgacacata	ttataacatg	gattacatta	tgctaagtgg	1920
cataagccag	ttacaaagaa	ccaatatttt	atgattccat	tgatatgagg	ttcctagagt	1980
agtcaaattc	atagatacaa	tgtaacatgc	tgggtgccaa	gggggtggaga	gagaggtaat	2040
gggagtcagt	gtttaatggg	tacagagttt	ctgttttgga	tgacttaaaa	gttaaggaga	2100
taggtagtgg	tgatgggtgc	acaacaatgc	gaatgtactt	cataccactg	aacttataac	2160
cactgaaaaa	tggttaaaaa	ggcagatttt	atgttacgta	tattttacca	caataaaaaa	2220
aatttaagtg	atatgttaaa	atgctccact	aaagaatgaa	attgtcaatt	tatcctttta	2280
gttctctcaa	tcttcatttt	atgtattttt	gtttcatata	cagcatcatg	catgaagtgc	2340
tagaattggg	atctcttcct	ggtgaattta	ttattttgga	gtaaacctct	ttatcctaata	2400
tattacttta	tctaattctta	atcgaatgat	tttgttcaat	attcagagct	gcagcagcta	2460
tcttttactt	cacgtgcctt	ttccatcctt	ttgactttca	acatttctgt	gtcctcctcg	2520
tgctctgggt	acatctcttg	aaaacagcat	acagttgggt	tctgcatttt	tagccaacct	2580
gataaccagc	cagcgtattc	acctaaccag	actataatta	cagatatttt	tggagttcct	2640
tctacccatc	tgattttgta	tttttatttg	tcttgctttt	tctttacttc	cttttctccc	2700
tcttttcctt	cttcttttgg	attgcttgag	cttttttccct	tatttctttt	tctctactcg	2760
tcttaaaagt	atacagttta	cttccatatt	ttcagtgact	aaaatagaca	ttttaccata	2820
ttattttatg	gtaaaaataa	tcaaactcta	aaggaatcaa	aatctcaatt	gtcatctcaa	2880
acaataaatg	ctttaacctc	aatttctttt	ctcacagaag	catgtgtaaa	acacatgcta	2940
tgacatgaat	tatattatgc	taagtgaat	aagccagtta	caaaggacaa	atattttatg	3000
attccattga	tatgaagctc	ctagagtaat	caaatttata	ggtacaatgt	agaatagtg	3060
ttgccaaagg	gtggaggagg	gggtaatcgg	catctgtgtt	tttgggtccag	ttttttagtt	3120
ttaacatcta	cattttttaac	atacaaatga	gaccactaat	tttatatgca	caatacgtat	3180
tatcattcac	tcttaaatat	gttattatat	ttcccctttt	ttcaatcatt	cttttgattt	3240
cttccttgac	ccatgtatta	tttaaagggt	ttttacttaa	tttcctaata	tttgaggagt	3300
ttttagagaca	tctcattggt	actaaactcc	aatttccaac	tactatcatc	aaagaataat	3360
ttgaaaaagt	tcacattttc	atgtttcatt	tgtctaataa	tctttaatgg	aagctgggaca	3420
ttgtgaacat	tatgcggttg	agtgtttagt	tttgttttct	tcctttaaag	aatgtttggc	3480
tttctctctg	ccaacattta	atttacttgc	agatcagttt	gatgcctttg	cagtttagtt	3540
tttaattttg	ttaggtttgg	tcttaggggt	gcttttacct	gagcacttgg	tcagcccttt	3600
acctaagtca	tgaccattct	gggctctcta	ctgaatgccca	agggaaattta	gcaagatcct	3660
tccactctga	ctgattagaa	ctcaaagtgc	tcccagcctt	gtgagagatc	cagttagttag	3720
tcaattttca	gctcccttgt	agcttgtcct	tgccataaat	caaaaagttt	catctgttat	3780
atgtttggct	tagtattcat	tcagagactc	aagaggacct	aaatgtggcg	tttttagagct	3840
ctttatgtgc	atggctccct	cttgtctgat	attctacctc	tcaaattcca	gcttccttgg	3900
gtttctctgc	cttctacctc	tctcagctc	agcaaaagtc	ccatgctctg	cttcagttcc	3960
tcttcttaca	ttacagttga	caaagtgccca	agtcgtcata	gagttcacct	tatttgcatt	4020
tcttctctca	gagattactg	ttgtgctctg	tttgttgccc	aagatctgaa	aacaaaattt	4080
tttgcatata	gtttgtccaa	ttttctctcat	ggataggaac	agaaatctca	actcttcatt	4140
ttctctcagc	atcttgaata	tattagtctt	atgtctttgg	ctttctattg	ttgtgttga	4200
caactctgtg	gccagtttac	cacatttcat	tcataaatgt	tcataagata	ccactgaata	4260
tgcaatccat	cattatttta	ttgacagtaa	gagataaaaa	actgccaaat	ataattgtaa	4320
gactccatca	atgataagat	tagtcccaat	ttcaaacgtg	ttaaattgtg	ggaaaataca	4380
tatcttgga	ttgatgaaat	acggctcact	ttattttttg	tagagtatct	tttctgtttt	4440
tggtgctctt	tgatttatct	tgatgtcttc	ttatttcatc	tgaaattatt	atatgtagat	4500
tatttttctt	tacactgctt	gatatacttc	gtttttccta	gatttgaaat	ttgtcatctt	4560
tgaacagttg	tgaaaaatcc	ttaggcacta	tctcttcaaa	tattgcctct	cctcagcttt	4620
ctctatttta	gtcttctgga	actccaatta	ggcaagtgtt	agactttcat	attttatcat	4680
gcagtctctc	aaacctctct	tatttctctt	ttcttctcac	tttgcattgc	attctcggtg	4740
atatcttcag	atctgtcctc	tggcttattc	tgcttctcagg	caatctgata	tgctatataa	4800
cacaacaatt	gagggttcaa	tttcaatcat	ttaaatttctt	tgtttgtttg	tttctttgtt	4860
tgtttgtttt	aaagacagag	tctcactatg	ttgcctaggc	tggctctcaa	ccccggcact	4920
caacagatcc	tcctgttcca	gctcttgag	tagctgggac	aatagggtatg	tgccaccatg	4980
cctagcacat	tcactatatt	tcttactaca	agatgcttta	gttgggtctt	tctcaattct	5040
tccgggtcat	tttgtttgac	ttttgtctct	tgaactttta	aattccattt	tttaatttctt	5100
aacacagttt	atgtttatac	atgattattt	ttgctctctg	aattagatgt	ctactatcag	5160
aatgcttga	ggacctaaat	acattgttta	ttattcagct	gcttcttgct	tacattgagc	5220
catttcgccg	tgtgttgggt	aatttttatt	atgagctcag	gcaggatatg	tgggtgatggg	5280
actagactga	ggatgctttt	ctccagacag	caattggcatt	tgcttcttct	aggctccagg	5340
aggcactacc	aatctgtaac	tataatattt	tactttcgtt	gcccgggtga	tgtttcttga	5400
cattaggggc	agtataaaat	tgaacctcag	tcacacgaca	gagcagtcct	ctggctacaa	5460
aagttcagga	aagactctct	agcttttgtt	acatgtttcc	accagagggc	agcagagatg	5520

gctgtgttca	tctgtcctct	atatccgtat	gaatccctcc	agcttgaagt	tcctgttgca	5580
ggtgcctgta	cccattgggg	cctggatttc	cattttcata	gccactctag	tttgggctga	5640
ttattcctgt	tttttgtgaa	gaggcataat	ctttgggcat	ttctctggat	tctcctgtga	5700
gttttagcagg	gcatttttag	tttgttgtaa	atagtttccc	atctccatat	tttagtctgt	5760
gaagggtgtt	cagttgacat	tttcagatga	gcataccatt	gggatcccaa	agccttcttg	5820
caaatttttt	attgtttact	ttattacatt	taagtattta	atctgtctaa	aatttacttt	5880
tgtatttggc	ataatgccag	agtccttttt	cccctttcca	atggctagcc	cgttaccagc	5940
aatattttat	attaatttat	tcctttttac	tgaatttaac	cattagattt	gtcgtaaact	6000
agtctagcac	atgttctaga	tttaattcta	gttccatctt	ctgtttgact	catctatttg	6060
tccattccta	tatcaacacc	aattactgat	tagattccag	tggctctttg	tatcctctga	6120
tgtaggaaca	ctcagagtctc	acttgaatgt	tottacattt	tgtaatTTTT	taactattct	6180
caaagattta	gtttcagaga	ctattttgtg	ctcactttgt	taaggaggcg	gtctcagcat	6240
gtatttgcta	cacttaattg	gactaaattg	agaagcttca	tggggaggta	gacagaattt	6300
cacttgga	agccacttac	cctcttccag	actcagtttc	tgccactaag	gaaggatggg	6360
ctagtgcctt	agacctctgg	gctccttgcc	ggctctagaa	tcccagcccg	gattggcttc	6420
tccttaagca	ctggacaaca	tgcagtgata	agaacagctg	tttgtatgtg	tgtatttttg	6480
tttgttttag	agacaaagtc	gtgctctgtt	gaccaggctg	gagtgcaatg	gtgccgagat	6540
agctcactgt	aacatcaaaa	ctcctggact	caagtgatcc	tcctgcctaa	gcctcccaag	6600
ctgggtactac	aggcatgcac	caccattctg	agctaatttt	ttaaaaagag	atggggctct	6660
gctatgctag	ccatgctgtt	ctcaaaccct	tgacctcaag	tgattcttcc	caccttagct	6720
tcccaaagtg	ttgggattac	aggtgtgagc	caccacaccc	agcttttttg	tgttcttatt	6780
ggccaggtaa	cgcagtgcag	gcgtcctgct	cagccagtta	tgtacattca	cccctcagca	6840
tctcatttaa	tcctcaggca	tccttgggag	gcagggtgcta	ttcatactat	ctccattcta	6900
tagagcaagg	aactaaagaa	tacagcgcta	tagtgactta	tttgcgtgaag	atatgtggtg	6960
agtaaaaaag	gaaacaaggg	aatggagtgg	cgagcttttg	gggagtatgc	aaagacccaa	7020
ttatgttatt	acataattag	tgcacattgt	tcttgataca	tgaagaagcc	ctcagtaata	7080
atagcttact	cgttttattga	gtgcttcccta	tgtacttttag	gaatattaaa	tcattaatcc	7140
cacaaccttc	ttagctaata	ggcactatta	ttatctccag	tgtacggacc	acgagattga	7200
gccccaggta	tgtgaagtca	ccagcccacc	ggcaccacagc	agagggtggct	gatgagccca	7260
gaccgctagg	ctccagggac	tgtgccgtct	ctaggcaacc	gcaaaaaatta	ccaccacacag	7320
atatggcgaa	ccctgtgatt	gtcaccagct	cacctgtctc	gggtgggaag	gggatgtgca	7380
aacatggaag	cgttgccatt	ggaaggaggg	atggagctcg	tggccatttc	taatgtttaa	7440
aactatcggt	taaattatata	tttgaatggt	tttatgtaaa	ggagggtgcac	caaagggtta	7500
acagggtggt	gactctggaa	aggactcccg	gagagcagct	gctctgaatt	ttctaatttc	7560
gctacactgg	tgatgtatca	tgtattcctg	tgtgattcga	aaatgttaaa	agtcataata	7620
taatgtagaa	gacgaccctt	cgcgagcgag	gccccccacc	tctggccact	gagggcactt	7680
acgtaactgc	ggggcgggcg	caggcctcca	ctgggtgagc	ggcaggcggg	ggcggggctg	7740
ccgggagcct	cggccccgcc	caccctctct	ccccgcccac	tgtccccgcc	cagccccggg	7800
ctgctcggaa	aggccggagt	ccggagcaca	gcaacgcgcg	gagcggcccg	gccccctctg	7860
tgggtcccgc	cacgcgaccc	gggcgcagcg	gcgggcgcgc	gacagctgcc	ccggcgggcg	7920
aacgacatgc	agcgggaaccg	cgggaggctg	cggttcgggtg	gctggacttg	cgtccccac	7980
ctcctctgtc	gcgcgtgccc	tgctccccag	tgagggcgtc	cctgggatgg	gatctgggcg	8040
ccggcgctgc	cgcggctgac	aacagccgag	cggttcgggt	gcgctggcac	gtggctcggg	8100
cctgcccccc	cgccctggcc	gcctcccgcc	gcgttcccg	gtgcagggtc	ctggcccgtg	8160
ccccgccatc	tccgcccgcc	gcgcctgtg	ctgaaggagc	cacgcccccg	gctccggagc	8220
ctgcctctgc	aaagtccagg	ccgcggcgcc	gcaggtcagg	gccgctgctc	cggcgggacg	8280
gggacgcgcg	gtcacaggca	actcctgtcc	taagggcaag	tgagacagga	tcagggctgg	8340
tatgaaggca	tctccattag	cagggaacca	gacaccttcc	atctgactgc	tctgctatcc	8400
ttcgcatgct	gcctcatggt	ccaaagtggc	tgtctgagcac	cagccttcgt	gtctgcattc	8460
tagccagcag	gaacgaggta	agagtgaaaa	aagatgccat	ttctttatga	atatgtccca	8520
gcagttcatg	tagatcacia	gaagccagtc	cactttacag	gcagagggtg	actccaaaag	8580
gtctgatgac	tctcagaagg	taatgtgtgc	agcgggggag	caggattcaa	atgtaagtgg	8640
actgccatcc	gtacaatagc	agccaaccgg	agggcttcc	gcagtccagc	acctatccag	8700
cgcttaccta	gtcgtttaat	cctcacagct	agtgaagaaa	gagctgggta	ccctattgta	8760
cagaggagggt	cactgagggt	cagagagggt	aggtgatgtg	ctcaagactt	cagagccagt	8820
acatggagag	gttgggactc	caatccgggc	agtctgtctc	agaatccaca	ctttgaccac	8880
caccctccac	tgtcgtcag	ccttgtaaac	tctccccttg	gaatcctgtc	tgcaaacctg	8940
gttcaagttg	agatgagaaa	tgaggcaagg	gagggccatt	gggtgtctaac	agtcccgtgt	9000
tcaaaaataa	taaagtacag	cgtgggcaac	atagtaagac	caccgtctct	acaaaaata	9060
aaaattaact	gggcgtcatg	gtgtgtgect	gtagtccatg	ctacttggga	ggctgagggtg	9120
agaggatcgc	ttgaacctgg	aagattgagg	ctgcagtgag	ccaagttcac	accactgcac	9180
tccagcctgg	gtgactgagt	gagaccctgt	ctcaaaaata	acaataataa	taataataaa	9240
gtacttcttt	tgcactgtat	tgcctacctt	ggcctgccat	aacaatatgc	catagacgga	9300

gtggctgaaa	caacagaaat	ttccccagct	tctagaggct	ggaagtccta	gatcaagggtg	9360
ccagcagggt	ccagttctgg	taacgaacta	tccctggcct	gctggctgcc	tcgctatgtc	9420
ctcacatggg	ggagagaaag	atttctctgc	tttcttctta	gaagggtgaca	gtcctatttg	9480
attagggctc	caccctcatg	atctcattta	tccttaaata	ccttctaaag	accctatcta	9540
cagatacagc	catattgggg	gttagggcct	aaacatctga	atgtgtgggg	gctgagtggga	9600
ggatgcaatt	cagtccacag	cacagggtta	gtttacttca	gaaataaatg	aactagaatt	9660
tcaaagtcag	gactacagta	tcaaaagggtg	agaaccacagc	ctttaacagt	ttactttttc	9720
tcatgggtgtc	tagaacaatg	taatcaacat	tcccactggt	cagatgggga	gagtgtctgag	9780
tgcccttgac	aaagtctctg	ggaatagcca	ggatctagac	tttgctaggg	cagttgtttg	9840
taaaccacaca	gaggccatgg	gccatttctc	gacagtaact	gtaatcatct	tccgagcttg	9900
ggtctgggttc	cctaatgata	cattgcataa	actaaaatgc	ttttcccttt	gaggcttgct	9960
cagcaagctg	cagaatctgg	ttgatcggtt	tgtacttgag	ttttttccct	tactggtaaa	10020
gagagagagg	gaaggcatgt	gctgagttcg	gccatgtgcc	aagccctttg	caaacattag	10080
ctccccgacc	ccaccactgc	tccttggtgc	ttcccagtta	gcagcttggg	ggtaaaggag	10140
ctctcagggt	cacaccatgt	cagagctggg	ggtagagcca	gagctgtcat	tcaagcccct	10200
gtttgtcttt	gtctctgctg	acccccaaag	gagcttctct	tcgtaaaaca	aaattctttt	10260
taaaaaaacc	taaatatcca	aaattcacca	tctgttgcaa	tctcaatgta	ttacgttggt	10320
gcaaaagtaa	ttgcagtttt	caaagtaatt	gaaattgccca	ttgaaagtaa	tggctaaaac	10380
tgaaaataact	tttgacccaa	cctaataaaa	gggttggtgt	ggtgaaaact	cctgttgga	10440
tggatttttc	cccttggaat	cttgccaatc	aattaatttg	cagctctgct	actggccttt	10500
ctaaaacttg	aacctgggag	gttgaggctg	cagttagcca	agatcacacc	actgcactcc	10560
aaactgggtg	acagagggag	accctgtctc	aaaataatag	gtttttcagc	cttcccttgg	10620
tgggctcatgc	tctcttctc	tgtttctctc	gtagctgaca	cattactgtg	tgtgggcaat	10680
gttctccacg	tagtaacacc	ctgtactaat	gatgagtgcg	ctgtctacgt	gactctattt	10740
agggcaaggc	aatttggtgt	aaatcctgca	tgaggagtgc	aacaagaaca	aaaagcttca	10800
gaggaaaaca	tcctgcagcc	ttcccccttg	tctcagtaac	tatgggtttc	gggcaaatta	10860
agaaaacact	caagaagggt	ttcttttttt	ttaatggagc	tgaagcacag	agcctcagat	10920
gggcacaaaa	tgatgaacac	atttattttg	attttttact	tataatacta	gcatatagag	10980
aagtacggta	aatataatat	tccctccaat	taacaacaac	aacaacaaaa	aaccttctct	11040
gcgccagagc	agggaggctg	accaagaaaa	gagtagaaga	tggccactgt	gctccagggc	11100
agaggatacc	tggcccacct	tcccctgacc	ccagagagtt	gtggggcctc	tgtcaggagg	11160
caccggctct	aacaagagct	gtgggtgtgc	tctgggcctt	ctgcttgcca	ctgctgtcca	11220
gtgatcaaac	cacatcatcc	ttctgagttg	cttcttggtg	cataacgttg	atgatatttg	11280
cttcaaccag	aaaagggtgag	actcagattc	agggttttgt	gtgtatttga	attagagccg	11340
accaggggcc	ttgggagctc	tccgggggtg	tgaaggatg	gtcctcaaac	tccaaggatc	11400
agcatagtct	gtgcatagga	gtgagccagt	gagaatgtca	ttcattgagc	acctactgtg	11460
tgccctggcgc	ctggcttcct	cattatctcg	ttaacacata	tgggtgctat	caggctgttt	11520
gcctctgcct	ggcctcagct	tggccctcct	gctcctgaag	tccccagtg	cagccgctgc	11580
accaacatgt	gtgtggcctg	accgcctctg	tcccttggtc	tgtacaacaa	ctggcttgcc	11640
tgtggcagtg	ccaccagcc	agcctgctgg	gccaccgact	tgccttggtat	cttctggcct	11700
tggaaaggct	gacttgggct	tgtttgtgag	ggagattgga	aaactggaag	gtgaggttct	11760
taaggctcacg	tcttgattat	tctctaccat	ttttgtcatg	tgtgtttggt	tcaggaaaaat	11820
ttgaaactga	accgtgagga	caggggcatt	caggctatca	tcctataaacc	ccactcccct	11880
gtgctggact	gttacaatta	tttctataaa	atcagcctcc	ccatggcact	gtgagccact	11940
tgagggcaga	gcctgtgcct	tatccagccc	tctagcttct	gagcctggca	taggctcctg	12000
ataatagtgg	gagctcagtc	accattgatg	aaccagata	tgaatggat	ggaagggtga	12060
gccacaact	tggatttctg	tcctgagagc	tggcgtctgt	gggagagggg	tctgtacaca	12120
gtcacgccag	cctctgcact	cactgagcac	ttgctgggct	tctggctctg	ctctcaaaac	12180
tgcatgaata	tcaacatttc	caatcctcac	tgaaccacac	gatataggga	ctatgatcct	12240
cattttacaa	atggggaaac	tgagtcaaag	agctatgcat	aacttgccaa	ataccacaca	12300
gcaggtcagc	tgcagggtcg	agatgagaac	cccagcggag	ttgccatctc	agctgtcaac	12360
cctctgcacc	accggtcctg	gtgccaaagg	ttcatcccat	ccccatgga	cctaggaact	12420
aaaacttttg	gtgacttact	tgattgtgcc	cagtgaccgt	cacgcagctt	ggatggggag	12480
gaagggtcctg	gctcccacac	tgctgggcgg	tgctgggcgg	aatcactgca	tctttccata	12540
cttcagttcc	ctcaacttca	gggggaggct	cactcctacc	atggaaactgc	tgggaggtca	12600
taggcatctc	gtgtgaagcc	cagggccctg	tgggtggcatg	attgtatgct	gtgatctgaa	12660
tatgatcagc	cgttattgat	ggtcttgagg	ttttcccgtg	tggattttct	ttttcagaaa	12720
aggaaagggg	gctggcctaa	aggcaagaag	agaaaccccc	caggggacct	tgctgtttccg	12780
tgttcctacg	acagggttaag	atgcaggggag	attactctga	cccaacgttg	aagtaatctg	12840
caggggtcac	catgtggcct	gggccacatg	gcggggttgg	tacgatccca	tctcagcctt	12900
tacctgttct	tttaggggtgc	ttggttagct	agggggcctg	acaccactgg	gagtggtggg	12960
tgggctcgctt	agttctttaa	gctgtaatag	ggctcctggc	ctggaggaga	gaggacagaa	13020
gaaccagggtt	tgggttccag	acagggaaaag	gggtaggtgt	gggcttggtg	ggtctgcttt	13080

ccatcccagg	cttgaagaca	tgggcgctct	gtggccttgg	gtaagctgg	taaccttcag	13140
ggggctcaag	ccacccttct	cagcacctgg	gaccttgtcc	ctttcccatg	aatcttgccg	13200
catagaagaa	aggtcccatg	ccagctgctg	accagagctc	tgagggtcac	cttgcccat	13260
ctagaagctt	gtacacttta	tcctcagggt	tcacacggct	ctaacgctga	ggggcttcc	13320
tcagtattcc	tgtggctcac	atggatgaaa	ctggtttggc	cacagccttt	ctccctcccc	13380
ttcaaaagaa	gtccttgagc	aggaggggga	ggggcctgca	cctggagtat	taggccacac	13440
ctgtgagcag	gtggcattat	gttcattata	caaaggggga	aacggaggct	cagatgggtt	13500
acatggtttg	tcacataaat	gcagcatggc	tatttgaacg	tgtccctgc	cagacacagc	13560
caccagcct	tcatacacct	cttgccctgt	ggggagcccc	tcttctcatt	cctaggcctt	13620
ttacgagact	ctgggttaac	aagccactgg	agggtgtgcc	cctcttagcc	ttcagttctc	13680
tgggttagact	gaacaagatg	ggcaaaccag	tgactcgttg	tgaaaaccgg	aaagtgggaat	13740
gagctgcccc	tggccggctc	ccttccccac	cggttctcag	agccagggtt	gtcccttctg	13800
tggcacagg	acatgatatt	cctgaatgag	cagagaagtc	agctgagggc	cacacacccc	13860
gatctgcctt	tcacagaaat	catgaagatg	ctggctgttc	agtgggcccc	gctgtctcag	13920
gataaaaagg	ggtaagtcc	gttctatgtg	gtgaatacaa	agcgagtccc	cccgtgagat	13980
ggggcctggg	cagcccgag	ccaccgcag	gggcgttcc	ctcctaattc	atttcttaca	14040
ccacagccag	agggaaacct	ctagagtgc	gacatgagat	gccactcact	caccatttta	14100
gagcaattaa	tgggtccct	tgcttttggc	agcatctcct	aaactgggtc	aggcagaatg	14160
gcccacccag	gaatcatggg	ccggctgtca	aataagtcta	ggaaattctg	gaggaaatca	14220
agatcgtaga	tttctccctc	agcaggacat	ttttggcgaa	tctacaatat	atttgtgtag	14280
cacttggtat	gcctggcacc	acgctaggtg	ctggggatac	agccacaagc	acggccaatg	14340
ggggccctgc	tgtcctggag	tgaggctgcg	gaggaagaga	ccgagccaag	catgtaaagg	14400
ggcatgagag	tctctacgtg	tgagcgctgg	tgtgcggtgt	ttctcaaact	aattttacca	14460
ggagcctctt	tttcacagag	cacctgttaa	cctcctacag	aggcatgttc	tggggggccag	14520
ggggaagt	ccaaattatg	gcataaggtc	aaagccatt	tcgcatgaaa	tactgtttaca	14580
ttccaatatc	acttctgcca	ccccagctg	taccttccag	ccacactgaa	caaactgtgc	14640
attttctgtt	caagccatgc	ctgcctcagt	gccacctcct	acaataagcc	ctcccacacc	14700
cctaagaata	tctgacctca	aagcccatac	tttctccaga	acagcaccct	gcctccagag	14760
tgtcatttcc	ttgagtcaaa	tacaaagacc	ctgacgtgaa	cttctttaaa	cctctacaat	14820
ttcatcttgc	tttagtcata	gaaaactctt	gtttaacaat	tgacaaaatc	ctaattggggg	14880
gctcagttag	taacatccct	ctccttccca	cccacgttcc	caaccaacta	ggaactatcc	14940
agtagccagt	cagatggaga	ttaaatgtca	gctgtattca	cgcaaagcga	ggggggagggt	15000
gtctttggat	cagtggctcc	agctgctggc	agtgcgggac	aattcctggc	actagggtcag	15060
agcaggcccc	tgagcatgtg	gccaagagca	gtgcagagcc	ttcgtgctc	gccagcggat	15120
ggcaggggga	aagagagagg	gaggggctct	actcagcatc	ccaaggcctg	gggttggtatc	15180
tgattcgtct	gtcactagt	cccagcccag	gacctgtg	agggaaaagt	gctgtgtgtt	15240
gcatgaagga	tcattgaaga	gaagtctaag	gttccccctg	gcaggagctg	ataatgctgc	15300
ccttctctgc	agtcacaga	ccaaacctgg	agaatggtag	tgggccacagc	aaggcagatg	15360
ccagttgatg	ggaaggaaaa	cagtgccatt	caaacaagga	atgaacttgc	ttggaggtag	15420
tgaggtccct	gtccctggag	gtgtgcaagc	agaagctgag	tagtagcttc	ttgggatcat	15480
cctaaagagc	cccaaggagg	ttggacaaga	ggatgcccg	cctccatccc	catcccaacc	15540
ccaaatctgg	agcgcctcag	aatctctgtg	ctccttccct	cagaggatatg	tgtctcaggt	15600
ggacgaggac	aagtagggct	atgtctgcga	gctacaggcc	ttccagagct	ctgaggccta	15660
ccgagcttcc	ctgcagagg	gtgcagccca	caaggcgctg	tgtgggatgc	aggagtggac	15720
ttgagttcac	ctctcccaag	ccggggtctg	ggatgtttac	gcagcagaaa	gtacgttggg	15780
aaagcccttg	gtgttactcc	acctccttca	cgctcacac	cagtgcctt	gattgaagag	15840
ccaaagcagt	tggacatcca	gtctcttcc	tttcagccca	tctggaccg	gttaaagatt	15900
aaagataaga	ggcagcttgt	tccctcctac	ctgggagggt	cagtggacat	tcagggagtg	15960
ctgaggcagc	ggttactttg	tagtgtttag	aaaaggga	ggaatcacag	tgacaggcct	16020
ggcacttctc	aaattccagc	atgcacacgg	tcaccgagg	tcttgctgg	aggcaggttc	16080
tgctccagca	ggttcagggt	ggggcctggg	agtctgcatt	tctgacatgc	ccatgggcca	16140
tggctgctgc	tgctccagg	cccacactga	ctatgctgca	ggttggttcc	tgcagcactc	16200
accactccta	catgccgcgg	caccctccca	cagcccagca	tctctgccgt	gggcttttct	16260
cagatggcca	tggggccaca	tgtaggggc	agagctagca	aactgagcat	ctatgtaaac	16320
ccacgcagac	agctttccac	caccaccg	atggtgagac	aaatcccagg	tgggttccat	16380
accccagaga	gttcccctgg	gactgagccc	cattctgtga	atggccctgc	ccagccagct	16440
gactcacttc	cagccctact	ggtgcttcc	gagatcaata	cccaaacaaa	ccattgacac	16500
caaaatcctc	atctgggggg	cctggctctg	tcccagagt	ctgaggcaga	ggagggaacc	16560
ctatccattg	tctactcact	atgccttcac	catggaggac	actttccact	catttttctt	16620
tttcatcctt	tttgaaagta	ttctcaatcg	cagagcccat	cagcagcact	tttacattga	16680
gaccacaggg	gcgggccacc	gccaccagga	ttccagtctt	ctctgagggg	cacaggcctg	16740
cagggcagca	ttgaagtgtc	cttgtcagtg	ggggctccagg	cgccagtctc	tggccccacc	16800
agtggctg	ccagggcaga	ggtaggcttc	tcccagtgg	cctgggtcca	cccccgttca	16860

ccctgcatgt	tcctgccttg	cacgtcccat	gggtcagggct	ggccccgcgtc	cctaggacgt	16920
cacagcaagg	cctgcctatc	tttcacgttg	ctgcctctcc	gggtgagcac	cggaggaagc	16980
atgcatcagg	ggctctgcca	tccacgagac	tccaggacca	gccacgtgtg	tcccatgctc	17040
ccaccgggac	tggtgagag	agctgccttc	ctgggtgacca	gggtgtgggc	tccagagtcc	17100
aagtgccag	ggtggaatgg	cagctctacc	actcgggtggc	tctgtggcct	tgcacaaatt	17160
gctggaacac	tcactgcctc	agtttcttca	tctgaaaaat	ggggctgtca	caggcccttc	17220
tcctcagggc	tcagtgagga	tgaatgagct	aaaccacaga	gaggttggtg	ctcagcgctc	17280
gggtacatgg	aagtgttcac	acttgcggtg	agtgttcaca	cttagtgccc	ctccctgtgc	17340
gctggggcat	ggccccacc	ctagcttcct	ccaaagcagg	ggtcagcaaa	ctttttctgg	17400
aaagggatag	atagcaactg	tcataggctt	tgtgggccac	gtggcctcca	tcgcagtcac	17460
tcaactctat	gcttgtagca	ggaaagcagc	catagacaat	atgttcacaa	agggcctgtg	17520
ctgcatgcca	ataaaacttt	atttataaaa	acatacagaa	ggctgagttg	gtccacaggt	17580
aggtctactc	tggcccatcg	tacttattgg	gtttccacgt	aacctttgtt	ttcaatcaag	17640
tgctgtaga	taaaaataat	caactggaaa	atctctgggtc	tggcatagaa	ctagcagata	17700
taccacgca	tggtggcgctc	tctgatgggt	ccaggggagc	tgcaaggcct	ctggtcctca	17760
tcatgaatgt	cagatctctt	ggtaccagag	ttaagcagag	gggtgcctgag	aacagctgtc	17820
attcctgctc	ctggttttct	cccaaatgag	catttgtcca	agcttagcag	agaacagctt	17880
gtcttgctga	attcttcatt	catgctgagc	ccctgcggcc	ttctccttat	ttgggggatt	17940
gtttgtaaat	tgtcgtcatg	caaaaacctg	gtgtgttaca	aggaaaggctc	actccaacac	18000
agcagcctcg	tctttaaaca	aataaaatat	atcactgcct	tatttaaaac	atagtaattt	18060
taagagtttg	ctgtataaaa	ataaattagt	agtcaatatc	catttttaaaa	gtatcaccta	18120
gaatctgcca	tgctaaaaaa	tgaagtttcc	atttttctctc	gtttctccct	catcttcatt	18180
ccatacctag	ccaggtgctt	atacattgac	atcagaggta	cctgggtgtt	cctcttggtc	18240
cattgggggtt	ttcagacctc	agattaaatt	gaaccgcatt	gatcctcctc	cagcaggtaa	18300
catgaagacc	cctcgagatg	atgtttgcaa	tcaaagaagg	cacctctgac	cctctgattg	18360
gtgtccccc	aataggggctg	agccctttcc	tgagacaaat	tctgaaaacg	cacctctatc	18420
tactgaggac	ctagcacttt	ctctctcacc	ggatgacaga	ggctcttgaga	tgaattgaaa	18480
ttctcatctg	tgctcagaaa	gggtgcacac	ctagcaagga	aatttacagt	ggggaagg	18540
agttgcagg	cccagccctg	tccacacaaa	gcccggtgtg	ctttttcagc	tgattttatg	18600
ttcagagaag	gctggatcac	ctgcgcctcc	tccctgctca	cctgaaaccc	tttctgtcct	18660
caggagatg	aactcaatga	cctctactgc	gggacctcca	ggcagctctt	cagctccctg	18720
tgcaacaaga	aggaacctgc	tgcaaaggca	gcacctgcag	cgctctcag	gtaaccagcc	18780
tgggccaagg	ggctcagccg	caaacgctgg	ccttgactcc	acctgcgcca	gaggtcacca	18840
acaggcggcc	cacgtgacac	ctcttggtat	taaaatgcaa	ttttaagaca	gactctagtc	18900
aagcccactt	accaccaggt	gggtgtttag	gacagggtag	gtcttccact	atatctgttt	18960
tcctcttagt	tcgccaggcc	cgctgtctct	gggccacgca	ggacacggac	gtcagcttct	19020
cctggagcgc	tcgctcactt	tattccatct	ctacagctc	ctcaagtatc	ccagagcatc	19080
cccaggcctg	tggccacctc	gggtctggat	gccgcatctc	ctgacctgtg	gcacattctg	19140
ggtgcccattg	attatgatga	ggttctgtgc	ccatgtggcc	tcagggtctc	tgagaccacc	19200
cttcaaccag	gtctttgtctc	acctgtctcc	tgcccaggga	cgccaccag	gtcaccggtg	19260
caaacctcca	gccccctgcc	gtttctctcc	atgagtgcac	tgccacctcg	cagcctcttc	19320
cacttgctca	ttcctgggtg	tattgcctgt	ctcccactgg	aagagaaggc	cctcgagttc	19380
agcaactggt	ttgcctgttt	tgttcactgt	ggtgaacccc	gggcctagaa	ccacgcttgg	19440
cactcccagt	aggtgctcaa	taagtatcca	atgagtggac	aaatgaatgg	atgtgttcaa	19500
caaatgaccc	tagagcgtgt	attccttcca	gggacagagc	gaggtactgg	ggacacagga	19560
aggacgaggc	agagctccgc	gctgacgaaa	ccaaggggcca	agcgtgcgag	tgaatacga	19620
catcctggcg	ttaaaacgtc	ttgcattcta	gtgaaatgag	acctattgga	cacagagaag	19680
ccccaccaca	attgcatctg	tgtaaaatcg	agagaaagat	cgtgaaaaca	gccatggcag	19740
gtgctggact	aagggtgac	attgggtttt	ctcttccac	ctatccttta	gggtgtttaa	19800
aacagaaata	gatctcacgt	aggccccctgc	tctgcaccct	gcttgctgag	tcacgcagg	19860
ccagttacgc	agctaccgtg	tgttaccgc	gcctcatctg	taaaataagg	atgacactgc	19920
ctgcctggca	gggctctcct	gagaatacac	agtgcctcgt	gcaggggcca	gtgcagcaga	19980
gaggtcacct	cctccaggaa	gactttcctg	acctgggctt	gggggtgggc	ctccccagg	20040
ctcctaaggc	ttccccacat	accttccact	ttgcaatgat	catccctgt	tactgtccca	20100
caacacacat	tacacacaac	accatacaaa	cacatgcatt	ctacacacac	acaacataca	20160
catgcactac	atataacaca	cattatacac	attacaaaca	caacacatac	cccacacttc	20220
acactcatat	acacacatac	accaccaca	tacactccaa	acactccgca	cacatacaaa	20280
cacatactac	atacaacaca	ctcataccac	acacatgcac	acacgggtct	ggaggcggt	20340
gctgtgtggg	gctccaggcg	catccctgat	ccatagcaga	tactgaatat	ttgtgaaagg	20400
aatatccagg	agacttgtgc	tacgtctggt	gtttgaaagg	aaatgaactg	ttcttggtaa	20460
tgtcttgttt	aggggtgaata	atggcactga	agacagaaaa	tgcatcttat	cacctgtctc	20520
ggagcaaaac	atgtgtgctt	ggatgcatag	agttattcta	tgtaaattac	ccaccagaga	20580
gaattcaggc	atgtttcaaa	atctataaaa	ccgtgtgctg	ggggaccatg	aaaagttgta	20640

gatgcacgtg	gccgtgaacc	actgtaactc	tctggggggc	tgcgtgaccg	tttaaaagga	20700
aacagacatg	ggcaaacctc	gtttcatctt	ctctctaaat	cacctacaat	tttacagtag	20760
cagtcgggct	cttgagagct	ttcccatttc	cactttttct	ggtggatctt	gctggaaatc	20820
agtgtttttg	gcagctgcag	tctctgagge	ggggccctga	ttggggatgg	ggtgttaacc	20880
ttgcattctt	tgggggttcag	gtctcaaatg	gtctctgtag	ccctgggatc	tgaggagcga	20940
gaccaggact	cagctatctc	caccccggaa	gaaccttccc	tgctcttcca	catccagccc	21000
aggcctcggc	ttcctcgtct	gcaaaacgag	ggtgctgaga	agatgggagc	aggggtccag	21060
cgttttcatc	agcagggtcg	ttgagatgta	attcccatgc	catagtcccc	actggttgaa	21120
agtctataca	gttcagtggg	ttctagtgtg	ttttcagata	tatgcagcca	tactgtgggt	21180
ggactttaga	acatctctgt	caccccaaag	agcaaccccc	tttccattgg	tgctactccc	21240
ggggctccgc	attcccagcc	cagcagccta	ggacaagttt	tctgcctctg	cagggaagccc	21300
ccaagtttca	gatcttgatg	tctcctttct	gtggggagtc	cagcaggcat	ctccacctta	21360
gggacagctt	agtggacagt	gctgtgtcac	catcaagggc	ctgaatcccc	gctctgtcac	21420
ctactacctc	ttttaccttg	ggcaaattct	tcaccctttg	ccttggtttc	cttaggtgaa	21480
aatgggatca	ctgtgctgac	ctcaagggca	gctgtaggat	tcgatgttcc	tcatgtcacg	21540
gtctctaacc	gtgtggcaca	ttctgtgtgc	ccatggttac	gatgatgggt	ttggggctg	21600
gagggatcag	tgactttctg	cctccacccc	ctctctagga	acggcaggct	gctaaggaaac	21660
cccacaggca	catgctgtgt	ggctccctgc	acgtgttctt	tctcctgccg	tggtttttca	21720
cctttgtgtg	ccagtcttgc	tcctgttcat	gcctcaaaat	cccacccaaa	agacaataac	21780
aggtgctggc	aagcatgtag	agaaactgaa	gccctgctgc	tctgggtggg	acagagggca	21840
cactgcattg	gagaatgggc	tgacagctcc	tcaaaagggt	aaacgtagag	ttgccgtgtg	21900
acccagccat	tccgctccgg	tggccaatct	gaggtttcag	tccaggctgt	ctggttccaa	21960
ggactctgtt	ctttaccact	ttctatgtgt	acacccaaag	aactgcaaat	gtatgatcaa	22020
ccaaaaatat	gaacatgaac	gtcatctcgc	gcacagttcg	taatagccaa	aaagtggaaa	22080
caaaccaaac	gcccatacaag	ggttgaattg	ataaacaaaa	cgtggcccat	ccttacaaca	22140
gcgtaacctt	gggccgtaca	gaggagttaa	gtatgatatg	caccacgatg	cggaggaaac	22200
ttgagaacat	agtaagtga	agaaaccaga	cacaaaggac	cacacacggt	gtgattccat	22260
tcacaccaga	tgtccagagc	aggagatctg	tagaggcaga	aaggagattg	ctggttgtct	22320
agggctgggt	ttcgggagga	taagggagtg	atagccaaag	gctgcgagtt	tctttataaa	22380
ggatgaaaat	gtcctaaaat	tgggggtgatg	gttgcattgc	tgtgaacctc	ctaaaaacca	22440
ctgaatcaca	cacttacttt	atttttattt	ctttatttat	atttatttat	ttatttattg	22500
agtcaaggct	tactctgtgc	gtccaggetg	gagtcagtg	gtacaatcac	aactcactgc	22560
agcctcaacc	tcccagggtt	agctgactct	cccacctcag	cctcctgagt	agctgggact	22620
gctggcggtg	gtcaccatgc	ctggctaatt	attttgtaga	gatgggtttt	acgccacggt	22680
accgagcatg	gtttcgaact	cctggactca	aggggtctgt	ccacctcggc	caccctaaat	22740
gctgagatta	caggcgtgag	ccactgcacc	caaccatgat	atgtgaacta	gatctcaata	22800
aagggtgtag	gcaaaaaaca	aaacaaaaaca	aaaaaacacc	atctcaatca	aggaccctta	22860
ctccaggagg	cctcctctgc	tggcctctgc	ccttgctggg	tcctggcggt	ctctgcttgt	22920
ctgtctctct	gtccacccaa	caggggaccc	tgaggcagag	gctgggttcgc	ccacatgtgg	22980
acagagggcc	aggcctggaa	gtgctgctaa	ttctctgctc	gtgggctgac	ctctgtgaca	23040
ggatttcttt	gcttttttagg	ggaattttaa	aaagatcctg	ccacgtactc	aaagcacctg	23100
gagcctctgg	aggaagagag	ggacaaatga	ggtcaagtca	gaggaggaag	ctgagggccc	23160
cgagtccctt	ctgctcagat	gtccgcattc	agagaggagt	tctgcttctc	tcaacctgtg	23220
tttcttgcaa	gagtttatct	ataaattgct	gaaaaatggg	taatcaagtt	cagcaactcc	23280
ctggcactct	tgatgacctc	tggtttgtaa	tctatgtcag	aatcacctac	atagaggata	23340
taatattaat	cagaacaaaa	cagaaaagtc	cttagaggaa	taacaatagt	aaaatttaca	23400
atcagatgaa	gaataaagtt	ttcaatgagg	cacagttcta	agcacttcat	acaaataacc	23460
tgtcttaatt	ctcataaaag	tactgcaagg	caggtgataa	tatcatctcc	ttctaaagat	23520
aaaatgcagc	acagagaggt	taagtaactt	gtccaatgtt	gaacagctag	tgagtgttca	23580
atctgagatt	taaatccagg	ctgtctgggt	ccaagaaact	tggtcttcac	tacttctcaa	23640
caacatcaac	tatgtaaaat	gacacacata	cataaaccca	catcaatggg	aatgggtggt	23700
atctctggcc	ggcaagatga	aagaagatgt	tatgcaattc	ttcagtcctt	tctgtgtctg	23760
ccacattttc	cccaatggat	agatgtcact	taaattatca	gaggaagaaa	caaactctat	23820
taaaagggaat	ttcaagggcc	gggcaagatg	gatcacacct	gtaatcccag	cactttggga	23880
ggccgaggtg	ggcggtcac	ctgaggtcag	cagttcgaga	ccagcctggc	caacatggcg	23940
aaaccctgtc	tctactaaac	atacaaaaaa	attagccggg	catgggtggc	catgcctgta	24000
atcccaacta	cttgggaagc	tgaggcagga	gaatcacttg	aatctgggag	gtggaggttg	24060
cagttagcca	agatcgaccc	actgcactca	agcctgggcg	acagagcaag	gcttcatctc	24120
aaaaaaataa	aataaaataa	aattattggt	ttattctgct	tataaaatta	gcatattcat	24180
tgaagctagg	cacagtggct	cctgcctgta	atcgagccc	tttgggagac	cagggcgggg	24240
agatcacttg	aggccaggag	ttcgagacca	gcctggccaa	catgggtgaa	ccccgtctct	24300
aatgaaaata	caaaaattag	ctgggttttg	tggcaggcac	ctgtaatccc	agctactcag	24360
gaggctgagg	cacgagaatc	gcttgaaccc	aagaggcgga	tggtgcagtg	agctgaggtt	24420

gcaccactgc	actccaacct	gggtgacaga	gcgagactct	gtctcaaaat	aaataaaata	24480
aaataaacat	attaattgaa	gaaaattttg	aaatttcaga	aaagtatatg	aagaaaatgt	24540
aaacactatc	agtagagaag	tgttggttagc	atttcagtcg	agtgtttcta	gtcttatttt	24600
ctataaatat	ctgaatctac	ccgcctatct	ctctatctct	ctacctaaat	atatctgcat	24660
gttattttgta	tatctgcata	tttatcttat	atttatctaa	ataaatatat	ctaactatat	24720
ctctatatag	agatagagat	agaaagatgg	agagaaagag	agatagagag	atggacatga	24780
aggtaaaatc	cgtcctgcag	ctcccatttg	cagaagagcg	tgagcatttt	cacatctcct	24840
tcaacgttct	tttaggcata	gcccctcctg	gctgcataat	atttcatcat	atgcgtgagc	24900
cgcactggct	gccagttcc	tcactgtgtc	gttgtttgtt	tgtttgtttg	ttttgaaaca	24960
gagtctcact	ctgtcgccca	ggctggagta	ccgtggcatg	atcttggttc	actgcaaaact	25020
ccgcctcctg	agttcaagtg	atttcgggct	aatttttcta	tttttagtcg	ggatgggggt	25080
tcaccactat	aaccaggctg	gtgttgaaat	cttgacctca	agtgatccgc	cctcctcgcc	25140
ctcccaaagt	gctaggatta	caggcgtgag	ccaccgtgcc	tggccattat	gactgtacgt	25200
tttggtgaca	cctggttctt	acgttagaaa	tcaggctgct	gaacgttctg	ctctgtgtgt	25260
gtctttgtgc	ccattcttgt	tggcttctct	agagggattt	ctggaagtgc	aatgattatg	25320
taaaaagcac	aagccttgct	gggacctggg	agtggcgttg	gagtctctcg	tggtaggag	25380
cccaggccct	ggcctggcca	tcgggggctg	gaatectggc	tgtgtcctcc	gtagccatgt	25440
gccccaggca	gctttcctca	ccgcctgcct	gtcatccagg	gatgcaggta	ggtcctgctc	25500
catgggggtg	tcatggcgat	cacagagact	tgtccgtgtg	gaccacctag	agcagtacct	25560
agcagggcac	ctggcgccct	ggggtcacct	tggatcaggg	ttgcagctga	cccactccca	25620
ttcctcccaa	aggcccttca	gcccagactt	ttgtgcaccc	caaattccat	caaaatcctt	25680
tttcttttga	gagtaacttt	attcatttcc	ctgcagctta	ttaaagaatt	ctgaagaaca	25740
gtgggtgtta	aattttttaa	aagaaagaaa	acattccagt	aatccaaagc	catcacgcaa	25800
tagccaccc	gacagaggtc	cctgaaaaac	agcccacagg	ggtccttggg	gtttgcgtcc	25860
acgacctct	aagcaagggt	cctcacctgg	cggagctcct	gaagacggga	gctcctgaag	25920
acaggcgccc	cctcctagga	tgccaaaggt	cagaggccgc	agtgggagag	gcctggctga	25980
cagcttgtat	tccagtgggc	tagagcctcc	agagccctca	ccactggatt	gccccctctc	26040
ttggctgggc	gggacctgat	ttccacctgc	acagccctgg	tgaagccacg	caaaaggaac	26100
ctgggaaagg	ctcaggtcca	gaattggatg	gacacaattg	tggaaactcag	ccctcctccc	26160
cggctggggg	acctctggac	aggtccctga	gccccttgga	acttcgcttc	cccagcctat	26220
aaaatgaggc	aggcatgcct	ctctgagggg	ctgggtgagc	cttgagctcc	tgcaaacggc	26280
ccagatggaa	gtaataggag	tttttgagct	gaattctcag	tctgttgctc	aggctggagc	26340
acagtgtgtg	aatcgttaggt	caactgcaacc	tccacttccc	aggttcaagt	gattcctctg	26400
cctcagcctc	ctgagtagct	aattttttct	acttttagta	gagacagggc	ttcaccatgt	26460
tggccaggct	ggtctcaaac	tcctggcctc	aagtgatctg	cccactctga	cctcccaaag	26520
tgctgggact	acaggcatga	gccactgcac	ccggccagaa	gtcataggat	tttaacgagt	26580
ggagacagtg	tgggtggggc	cattattcca	cttcctggag	aggaagagag	atcctggcaa	26640
tgtctataga	tctcaggtgc	tctgcagggc	atgagtgtat	ttattttacat	atttattttac	26700
ttgcttattt	atttattcac	ctattttatt	acttatgtac	ttattttacat	atttactttt	26760
gatttgctga	catatgtatt	tacttattca	tttacttata	tatgtattta	tgtacttcat	26820
tcctcttctt	atttactctt	tcacttggtt	ccgctctatt	catgacatct	gagtgtctct	26880
ctcccagtag	aggccagggc	atgcacctct	catgttctct	tcagaaccag	cagtagaggg	26940
tggaggtgga	gctggcaggg	ctgaagacct	atggggggga	cctggaggag	tttgagaccc	27000
tcagcatggt	gctgatgctg	tcctacttca	gcccgcgaagt	gatggacacc	gggtgagccg	27060
ggcgtggag	ggcgctcgct	gccccctcca	ctctcccttc	tccccctctc	cctgcctcat	27120
gctccttccg	gtcctcacta	ggccatacag	ccaaggccct	gggacactcc	tgtctgtcca	27180
ttgacttatt	cgtacatgct	tcactctttt	cttcaactcaa	caaacattcc	tgtgtgtcag	27240
cgcacccag	ctatgctgtg	tgttgaggga	tggggagata	gacaatgact	ccggtcatcc	27300
ctaaccacagc	cccatgggta	ccaggccctg	agctgggcac	tgggcagagg	aatgcagaga	27360
tgaaggagcc	cctggtaagg	agcctgtcag	gggacagggg	cagggggctg	gggagtctgc	27420
ctccatggac	aagggtgccgt	tggcactcag	gtgggaggca	acgagttatg	cagcaggggtg	27480
gctcagcgaa	gggccaagata	gaggccagag	ccttccagcg	gggcccattg	ggacagttac	27540
aaactccttc	atcaaagggg	acaccggcac	gcaggcaggg	aaacctgtgt	gtgcaagggg	27600
aaggagattg	gaaatgcaga	ggaagggagg	gagggaggag	agcagtagat	gtgcatcct	27660
tgtgcaggat	cggaggatac	acgctttttt	tttttttttt	tttgacgcag	tctcactctg	27720
ttgcccaggc	tggagtgcag	tggcgtggtc	tctgctcact	gcaagctccg	cctcctgggt	27780
tcacgccatt	ttcctgcctc	agcctcccga	gtagctggga	ctacaggcgc	ccaccaccaa	27840
gcccggctaa	tttttttttt	gtatttttag	tagagacagg	gtttcactgt	gttagccagg	27900
atgggtctoga	tctcctgacc	tcgtgatccg	cctgcctcgg	cctcccaaag	tgctgagatt	27960
acaggcgtga	gccaccatgc	ccagccggat	acactctttt	ctttaaagaa	aaactcatga	28020
atgccatttc	gtcctaaaaat	attcagacgc	aatccttttg	acagtcagaa	actgcggcca	28080
ttcccccttc	tctcctggga	agttttcgct	gttaacattt	tcatgtgcat	ctttccttcc	28140
aggcattttt	ctattttatga	atgaatgggt	tgatagttga	atagttgaaa	actggcactt	28200

ctcaggacac	caccagcaag	caggctttgt	ccttggagca	gggtccctgg	gggtcatgtg	28260
ctgagccagg	tttcagcacc	ttagatgggtg	gatgggtctgg	gggacatttg	ccaaacagac	28320
ctgatgtggc	cccactagt	cgtttctgac	cagccgtcag	caccatacaa	acactagcag	28380
agaagctcgc	ctgtcagcag	ctgtattcct	atttcttacc	catgggaggg	cactgttcat	28440
attgttcttg	gtgtgctgtt	ctgcgcctga	cttagcactc	cttcccatct	acatgtagt	28500
ccctttgttg	tcacctgtgt	atgggtgtgat	gcagccaacc	ccagcaccct	gtccccgtg	28560
atggacactg	cagtggggac	agcctacggg	tacaccagca	cacgatgggtg	cagtgtactcc	28620
tagggcacac	cacggctgga	cacaggctgg	agcactcctg	ctctcaaaac	gtgaagctcc	28680
gacccaggcc	cctggcatga	gaggggtggg	tgggtcctgc	tgctgcagaa	gcttggagag	28740
acccttcccc	tccatgcccc	tccattcccc	ctaaccctga	gtgagagcat	tggccttgga	28800
gtgatttcca	tgtgaaat	tacacataca	tcatgtagga	ttggacaaaa	gtggtcaggc	28860
tcgagkgcta	ctaaggaaga	aggaataggc	agacttgggt	cttaccagat	gcagggagca	28920
ggtaggaggc	acactcttta	gtgttaataa	gcccaccagc	ccccattctt	tcttctctga	28980
cactcagatg	caattcctgc	agtcatgaya	ttggctgctt	tgggaagcag	ctgcagaatg	29040
ctgtgggctg	ttgggcagtg	gggggctggc	taacgtcagg	tgtgttcaca	tgagcgctcc	29100
cacagggaac	gtgtgatgga	aggtgctgga	gctggtaacc	gggcagtggtg	atggagaagg	29160
aacgtggctt	tcagaaagca	gagttacaaa	tgcatctagc	atcaagtaat	gtccagaaag	29220
cagttttgcc	agattcagct	ccttctctggc	tccagccact	ctctctactt	cctgcagttc	29280
ccactccagt	ccgctcacta	agttcattcc	ttccagaaga	catcttctga	gcacctactg	29340
tatgacaagc	cctgggcttg	gtgctggaag	tccagaaatt	agagatgttt	tatgacttca	29400
cagggctctg	agtctcagaa	gtgtggcaca	ggggtagtga	atcaggggta	ctggtgtggg	29460
caaggcatcg	gggtgacctt	gagtcatgta	caccaggggt	actgggggtg	ccaaggtggg	29520
gagcagagct	tcagccttca	agacccagtc	ccagggcaaa	gtgaacctec	gagttctttc	29580
ccagggcccag	taggtctcca	ggaggggtta	agaggagagt	gaatgaatta	agatcaagtg	29640
agactgggtg	tccccagct	ttgtcctggc	agtaactctt	cctctccctt	ccctactctg	29700
cagcataaag	ccatgtcctg	ccccaggacc	agcctccagg	acccctccca	ggtgctcaag	29760
tgtagctccc	atagcagcaa	aggaaggatg	caaagtctca	gggctttgca	ggtggacagt	29820
cagacagctt	tgctgaccaa	ggagaaaata	agtttgtgtg	tgtgtgtctg	tgtgtgtgtt	29880
catgagtgtg	catgtgtgtg	catgcatgtg	catgtatgtg	tgacgtgtg	agtctgtgtg	29940
agcaaccagc	tcagtctgtg	tctgtgtctg	gggctcagca	gagcatctgc	tctgtaagtg	30000
ttcctactgt	ggactataac	ctgggcagca	ttgatttggg	aagattttgg	taacatggct	30060
ccatctttcc	acacctgaca	tcccttagag	ggacatgtac	acaccactc	tgacctagt	30120
cacagggccc	aagcagccat	ggggaccaga	gcgcttacgg	tcttggcctc	tggagccctg	30180
attttgagcc	cattgtctacc	tctgtgggc	caccacgggt	acttggggca	cagttgggtt	30240
tctccattga	ggagacaacc	aacaacatta	ggccaataat	cgctacttgt	cagccttaaa	30300
tggtgggggtg	aagatggagt	aaggcaatca	acttgtccaa	gtttcggtcc	ccaagaaacc	30360
aaccccaaga	tcagcatttg	cctgcaagcg	ggttatctgg	gaggtaatcc	caggtagggg	30420
atgttataaa	taaattttca	tggcactcgg	acataaattt	aattttctca	gcaaggcaat	30480
tttacttcta	tagaagggtg	tgattcgtgg	atggagcaat	ggcaaaagca	cacctgaaca	30540
agggaggggga	aggggttttt	atctctgact	caagcagccc	ctcctgctgt	gtcattcccc	30600
tattggctag	tggttgactg	cacagtctaa	gctaattcca	actggccatt	tcaaagagag	30660
caggggtacg	agctggagt	gcgggggtgag	tagtttggca	ggaaagatgg	ttacagaaca	30720
ggtgactcag	gatgactcag	gtcagagcag	gtgaccaggg	gtaactcggg	acagagctgg	30780
tgatagaggc	aaggaggggg	ttgtttactg	aaactagggg	caaggagacg	aaaaaaacga	30840
ggaagttaaa	ctttaaaacg	aagaacaaag	aacaggggag	ctgaacatac	tgaatacata	30900
gttattttgga	gaggatctca	gaaccatttg	tactcaacaa	tttacaggct	ataaccctttg	30960
aagaggaatt	tattatatgc	tataggaggt	tagggaagag	aaactgggaa	gggaagacag	31020
ctttgtgagt	taggggggtta	tcctagccac	tggagctggg	aaagccagaa	gccagcgag	31080
cgcgtgcac	tgagagtcaa	cacgtgatgg	cgaggaagcc	aggggtgttg	tgacagagct	31140
ccctccagtc	tgaggagga	ccgcttcag	gaggacttcc	ggcctgctgc	accagtggca	31200
acctgagcac	agaaggccag	aagagccctt	gggcagggag	tgcggtgctc	cccctgggag	31260
gctgtgccct	gggtgctcgg	gtgtgggggt	cgcccgcgct	cctgggagcc	gagcaagggc	31320
gcgcaccccc	cagtgggaga	ggggcttctt	gcgcagcgcg	ggaggagctt	ccaggacggg	31380
agctgtctgg	ggcagagccc	tggctacggg	ggcctcgcag	cacagcgaaa	gcacagggac	31440
tgcgagtcg	ggaggcgctt	gctctcgtg	cagacccccg	gggtgcgcggc	cgagtgctt	31500
gcagccatcg	ccctacgggg	cctcgcgact	cgggcacatcg	ccctgctctc	caggcaggac	31560
tagagcttcc	agaaagtccc	agggcacccc	tgcgcgcatcc	cagggggccag	gcgggcgctg	31620
caaagcctgc	tgggaggtgt	agttttcgtt	gaagacgggg	ctgcccagag	ccaaagcagg	31680
gtgggctcca	gagcaagaag	ccatcgtgga	gcggcgctct	gcgggaggaa	agcagctcct	31740
tctggcttcg	cgaaggccgc	ctagtccagg	agccccagcg	cccttctccc	agccaggtgg	31800
atgacagttc	ccagcgccct	gaaggcctgc	tctgtgccgc	gcgcccctga	cacacgattg	31860
catttctctg	acgcagcccc	ccggcggggc	aggtcgagcc	gtttacggat	ggaagagagg	31920
agccccacac	cttgttgagg	gcgcgctcag	caaaggcgag	ggcttctttt	ccatcctgac	31980

tgtgtctgtt	ctctgctctg	accgcggggc	ctgcagggct	gttagcccca	tttgcaggag	32040
gaagggcacc	cttttctttc	cagaccagtc	tctccctccg	ggcagttacc	acctcctccc	32100
taccggccct	gccctcccac	tttaccctct	ccccacggta	tccggcattc	tccctgcttc	32160
ccctctgggc	tgggagctct	tccagagccc	ggaccctggt	gccagctggg	ccaaccttga	32220
tgagtgatta	acagtcagat	tctccaaatt	agactatgaa	taggattcac	agataaagca	32280
gataaaaata	cagacaccac	cagctaaatt	tcaatttcag	atagacaact	ttcagtgtaa	32340
gtctttacagt	aggtaggtag	tcagacagga	gcagggcgag	agagccacca	cgcctcccca	32400
tgcagccagt	gccagggaaa	gttgggtctc	cactccgtag	aaacactgga	agctgggtgat	32460
cagcagcttt	ccgaatagat	cgcaggagtt	gggcagggtg	gctcaagcat	tcacgctaag	32520
aggcaaaatg	gtggagttaa	actgggtctg	aaccttctag	gagaactcca	ctggtaaggg	32580
aagcacgcct	caagagagca	tgcgtacaac	tctggtaaac	acaccgcaat	gcagcccttc	32640
ccaagtactg	gcaggccact	gtgaatacag	acagcccacc	ccaaaggaag	aatcaggagg	32700
aagggaacaca	accccggaaga	agcatgccaa	catataaaac	ccaaggtcaa	aggtgaaacc	32760
gcacacttga	tctctcaagt	caccacagtg	gccctcttcc	aagtgtactt	tacatccttt	32820
ccttcctgct	ctaaaacttt	ttaataaact	gtcacattag	ctctaaaact	tgctcgggtc	32880
tcaaaaactg	tcttatgccc	ctaggttgaa	ttatttcttc	tgaggatgca	aagaattgag	32940
gttgctgcag	acctataggg	atttgccact	gctaactgta	gtatatccct	tgcaatattt	33000
gggatatact	tatataaaag	ttatccgttg	tttatgtgaa	attcaaatct	aactggatgt	33060
attagtctgg	gttctgtaga	gggacagaag	taataggata	gatctatata	taaggagaat	33120
ttattaagta	ttaactcaca	tgatcagaag	gtcccacaat	aggccaaatg	caagctgagg	33180
agcaaggaga	gccagtcoga	gtcccaaaac	tgaagaactt	ggagtctgat	gtttgagggc	33240
aggaagcatc	cagcgtggga	gaaagatgga	ggctggggagg	ctaagccagt	ctctcctttc	33300
acatgtttct	gcctgcttta	tcttctagcc	tactgggcag	ctgatcagat	ggtgcctacc	33360
cagatgaagg	gtgggtctgc	ctttcccagt	tactgactc	aatgtttaat	ctcctttggc	33420
aacaccccca	cagacacatc	caggatcaat	actttgtatc	cttcaatcaa	gttgacactt	33480
agtattaaac	atcacactgg	gcattcctga	ttttatctgg	caaccctaac	actgactatg	33540
tagctcattt	agctcagccc	cttcctgtca	ccataggaaa	tacaggtgcc	cagaggggga	33600
aaggggtcct	cccagacaca	cagcaaatg	gtagtagcta	tccccaggca	cctggaaactg	33660
agacagggct	tttccacaga	ataacactaa	agtggcagtt	tccaagttag	gagggagcag	33720
tgccatggtc	caggaggtgc	agtgcgtgtc	ttgggcagca	agaggaagga	tttacctgca	33780
gatgggtggc	aggggttaatt	ctggccttgg	tgctacctcc	agaagcctgc	aggacctgaa	33840
gcccacccct	tgcctctttt	tccccactgc	cacaagcgag	ttagaatagc	tgggggatct	33900
aatacttcca	gtctcgatgt	cagcagacac	gccaggtccc	cacactcaat	cttatctcca	33960
ccttagctca	ggtggggcac	tgagcagggc	actccctctc	tcagcctcag	gtttcagatg	34020
tataaaatgg	gatatcaata	cctgacgggg	ttactgcaag	gatgaaagca	gatgcatttt	34080
tttaaagtgc	cctgtgtgat	gcttgtatcc	tgcaggggct	ctagacctag	ttattcatgt	34140
tgttattgac	agtcactctc	ccaggatcaa	tgtggggaga	tgtagtgata	acaaaaccca	34200
gatggactgc	ctggcatgtg	ccatgectgg	gctgactgtc	tcgtgtaatc	cctgtggttg	34260
agccttattg	ctaaagtgat	tccattcaca	gtgcaccttg	gggttcaggt	cgggccttgg	34320
gtttcatgtc	tggccagcaa	gcaagcccc	cagctgaggc	gcccacacat	ctccacccaa	34380
tgagcccgc	cttacaggac	ctagggccac	cattctgggt	cattggggat	gaaacagcca	34440
aacctggggc	ttcagcattg	cggtgtagg	cgaggagcag	agaggagtga	cagacacaga	34500
cattggtgca	catgcgcccc	ctcctagtgg	gtcgggtcgt	cgatgccagc	ctggectgca	34560
cctggagctt	gggtcccaag	cctcagcagg	acattcttct	ctggccaaat	ttaaagtgcc	34620
ccaggaaac	aaatcactag	gggtaacaga	gcaagcagag	ctgtggcatc	acagctcag	34680
tcacctgtct	gggacaggag	gcattggtat	aaatgaattt	tacatatggc	ccagcacaca	34740
gatataacta	agaccaagcc	cttgcccaac	aatatttact	ccacttcaga	ggtgcgtctc	34800
gaccctttgt	tttcttttct	atttcatatg	ttttagctac	tgacacagc	ccactgaatt	34860
gctttcagga	cttcctaata	aagcatggga	tgtagcttta	aaatcttaga	caatcctcat	34920
cacagaccct	ttaaatttga	cgaccacttt	ttatggccag	acaagttgaa	gtcgtgagcc	34980
gtgaactatt	tcctctcttc	acgcccggaa	gtgcctagac	cacagtgggg	ggccggccag	35040
cccttccatc	ccaagagcca	gcccctgtgg	ctcctgcggc	ccctgcataa	atatggaact	35100
ctcaggccag	gatgggaaact	gccagggtct	aagcagtaaa	ctttataagt	tattacaaaa	35160
cagaagtgtg	cacagggaca	ctgtaataaa	gcgtattggg	agttacggga	actctccaac	35220
aagtttagaa	tctctggttt	caaaaactat	tgcaacatta	taataaacia	atatccaaaa	35280
gcttagaaat	agaaattaaa	gataaagatg	gtcactgttg	accaaagaa	caatattttc	35340
gtactgagct	ttgatgatac	aattattaat	gaggaagatg	attttaaaa	taaattcccc	35400
ttgtaattca	agatacagtg	atacaaggca	taaaccgggca	attacgtat	agtgacattca	35460
atccttaaag	ccaccgctgg	ttttctgtat	aacccccaca	ggttgccagga	aggtcagcca	35520
tgaacatta	aaataccact	gtctgtctac	atttaaaatt	aaattcagat	tcacataaaa	35580
atgattttgta	taaagagtta	aatattttta	gaaaaattgt	tctgcaagaa	tcacagctc	35640
tagatatacc	aacatttcta	tttcaaaatt	ataaaaaattg	tatctcaaag	ttattatagc	35700
ctataagata	ctcttaatag	ctccaataaa	aatgcatca	gcagaaaggt	ccttcttaaa	35760

atggaaagtg	tcctaaaatg	atttgtgagc	ttgtatttgc	caacagcaac	tgatgtcaca	35820
ttcaattata	tcgattgaaa	acaaagttgc	taaaagtgtg	agctttgata	acctaataaa	35880
tgaatttgca	gaaaaagtga	ccaggggaaag	cttctaattcc	agttatcaca	taaagtatta	35940
tttgttttat	tgtataaata	atcacaccca	aaatattatt	ttgacaaatt	tgtaagttta	36000
tggtgttact	catgcatcac	tattatccct	attacattgc	ataagtaata	aatttttcaa	36060
gggaaaagct	ttctatttca	cccctgtaac	tgcactttcc	tcctgctttt	tgaataaggg	36120
gcctgaattt	ttattttgca	ctgggctttt	caaattatgc	agcaagggat	gatccagcag	36180
gtggagagct	ctgagctccg	agtggactgt	gccgtgctgt	ctgtgatatc	tgctaacata	36240
gaatgtcttc	cgatatgtta	ctgtgcatgt	ggggagtact	ggctttgaat	caaaagatcc	36300
ttggtgaaaa	cccctgcctc	accactatgc	gtccttgggg	aagtcacctc	tgcacctttt	36360
ctttgacgtc	aggtagttag	atggcacagg	gaagcgcctc	ctgtgggcac	ctgcatagag	36420
gggaatgtag	gtggctctta	agtgtctaat	ctcttcccga	cgcaaaagtg	tgctctaagc	36480
accagccgca	tcgacatcac	ctgggaactg	gttacaaatg	ccgaatctag	agctcgcccc	36540
agacctattg	agaaagaatc	agcattttta	taatattcca	agatgatctg	taggcctggg	36600
agtgtctaag	aagcgtggcc	ctagacaaac	ggcttgggga	ttacctgagt	actttgccgt	36660
ttaaatttag	tcctaactat	tgctattcaa	agagtgaacca	ctagagggca	caagagtcaa	36720
gtgatttagt	gtttgatttg	ccaaccagga	gcttggaaag	agaaaaataa	aatgtcacia	36780
acagggcttg	gagttacctc	caagagtcaa	atcttctctt	acacccccga	tccccacccc	36840
aaagacaaga	gctttctgct	gacctcctca	aaagcatggg	tttttttttg	gaggggccaag	36900
gtgaggggtg	gggtttttgt	ttgtttgggg	ggttttgttt	ttgttttttt	gaggcagagt	36960
cttgcctctg	cactcaggat	ggggtgcagt	ggcatgatca	tagctcactg	cagcctcaac	37020
ctcccaggct	gaagcaatcc	tccccatcag	cttcccaagt	aactgaaacc	acaggtgtgc	37080
accacaatgc	ccagctaatt	tttttatttt	cattttttgt	gagacatggt	ctcactatat	37140
tgctcaggct	ggctctgaac	tcctgagctc	aagtgatect	cccacatcag	cctcccaaaag	37200
tgcttgggta	acaggtgcga	gcttccgtgt	ccggcctcaa	aggcatgttt	aatcggaaaat	37260
gtgcattggc	catgggcctc	cagatcttag	gtcggaggac	tgatttccac	agcggaggcc	37320
ctacagttga	gccagcctgc	agggatgtgg	gaacccagga	ctgggggggt	tgggggttgc	37380
acggcactca	ctgccaccag	gtgaccttgg	gcaagtcact	tctctcctgg	cccgcgtgcc	37440
tctatcctta	aagtgcaggc	agttggcgcg	cgagattccc	ggggtccttc	tcggttttta	37500
agcctaggct	tgcatagtat	gggtcttttc	ctgttgccagc	tttctgggtt	gtgccccaga	37560
atttgccagg	gaaatagaac	caagccccaa	gcttctgtct	ccagagataa	gatggccttc	37620
tcttccctgt	atttaaggcc	ctgggaggcc	ctagaatttg	gagtgtctgg	caggcctgga	37680
ctgttaagggt	gcccagcatt	ccagaggcga	tggcacattt	gtctgtgtca	aggaggctct	37740
gggcatgggt	agggaggtgc	gaggtaagag	agggcagagc	tgagggcaca	aatccagcca	37800
tttcacagat	ggggaaacca	aggttcagag	gaggacattg	ctatagccca	ggtccctgta	37860
gcccggagtc	agtgggtggag	ccaggacttg	aactcaagta	ttggagtgcga	aaaggcagca	37920
gcccacaaatg	tgacggcatc	ctagcgaggg	ctctgagccc	tggagtcgag	tgggtgcttg	37980
ttgcctgggt	ctctggggga	gtctgcactc	cctggcattc	tcattgggcac	ctcctgcccc	38040
aggcagagct	ccaagccttg	gccagcagag	caggacaggc	ctgcaggggc	tgcccacgga	38100
cctagtgttc	tcgggggttc	tgccaaggta	acaagagcag	ggagggtccc	ctccccacgc	38160
tggatcctgt	ccagtcctct	gcttggtccc	aggggcacta	actgggaccc	tcaagcctgc	38220
tgggcccacag	tggtaggcca	taccatccca	gagcatgggt	ctgaccaggc	cactcccctg	38280
cttaaagcct	ctaggggccc	ggcacagtgg	ctcaagcctg	taatctcagc	actttgggag	38340
gccgaggcgt	gcggatcaca	aggccaggag	ttcgagacca	gcctggccaa	tatggtgaaa	38400
ccccatctct	actaaaaata	caaaaattag	ccaggcgtgg	tggtgcccac	ctgtaatccc	38460
agctactcgg	gaggcaggaa	aatcgcttga	accagggagg	cagaggttgc	agtgaagctga	38520
gatccccacca	ctgcccctcca	gcctgggcga	caagagcaag	acttcatctt	gggggaaaga	38580
aaaagccttt	agaggetccc	tattgcctgg	gtgatacagc	aggtggcatc	ctcactcctc	38640
agcctggtgt	tcaatgcctt	tggcttggga	cccaccctcc	ttggccatgc	acaccaagct	38700
gtcctgcccc	agggcatctc	ttgctgggcc	cacctaaagc	cacgcatgcc	cgcccacctc	38760
cctctttcca	tctstattta	tagagccctt	gccgggtgcc	aggcagtgtc	ctaggcactc	38820
gggggcaatg	gtgagcaaac	ggagccctcc	ctctttggac	tcattgttcta	atgggaggca	38880
ggcgaagaaa	tcaacagcta	agcttatggc	acccagcagg	gaggaaggaa	gggggacggg	38940
atgggagggc	tgcagtgtcc	cctagggttg	ccagggaggg	tgtctgagaa	ggtggcacat	39000
tggttgggat	catgaactct	gggcgtggct	gtgtagcatc	caggcagagg	gaacagcaag	39060
tgtaaggacc	tgaaggcagga	gtaggctcag	catgttccag	gaccagcaag	gccagcttga	39120
ggccagttag	caaaaaaaca	gtggaggttg	gagatggggc	ccacgggtga	caccgccagg	39180
ccacgcaagg	ccttgggggc	attggaagga	ctttggcttt	tacattgaga	agacagagct	39240
cctggagggc	tttgtccaag	gactgatgag	cccagacatc	actggctgct	ccgggtgagcc	39300
tggagggcag	acagggggag	aagtggggag	accatggggg	gtgaccctgt	tccgtaaac	39360
tgaacccctg	cagatgccat	tccatctacc	tgagccctc	cctgcaagct	gtgttcggag	39420
aacgcctata	tgttcacgaa	agctaagctc	aaatgccacg	tgctgtctcc	ttcctgcacc	39480
ccaggtagaa	acaccctcgt	ttgcctctca	attcccactt	tctttgagca	ctgtttttga	39540

aagcacctgc	tttgtagacc	cctacagaaa	ttctcacttg	tgagcatctc	ctgctctggg	39600
accagatgct	gagcccttgc	aagagagcag	ggagctgggc	tggtttttgc	atcatggagc	39660
agtgcacctg	gccttctgca	caggcccca	agccaccag	cagggccttc	tgggtagcct	39720
caccagacc	aacggaatca	aaatctgtgt	tgggggtggg	ggcttgagct	tctgctttta	39780
aaattcttcc	aggggttttg	gttaatttgt	ctccctgggg	ctttgtgtta	atattgtctg	39840
ctgggagtag	gggcccagcg	agatcgtcct	aaattcaaat	cctgcagcag	ccataggtag	39900
ctgtgggatg	tggtcactta	atctcgctga	gcctcgggtc	ctcttctata	gccccagggtg	39960
cccagcaggc	cgacagaggc	tgtggccgcc	tctcccacct	ctttgaattg	ggctgagaga	40020
cagacgcgca	ccttccggag	aggaccgtca	ggctgaagaa	gacacagcta	gtgtctaacg	40080
ggagggtagg	ttctaaggaa	gtgaagattt	atgagagaaa	tgagtgagtg	tgatcatgtg	40140
tctcatacca	cagcgtgtga	gtccgtgcaa	acgccatgtc	tgtccctctc	caggagaacc	40200
ctctctcaga	gctatgaaaa	tccttaccat	tgcctcattc	agactctcaa	agtctgaact	40260
ctgtcacttt	agagcacagg	actcaaatgt	gactgtgctc	aggaatcaga	tgggggttgg	40320
gttaacatgc	acattcccat	gggcagggtc	agggcagggc	ccaagattgc	atctctagct	40380
catccttggg	gatgctggca	ccactgggtc	acagatggca	ctttgagcag	caagattgca	40440
gccccaaagc	cctactgaca	tagaatctgc	aatgtaacac	tatctccaag	agatgcgttt	40500
gcacactaat	gtttgagaat	taccagtgca	gagacttgga	agaatgctta	ttttgggggt	40560
cagcatggcc	tagagagagg	ccaagaatac	gtttgtcatt	ctgggtctct	ttcaataact	40620
gtgagtgcct	cttggtttat	tgtagacat	tgagtatttc	agataattcc	tagtcagctc	40680
cacaaaagcc	ctatgtgagt	gtgtgcagtc	atgtctggcc	cccagtgagg	gagtggcaga	40740
gggtgtgtgg	tggcccggga	aagggtgtgg	ttctgcagag	agggaaatta	acttttggtta	40800
aggctgctta	ctgggtgcca	gctttttgtg	ctgatcactg	cgcctggatt	agttmccgta	40860
tgtactcctc	acagcagcct	ttggaggcag	atattactac	tgtgttacag	atggggaaac	40920
caagggttgg	aggaggaaag	gcacttgccc	aaggcaagct	ggctagcaga	gggtgagacc	40980
gggattgaag	tcaggcttgt	ctgtgtgtca	gatggggcaa	agctagctgc	ggcaacaaat	41040
caaccccaga	ttgcaggagc	ttggcaaaca	gaagttcatt	tttgttccct	aacagtgcaa	41100
gctggtactc	ctgggtgatg	ggccaccttc	ctccacatgg	tgactcaggg	atccaacctg	41160
catccagcct	gtggtatcac	tctcccagg	gcctcggaga	gcccactcsg	tgccctggcag	41220
ttggaggatg	actgtgtaga	gacggtagag	tcttctttaa	acccatagcg	cagaagtggg	41280
actcatcatt	tcccaggctt	cccattgggt	agaagcagtc	acatagtcac	acgcacggtg	41340
agggcactgg	gagctgtcac	ccaggctgga	gtgcagtggg	gcaatcatag	ctcactgtag	41400
ccttgaactc	ctgggtccca	gtgatcctcc	agcctcagtc	tctagagtag	ctgggactac	41460
agggtgtggc	caccatgctg	gctaattaat	tatttatgta	tttatatttt	ttgtagagac	41520
ggtgatatgg	ttaggctttg	tgtccccacc	caaactctcat	cttgaactgt	aatctccata	41580
atcgtcacat	gtcgagggag	agaccaggga	ggtgattgga	tcatggggac	cgtttcccc	41640
atgctgttct	cgtcacgggt	agtgaattct	ttgagatctg	atggttctat	agggggctct	41700
tctcccttcg	ctcagtgtct	ctccttctcg	ctgccttggt	aagaagggtc	cttgcctccc	41760
cttcaccttc	caccgtgatt	gtaggcctct	ccggccatgc	tgaactgtga	gtcaattaaa	41820
cctatttcct	ttataaatta	cccagccttg	ggcaattctt	tacagtagtg	tgaaaatgga	41880
ctaatacaga	cgtggtctca	ttgtgttgct	cagggtagtc	tgaaactctt	gggctcaagc	41940
gatcctccca	gcttggtctc	ccaaagcact	gggattacag	gtgtgagcca	ccgtacctgg	42000
ctgggggtgt	gatgttgaaa	aatcacacag	ccttgagcgg	agaaaggctc	tgagggttctg	42060
ttcatccatc	cggcacctga	aggtgtctctg	caaagctggc	aagatgatca	tccagcccct	42120
gccagacatg	aggccacagc	cggcccagtg	acctggagtc	accctctggg	aaggctgctg	42180
ccctgggacc	tgcgtttctg	ggatgtgtgt	gacctctgcc	ctccaggctg	acccgaggct	42240
gaccgggaag	cccagtgggt	cgagaaacaa	ggaaagggtg	gagtgcgggc	cctcccagtc	42300
acctctcacc	ctcctcaggt	cacagtgatt	atctgattca	tcattgatc	aatcaataga	42360
taccctggac	tgggtgctag	ggacagtagg	tgtactagtt	gaatggcccc	ctaaatccat	42420
gcccacttag	agcctcagaa	tatgacctca	tttgaaata	gggtcttggg	agaggtaagc	42480
aagggaagat	gagttcatta	tgtgaccggc	ggcaataccc	tgacattcct	agtgggttgg	42540
ggaagccttc	tctgcctctg	ctcatgtctg	tctcaccacc	tgtagcagct	aggaggggccc	42600
ctactctgag	gactgggtgc	cttttaagaa	gaggaggcgg	gcacagtagc	tcacgcctat	42660
aatcccagca	ctttcagagg	ctaaggcagg	ctgaggtcgg	gagttcaaga	ccagcctggc	42720
caacatggtg	aaaacccatc	tctactaaaa	atagaaaaac	tagccaggcg	tgggtggcggg	42780
tgctgtaat	cccagctact	caggaggctg	aggcaggaga	attgcttgaa	cccaggaggc	42840
ggaggtcgca	gtgagccaag	attgcggcac	tgcactccag	cctgagagac	agagcgagat	42900
tctgtctcca	aaaaaaaaaa	aataaaaaaa	gaaggagaaa	ctggatacag	acacagagaa	42960
gtaattgcca	tataaacaga	gacaaggaag	actgtggaac	aacggagacg	cgatgggagc	43020
gatgctgcca	caaagaccgc	cagcaaccag	cgaagccagg	agagaagcaa	ggacccaggga	43080
aggagccaac	ccgcccacaa	cctgggttgc	agactcctga	ccctaggact	gtttgggaga	43140
gtgcatttct	gttggccgaa	gccactcatt	gtggcgcttt	gttacggcag	ccagggcacc	43200
accagcgagg	ggcagaaacc	agcgggtgag	tcatgtgcag	gccaggaacg	gagaaagagg	43260
aagaggcaat	tcacaggcaa	agacacgaac	aaaacacaaa	caagggagac	caagagcgcc	43320

tgcatgtgagc	aggggtggga	gggtgcggtg	gagggcagca	ggagaggacg	ctgtgtgagg	43380
gtggggaagg	agggctgaga	gtgggcgcct	tcgtgaagca	gggactctgg	gcagagagaa	43440
tagcatggac	gaaggctctg	ggctgggaaa	gagcttggtg	tgttcagggg	acaggaagga	43500
ggccggtgtg	gctgagtggg	tgggaggggc	agagaggggc	ctgagctcag	cggggagggg	43560
cactctcgga	ggccacagga	aggagtgggc	atcttcttct	aagtgcacat	ggaagtcttt	43620
ggaggggttt	aagcaagaga	gtgacatgat	gggattgatg	tcatttggac	tgctgtgtgg	43680
aggatgtgaa	agcattcatt	cattcattca	ttcattcctt	catttcaaca	agtaataata	43740
caaacaacct	caggaccgtg	accaggcctg	tggacaaaag	aaatggcaga	gagatcacag	43800
ccttggggag	tcagggtctg	cagagaattc	ccctctaaga	tgacctggag	caggggcctg	43860
gaacagccat	aggagggtctg	gggaagggtg	ctccagggtg	cgcagtgagc	acaaaggcca	43920
gctggtggct	cacacccctg	caagccatct	ctcctccagg	ctggagtctg	tgcttcccac	43980
agttacttct	cacgactttc	tcattttgtg	agaaattcct	gataatgatg	ctctcagctt	44040
tctgacaaa	agctcaattg	ttcctcaggc	ggtaccaatc	ttaatcgtaa	tagtcaagaa	44100
gttttataag	cactttttta	tttatttttt	tttaattttt	tgagacagag	tcttgctttc	44160
tcaccagtcg	tggagtgcag	tggtaaaagc	tcactgcagt	ctcctcctcc	caggttcaag	44220
caattctcat	ggctcagcct	ctcgagttag	tgggactaca	agcgtgtgcc	actatgcccg	44280
gctgattttt	gtaatttttag	tagagatggg	tatcaccatg	ttggccaggc	tggtctcgaa	44340
ctcccgacct	caagtgatcc	tcccgcttgg	gcctcccaaa	gtgctgggac	tacaggtgag	44400
catcaccatg	cctagttaat	ttttgtattt	ttagttagaga	tgtggaggga	ggggtttcac	44460
catgttggcc	aggctggtct	cgaactcctg	acctcaagtg	atctgccttc	cttggcctcc	44520
caaagtgtctg	ggattacagg	tgtgagccat	caagcctggc	cttataagca	ctttataaatt	44580
tgcaaagccc	ttctgcaatt	cagttcaata	gcccttccct	ggcccagagg	tgtggggaga	44640
aggcagatgt	gcacacagat	cttatctcac	cttcaggaag	gtctgactcc	atctgggtcat	44700
acaagataac	cgctgtgcaa	gttccaaagc	aaggccaaca	tagagacaca	tgcccaggtg	44760
cactgatgtg	aaacattcac	cogtcattca	actcccagag	gggcctcaga	ggcagcagtc	44820
taaaatgtgg	caggttgata	acaagctggg	accaggtcag	gggtgtgtctg	caggcacaga	44880
gctccccgcc	aggaggggaga	agacaacatt	tggtccttgg	ctctgtggcc	ttgaacaagc	44940
gtcttaacct	ttctgagcct	cagctgcaaa	agatcgattc	tatttgattc	tcacaggagg	45000
ctctgagcca	tcaagagtgg	gtcaggctgg	gcctggcacg	gtggctcatg	cttgtaatcc	45060
cagcactttg	ggaggccgag	gcgggcagat	cacctgaggt	caggagtcca	tgaccagcct	45120
ggccaacatg	gtgaaactcc	atctctacta	aaaatacaaa	attagctgat	cgtggggggc	45180
agcgccagct	acttgggagg	ctgaggcata	agaattgctt	gaactcgggg	ggtggagggt	45240
gcagttagcc	aagatcgccg	ggctgcactc	cagcctggca	gatagagcaa	gactccatct	45300
caaaaaaama	aaaaaaaama	aaagassccg	ggcscagart	ggctmaacgc	catgtaaatc	45360
cmarcamt	tgsgargccr	aaggcggggc	ratcacaaac	gtccargara	tcaagaccat	45420
ccwkgtctaa	ccaggrtraa	acccctctc	tactaaaaat	acaaaaaagt	tasmcaggcg	45480
cgrtgrcrrg	cgctgtagt	mccagmtact	cgggaggytg	aggcaggaga	atggcgwgac	45540
cccgggaggt	ggaayttgca	gtaagccgag	cttgaccay	tgactccag	cctgggagac	45600
tctgtctcaa	aaaaaaaaaa	aaaaaaaaag	agtgggtcag	gctgggcatg	aattcgcttc	45660
tatcaactac	cacctgaccc	cggacaaggc	agtatgggtt	cctgaaccat	aaaatagggg	45720
gagtgataga	acccacctga	tagctattct	ttctttaaga	ctgagctcca	gtgtcaccct	45780
ttccccagcc	cctcgagctc	catctccgga	cctcaccgtc	catgctctgc	acttgccacc	45840
ctgagcctca	ttccgaaaat	acctgcccgt	gctgcccctc	aagctcagca	tgtcttgggc	45900
cccaggtgtc	tctccaggca	ggttctctgc	acagatgtca	ggccagactg	tccctcttgg	45960
ctcagggaaa	aagaagatga	gctctcaagg	tgccagctcg	tagtccctgc	actggggcag	46020
gacaaaggta	agtagaatca	agaatcgcca	ccaggactac	actttcccca	ggaaaaactt	46080
gaaacgagtt	cacgtagcat	tttggatccc	accmkwwcag	cagcmctaga	gaaagtgccca	46140
agagaattcc	tatacccaag	tttcttctct	ttctcttacc	agaagctctt	tggtatttca	46200
caaagcaagt	tgcaaccaga	gtctggcagc	ttccattgta	tcgaacaatt	aaggaaaaca	46260
atgatctgtg	atcacggcaa	gcttctgggt	aatttatatt	tctaaagatt	gtcaaaaaca	46320
atatctcctt	cgctaaaact	gttcaaattg	ctcccacaaa	catcaaaagt	gctccccacc	46380
ctgcccccca	ctttctctgc	ccgtctctat	ggcaacgtgg	agctgtgcta	ttctgatcac	46440
tgctaccaag	ccaagcaggt	gtccggaaag	ttttggggag	gattttgagt	tggttaattt	46500
ttggctcttc	ttgacatttc	ctaagtgcgg	ttagtcctaa	aattttgttc	tattgtttcc	46560
tgctaaagtg	aacaagaagt	tccctctccc	accagctctg	gctttttttg	tgtgtgtttt	46620
tttttttttt	tttttttttt	tgagacagag	tcttgctctg	tcaccaggct	ggtgtgcatt	46680
ggcgtgatct	tggtcactg	caacctccac	ctcctggatt	caaatgatcc	tcttgctcca	46740
gcctcctgag	tagctgagac	taaaggtgca	tgccaccatt	cccagttaat	ctttgtattt	46800
ttagtaaaga	tggggtttca	ccatgttggc	cagaatggtc	tcgatctctt	gacctcatga	46860
tecgcctgcc	tcagcctccc	aaagtgtggg	gattacaggc	gtgagccacc	gtgcctggcc	46920
wakmytkrr	wtttgagawm	gatcacagga	gggactcagg	gctgaaagaa	gtgagggagg	46980
aggccaggcg	tgggtggctat	tgctgttaat	cccagcagtt	tgggtggctg	aggcagttgg	47040
attgcttgag	cccaggagtt	caagaccagc	ctgggcaaca	tgtaagacct	catctctaca	47100

aaaaaatacc	aaaaaaaaa	aaaaattagc	tgggaatggt	ggagtgtgcc	tgtagtccca	47160
gctacagggt	ggctgggatg	ctgaagtggg	aggattgctt	gttcccagga	ggctgaggtt	47220
gtggtgaacc	gagatcatgc	cactgcactc	tagcctgggt	gacagaacaa	gactctgtct	47280
caaaaaaaa	gaaagaaaag	aagaaaaaaa	aaaagaaagt	aggagatggt	gcaaagtccc	47340
ccccacccca	aaccacacct	cgggggtggt	tgtctaagaa	aacatctttt	gtgacctgtg	47400
tgttatcttc	tttacagcca	cctgaaacgc	agaagggagc	ttgctgggtt	tcagacatgg	47460
gtaagtgtgg	ggtggcattg	cagcagagat	tggaggccgt	cggaccaaag	agggtgacca	47520
gagtggccat	gggcacagga	ctcaacctct	cagagcctct	ggttcctggt	ctatagcctg	47580
aggacgatcc	tacctcccag	gttgtcaggt	ggatttaatg	ggccaccagg	tgtaatcagt	47640
attcaggaag	ggatggtaat	ggtctgtggt	gtggttatgg	aggaagctga	tgtccacca	47700
ttccacgtcc	acgcaggtta	gctcccaggt	cttcccata	accctttggg	gcaaaggatt	47760
tactgagttg	acgcccaggg	agggtccaatg	agttgctcca	ggtctaacga	cattgcctaa	47820
gcgtgtcata	gccccctccc	atgctcagtt	ccttgattta	aagtcaagtgc	ctcttggaag	47880
caatcacctg	gtccttcggg	agggtgagtag	atacataagt	ggatacgtaa	gctgtggtcc	47940
atccagacaa	tggactatta	ctcagcaata	aagagaaatg	agttatcaag	ccatggaaag	48000
ccacggagga	aactgagccg	catatcacgg	agtgaaggga	gccaaagctga	aaagtctacg	48060
cactgcaccg	ttccaactct	gtgacattcc	ggacagggca	caaccatgga	gattgggaaa	48120
agatcagttg	ttgccaggag	gcagcgggag	ggagggatga	agcagtggag	tgtcaagagc	48180
cttaggacag	tgacgctgct	ctgtatgatg	ctgcagtggg	ggtcacacgtc	attctacatt	48240
tttccaaacc	cacagaatgc	acaatgcccc	gggtggaccc	cgatgtaaat	gctgcgctct	48300
aggagatagc	aatgtgtcaa	tgcaggttat	ccattggaac	agggtgtggg	aggctttgca	48360
tggggagggtg	tgggatctac	gggaactgtc	tgcactttcc	actcagcttt	gctgggaatc	48420
ccaaactgcc	cttagaaata	agggtctatta	aaaaggggta	gggggcggct	gggtgtgggg	48480
gctcacacct	tactcctggg	cacttttggg	gggcagagag	agatgggagg	atcacttgag	48540
ctcaggagtt	caagaccagc	ttgggcaaca	tggcaaaacc	ccttctctac	agaaaataca	48600
aaaagtagct	agatgtggtg	gtgtgtgcct	gtagtccag	ctactttgga	ggctgaggta	48660
ggaggatcac	ctgagcctag	gaagatcaca	ccactacatt	ccaacggagt	gagaccctat	48720
ctcaaaaaaa	aacctggggg	gagtaggggg	cagaataaag	ccagcacctc	ctccaggggag	48780
ccgtccctga	ccaccatcac	ctgctgcaat	ttctccccct	gccaggaatc	cgcaggctgt	48840
catcacttct	cctctgggta	gccccctccc	agaataacag	tggctggggg	ttccagcttc	48900
cggacctaac	aagccccctc	agggcaggta	cggggctgtg	tgccttagac	ccttccacct	48960
cacaccaggg	caccagtgga	gacctgtgag	ggagcgggta	gcaggtgttg	aacgattgcc	49020
ccttcctgcc	agtgactgac	atthtgaaga	gagactcagc	atgaaatgac	agctgcacgg	49080
tgtgggcaca	ttgatgtact	tagcaaatga	ggccccctgt	gctgccgtgt	cctgtgtcca	49140
gtcctggtga	cacagccctg	ggacctgaga	cctgtgcccc	ggccccatgc	tggctgctgt	49200
catggtctcc	ctgcatccag	ggcaggctgg	gcccatttcg	aaggtagagg	ctgggggagg	49260
tgggggatct	cagctggcac	tgctcagtga	tgtaggggca	tgactgggac	acaggcaggc	49320
ctgggaacag	cgtctctccc	cacacgggca	ttttccttct	tctgcctcaa	agttgtcttt	49380
gcatcctggc	tttttttttt	ttttaattcc	ccaaatgaaa	cttcccagtg	cacttggtga	49440
ctcgtctgtg	ggctgtgaag	tggcgttcgc	tctctgcctt	cagagatgag	cacatcacca	49500
ctcagaccca	tgggagggct	cagaactacc	cggcgacaat	gcagtgtgtg	tgtgtggcag	49560
gtgggtgtgt	gcacgggggt	gtgtgtggag	gtgcttdchg	ccvttgbcct	htgatgtgdb	49620
accamgkcb	tggtvacack	accgcctggb	gcccavcacb	tvbcccchca	hgvacgcccc	49680
hcchghcaca	acbhchgcyc	acthgbccgt	tcaygagtc	tdgkgdtact	abavavcdgg	49740
hdgggdgbtv	dgggttbhtag	dgggtgdavac	tgggcaggvg	gdaggagtgr	tgggcbgagg	49800
gtgbgrtdtg	dghadtgadg	tgggavrggr	craaggabgv	gggtgggdgb	tgagagbcbh	49860
tabgbtctas	vdscvvgvag	stgbdgggwa	tgttwkgbtg	gdavbtttch	thhccbthad	49920
hcbtsggac	agtgagggaw	ggctgcbccg	tgtgtcacat	tgtygttagg	aagatctgtc	49980
ggggtatagc	agcaaagagk	agcttcctac	cttagatgtg	gtcaaggcct	ggtgggatgg	50040
cctcaggaaa	gaggcyagtg	gatkggkklc	acatggcctg	kagtgaagctc	cagkaccttg	50100
ctaaattgca	aaggcaccca	tgcggttcc	ctgctgcacc	cctatccagg	actccccata	50160
gaatgcagac	ttctggtcca	gctggcctgg	gcaggacaag	ctctccaggt	ggcgctatgt	50220
gcatagcctg	agctaagcac	ctccagcttg	cagcatggct	tctctagctt	cttttattta	50280
tttatttaga	aacagggtct	cactatgtca	tccagggtgg	tcttgaactc	ctgggctcaa	50340
gcaatcctcc	tgcccagcc	ttccgagtag	ctgggactac	aggcatatgc	caccactggc	50400
tccaacctta	atgtgcatgc	aaatcccaag	ggcatcttat	taaaatgcaa	attctgactg	50460
aggaggtcca	tgggtggcgc	gggattctgc	attcgtaaca	ggcgtccagg	tgactgagga	50520
atgctggatg	ctgatgttgc	tggctgtggt	gacccatcac	actatgaacc	acactgcttt	50580
atactcatgg	gtctcaaatg	ttcctatgtc	tcacaaaccc	cccaggaacc	tgttaaaatg	50640
cagattcctg	ggcctggctc	ccagggatgc	tgacaaggct	agtcctaggg	tttcgctgtg	50700
ctagaagtcc	aatgtgtggc	cgacatgccc	aaacatgttc	tgttcttttc	tattcttctc	50760
tcttttactt	tttcttttct	tatctctttt	actttttctt	ttcttttctc	ttctcttctc	50820
ttctcttctt	ttgagacagg	gtctcactct	gatgccaggg	ctggagtga	gtgggtgcaat	50880

cttggctcac	tgcagcctca	aactccccag	ttcaagcaat	cctcccattt	cagcttcctg	50940
agtagctggg	actatgggca	catgccacca	cgtctggctg	attttttaaat	ttttttgtgg	51000
agatgggttt	ttgccatggt	gcctaggctg	gtcttgaact	tctgggcccc	agcaatcccc	51060
ctggcttggc	ctcccaaagt	gctgggatga	caggtgtgcg	ctaccatgcc	caaccagccg	51120
cacatggtgt	ttttttgttg	ttgttttttg	tgtgtgatgg	agtttcgctc	ttgttgcccc	51180
ggctagagtg	caatgggtgtg	atcttggctc	accgcaacct	cagcttcccc	agtagctggg	51240
attacgggca	tgcgccatca	agcccggcta	attttgtatt	tttagtagag	acgggggttc	51300
accatggttg	tcaggctggg	ctcaaaactcc	cgacctcagg	tgatccaccc	cccacctcca	51360
ggcctcccaa	agtgtctggg	tcacaggcgt	gagccacat	gcctggcccc	tgttgttctt	51420
atctcattaa	cccagtgggc	taaaaactca	ttgccacact	cagtagctta	aaccacagaa	51480
atggattctg	ccacagttaa	gaaggccgga	agtctgaaat	cagtgtcact	gggcaaaaat	51540
caaggagaat	ctgttccctg	ctcttccaga	ttccaggggac	tgccctgcatt	ccttgacttg	51600
tggccacata	attcctatct	tcaatgccag	cgtcttggaa	tctctctctg	ctctatgtcc	51660
acatcaactt	ctccgtgtgt	ggtcaaactc	ctgtctgcct	ctctcctgca	aggagataag	51720
ccaggctaatt	ggccccttct	caaaaactct	aatcacatct	gcaaaaacct	ttttctaagt	51780
aaggtagcat	tcacaggctc	cagggaagtga	tctcttggg	ggccttgtac	accaatagcc	51840
tgtaaacccg	cacactctgc	tgtctttcaa	atgacaactc	accaagcctc	tgtcctcatt	51900
ttctttgaat	acttggcatg	tagtccaatg	cctggaacag	gcaggatgtc	actaaatgtt	51960
tatatatttt	aatttttatt	tattttatta	ttattcttat	tatttttgag	acagagtttt	52020
actctgtcgc	ccaggctgga	gtgcagtggc	atgatctctg	ctcactgcaa	cctccagttc	52080
ctgggatcaa	gcgattctcc	tgccctcagcc	tccgtgttag	ctgggattac	aggcatgtgc	52140
catgacgccc	ggctaatttt	tttgtatttt	tagtagagat	ggggtttctc	catgttggcc	52200
aggctggctc	cgaactgctg	acctcaagtg	atccaccac	ctcggcctcc	caaagggcta	52260
ggattacagg	tgtgagccac	cacgcctggc	caaaagtcac	taaatgtttg	ttgagtaaat	52320
ggaagttagt	tttaaatagg	tgtagggagg	gaagtggg	aagaacttga	atgcagagtc	52380
tgaaaatcat	ggccagacat	caaaaggactg	aattgtgggg	ggatattttg	gatgtcaggt	52440
taaagagttt	ggacactgtc	ctatgggcaa	gaaagagctt	atatgaagtc	cttgcataag	52500
tgattcatcc	atccatccat	ccattcatcc	attcaatact	cagcagcaac	atgcagagct	52560
cagctcttgg	gggaatgagg	acagggtgtc	tagaaaagat	agcattgaac	agctggctct	52620
ttctcccacc	agagttgtgt	tttaataagt	tctagtattt	ctagcagtta	ctgctttaag	52680
tgtgtggcta	ctagattttc	tggtctattc	agattcatga	caatgaaatc	tttgtggatt	52740
gtgcctggca	cccttacata	ataccactct	tcccgtagat	gctttccatc	atgcgttctt	52800
ccttatcaat	agtaatttgc	catttttcaa	atgtctgctg	tgatcttcta	cttctcaata	52860
tttttgggtg	gtttcttcta	aatagcgctt	aactggactt	tagtttttgc	cccaatctta	52920
cagactttgg	atgggaaatt	cagccatttc	accgtgttac	gaaggcgggt	agccatggct	52980
ttattttatt	tatctcatct	tatgtttact	attattaagc	ttattgttct	tgctattatt	53040
tactttcccc	cttaattttg	cttcttact	ctccctccac	ccctcccca	acttctacct	53100
agtaattcag	gagttctact	ctgcttcttt	cccgtagagt	gctactttcc	aattcttgag	53160
agtcataatt	caaccaatct	ttccctgata	atgtattaaa	agtaaatggt	aatgaagccc	53220
cctccccacc	accaataagg	ctttccttcc	ccagctgaga	gtcataatta	aaccaatctt	53280
tcctgtctaa	tgtattaaaa	gtaaatggta	atgaagcacc	cctcccaacc	accaataagg	53340
ctttccttcc	ccactcacca	aatcagatcc	ttttacttcc	tccttctccc	ctcaacaaaa	53400
tgtgatctta	aaatattctg	acttctctgt	gataagattc	tatttttttt	tttagttcca	53460
ggctaataca	actttctctt	gaagcatgta	gcttatgttt	taagaatcct	tatgtggcac	53520
tgtagtataca	aaatcacagg	cacatgtgga	ttatccatac	tgtatatttt	gcaaggggtca	53580
ttgcttaaca	ccacttctctg	ttctgagcgt	ttgctctatc	ttgaaatctc	tactgtgatt	53640
gaactgtctc	ggtagcgggg	gaactctgaa	tatcttctct	tgaaagggga	catcactgag	53700
gtcctttctc	tgtcttgcca	cagtggatat	tttctctctt	ttgtccacat	agatgaatcc	53760
tgtagtagcc	atggtaagga	tccttgatcc	tatcatcaga	gtccctggac	attgtctcaa	53820
agtcccctag	gaaccacttc	aacttttctc	cccttagatg	tgacctgttc	tttctggaac	53880
tctgcaagac	cgtctcttta	tccttggcat	ctgggatttc	cagggacacg	ttctcctggc	53940
actttgtctc	cctctgtttc	ccctccagct	cttctctggg	tacctgtcct	ttgtgcaata	54000
cacctcctgg	aactgtcttt	ccagtctctg	ctttttgtcc	tgatgatttt	catgtgcttt	54060
tcctctacat	catgaagcat	ttactccaca	ttatcttcca	gtttgtcat	ttgtcctcac	54120
ctccactctt	ctcttctga	atttgcctgt	tgctttttca	gtctcttagc	tcctgtggag	54180
atgttcagtg	ttgtctgtgt	ctgatagagg	ctccttaagc	catctttagt	attttttgtt	54240
gcacttcctc	tcttccctta	gacctccaca	ggaggaaact	ttcaatctgt	cctcttctct	54300
ctgcttaatg	agccctgca	aagggttttg	gaagtgtctc	agcctctctg	tgattgtgtg	54360
ttcacattaa	tatttattat	tttctttaa	gtgcataaat	ctcacaatgt	gaacagtgat	54420
catctttgag	tgattttttt	tctcctttct	acttttagta	attctccaaa	tttctacag	54480
ttagtgtgtg	ataagggtgga	aagacatctt	caagactttg	ggcaataaac	tatgtctgag	54540
cctcaatttt	cacatcaata	aaaaatgggc	tcagtgcac	ctccctcctt	gggtcactag	54600
gggggccctt	gaaagctgtg	aaagccccta	agccaacctg	gacagagcag	gcgaggctga	54660

cggcaggtgt	tcttccttcc	tctgtgagcc	tcacagggtc	acacgtgaac	attggggatc	54720
gggggtgggc	agtgggggca	gctggagaat	caaattgaggt	gactgacatg	aactacgccg	54780
ctttgacaaa	agtcttccga	agtagtgtgt	tcagaactca	tctccaaagc	catctggaat	54840
atttgctccc	aacatgttgg	taagcattat	ctctgacagt	cactccgagc	cccagtttct	54900
gctgtgataa	ctaggacagg	tagctcaggt	tggttgtggg	gaccagagac	agagcaggca	54960
gggtctcacg	ttccccaggg	cctctcaagg	atagaccctc	gccctcatct	ccaaaccacg	55020
cctcccagac	aggaaccaaa	ctcccagagt	ctccaaactg	cctgagcctt	gcccactccc	55080
tggtctaaca	cacactttaa	aggaatccca	cagtcaccgt	gtgaaaagct	tgctacactg	55140
catttgattc	tgggcactga	aagcagtact	tggtgcaga	cactcggttc	aaacaggccc	55200
catttttcca	tctctgctgc	tgttattagg	ggagccctta	gactctcttg	cagcgccgga	55260
ataggcgctc	aagacgtgtg	ttaattattg	aacagcaaat	ataatgaatc	tgcagttggg	55320
gacgctgagg	ccggagtggg	ggatgaaagg	tggtccggagc	cttttccacg	ggtccaaacc	55380
acctgttaca	ggagaaggcg	agcggcctcg	ctaagcaact	ggacgttccg	cgggcggggc	55440
ggggggcggg	cgggggcccc	agtccgctcg	gaaactttcg	ctgtggggcg	gcccggacccg	55500
ccttctggcc	cctcggggcc	aaccacgcag	ggggagtggc	gggcccgcagc	taggcgaggc	55560
gcaccgtgat	tgccggagat	gtggagtgat	tggtcggtac	accggccact	cagcaggccg	55620
agctggcgcc	gcatccgggg	ggccgcgtyt	ggagtggagg	gaggccgaaa	ggccccgccc	55680
ctgycccgcc	ccctmgtgca	gaaggccgcg	ctagccggct	cttcagcagc	gagtgcagat	55740
tgtcccccg	cggccgcaga	tctcccgttt	gcgcccgcgt	cagctgctcc	cgaacaactt	55800
ttctgccggc	ccagaggccc	cagggcgtcg	cagcgccgcg	tgccggccac	tcacggggcg	55860
gtgagtactt	cggcgctggg	gcagtggcgc	ggtggctgtg	ggcagcgcg	aggaggcggg	55920
caagagccct	gaggcactgt	cctcttcggg	cctcagtttc	cccttccgag	ctgatgggtg	55980
gctggcccca	aagtcccagc	aaggtccccc	aagttggagg	gccgggggtc	ccgcccgcctc	56040
tgcaacgcgc	aaggcgaccc	ctgttccggg	cccgaacggg	tcacccgggg	ggcgcgcccc	56100
gggtccccgc	gcgctgtcgc	ctggagcccc	gcccggggcg	ggacagcagg	cccagaggcg	56160
ggagcggccg	gcgggcaggc	cccctccccg	cgccccgcgc	catccccccc	gagttgcccc	56220
gtcatgcccc	tccccgcggg	tccccggacc	cacggccgcc	ctcgggtccc	gcccggccgt	56280
tggaacgcgc	ctgggcccc	gggaggtgtt	gtggggggga	aggggggttc	agtccccag	56340
ggggaccggg	cccgcccag	gggcagctta	ggggctattc	tgaatcccca	cagcccactt	56400
aggagcgctg	tggcagttcc	tctctctctc	ggggccccctc	agtagagagt	tgaggggttt	56460
cagtggcagc	acctggaccc	tgctctgtat	gaactccacc	ctctggatca	ttagcttttt	56520
gtttgatcaa	cgaaaacttt	ctggagaatc	ctaccagcc	cttttggtatg	tgatggcgcc	56580
ctggcctctc	accacttag	cagatgatgt	tatgaattcc	aaggaagtgc	catttggtgca	56640
acccccacc	accagattt	aacctctca	gtagccttag	gcggagaagt	tatagtcacc	56700
gtttgacacc	ccaggaagct	gaggctcagc	agggcttggg	gccagcccag	gaccagcaag	56760
ctgtatgggg	agagcctggg	gtgaggcctc	tgccctatct	ctccagaagc	agccccgtct	56820
ctcctcacct	tggacagtga	cccctggcat	ttggcccagg	gctttgcagt	ttgtaaaggg	56880
ctttctctta	tgccagcatc	catcactcaa	ggagctgtgc	cctgggtacc	ccatgtgctg	56940
gctgcctgtt	ctctgcagca	ggagagggag	cccacgggaa	gcccagaggc	cacctttgtc	57000
actgtcgcca	cctgtttact	tctgtgtcca	agggctctgtg	attcccatgg	ggtctccgtt	57060
gtatccaacc	agggatttgg	agggaggcct	ctccacattt	cagcctcttt	tccctacctg	57120
ctggtttgtc	ctcccttcgc	agacacagga	aaagtgggt	gggagacccc	atctcacctt	57180
ctttcccagg	atggaagagc	atggagggcg	tctctgactt	aggcctcccc	tgcccatccc	57240
ggaccagtgc	tggacaggct	tctggggctg	gtcacagagg	ggacctcagc	tcagtctcaa	57300
ccccagaga	tgtctgcact	gccagacaga	cccgaaacac	ccatccttga	cgttggaat	57360
aagaatcata	ataggtcggg	agctttatgc	ctacacggct	cccctcccc	ccctctccc	57420
tacttccgga	agtggtagca	ccacagccag	ccagccccag	ccacaaacca	gaccaccccc	57480
tgtgcccttc	attcctcact	cccagttggg	tctctcctgg	ctcctgagcc	tcactcggat	57540
gctgcctctg	gttcaggacc	ctgcctctc	cctggacgac	ccccaggctc	ctccctggtc	57600
ccgatccggg	cctggctgca	cgcagccctg	ctggttcttc	agctgccact	tccctctggg	57660
ctatcgggtc	aggtccgcct	cccagccag	gagccggcat	tctttcgggc	cctcaggggac	57720
ccgcctcget	gctcactcag	cctctccctc	ctgtgtcctc	tctccagcag	tcacctccca	57780
gccacctgcg	tgttcctggc	cacaagcctg	gctcactgtc	cctctgctgc	ctcctcttct	57840
gggcacaaag	cctgctggaa	tgcccagcca	cctcccagct	tgccctggctc	ctgcctgctt	57900
gtccagaagg	ctcagtcaag	tccctctgca	ggatttctgg	cctgcctctt	cccacagtgg	57960
agtgagggcc	cccttctgtg	ccgtctttgt	gggtgtctgt	ttaggtgtta	acccttccca	58020
tctagatgaa	gctgctccaa	tgctggccct	ggacaagact	tctctagggc	agggggggccc	58080
agcacagtgc	ttggcacaag	atggacctac	cctcagtcca	cacctgctgc	ccatccaggc	58140
caggcctgga	gcaggtgcca	ggtgtgtggg	gggggcttgg	ccactatggc	cgtcatgaat	58200
gctgcttggg	gcagtcccaa	ttcaaacc	tctgttctctg	tgaatgtgcc	acattggata	58260
gagctggaat	gttccttggg	ttgtccctta	atactctgag	caaaaatagg	tacctgggat	58320
ccatcaaggg	ctttgtgccc	ttgtcttgag	gagcagccct	gtgccagggg	gctgggtcag	58380
gccaggccag	agcagacatc	ccagggccag	gacctcctgg	gcctgctccc	ttagagcttg	58440

ctcacagatg	ggtttttaaaa	taacattttgc	tttaattttca	aaaacatcac	acatttcatta	58500
tagaaaaacta	gggaaatatg	tttaaaaagaa	gaataaaaatg	aaaccgcgca	taagcttttat	58560
ccccagagac	aacaagtatc	tttttttaggg	ggcgtttttct	tccgttttttt	ggcagataaaa	58620
ttttgtttttc	atcctaaaca	gactccgggt	aatatcttctc	gctgcttttaa	atcctgcctt	58680
aacagtgtta	ggcccacctt	ttccttgtct	caaaacgttc	atgtacgagg	tcacgttttac	58740
cagctgtaca	gcgttgccacc	atatggaggg	gtgtaggcctt	tatagccagc	ccctttcttg	58800
acagtgtcta	aagtgccata	tgatggacat	tgtgtgtgag	ccccgagggc	atctccagt	58860
actcccctgg	actggcatcc	tggaggcaga	ggcactgatc	agagagagt	aacatcatct	58920
tggcttccca	caggggctgt	ttctgaggca	ctggcttggg	agatgggggt	gccccccag	58980
agagaacaga	atgggggtgg	cctgggtgag	ggccagagcc	cttagggcag	aaggccacgt	59040
gtggctcattc	tgctgcgggt	ctgagtggat	gcattggtgcc	tgacgccctc	tccaggtggc	59100
ggcctctcag	ctgaactcct	tggtgccggg	gtttgtgttt	ggacgggata	aaaatatgcc	59160
tcattgtctca	tgaggaaaga	atgctagcaa	ttttgggtttt	gtggatctta	cacagtgacg	59220
gcttctaagc	cattgctgtg	gtcaccagta	gggagttggg	gctgagtggc	ccaccgtgca	59280
gggtggggatc	tgagggtgca	gagtggatgc	agctggagat	gcctggatgc	tggggctctgg	59340
gggagggact	tgctaaggct	ccacagcatt	attgcctgga	tggtgctcct	gcccctaggcc	59400
aggctgcctc	aggcttctgc	ccacatgcat	taagtgtcta	acgtattcct	ggcaaggcag	59460
ccggtcttcc	gagtggataa	gctgcagccc	tgccctcagg	gctcacagt	gctgtaacat	59520
gcaggaagac	tcagagaggg	aaggaccaga	cagcaggtcc	ttccaccggg	agatcttttc	59580
tgatcttcat	tgtccctgtg	accaaccatg	accaggaatt	gttgtgcttg	ttttgaaata	59640
acaagccctt	tgatccaaac	cagacttggc	caacccccag	ggaacctgaa	aattaatcct	59700
cctgtatttca	tccattctta	ctaaccagag	attttacctt	taaacagttt	ttttttaact	59760
gcagtgtgac	atacatggta	cataggccag	ctagaactctg	ttttcctgaa	attcctttta	59820
tgaagtgttt	tccaactgaa	catgcctttg	tttagcacct	gggagtaatg	gcttaggggt	59880
tttcttttcc	tttttctttt	ttcttttttt	tgagacggag	tctcgctttg	tcaccaggcc	59940
tggagtgcag	tggcgcgatc	tcggctcact	gcaagctcca	tctcctgggt	tcacaccatt	60000
ctcctgcctc	agcctcccca	gtagttggga	ctatcggcgc	ccgccaccac	gcctggctaa	60060
tttttttgta	tttttaatat	agacgggggt	tcactgtgtt	agccaggatg	gtcctgatct	60120
cctgaccttg	tgatctgccc	gcctcggcct	cccaaagtgc	tgggattaca	ggcgtgagcc	60180
accgcgcctg	gccggcttag	ttttttttta	atgcccaata	gtttgctttc	tcttctgcca	60240
cacacgtaat	ccccatagca	cccctatgtg	ggaggtgcta	tccccatttt	acatatgggg	60300
aaacagacac	agtgaggtca	tgtggccact	agtaagggtg	accgacgccc	cacaccatgt	60360
tgcttccagc	tgtaacctct	agcagagggg	gggctctgat	ggagaggtga	tcgcctgagt	60420
gctgtgtgtt	tacctgagta	ggtgaggaag	acagggaactc	gggacagaca	tagcttgga	60480
gctccacaaa	aggaggtatc	gctggagctc	ttgacttgaa	gggtgcttag	ggtctaggct	60540
gggggagggg	ggtaagaagg	cattccggga	agagggccct	gcagaaacag	aagtgtggag	60600
gtcagcattt	gtatgctgat	gttgagggt	agccagtgtt	ttgcagtga	tgggccccgg	60660
gagagagggg	gcagtggcat	ggcgtctga	tttcaaagtc	gtctttttca	gaaatgagct	60720
tgcagaagca	ttagaattgg	gcaggtctgg	atttgaattt	caggtctggg	acctggagct	60780
gtttgacctt	gagcaggtcc	ctccccctcc	tgacacctgg	ttcctgtctg	tgaagtgggg	60840
tgaggttgaa	ggataaaaca	tttccccatc	tataactctg	ggatgacaat	aggatctacc	60900
ttccaggtcc	atgcbaggaa	ctcacgacaa	taggacctac	cttcaggggc	catagcagaa	60960
actcatgaga	aaagacaagt	acagagaaca	gagccgttgg	tcttgatggc	agagatggcc	61020
tggcgtaggt	cagccctcag	taaagggtgc	ctctctctct	gtctgagaaa	gtgacacctg	61080
acttcggggc	agtgggaacc	atgggagaga	aggtagacaa	ggccacgtgt	catttgaaga	61140
cctgactttt	caccatctca	ggtggtccgg	tggcctgcag	gaccgtgggt	ctgtttgccc	61200
acagcgtgtg	ggttctacgt	gcgatcctgt	atttctctgc	cacagctgac	taaggggaca	61260
cttaggtctg	cacgtgcagt	taaattggctg	cttttgtgga	aggtgccagt	tcccgggagc	61320
tgggaacttg	gaaacaggat	ggagcaggct	cccaagcttg	accatgcatg	gtttgcacct	61380
gggggatgca	cccgggggtg	cttgaccatg	catggtttgc	acctggggga	tgacggggg	61440
tgggggtggg	gggggggggtg	tgcttgacca	tgcatggttt	gcacctgggg	gatgttttac	61500
actaagggtc	cagtcctctc	gagggaggaa	cgtgtggatt	gaaatctgca	gagttcttga	61560
gcgacaccag	tctgatcttt	aggactcatt	tgcagcggga	atggagcaga	aattgttgtg	61620
tgtggagcct	ggggccactc	ctgactcttc	cagtcacagc	tgcccccaaa	agtgaacctc	61680
gggcacctac	tcagacctgg	ctgctcagtg	ccaagcgtg	ggtgttcaga	ggtggccagg	61740
ggactccctc	gtgctgacca	tgggtgtctg	tctcaactgg	cctcacagtt	gccccgtccc	61800
cattttcaga	tgaggaggct	gaggtgcaga	gcgggatgtg	ggctgctcag	gaccacacag	61860
ctggtgggca	cagagccagg	agtacagcgc	tgcggcagct	tggggctggg	agcgagactc	61920
tctgttacca	gcctctccct	gctctgtgcc	tcagaggatg	gctgtggccc	tgagcttggg	61980
agggtcattt	gggaatctga	ggaaaagttt	ccacagcctc	acacagcagc	aggttcaagg	62040
tccagcagtg	ccaggggttt	gcacccacc	cctaaccgcg	ctcatccagg	gccccatccg	62100
gtccggggct	cgggactcctg	cagcgctttc	agctctagt	ctgtggccgg	tggttgtcct	62160
tcattacagg	gatgggtggtg	tttttccatg	ttgctaagca	gcattgtgag	gcctctgttg	62220

aataaaataa	agcccttgct	ccggcgtgac	acgggtcacg	ggatctctgc	tcactctagt	62280
ctcttctgat	gccccaccg	cactgtttgc	cttagtttgc	tttttactct	ctgtgttggt	62340
ttctggggca	tcagtcctct	gacttcgggtg	ctgtggcttg	ggcctggggg	gggggctgtg	62400
gagcggcaga	tctgggtatg	aatcccagct	ccacccattt	ggctccctct	cttctctccc	62460
ctgcccctct	ctcccctccc	cagctccctt	cccctctcat	atttacttaa	ctttactcag	62520
taccagcgta	ttagttttct	agggcttccg	taagaaacta	ctggaaaactt	ggtggcttaa	62580
aacaacagag	gtttgtttct	tgatggttct	ggaggcagaa	gtctgaagtc	aaggtgtggg	62640
caggggtggg	ccctcctgga	ggctctgagg	ggagctcagt	tcctcgccct	tgtccagctt	62700
ctggcagtg	ccagtgggtc	tcctgtcctt	tggccactgt	caccgcgtct	cgcatggctc	62760
tgttacactt	ctcttcctat	aggccatcag	ctcttgagac	cagggcttcc	ctactccagg	62820
ctgatctcat	ttcaagatcc	ttaaatacat	cttcaaagac	ctgtttttcc	aaataagggc	62880
acattcacag	acattgggtg	gcacatgatg	tggggcccaa	ttcagccccc	tgcagccagg	62940
ctccacatgg	gtgggctctg	ggtgttgcta	tcacatcccc	cgtttcttgg	atgagggaag	63000
gccaggggtg	tgtggctcat	gcccagtgag	gcagggactc	caggcctcgg	catgtgcagg	63060
tctgagattg	taagtgccat	gccatctgta	gagtcacgtg	ggtgagtgtc	ctcccatggt	63120
ttcctccctg	tgcgcggtgc	tggcccattg	ggactgtact	gagtgtcagc	gagatcctgt	63180
atggagtgtc	tggcagctcc	cacctgcctc	ccctctgctt	tctgtctcca	gcagacacta	63240
agtgccagag	cgggctctgc	cggtgctgga	tgtgcctgac	cttgactttt	cttccaggca	63300
ggatggactc	caacactgct	ccgctggggc	cctcctgccc	acagcccccg	ccagcaccgc	63360
agccccaggc	gcgttcccga	ctcaatgcc	cagcctcggt	ggagcaggag	aggagcgaaa	63420
ggccccgagc	acccggaccc	caggctggcc	ctggccctgg	tgtagagac	gcagcggccc	63480
ccgctgaacc	ccaggcccag	cataccagga	gccgggaaag	agcagacggc	accggttaag	63540
gagcaggctg	ggaagcccag	gctggggatg	ttcagggata	gctgggtggg	aacggggttc	63600
agccaccctt	ggagggtccc	cccgccaggt	cctctgcagt	tcagcattgt	gcagctccca	63660
tgtgtgtcac	aggcgtccat	ccagtggggc	taccacctc	ctcagagcct	tgacactgtc	63720
acctttgtgc	caccactcgt	aggtggtgtc	ggtgccccca	ctcctctgca	gtccttctct	63780
tcccaggggc	tctgcagcac	ttcacagctt	ccatttgcaa	cagcgtccaa	gcatgtggag	63840
taaattcacg	ggccctctgt	aaccaactag	ggtggcaggc	cagaggtgac	agccacactc	63900
tcgggagtg	ggccacatgc	gggcgaagcc	cttggtgctg	agtttcccct	ctccctgagg	63960
gagacttgtg	agggacgggc	gtccttcacc	tccatcctga	ggcgggatgc	tggggccctg	64020
ggtgttcaca	ggcagagctg	actgaggccc	ttggtcttca	caggccgagc	tgactgaggc	64080
cctgggtgtt	caaagcagag	ctgaggccct	tgggtgtcac	aggcagagct	gacaggcttg	64140
ttggttcctg	ggtggtgatg	tgagggtggt	gggtgtgagc	caggggagtc	cggcccttgg	64200
gcacettctc	cagctgactc	aggcctcggt	cagccttcac	ttttgctaga	gaggccgctg	64260
ccagggaggg	tcagtcccag	ctcatcactg	cccctctgct	ccatgcagaa	gccccagacc	64320
catggtgagt	gcctgctgtg	tacaccagcc	ttttccatgt	gcctgcagga	ctctctagtg	64380
cagtccctgag	aggggaaaact	gagacaccga	gtctaggtga	cttgcccaag	agaccagcgg	64440
ggtgagagac	gaggtgctcg	agtgttccag	gtttccttct	tgtcccagtc	acccacttgg	64500
cagggccctg	gggcctccct	gctgtggtcg	cagcgcgctg	aggctcccat	gtaccactta	64560
tgctgggcgt	gcccttgga	actcactgca	gccctggggc	ctgtttgtct	ttgcatctcc	64620
ttaaaagatc	actgtgctcc	tctgctttgt	tttgagggcc	tctgggcgga	tgagggcctg	64680
accccgggat	ttgggcccag	cctcacggct	tcaggggaac	agataccagg	gctcggaagc	64740
ttggtttcaa	tctgggtaat	gagaacagcc	cgcaaaggac	agagtccaag	actgtgtgtt	64800
tcagataaga	agagtcagga	agcagctgtg	gtttgtttgg	cttcggtctc	caatgtgggg	64860
gtggtgaaga	gcaagccctg	ggcgcgcctt	gacagcccag	tccccaccac	tgggcctgca	64920
gctgggggca	tgggcatcc	cgtctcccag	tcactgttca	ctgatgtggc	caaagcaggc	64980
ctggccctgc	atggccagtg	gccgcagggg	ggcaggggcc	cagggctcct	gccagttagca	65040
gctgctgcca	gaatctgtta	tttagctccc	ccatccagcc	aacataggtg	ggtgagcatc	65100
agttgaaata	ccaataggtg	acaacaaggg	tagctattta	actgacactt	ccccgagcta	65160
ggcatctttt	tagggcatta	gcccacttgc	ctctttaaca	gccctggggg	gcaggctctg	65220
ctgctgccct	gtttttcaga	tgggaaaccg	agggatagag	ggcttaagta	gatgaccag	65280
cgtcccgtgg	ttggtgaagg	gtggagggga	gatttaaaca	taccgtggag	cctgtgtctca	65340
ctatgggcct	caggtcatct	gcgcccaggg	atccccatgt	cccaggctca	gagaagtgca	65400
cagagcaggt	tggcctgtcc	ctagatcagt	gcctggccag	gccctggtga	caggagtga	65460
ggctcagtc	tgccctccgg	gagccctgag	caatatggga	gacaggagtg	aacaaggaac	65520
tacattctgg	ggctcatgta	gcgcggggga	caaccacat	tgcagtcccc	taggggcacc	65580
ccaggagggc	ctggctcactc	ttcagggcat	caggaagact	gcctggagga	ggcatcgtcg	65640
gagccccatc	tgagctgctc	cttggcctgt	acacttggga	aacaggagaa	gagcagcctt	65700
gggggttccc	ttctctgggt	gcctccctga	ggaactgacc	cccttttcag	cccttcattc	65760
agcaaggctg	gggaggggct	gcttcagaaa	cgtcactggg	ctggagcccc	acacttcctt	65820
cccatcctgg	ctctgtggcc	ttggcaagtc	acctgccacc	tggggaacca	ctgccaacgg	65880
gtcggggctt	ggaagctcag	gggctcctgg	gccagacag	gtaaaggaaa	cagtgactcc	65940
ggctagaaa	gagactgcag	ggagtgtgta	ggctcctggg	cgtccctgtg	ccagggcggg	66000

actcctcatg	gcagccctga	gaggggaaac	tgtgtcctgt	gtggagcgtg	gatgccccacg	66060
tgctgagagg	tgttgtctgt	cctgattttt	gacagcagcc	caagtgatgt	gccagtgggc	66120
cagggccggc	acctgcctgt	cggtggctgc	cccagggctg	atgggcaggg	gccgtttctt	66180
cacaggcagc	tgtggtgagt	cctgtgatca	cctcagtgtt	gtctccagcc	ctggggggat	66240
ctgttgttct	gctcaacaag	agaataaagc	tgggcttgtc	acacctggtc	ccaggtgacc	66300
cagcaggcac	agagaggtag	agttgacacc	aagcctcact	cagccaccgt	gacacggctg	66360
tgcgagtcca	cgccctggca	gagagcctgt	tctgggcctg	ttctgttttag	ccctggggct	66420
aaagggcggg	ctcagatgca	cagagggaca	ggcctgggtg	aggtgggagg	aaggaaagca	66480
gactgtgtca	tcgtctcagc	ttcaggctgg	gcattgctgtg	gctatcatgt	gcttggcctg	66540
tgctaagtgt	gtgctaagca	tgtggccctg	gtgggcactc	aggcctcctg	ggtaccagcc	66600
gaggcccccac	cccttcccac	tatggggccc	tgagctctcc	tgctgtctct	gtcattcacg	66660
ggtctaccac	taggacaagg	cctgggggtg	gtggaggagg	gaaggagggtg	agattcggga	66720
gctttccgag	tcgtaccgcg	cactccgtct	ccgagcagca	gcactctcat	ctctacaagt	66780
ctctacagca	gtgctgccac	cgcccttgacc	agggaatcac	cctactgtga	ggtggcccag	66840
ctcactgtga	gactctgggg	cagtcatatg	ccctttctgt	tgacccaggt	gggtggccag	66900
cccacacgac	tgctgaatct	gccaggcctc	ccagccattg	ggggtagggg	gattgctttg	66960
gcagccacag	ggacacagat	gcggacagga	gcaggagccc	tggggaggag	gtgcacccca	67020
ccaggaagca	cccaccaatg	ctgactgagg	ctgactgcc	agttagagcc	gctgggcgag	67080
ggacaaagaa	gggccttcgg	gtgtggggaa	agcaggcacc	ccagctccta	cactaagggc	67140
accctgggca	gagagggagc	ccagtggggg	gcacccaaga	cccatgagga	attggctgtg	67200
gtgtcaagag	gtcagccagg	ccaagcaggg	ccctgagggt	cagggaaagg	agagggcatt	67260
gtcgtgagtg	gggctcagct	gttagatgga	ttgtttacat	taaaggccag	ccaggaggcg	67320
gagcagagag	aggagtagcc	aggccacaag	aaggctgagg	gacaggtaga	ctggaggggg	67380
agaaagccag	ggtggcctcc	aggtttctgg	ctgggctgctg	cagggtggacg	gtgggtggcac	67440
agcctgaggt	agggctcctg	gggtgggtcc	cggcgggggtc	cgagcttagt	cttagagggt	67500
acaagggggc	ccaggagggg	ctggggctct	gatgcagatg	tgggagtgcg	ctgagccctt	67560
gctgccctgg	ggacaggcac	agcaggaggt	gctactcagg	gcacccaccg	ttgattattt	67620
aggaagcagc	tgtcacgcct	gttctttatc	ctgacctggc	ccatctgatt	gctgatgtgc	67680
tcctgctgag	ccccccacac	cacactgagg	actggccaca	ggatctggtg	gcactcagtc	67740
ttctgggaac	ttggcagtg	gcctgtccta	ctttgcgctc	caagcctcgg	acgtcacctc	67800
caggaacctt	cccactgtgg	gtgatgtcta	cagtcaccta	cacagcccca	actctcatgg	67860
gtggacgtgc	tcgttcttgc	ctggcccagg	gcaggccgtg	gtgagctcag	gggtcctgcc	67920
tgtcagtttg	gtgccctcgg	ctacgcaggg	cctgttagaa	gggtgccctc	cctgccaggg	67980
cctccagcca	ctgtctgtcc	tgttcccgcc	tcagagttca	gccagcatag	aaagagaggg	68040
ctgaggacca	ttcagcctgt	ccattcacga	gaatcattgt	cagtgtcaca	gaggctgatg	68100
ggatgcctgt	ggtgcagggt	gacccagct	tccccatgtg	ggggatgcgc	cggtggtgca	68160
aggccaccac	cctgtgccct	gtctctggca	cagggatgat	gacagcacac	agcacatcct	68220
cttttctttc	tacctttccc	tttggcacag	ccccttggtg	tgggcgtcac	gagaggcgca	68280
gagagatcgt	ggaggtcaag	ggcttgccca	ggaccagtga	gggagggagg	gagagggcag	68340
cagcaccctt	ggagacggga	ggattacatc	atatttattt	accacatgcc	taagatcgca	68400
ctcttaagag	catttgacat	acatccaaaa	atttttaaac	actatggaag	tatgtctgga	68460
tgcatcagta	atatgaaagt	ggaagccagc	tgccttgctc	ccagcccact	ttgggaaaaat	68520
tttgtgcatg	ttttgagcca	gctgtttggg	aagggtaggcc	ccagccactg	cccttggtgt	68580
gggtttgatg	ttcatttgtg	gggaagaagc	cttccctcca	tccttttcta	tttctgcaga	68640
atatctgtct	aatcaggagg	ttgagcttgg	cagttcagct	gctcagccag	ggaggtgctg	68700
tgtcctggac	tatgctagga	tttcagaagg	agagagggca	gctgcaggcc	ctrtttgcag	68760
tggcttcctc	ctggaatccc	cgtctgctcc	ctgtgtactg	tccagcgtcg	tagtggaagc	68820
tgggtggcgag	acgggtgaga	cccacggaca	tagatggcat	ccacgaaggc	tggcggagcc	68880
tgtgatagac	gatggacgat	gacccagggt	ccagcaagat	atggcagtg	gctgtgccgg	68940
gaagggggcgc	atcctggagg	atgccctagg	tagtgccctga	gaaagtgagg	gtcattgact	69000
gattccacgt	ggcatccatg	aatctctcaa	atccataggg	cccgtgcatg	acaaataatt	69060
aaaaagatgt	agggtgttct	ccatagaacc	tcacagaggg	aaggagacct	gcccattggt	69120
tccagctctg	atcacactgc	tatttttgta	ttgataggca	gactttcaaa	gaatgagtta	69180
gattcaggac	ccttttagtt	gtaagtga	aaatctcaat	ataaattgac	acaagccaaa	69240
aaagtagagg	ggcaagggat	tgatgagtc	atagatctgt	agagcctaga	gtagtttgct	69300
tcaggcacgg	ctggatccag	gggtcagat	gatgtcatca	ggaagtactc	ccccgcccc	69360
attccactct	gctttcctgt	gctgcctgtg	tctcaggggc	tctgcccaca	gggtgacctt	69420
ccacagttca	agctggcatc	cacgtgccaa	gatgagcaga	aggtgaaagc	ccatttccca	69480
gcagttctag	cacaaactcc	gctgggctgt	gtccatccct	gaaccagggtg	ctgtagtcag	69540
ggagatgacc	tggcaactct	gattggccag	gtgggggtgc	gggccttctg	tgcagcgag	69600
gggagggggc	agtgccaccc	agaccatgag	gactgagagt	ggcgggggtc	cccaaaagg	69660
acatcaaggt	gcagtcatca	gaaaaagcaa	ggaacggagg	tcgagcacac	agaaaacacg	69720
tgtgtttgat	ggttcttgg	ggtccacact	gatgcagccg	gcttctgggg	gtgatctttc	69780

tggcactgag	cagtgcagcat	gctgggattt	gcctttgagc	ccacgaaggc	tcctacttca	69840
tggactgagc	taactgggtct	gcaggacgag	cccaccactg	ccatatggaa	gctggaataa	69900
tgaagagggg	gtgtgtccat	ctcaaagaga	ttctgggctg	ggcgagtgag	ctcagacctg	69960
taatcccagc	actttgggag	gctgaggcag	cagatcacct	gaggtcaggg	gttcgagacc	70020
agcctggcca	acatgggtgaa	accctgtctc	tactaaaaat	acaaaaaac	ttagctgggc	70080
atgggtggcg	ccgcctgtat	tcccagctac	tcaggaggct	gaggcagaag	aatcgcttga	70140
acccgagagg	cagagggttgt	ggcgagccga	gattttgtca	ttgcattcca	gcctgggcca	70200
tgagagtga	actctgtctc	aaaaataat	aataaaaaag	agagagagat	tctgtatatc	70260
ggggagatgt	cttgaaatgt	caggctgtga	ataacttctg	tgaaaaatta	attatggact	70320
ggaagaatct	tttttagacca	ccatatagac	ttggaccttc	catgttttga	tttttttaaa	70380
aaaggggaaga	ataatatgac	ttgtgaactt	aggtaagta	aggagacttg	aattcactag	70440
agggtgctgc	gttggtgtgg	gaagtacagc	aacagccctg	gggtctcctg	gggaagtggg	70500
ggaggggaaga	gaaagcctcc	tcttgtgaac	agcaactttg	gaccactcac	tacaaagcat	70560
ctcttttcat	cataaaccat	cctatcagat	tgatgttaac	gatcagattg	aagctgcttc	70620
ggagcagtga	tgtggcctgc	accaggtcgc	acagcacctt	actgtggagc	atggatccac	70680
acgtgcgtct	gtgtcattgt	gatcgctcac	gctgctctgt	gggcccatgg	ccttgggtgcc	70740
tgcaggctct	gtgtctgcag	ttcctctagg	gatagtgagt	ctgctgctga	gcccgcagcc	70800
agaaaccacg	ctggggggct	ggcagggtga	cggcagcaag	gaaggagaac	tgctcctgat	70860
ggattcaggg	agcaccaagg	tctgggggct	ctggggaggg	tgggtgtcca	aaagggctgc	70920
cctgcgggac	ctgatgccat	ctctgagcag	cgctccttgag	gaccccgcca	aggaagctga	70980
gcccgaagct	ctgtgcaaga	gttgctcca	gggagagtta	catccaggga	gagttacgtc	71040
cagggaagag	ggcgctccagg	aagaggggca	ttcagggaga	gggacattca	gggagagctc	71100
ttccaggggac	ggggacatcc	agggagaggg	gcgtccagcg	agaggagcct	ctagggaggg	71160
gtacatccag	ggaggtggcc	tgtcaggggag	gggtggtgtcc	agggaaagca	gcacaaaggg	71220
agaggggtgt	ccagggatgg	gggcatccag	ggaggggggg	ttccaggggag	aggggccttt	71280
gtgttgccga	gttggtccatc	cacagggctg	gagtgctgtg	gcctgaccac	gagagcttgt	71340
gaagaatcca	tctgattctt	tccttctcca	aacacatgcc	tcaccacac	agccttacct	71400
gtgagggcct	cacctgccac	ctgcgacttt	tgagttgtcc	cagcctccct	ctgcctctc	71460
caaactgggt	gtgaccttcc	ctctctgcct	ttgcacctgg	ccacatccca	tggctctcca	71520
ctggagtcct	gtctcctgta	cacctgggtc	atctgaaggc	agtggccagg	cagcacttgg	71580
tgtctgcag	cggttccaga	gcctggcag	gtatggttct	gggaaagccc	tgggtgagtt	71640
ggaccagaaa	ccgtggctcc	cagtgtggtg	ttactgggaa	ccatgcagcc	tgtcccgttg	71700
tcagccagcc	ttgggtgaaa	tgggtaagac	tgcattgatgc	ttttgtaaat	tcaggtaact	71760
tcttaggaag	taaaatgcag	cacaaactgt	agttgatgtt	ttgaccttg	gtctaataat	71820
tcaactggag	aacctgtgct	aggaaaatga	cttcccaaaa	gaaaagaaac	ggttcatggc	71880
accaccgtag	aaaacaagag	gttattggaa	gcaacctaca	gacctgatgg	agaggagggg	71940
agggtcagta	acctgactct	gtctccttga	tggatctagg	agccaccaaa	atggtgagct	72000
gactgcagcg	catcgtggga	agccagagaa	caatccactg	ctgtggactg	aaagtttgtg	72060
tctctcccag	attcatttgc	tgaggctctc	acccccagtc	ccatgggtgt	aggaggtggg	72120
gcctttggag	gtgatgaatc	atgagcgatg	gctttacggt	ggaattagtg	cccctataaa	72180
agaaacctca	gggagctccc	ttgccccttc	caccctgtga	ggacacagcc	agaagacctg	72240
aaacaaaaag	caggccctca	gtagacacgg	agtcctgcaac	actatgatct	tggactctcc	72300
agtctccaga	atcgaaagaa	atacatttct	gatgttttga	agccaccagc	ttggtctatg	72360
gtattaatat	ttttgttata	acagctcgaa	cagactaagg	cattcactct	taagaaggaa	72420
aaggtaatat	caagatgtat	atacactgat	tataatatcc	aaaaaatgtg	gtttttgttg	72480
gtacaatcat	ggaaaacatg	aacttgattt	gttgggggtc	tgggcttcgg	gtacaggtgc	72540
tttgtattat	ttaggtcatg	ggctgtcaaa	cttgagtcct	tggatctttc	tagagcccca	72600
gctagagcag	gcctaggcca	aggggtgtga	tgggtgggact	tggctctgtg	ctcgctcctc	72660
tccatgcct	cccaccccga	gcgcttttag	ttgctgttga	accacctcac	ccgcatagag	72720
tttgctcatc	ttgctctggc	gctgcttgtg	accggaaggc	aaacagtggc	ttctggggca	72780
tcttccctgt	ctgtgtctgt	gtctctctgt	actcctggcc	tggatttgaa	agtgacaagc	72840
agcagcagat	ctgaagaccc	tcatgccttg	tccctcccat	cctgacaagt	gacaaaagtct	72900
ggctttgtga	catgtgtgtt	tgtttcttct	gtgttaaagg	gcctacaaag	ggagacatgg	72960
aaatcccctt	tgaagaagtc	ctggagaggg	ccaaggccgg	ggaccccaag	gcacagactg	73020
agggtaggac	tgcggtgccg	gcagggactt	cgggacgcgg	cccccgccac	aacaggcctg	73080
gccacgagct	ccacagccca	cagagaagtg	tcggtgcctg	agatcggggg	caggagccag	73140
cgtgggtgcac	cctaccccac	ttgagcccca	tgttggttagg	gtgcccctgt	tactgtgtgc	73200
agttttcctc	ctggcactcc	tctgggggagc	agcgtctcatc	ccccctttgt	ccaactcaca	73260
cctcatcttg	ggcatcacct	cctccaggat	gacctcctgg	cttctctgag	ctgcctgtct	73320
agtgccacc	ctcaacatac	actgtgtatg	ctgcccactc	ttgtctccct	gactggcctt	73380
tcacctggct	gttagctgtg	tgcacggggc	cctcagagcg	gtgaccattc	acttgggcat	73440
cagccaaggg	ctgggctttg	tgccagtgtc	ggggacatga	tgtggccctc	tcttcattgg	73500
tgacagggtta	gtggaagaag	cagaccctaa	aaaccctaat	agacaagaca	cagaaatata	73560

gtgatttttga	attctcgttga	ggggagaagc	cagcagaacg	ctgagacggg	aggtggcagg	73620
gggtcctgtg	tcctcctgtg	aggcaagtcc	tcaccacctc	actctgtccc	cttgcacagg	73680
gctcaagcaa	gtgaccacag	ttatcctgag	cagtttcctg	ccccctcttc	tccctaaaga	73740
ggagaaaagc	ttccacgcga	aaccataaat	taagaatttc	tggctgggag	cgggtggctca	73800
cgctgtaaat	cccagcactt	tgggaggctg	aggcgggtgg	atcacctgag	gtcaggagtt	73860
cgtgaccagc	ctggccaaca	tgatgaaacc	gtgtctccac	tacaaataga	aaaattagcc	73920
agacatgggtg	gtgcatgcct	gtaatcccag	ctacttggga	ggctgagaca	ggaaaatcac	73980
ttgaacccag	gaagtggagg	ttgcagttag	ccgagatcgc	accaccacgc	tcccaactga	74040
gcaacagagc	aagactctgt	ctcaaaaaaa	aaaaaaaaaa	aatttccttc	ctgacctcac	74100
agccatattg	tacttttaaag	ttcctccccc	atcctttttg	ccaggcattt	ggaggcgggg	74160
ggagcatagt	aagccctttt	atgggctctc	tgtgccctgg	gcctcacttt	ttccatctgt	74220
agaatgagaa	gactggacca	tttcagcagg	gattcttttt	gcaaaggggc	agatagttaa	74280
tattctggac	tctgcgcaat	ctctgccgtg	ttgctcagct	ttgctgtgga	gcacgtaaaa	74340
gcagcatgga	caacatgtaa	atgaatggtt	atgggtgtat	ttcaataaaa	ctttattttg	74400
aaaaacaggc	agtggggccag	tgctaaccct	tggttagctg	gcgtctctcc	agccctggct	74460
ttctatgggtc	ccctgactgt	tttgagaggt	gtaaaggacc	cagtcatggt	tctgatttcc	74520
atgcattgat	ggtgagcctt	ggcaggcagg	agcaactcaa	ggaagagaac	ctgtaccagt	74580
accagtcgga	gcccgtgtct	ccctcgccgt	gtggatgggg	tggccacacc	ttcctcaccg	74640
tgttttgagg	agcagtggtg	cggaggctca	gtagggccta	gcctagtggg	catgcctggt	74700
gtgaccccat	ttctgcccc	tccttcctgg	cctgggtgac	aaagggaagt	gggtgaaagg	74760
aggtgggctg	gcaggggagca	tgggggtggg	gagggtcgga	gaatctggag	ctgactgggt	74820
gtctggcttg	cagggtgggga	agcactacct	gcagttggcc	ggcgacacgg	atgagaact	74880
caacagctgc	accgctgtgg	actggctggt	cctcgccgcg	aagcaggggc	gtcgcgaggc	74940
tgtgaagctg	cttcgccggg	gcttggcgga	cagaagaggt	gggtctgtgt	gaggcttaga	75000
acagcctctg	gagggttgag	cagcttgtaa	tgtctgcttc	taactgaaca	actaaaatct	75060
taccaaacct	aacgctgggtg	atgctgttgg	gaaatttcag	tttctgtttt	gctggtggcc	75120
ttctcattht	agacactggt	tctggactta	acatgggata	tttaacagac	caagccattt	75180
tcattctctt	tggcttgtgt	tggtatctcc	aagtggtaac	tatacatcct	gcttccttgc	75240
tgggttctga	tccaaactga	gacatcgatc	ctgggttcag	ctgagaggca	gtttccctga	75300
ggcaaaagctg	gagactgtaa	tgtggcctgc	agtcagagtg	gcccattgcc	ctgagctgat	75360
gtccgtcgag	tctgggcaga	ccagctgagg	ggctgtgggc	ccacacagac	ctggacaagc	75420
atgttcactt	tgggaggagg	caggctgacc	cttcatagat	aatctctttc	aaacagagag	75480
gcaggggagg	aaagggacgc	agctcaggcc	aggggtgggtg	agttaggacg	ttgtcctgcg	75540
caagggaagt	ggctgtccct	ggtgccgtgg	ggcagtgtgc	ttcctgaagg	ttccacgcct	75600
cagggaaga	tgaagtggtg	tgtcacaag	gtgttttttc	taatgatacc	ttttttttca	75660
gattgtaaga	gtattttatg	cttatcatag	aaaacttgga	ctatgtagaa	aacataaaga	75720
tacaaattac	tcataacott	gaagcccaga	agcaactccc	catatttttg	tgtatttctt	75780
tctgtgtttg	ttgttgttgt	tttgagatgg	agtctcactc	tgtcgcccag	gctagagtgc	75840
aggggtgcga	tctcaagtca	ctgtaaccct	cacctccctg	gttcaagcaa	ttctcctgcc	75900
tcagcctttt	gagtagctga	gattacaggg	gtgcattacc	acacctagct	aatcttttga	75960
tttttagcag	agacaggggt	tcattcaggt	ggccaggctg	gtcacaaact	cctgacctca	76020
ggggatccac	cctccttggc	ctcccaaagt	gatgagagta	caggcgtgag	ccaccatgcc	76080
cagcttgtat	catattttta	gagttacatt	tattatacag	agtcttctct	ttgaaaatta	76140
aactgatgat	tttgaaaaac	taacagtggc	attgttagcc	agaatttctc	accaaccag	76200
cctgctgatt	ccagagcagt	tggaaatgacc	tggagggggc	tcaggcggcc	cacacggctc	76260
attgttgggt	gccaggggata	gccagaggc	tgtctggggc	gagcgtgcaa	gggaggaggc	76320
cgggttggccc	cgtgttcccc	cagctgcaca	caccttctga	tgtgcagttg	tgctttctga	76380
tttgaaaaga	aatacatgct	catgtggaaa	atthttggaa	tgttcaaaaag	gagaaaaaca	76440
tccagacccc	cgtgccagtc	ctcctgccct	ctgcttgggt	gtgccagtgt	cccaggccgt	76500
tgggggtaaa	gggagggaag	cagctgctga	ccagcggtaa	aacctgctct	ccctctcccc	76560
gctgtccaag	ccttccttag	-aaagggtgg	gctgtgtgtg	agacagagga	aagctctgta	76620
gacacagggg	tggccctgcc	agtgcaccca	ggctggtgac	tgcagttagt	ccaccctggg	76680
ttcaagacag	ctctgcctct	ttctgactgt	gtgaccttga	gtgagccaga	acacaggcct	76740
gtgcctccgg	gtctgcacct	ctgagagagg	ggaggaaacag	gaagaggctg	ccttcttccc	76800
gccagcatgt	agggggcact	tgggggcgtc	tgggtgggaga	ccagtctggc	ctcccagctg	76860
gagagtgggc	gtggcgcgat	gtcctcttga	gtcagatgtc	catgcacctt	tccctggtaa	76920
ccaagtctctg	acaccttcta	tgagtctcgc	tcgaaagcct	tccaggcaga	gttggcaggg	76980
tcagagtggc	accgaaagcc	taggcagggc	acacaaggcc	tttgaccaca	tcctatccct	77040
caggcatcac	gtccgagaac	gaacggggag	tgaggcagct	ctcctccgag	accgacctgg	77100
agaggggcgt	cgcgaaggca	gccctgggtca	tgtactggaa	gctcaacccc	aagaagaaga	77160
agcagggtggc	ctggcgggag	ctgctggaga	atgtcggcca	gggtcaacgag	cacgggtgca	77220
ggattcaccc	tgggcaccag	ccttcctctg	gcgccagcct	tcccacagga	gccaggacct	77280
tcccataggg	gctgggacct	tccctcaggg	gctgggtctt	cccacaggag	ccgggacctt	77340

ccctgtgagg	acagggccct	tccttgtggg	gaccagggga	ccagaacctt	cctgtagaga	77400
ccgtgcccta	gtggtgaggt	gtgtgggtgg	cattttgaca	gcattctgcc	tggctcaagt	77460
gctcactcat	tgaataaacc	agaggggtatt	ctgcccagtg	ctctgtgacc	acgtctacca	77520
atgggacgga	ctgtgtccat	caccaagtgg	gagcacgcta	cgtgggtgctg	agtcacacccc	77580
agctactgga	ggtacagagg	tgtggccctt	gctctgcctg	ccctgggggc	cctatgatcc	77640
ccagaacgta	ggatgcccct	ggaactggcg	tgccctagga	acagtgcgcc	agtttctggt	77700
gggctgcagg	gcacgaggag	atagtcaact	tgtctgactg	ttaatccacc	ctgtcccctg	77760
cagatggagg	ggcgagccca	ggccccgtgc	ccaagtccct	gcagaagcag	aggcgcatgc	77820
tggagcgccct	ggtcagcagc	gagtgtgagt	gcagcccctg	ccccgtctca	cccatgcctc	77880
ccagcctgca	cctgcagggc	gacctctcct	tcctgtgcga	ctccatcctg	gcctgcccta	77940
tctcaccctg	gcctcccagc	ctgcgcctgc	agggcgacct	ctccttctctg	tgcgacccca	78000
tcctggccct	gctaggatct	caggcggtcc	gtttggggct	cagtgttctg	gacgctggga	78060
gtagaccctg	cccacctgga	gcgcacgcac	tggaggggaag	gcagaccag	gacagaaacc	78120
atgatgtgcc	agtcctctct	ggacaaggaa	atactggggg	tggggactgg	cggggggggtc	78180
ctgagtgggg	aaggatgagg	agggcattag	gggaaggggc	tccgggcaga	gggaacagca	78240
tgagcaaagg	cccaggagac	ccagcagggt	gtggaagggg	ctctgccccca	gcgtaggccc	78300
tttgtaggta	ggcaggggaa	agagtgggca	gagcctaggt	tgggggatag	agtctctggg	78360
gcacactgag	ctgggggtgc	ctctgggatg	tttgtggtca	aagactgaga	agagacgtca	78420
catcctccac	gtgcagctgg	ccagcctcac	tgtcttccat	ccacgtgggg	tagactctgc	78480
agtctgaggc	actgggagct	cctgtcctgg	agaagataga	caggcaggag	gcttgggggc	78540
tcagtatcaa	tgggggggatg	ggccaagacc	caggtctgcc	acagactctt	cttgtgacat	78600
gggcaggctct	catttttctt	tctgggtgtc	agtttcccct	tctgaacagt	gagatgatca	78660
gacaagggga	ctgaaggacc	tcgccatcc	tagaagcctc	tgtggcatgt	agggcagagt	78720
acaggtggga	gcacagatcc	caccttccca	ctgggcccgt	gaggaaaccg	tccatagggt	78780
gtggtcagag	ccctcgctc	tgcgtggcg	gacatgggtg	cttgcgctgc	tgttttctctg	78840
ctccatttgg	gggagacaaa	gaaacacctc	acatggaagt	gggaagaaat	ctgtgactct	78900
aggaagcccg	aggaccagag	aggctgtgac	agtgtcctgc	caccgagggtg	gcatgggtgcc	78960
tgctgtcctg	aagtgaggtg	cctctgggca	ggagcagccc	agcctgggtc	tccatcctgg	79020
ggggcactgc	aggcagagtc	tggaccccaa	cctcacttcc	cagtcccaca	ggggtttgtg	79080
atgagccggg	cacacctgct	gctgggcccct	gtcgtgtgtg	ctgggggcga	gttaggagtc	79140
agcgtgcca	gcctgtggtc	ccctccgcca	ggccctcagg	gacagggccc	cagcaccccc	79200
attgtttccc	ctctatcaga	acgttcccat	caggcctcat	ctgtttctct	gccagctttt	79260
ccaacagaac	tcccagaaag	gggctctgt	catccccctc	tctcgtcctc	cgctcctttg	79320
tctcaggcct	ctgccatggt	attccacca	agcggctcgt	ctaggccatc	agtgaacccc	79380
cttgcctcagt	cacttcttgt	ccttgtctga	cttgatctgt	cagcagcgtg	ggcagagatg	79440
actgctcttc	tccttagagc	cctctcccc	accaggccc	ggggccttgc	tggcacactg	79500
gctgctcctt	cttgggggtcc	ctagactgat	gtcctgtctc	tcaggacagg	acatcctgcc	79560
caaggtattc	atccctatga	ggacaggggc	cttccctgtg	gggaccagg	tcttcccgtg	79620
gggactgtgc	tctggtaggg	agatgtgtgg	gtggcattgg	tgaccactct	cgtgtgtcag	79680
acgccgtcct	gaacccgcaa	gccccagcc	cgccagggct	gcattccagc	cgtgctcctt	79740
ccacatctcc	tgtacctggc	tgtcccattg	tcacctcaca	gctcagtcta	cagtgaagcta	79800
ctgaggcctg	tgtacctg	cacttgtgtg	ggccccccca	aggctgcctc	atctctttgc	79860
tgcagctaca	cctgggtgct	gccccgactc	ctctcctctt	gcacacacag	ctgatccatt	79920
aggaggtctg	tcagcgccca	ctatcacggc	tgccatcttg	gatgcagcct	gcctcctccc	79980
taggggtttct	gcagcacctt	ggcttgtctc	cctctgccct	gccccagcat	ggctcctttct	80040
ttcccatcct	tcccctggag	gcccctcctg	tcaccatctc	accacggcaa	ctggggctcct	80100
tcaggggcct	cattcccctcc	taggggatca	tgttgatag	aggggtcagt	gggcacgtag	80160
ctctcgcgga	tcacgttgga	tggagggatc	agtgggcacg	tagcaggctc	ttggtggaag	80220
atgttgatg	gaggggtaag	tcggcccatg	gcaggacgca	tgttgaatgg	acgggttagc	80280
aggcatgtag	tagggccatg	gcagacactt	ggtgtcagca	ggcacatagt	ggcacatagt	80340
agggtgtggtg	cagatcatgt	tggatggagc	ggtttagcag	gtgcacagta	ggccctgggt	80400
ggatcacgtt	gaatggagg	gttggggcg	cagatcatgt	tcgatggagc	ggttggcagg	80460
gtactgccct	acagggcggc	ttgtcaccgc	tgtgtgaga	agccccacgc	tggctgaaga	80520
ggaggggtgtc	agcatgcact	ggaggtgcat	gttgtaaggc	ttggcagggtg	aactgggtga	80580
aagggtgtggg	tgagtggccc	caggcataag	gagctaggca	gagagggaca	cttgggggtg	80640
gggacagcac	acccaggggc	cggggggccag	gagtggaggc	tggcacttgg	caaacctgcc	80700
cccttctctc	tcaccagacc	tggctcctca	ccctcaggcc	gcccaggga	gggtttctct	80760
cacctgaacc	cactcagctc	ctttcttagc	ttggccccac	gccaccgtcc	ccagccctt	80820
gctctgtgtg	agggtggcag	tggggctgca	gtgtggggcg	cccatgctgt	tttctctcat	80880
gcttcagcca	tgaactacat	cgcgctggat	gactttgtgg	agatcactaa	gaagtacgcc	80940
aagggcgcca	tccccagcag	cctgttctctg	caggacgacg	aagatgatga	cgagctggcg	81000
gggaagagcc	ctgaggacct	gccactgcgt	ctgaagggtga	gtgaccaaga	ccccgggtcag	81060
gccggagcct	gcctcccaag	gactcgcgca	cctcaggcag	ggcaccttcc	aggaagctgc	81120

aggtggggag	gttcgcgcct	aacaaagagt	gtcttacagc	cgtgcccgtg	gtacctttgg	81180
gtcatcatct	atcgtcataa	ggatgtgtcc	tcgggagaga	ggcctttctt	ttctgcgccg	81240
tcaggctcag	aaaccagggg	cgggtgtggg	caggagtgtc	aggatggcaa	gcaaggggcc	81300
cctgggtctt	tctgtgcagt	gtagggggca	gtggggcggg	ctggacgcag	actttcatct	81360
agacttcata	acttagcaga	tttctccatg	tatgggtccag	agtggaggcc	agtgccttga	81420
agatgccttc	cccgaataca	aagtgcctgt	tccgtcaggc	cagggaggac	gtgcagaggc	81480
gcctactgcc	cctggatctg	caagggctca	gggagcgagg	ccagtgtggg	agcgtggtgg	81540
gtgacacttg	tgcaggggtg	cattggggcac	acctggagga	catgagcagc	tttggcgcca	81600
ggaggaagc	ggggagcggg	gagcgggaag	cccagcagtg	cgggccctac	tccctggcctg	81660
acagcttggt	ttcttggcca	tgtggcccta	tggcctctca	cagagtgtgt	cacagttcag	81720
ctcgcctggt	tgaattagat	gtgtgcctgt	ctcactctgc	agagaacacc	aggatttcca	81780
gaagcttgcc	ctcctgaccc	aggatcccca	agctgaggcc	agcacagggg	gccccagcag	81840
atgattgtca	cagaggctgc	gggcagtatc	atgcaggcac	cctgggggtc	tgtcttctga	81900
actgactgag	aacctggagg	aactgccatc	attgtattca	gatgggcgcg	tgagtcaagg	81960
ccaggaccag	gagatgggtg	ggccaccaac	tgtcaggcag	gcagcaggct	gaaaggctac	82020
cgtcctcgag	ccagggagaa	ggtcagagta	ggcccgcctt	ccgggtgggg	ggaagagcag	82080
gaacccaggt	gctgcaggag	cagcttcagc	ccaaagagca	gcaggcacag	cagccctgct	82140
gcagggactc	ggagccagac	aggctctgag	gtgagccccc	cgagtggcca	gagctgcgag	82200
tccttttaggg	tggcaggtgg	aaggctctgc	tcctccact	tgggacaggc	tgtatgtcca	82260
gggtatgaca	ccgaccggtc	tgcagaggtt	ctgagacatg	ggccaggatg	gccaaagaact	82320
tgaaccaagg	gagcacatgg	tttttactga	tggctctgtc	agagctggcc	ctaggcaagc	82380
atattcacag	attgggtgcc	atcatctcct	tactaatggg	agatgaggaa	gctgggggtg	82440
tggcatggtt	ttggcaaaga	cactcccgaa	atgagagtga	gggtcacagg	tgaacgggtt	82500
aacttgagag	agacccttgg	gccaggcgcc	catggcccag	gtgtcccagt	ttatgccatc	82560
tgggtgaagt	actattataa	taatgcctcc	ttgcataatg	gtcctgttgc	gaaaattatg	82620
tcacctagtt	atggatgggtg	agtctagtgt	tgtgtagcat	ctgaaaatcc	tattttattta	82680
tgttacttaa	tgacagggtc	tcgttctgtt	gcacaggctg	gagtgcagtg	gcacgggtcac	82740
agctcactgc	agcctcaacg	tgccaaactc	aagtgatcct	cccacctcag	cctcccaaat	82800
agctggacta	caggcatgtg	ccaccacacc	cagctgattt	ttttgaaaac	attttgtagc	82860
gatgggggtc	tcactattgt	tatctacgct	ggctctcaaac	tcctgggtca	agcagcgctc	82920
ccactttggc	ctccacact	gctgggattc	aggcgtgaga	cactgtatcc	agcctgaaag	82980
tccttttttag	aagggagaga	tttaagctgt	tttgacaaga	agtaaacaag	actctgtttc	83040
ccttttagttt	tggatgctgt	cagagcactt	cgattccctt	gcagtttgtc	ttcttagaag	83100
tctcttgtga	gggaggcaat	gaatcgtcac	aagcgtctcc	cagggctgag	agctgtccca	83160
ccttttagta	gccttttgta	gaacaaggag	aggctctcac	tcaaagtga	aatgacagac	83220
acctctttgt	gagccaccct	tactcccaca	aagaatgttc	cagactccac	acagttctct	83280
tctggagcct	ggaggtgcaa	gctgtcatcg	tagatagaat	cctctgaaaa	caaacttaat	83340
atcttaaaat	cgtaacattt	ttaacattac	ataattggaa	gatccgacac	gggaacattt	83400
ttgccacag	gtttgagcag	aatctcgtct	cggctccctt	ccccagcctg	ccttcttcac	83460
gggtccgctg	ggccatcggt	gtggtgacgc	tgcttccctg	tttctcgtgg	cagcagaagg	83520
gccgatcacc	acaggcccag	acagagagct	ctgcagtgtt	ctattcatag	aggcagactc	83580
ctcatagttt	ttaagtttgc	ttctttttcc	atctcaggag	ttgaatttgt	ttggaccttc	83640
tttgagaaaa	aggagactga	actttttaat	cccatgtcag	aggaaaggct	tgggtgtaca	83700
ttgcagggag	cagaaattgg	ggctttaaaa	aggggatcgt	tccttgggtc	tcgagttcag	83760
gtgggggacc	agcccctcca	cactgtccaa	gcagaggcta	gacgccatcc	aacgtaatgt	83820
tctagaatat	tccttgtctt	ttaaaggccc	tctcaaccag	gtggttgtgt	gtgttctagg	83880
caaaagaatg	tgcattggctt	tgagtaagac	aggatttcag	atttattttt	accaaggcca	83940
cccccttgct	accgtggcgg	tcgtgcgtga	aactggtggt	gagcagtggc	gggcaaggcc	84000
accttttagtt	gtcctgctgt	tcgcaaggcc	cccatacggg	gattaaactga	gcagcctgcc	84060
ggctgacgca	catgttgact	cgtgtagctg	ttgattttag	ccagctggcc	tggcgtcata	84120
ctacaggggg	ttgccccaaa	caaaccctgg	agtaggttgg	ttttcataaa	tgccctctgg	84180
ctctctggca	agcgttggaa	atgccctcaa	accctgtagt	gcctgggtctt	ccctggccat	84240
ctcctggcag	tgtgagcgcc	tctctgctca	tgtagaagg	tgttgacccc	agagagagct	84300
aggggagctg	ttagctgctt	taatcgttta	tttgcttgtt	ataaaacaga	gattaagtgg	84360
actgtcacaa	atatacatga	agcagcagag	ctgttcccc	acgtgtagac	gtgcatgcac	84420
acactcctaa	acacttcctg	ttcttccatg	agcctgtcct	tctcatctgt	ggaaggctca	84480
gtctgtgtag	acatgcatgc	acacactcat	aacacttcct	tttctccat	gagcctgccc	84540
ctctcctctc	atctgtggaa	gactcagtct	tctggttgtt	tccaggtgtc	ctggctctcc	84600
agagctgata	ggcaggctgt	tggcagggtg	gggccacatt	ctggtgttgt	cacctagtgt	84660
ccattcacct	gggatccctc	cttggccttc	tgggtggcct	gggtggagaga	acctgcccc	84720
ggggatttgt	ggggctctgt	gcttccccga	ggcccgagc	tgatgggggg	ctccagcctg	84780
gatgtgtcat	gtagccctc	agtgggccct	ggacatgcag	ccaggcttcc	ctacccccat	84840
gtggggccgc	cccctaggcg	tccacttctt	ggtgttgggt	caggccctg	gcacttctga	84900

agatgcacag	aacctgcttt	gtatgccacg	ccatgctgtg	tgagcactgg	caccatggcc	84960
actttgtccc	ccatcccctc	cagtcacctc	gcctggctgc	cctgtgttct	ggcagggctc	85020
agggcctctg	agttctgcac	agaccaggaa	ggcatgaggg	ctggccctgg	gtggcagcgc	85080
tgcttcaccc	catcctgagg	ctgctcccag	catgcctccc	tcagccctct	gctcctcttg	85140
gctgtggtga	aggccaagag	ctctttctga	ccttagcgct	gcatgcagag	caggggagca	85200
ggacccacag	gtcgggggaa	ggcagccttt	ggccttgact	atggggaggt	aggggtgcgc	85260
tggtgtgtat	gtgtagggtc	acacgtgtag	gggtgggtgt	gcatgtgtga	gggtgcacgt	85320
gtgggggtgg	gtgtgcacgt	gtgtgtaggg	gtgggttgcg	tgtgtgtgaa	tgtgtatagg	85380
ggtgggttgt	gtgaatgtgt	gtgtaggggt	gggttgctgt	tgtgtgaatg	tgtgtgtagg	85440
ggtgggtttg	aatgcaggta	ggttgctgtg	gtgtgtaggg	gtgggttgcg	tgtgtgtgaa	85500
tgtgtgtgta	gggttggtgt	gtttgcgggt	aggttgctgt	tgtgtgaatg	tgtgtgtagg	85560
ggtgggttgt	gtgaatgcgg	gtaggttgcg	tgtgtgtgtg	taggggtggg	ttgcgtgtgt	85620
gtgaatgtgt	gtgtaggggt	gggttgtttg	aatgcgggta	ggttgctgtg	gtgtgaatgt	85680
gtataggggt	gggttgtgtg	aatgcgtgtg	tgtaggggtg	ggctgcatgt	gtgtgtgtag	85740
gggtgggttg	tgtgtgtgtg	tatgggggtg	gtttgtgtga	atgcgtgtgt	gtaggggttg	85800
gttgctgtgt	tgtgtgtgca	cgtgtgtgta	cgggcagaag	gtggcctggc	agctccttct	85860
cagggtctcc	ggccataggg	agggcagctc	accgggcagc	cccgtgcagc	tgaacgggat	85920
ttttgctggg	agagtgggtc	tgggcccctc	gcctgtgtct	gcactgaact	ccctttccct	85980
aatgcttgct	ctgccacccc	tccggggact	gcctgcggct	tctcctcctc	gtaaggatcg	86040
ccatttccct	tcattggaggc	tcagggaggt	gacatccttg	ctgtagtga	gagctgggtc	86100
acaaaaccag	ctcccagaca	ggcatctcag	ggctccgtca	tctcttcatg	tgggtgaccc	86160
tgaggggagg	gaagtgggga	gcccgtgggt	ccctccagtg	ctggaggtct	tgcagggaga	86220
gaagcacaca	tgcattctagt	cacgctggta	gaaggtgggg	agccaggcac	ggggcagagg	86280
ggggctccag	gcccagaaga	gggagggctc	acagggaccg	cgagcatggg	gagggccacc	86340
tggagaaggg	gggagggagg	accactagga	tggggctggt	gatgggaaaa	cgcaagggtg	86400
cgggttccct	ttgccccagag	gcaggggtgt	gcaggggagg	cgtgagatgg	gcagcagttg	86460
ggctcctgtc	cagcctcggt	cccacgtacc	atctttcccc	caggtgggtca	agtacccccct	86520
gcacgccatc	atggagatca	aggagtacct	gattgacatg	gcctccaggg	caggcatgca	86580
ctggctgtcc	accatcatcc	ccacgcacca	catcaacgcg	ctcatcttct	tcttcatcgt	86640
cagcaacctc	accatcgact	tcttcgcctt	cttcatcccc	ctggctcatct	tctacctgtc	86700
cttcatctcc	atggtgatct	gcacctcaa	ggtgttccag	gacagcaagg	cctgggagaa	86760
cttccgcacc	ctcacgcacc	tgtgtgtgcg	cttcgagccc	aacctggatg	tggagcaggc	86820
cgaggtcaac	ttcggctgga	accacctgga	gcccattgcc	catttctctg	tctctgtctt	86880
cttcgtcatc	ttctccttcc	ccatcgccag	caaggactgc	atccccgtct	cggagctggc	86940
tgtcatcacc	ggcttcttta	ccgtgaccag	ctacctgagc	ctgagcacc	atgcagagcc	87000
ctacacgcgc	agggccctgg	ccaccgaggt	caccgcgggc	ctgctatcgc	tgtgcccctc	87060
catgcccttg	aattggccct	acctgaaggt	ccttgcccag	accttcatca	ccgtgcctgt	87120
cggccacctg	gtcgtcctca	acgtcagcgt	cccgctgctg	ctctatgtct	acctgtctta	87180
tctcttcttc	cgcattggcac	agctgaggaa	tttcaagggc	acctactgct	accttgtgcc	87240
ctacctgggtg	tgttctcatgt	ggtgtgagct	ctccgtgggtc	atcctgctgg	agtccaccgg	87300
cctggggctg	ctccgcgcct	ccatcggcta	cttctcttcc	ctctttgccc	tccccatcct	87360
ggtggccggc	ctggccctgg	tgggcgtgct	gcagttcgcc	cgggtggttca	cgtctctgga	87420
gctcaccaag	atcgcagtca	ccgtggcggt	ctgtagtgtg	cccctgctgt	tgcgctgggtg	87480
gaccaaggcc	agcttctctg	tgggtgggat	ggtgaagtcc	ctgacgcgga	gctccatggt	87540
caagctcatc	ctggtgtggc	tcacggccat	cgtgtgttcc	tgtgtgtacc	atgtgtaccg	87600
ctcagagggc	atgaaggtct	acaactccac	actgacctgg	cagcagtatg	gtgcgtgtgtg	87660
cgggccacgc	gcctggaagg	agaccaacat	ggcgcgcacc	cagatcctct	gcagccacct	87720
ggagggccac	agggtcacgt	ggaccggccg	cttcaagtac	gtccgcgtga	ctgacatcga	87780
caacagcgcc	gagtcctgcca	tcaacatgct	cccgttcttc	atcggcgact	ggatgcgctg	87840
cctctacggc	gaggcctacc	ctgcctgcag	ccctggcaac	acctccacgg	ccgaggagga	87900
gctctgtcgc	cttaagctgc	tggccaagca	cccctgccac	atcaagaagt	tcgaccgcta	87960
caagtttgag	attaccgtgg	gcatgccatt	cagcagcggc	gctgacggct	cgcgcagccg	88020
cgaggaggac	gacgtcacca	aggacatcgt	gctgcggggc	agcagcgagt	tcaagagcgt	88080
gctgctcagc	ctgcgcagg	gcagcctcat	cgagttcagc	accatcctgg	agggccgcct	88140
gggcagcaag	tggcctgtct	tcgagctcaa	ggccatcagc	tgcctcaact	gcattggcca	88200
gctctcaccc	accaggcggc	acgtgaagat	cgagcacgac	tggcgcagca	ccgtgcatgg	88260
cgcctgtgaag	ttcgccttcg	acttcttttt	cttcccattc	ctgtcggcgg	cctgaggatg	88320
gtccgccacg	aggagcttcc	agtgcattgt	gccatgaggc	ctttccccag	tgtggcccca	88380
gcccagacag	catgcaccag	tgcgcctgtg	gcccacgtgt	gcagactgtg	gctgcagaga	88440
ccttgcgacc	atgtgtagat	tgcgtggacc	ccgacaaagg	gaaggctgct	gtgtagctct	88500
gtccactctg	aataccaagt	gtgttgggaa	ttgcatgcca	tctccaccct	gagcctgacc	88560
tttctgagtg	acatgggtgt	gccaggctag	actaggaggt	tccggtgtct	ggaaaagcac	88620
tttacagatg	agattccctc	tcttccccca	ccttcaagca	ccctgttccc	tctttcttct	88680

ttttgtgttg	gatttgttta	aaaaccaa	aagcatctgt	gtaacctcca	cagtagcatt	88740
tcttatttgt	ttggctactg	ctacacctta	gcagctcttc	ccctttcctg	ggggatgtgc	88800
acggcagctt	gagcctgtca	cgtggccaag	gccccgcccc	atcagaggct	gggggaggcg	88860
gcacatttgg	agtgtgtcac	actgagctgg	gcaccacagg	ctgcctcatg	accctctgt	88920
ccagcaggta	gtgggtgaat	gtgtgaagg	cttgccctgaa	tccatcagga	cttgggaaac	88980
agagaacctt	gtggggggcg	ctgtggggga	ggctccctgcc	agtgtttaga	agagcctgac	89040
tgtgttcagt	gccttgagc	agaaagccag	ggctcctgagt	ggctgaaata	aaagcctctg	89100
gtggaacctg	cagcgttttc	cttcctttct	ttaccgaaaa	gaagtctttc	ttgtacgtgc	89160
gtgagaatca	gcagagcctg	cactcctgtt	gaatgaaatg	caagtgcaat	ttgagttata	89220
aaagagcaag	gttgatgttt	cacagtgtgat	ggcttcctgc	cacagcgaga	ccctggcttc	89280
atctccagct	ggagggggccc	ctggggcatc	tggcgttaact	gtggggtggc	ctgggcatgg	89340
gctgcctgtg	cagagagacc	tgtgctgaag	gtgacctagg	agtgtcagcc	cagccatctt	89400
cagatcttac	tgagcggaaa	gtgcacggtc	ataattatct	ttgaattcca	gttacctatg	89460
aagtggagcc	tacagggtga	ttgatggcgt	gggggctgct	gtccatgcgg	gagtgtgttg	89520
tgaaccacc	tcctgtgttc	cctaacctgc	agtgtatgacc	ccatgggatt	ataatcagaa	89580
cttagtcatt	tgggggcacc	cgagcagctg	caggccccctc	agcaaacctc	accctctctg	89640
ggcagcctgt	ctgtcccagc	cccttgggtc	tttgggtgtc	tccctgaggt	tgaggacgtg	89700
gcctgtacct	gctcctgtcc	cccgtaggtc	gggctgctct	ctgctgggca	ccaggcctca	89760
cctctttgct	gtgggtggga	agcgtcagat	ggctcacacga	tctggcttgg	ccacctggtg	89820
ttgccatgca	ggatgtggtt	gctccatttt	ccttggacga	cactgggtgg	tggcagctac	89880
acccgacact	gtcctctcat	cctggtttgt	cctgcctgga	ggggctgctg	gaaaccacac	89940
gagagcctca	ggtggtgtca	tcactccgag	ccacgggtgg	tggaaagctgc	acccccacac	90000
tgtcctctgc	gtgaaaccac	acgagaggct	caggagggtgt	catcactccg	agccacatgc	90060
tcgcccctgg	gtttctttcc	caggcaatga	gatgaggttg	gggttcagcc	tcatttctct	90120
tccccatttt	gtggatttgt	gaagccatgg	aaggccctcg	ccctgtgact	ctgccccag	90180
gatccccact	gactgcagag	gagggaaatc	gcctgatgct	ttccaagtga	acaaagatga	90240
caacacagca	tctccctcac	aacccttgg	tgaggaagat	gctccaacat	cccccatcta	90300
cagaagacgg	caccgaggtt	cagagtggag	gccatagcac	attagcacgt	tatcacatgg	90360
cacatagcag	agcaggaagg	acagagctct	gcctgtcccc	ttcccctggg	ccaccacact	90420
gccactcagc	atccacaatt	agtttctaac	caaccggcag	aggcacaggt	tggaggagaa	90480
gtggtgctgt	cttttgggca	gagtccagaa	tgggcatggt	cccgggttcc	actcattctg	90540
ccacaaaccc	ctgtgccacc	cggcaccatt	taacacctgt	ccccaggcct	cagtgtccca	90600
atctgtaaaa	ctgaaagcct	gggctaagtt	agtgtgtttc	aaaacttctt	agcaacaccg	90660
tttttgtttg	tttgtttgtt	tgaaataggg	tctcactttg	tcaccagggc	tggagtctag	90720
tgttatctcg	gctcactgca	gcctccacat	ttgttctggg	ttttacagag	aggctccccg	90780
ggccccgcgg	accaccccac	ccaggaaaga	acctgccgtc	tgcaggaaca	gccattattt	90840
aacaccccg	cccggccacc	tgtcttggtc	tgccccttca	ccgtatggag	ctgtaggaca	90900
cccagggagg	gaccgggggc	agggctctac	tttgcttcta	cgaagtagta	gcatttgaga	90960
gaatgagtca	ggaaagaccg	aattgggtgg	tgccatctca	agtgccaa	gaggggttgg	91020
cgccagagtt	tccaagccct	ctggaagccc	agctccctag	gggcattctt	tcagggggcc	91080
ttcactgtcc	attcttgggt	agcgaagcca	tcagaaagac	ctctctgcct	cctttggaca	91140
tgtgtgttaa	gaccagtcat	tcaaagctca	atcattcaag	tgtctctctc	cttttttttg	91200
atcttacatc	atgcaagtac	actcccaagt	gaggtgacaa	aaacgcacat	ttctgcagat	91260
gcccataaac	caggacctgt	ctctcaagtc	tggcacctga	ggacagaatc	ctgtaaccac	91320
cccagctccc	aatcagcagg	atgggggtgtc	agggtctatta	aacaaacagc	cactgtggccc	91380
aacacgtctc	atccggcagc	tgggggaaag	cacactttga	cagccaggac	cctatccgat	91440
aaatgggtgt	tcctcttcat	gacaaagaaa	atgaacactc	attcactcaa	aatattcagc	91500
acctgctgtg	tgttctactc	ttcctggcac	aggggatgca	gaatgaacag	agagcccctg	91560
cccactggg	aggggtgttt	gtggggagat	ggaccaggta	ccagtcatgt	aatatagcac	91620
aatggcaggt	agagaaaagt	gctacagtca	tctaccgtga	gcgtgtgat	gctctgccc	91680
gtttcaccac	attaatggag	caccactat	atgctggaca	cataccatgc	attttctcat	91740
cctagcggct	gttgcaaaat	agacacgtcc	attgtgaaga	ctgccccggg	tagaatcgca	91800
gccccaaaag	gtgtccaggt	cctaataccc	aaatcctgtt	tgtgtgttcc	cttgcatggc	91860
aggagggatg	ttgcagatgg	gattcagtta	aagatcttga	taccggggag	atgattctgg	91920
actttcctat	ccagaagggc	ccaaagtaat	ttcaagtgtc	cttgtaagag	ggaggctgga	91980
gggtcagggt	gtgagattgg	aagatgccac	cctgcaagct	tcaagatggg	ggaaggggccc	92040
atgagccaag	gaatgtgggt	gtctctcacg	ctggaaaagg	tgaggagatg	gttctcgcc	92100
gcagcctcca	gagagacaca	gctgacagag	tcagactggg	ccactgacag	ggctctagcg	92160
tcccagattc	ccatgcccc	accctctg	atggctcctg	agccctctc	tgaggtgtct	92220
cctggaaaac	ctttgggctc	ctgctccctg	cctgttatcc	ctgaatgttg	ctgccttttg	92280
cagcttgtct	gtccctctct	gaggctcatg	atgtcatctg	cgtgggcccc	ccgcgtaatt	92340
ctaacagcac	ccaggtaaag	ataaagggtg	tttgttgttt	ttctaaaaag	gacttcgctg	92400
ttgcttgagt	cactcataac	ttgatcaatt	atttggagct	ctaaaagctt	ccagttgtct	92460

aggaaaccac	accttggagg	ctggcaaacc	attgttaaag	ttgttcctaa	agtgtgaac	92520
ttctacagt	actttggaaa	gtagcttggg	gaacaaaaca	aagcaaaaa	aacagaaaag	92580
actcgggttc	ccttttcttt	ccgtccagaa	gtgatcaaat	cagctaaact	cactgtttca	92640
agctttcctc	taactagatg	tgtttttttc	tgccgttagc	cagaaaaggcc	ctttccttcc	92700
tatttttagtc	acagaataac	ctgtctcttt	aggacagtgg	ggtcctgtgc	tgaatcccac	92760
cccaaagat	gggaagaact	cgggtgctgc	gttttgggaa	gccccggctg	agatgagtgt	92820
ataactgggg	ctgagagccg	agagcctggc	ccagcaagcc	aggcagtga	gtgaccgggt	92880
atcccgtcc	ccatttctgc	tggagctgga	agagcccaa	ggacaccagc	cccatcagag	92940
ggagctgggc	ccagagctgg	gtggggcagc	cgactactcc	ctgcagaaca	cctaccgcct	93000
gcctgacact	ggtggctgct	ttgtggacat	gcttttgaaa	acctcgtgag	ggtgatgtta	93060
ttgtccccac	tttatccagg	ggtacctggg	cacggagcag	ggcggtaact	caocttggat	93120
gtctgtggca	gcctccaaga	tgggtcccagc	aatccccacc	accttcctgc	tgctccttcc	93180
atgtagcagg	ataggtctgt	gcgaccagta	gaatatggca	gatgtgacga	gatgtcactt	93240
ctgaggtttg	cttacaaaag	gctgtggctt	tcagtttggc	tgctctctct	cggatccatc	93300
actctgggtg	aggaagccat	gccgcgagca	gccccgtggg	gaagcctgca	cctcaaggac	93360
ctggagcctc	aagccaactg	ccacatggtg	cacttggaaa	cagggatggc	tgccacggcc	93420
cacactcgcc	tgccggtccg	gggagacacc	cagccagaac	ctcctggtga	atccactcct	93480
ggattcccta	ccccacaga	gtataagatg	acgaatgtgg	ctttaggctg	ttaaattcgg	93540
gataaccgat	acagtgccaa	cactggtaag	tgacgaggtc	gcaatgaatc	ccaggtatcc	93600
tgtggctgca	tctccacctg	catgggccaat	cctgtacctg	gcaggcccca	tccttagcct	93660
ctttaaaagt	ccaggaacct	tggaaatgtt	ttctgacatc	tcctaggctg	ctggatttac	93720
caggaaaagg	gacggaccca	caccttttcc	ctgtttgaat	ccattgcatt	tcttccaggt	93780
gtttcaatcc	cttctgactc	gatttgcttt	aatgaagctt	gaggcaagtg	caattttctg	93840
cccatggggc	tgtaacactg	ttcaaagtca	tcctggagct	aagctaagtg	gaaaaaacca	93900
tatggcattg	tcgccttctc	agcctgacct	ggcatgcact	ctcacctca	tctgtcatgc	93960
ctcctgcttt	tccacctggg	gggctgagaa	gtccggccat	cgaacacctg	gttcctgcca	94020
gccacgggag	tttggaaagt	ttatcagatt	cctgaagcct	cgtttctca	tgggaacagt	94080
gcaggtgaaa	gcaccttctc	ctcggaaccg	gggggaagat	gagaggaaat	taaatagatg	94140
tatggccctg	cagcaggact	ggcgctctcc	attgtctctg	aaattggcag	gttcttggtc	94200
tcacttaact	caagaatgaa	accacggacc	ctcgcggtga	ctgttacagt	tcttaaaggc	94260
ggcgtgtctg	gagtttgttc	cttctgatat	tcagatgtgt	tccgcgtttt	cctccttctg	94320
gtgggttcct	cctctcgctg	gttcaggagt	gaagctgcag	accttcacgg	cgagtgtcac	94380
agctcataaa	cgcagtacag	acccaaagag	tgagcagcaa	ttagatctat	cacaaagaac	94440
aaaagaacaa	agcctccaca	ccacagaaga	caacccgagg	gtgtcaacat	tactggctcc	94500
agcagcctgc	ttttattccc	ttatctggcc	ccaccacat	cttgcctgatt	ggtccatttt	94560
gcagagagct	gattgggtctg	ttttacagag	agctgattgg	tccgttttgc	aggggtgctga	94620
ttgggtgcgt	tacaatccct	gagctagaca	caaaagttct	ccaagtcccc	actagattag	94680
ctagacacag	agcactgatt	ggtgccttta	caaaccttga	gccagacaca	gagtgtctgat	94740
tgggtgattt	acagtccctt	agctagacac	aaaggttctc	caaattcccca	ctagactcag	94800
gagcccagct	ggcttcacct	agtggatccc	ccaaccgggc	tgcaggtgga	gctgcccgcc	94860
agtcccgccg	cctgcgccct	cactcctcag	cccttggggc	gtcgatggga	cccggcgctg	94920
cgccggagcag	ggggcgccgc	ttgtcgggga	ggctggggcg	cgcaggagcc	cacggccagg	94980
gggaggctcg	ggcatgggtg	gctgcaggtc	cccagccctg	ccctacgggg	aggcagctga	95040
cgcccgccga	gaattcgagc	gcagtgcctg	cactgctggg	ggaccggggc	aaccctccac	95100
agctgctggc	ccgggtgcta	agccccctac	cgcccgtggc	ggggcgccgc	gaccggcttt	95160
tccgagagcg	aggccagctg	agcccccgcc	caccgggaac	tctcgctggc	ccgcaagcgc	95220
agcgcgcagc	cccgttcccc	cccgcgcctc	tccctgcaca	cctccccaca	agccgaggga	95280
tccggctccg	gcctcggcca	gcccagaggg	atccggctcc	ggcctcggcc	agccagaga	95340
gggggtctccc	acggtgcagc	ggcgggctga	agggcccttg	aagcgcggcc	agaggggcg	95400
ccgagagcga	gcggggctgc	cagtacgctg	tcacctctca	ccatcactgc	ccttgccttg	95460
tctacggctg	ctcagaccca	aggggcaagt	ttctccaggt	atttccaaac	cagggagggc	95520
tttgtgttta	gtttaagtca	aggaggctgt	ccccttttctg	aggctgtttg	gatttctttc	95580
agcaaaaact	agcagaagtt	attacgcagg	aactttttgt	agcatataaa	gaatgaatcc	95640
cgataggtac	tgtgatgggt	accgttaggt	gtcaacttga	ttggattgag	agatgcctag	95700
aaagctagt	aagcattgtt	tctgggtgtg	tctgtggggg	tgttgccaga	ggagactgaa	95760
atttgagtca	gtggactggg	agaggaagac	ctctcctcca	tgtgggtggg	caccatccaa	95820
tccgctgcca	gcgcgcctcc	aactaagcag	gcagaagaag	gtgggagaag	ctggcttgct	95880
gagtcttcca	ccttcactct	cctcacatgc	tggatgcttc	cttccactcc	tcctgcccct	95940
ggacatcaga	ctacaggttc	ttcggccttt	ggactctggg	acttacacca	gtggtttgct	96000
gaaatctgtg	ctttctgcca	cagattgaag	gctgcactct	tggttccct	acttttgagg	96060
cttttggaact	cgggctgagc	cactactggc	ttccttcttc	cctagcttgc	agacagccta	96120
tcaggaaact	ttgctttgtg	atcatgtgag	tcaattctcc	ctgataaacc	ccctttcata	96180
gacacataga	tcctataact	tctgtcactc	cggagaacc	taatatagtt	accaatagaa	96240

accttacaac	tttccctaga	ttctgcaggg	tgggtggagt	tcaccaccct	ttgctttgag	96300
gtatcagtg	aggaagaaca	gaggcactgg	ggtcaggaca	gaatggggcc	agaccccgag	96360
tccagaacct	atgaccgcat	agggttgaga	gacctgcgtt	ccagcctggc	ctctgecttt	96420
actgtgtggc	cctgggcagg	ttccctaacc	tctgaagctc	aagttcctta	cctctagaac	96480
aggagcaata	ataggacctg	cctcatgggt	ttatgtagaa	tacgatagag	tgcaaagtgt	96540
gcgacacaag	gcccagcaca	cagtaggtgt	caatcagtg	tcacacttgt	cactatccta	96600
taggatgggc	cttgggcaca	cctcctaact	tttccagcct	cagttggctc	ctctgtgaga	96660
tcaggattat	aaagatctgc	ttttcagggg	ggctatgatt	tggtgagaaa	tgaagtatct	96720
atcacacccat	catttacaca	atcattcatt	catggagcca	ttcattcctt	caatcattta	96780
ttcaatcatt	catgaattta	tggatttagt	ccatcatcca	ttcattctcc	agttctcaag	96840
gctcctgtgc	tgggcatggt	caagacacgc	tcccttccaa	tgggcagata	ggtaagcggg	96900
ggcctgagga	agtgcaggga	ctgtcatcag	caaacctcgc	tccagagtgg	agacagagca	96960
gagcatgttc	caccagggaa	ccccttggtt	tggaggcatc	tccatctcct	gccagcccag	97020
ctcaggttct	gccagtccct	gaacccttct	cacactctcc	acccaccca	tcaggagtca	97080
tatggcaggg	ctgtcgaggc	gtgtgaacca	gagcaactcc	atcttgaata	ggagatgggt	97140
aaaatgaggg	tgaacacctac	tgggtctgcat	tcccagacag	ttaaggcatc	taagttacag	97200
gggtgagatag	gaggttgaca	caaaatacaa	gccatacaga	ccttgctgat	aaaacagttt	97260
gcagtaaaga	agccggccaa	aatccaccaa	aaccaagatg	gccatgagag	tgacctctgg	97320
tcgtctttgc	tgccacactc	ccaccaccgc	catgacagtt	tacaaatgcc	atggcaatgt	97380
caggaagtta	ccctatatgg	tctagaaagg	ggaggcatga	ataatccgcc	ccttgtttag	97440
catatcatca	gaaataacca	taaaaatggg	caaccagcag	ccctcgggct	gctctgtcca	97500
tggagtggcc	attcttgtat	tcttttactt	tcctaataaa	cttgctttca	ctttctcca	97560
tggacttgcc	ctgaattctt	tcttcacaga	gtatccaagag	ccctctcttg	gggtctggat	97620
tgggaccctt	ttccggcaac	atctttgctt	cctttctctt	taaattaaat	taaatgctca	97680
tgggttttaa	agccctatc	cctttgctct	cacccccagt	tgccatgcct	cagaggaacg	97740
gcctccaccc	ctttcagctg	tttctctctg	taattacctt	catgttttgg	aataacatgt	97800
tcaaatgcta	tttctgattt	tccagtttga	gataatatgt	gtagacacca	tgaagaaaa	97860
atcgtctctc	atatggcccc	tctggcctcc	ttcaacgaga	ctttaatgga	caagccacct	97920
tcccagtatc	accatctcac	tgggtcctgt	taaatcagtg	tccatcattt	ctgtgctgtg	97980
taaataggat	tcactgctgg	gccacggaag	gcactatgat	tatgtttctt	tctttttttt	98040
tttttttggg	gactgagtct	cactctgtca	cccaggctgg	agtgcagtag	catgatctca	98100
gctcactgca	acctccgctt	cccgggttca	agcgattctc	ctacctcggc	cttccaagta	98160
gctgggatta	caggcacaca	ccaccacaga	gacagggttt	catcacgtta	gccagtctgg	98220
tcacaaactc	ctgacctctg	gtgatccacc	cgcttgggcc	tcccaaagtg	ctgggattac	98280
aggcgtgagc	cactgcgggc	ggcttatgat	tactttttgt	ttatgctgtg	cctaataatt	98340
atctagtttt	ttgtttgtct	agttttctcc	acattgacca	ctaattcatt	tgtgaaaaat	98400
agaaaatttt	tctcaatgtg	ttaaaactat	cagataagct	ctcaatttct	gcttccccag	98460
ccccgtagat	ttgttggttg	gaacttccca	tcttcctgtg	tcaatctgga	ctgttcaactc	98520
tctaggccca	ccaccagctt	gtcacccctg	ggactccctc	actgtcacc	gggtgttctt	98580
tttgtgtctc	tctccggtgg	tatccctgtt	tctgggatcc	cagatggatt	aactgggaaa	98640
caggctaggg	tgtataaca	aagagacccc	ccaatacaga	agtttatgca	aaccagaatt	98700
gtatttctct	ctcaggtcac	catctgagta	gggtggcctag	gctagtgtgc	tgggtccagg	98760
caggtttctt	ctctctgttc	gctctctctc	ttttgaccca	cattttctat	cttgagatct	98820
aaactagttg	ctccaggtcc	tgaaccacc	tttacaaaat	tataactgag	gaaattatga	98880
cagtgaaaaa	aatcagacct	aaccgactcc	atcttctctc	taaccttta	gctgtccttg	98940
ttcattcctg	gacataggcc	aaactaactt	tggaaaggaa	ttcagttcat	ggtttgactg	99000
aaacaaaatt	gataacagcc	ctttcccaaa	aagaccccc	ttcttgccca	gggtccagtc	99060
tgcccttgca	ggactaacia	attagctaca	agattagaaa	tcacagttta	gagggtcatgc	99120
agcctctggc	tctaagagtc	tgaacctcgg	catattgtct	ctggggataa	catcattatt	99180
gtaaaaccta	agatcagtg	ttgagatatt	ttgcaggccc	tgtgctcgat	ggattagcca	99240
acaccaccca	gaccagtaat	ctggctcaac	cagttctacc	attgcaccta	ggaagagaag	99300
acatttaagaa	aacctcactt	caaccacta	tgtattccatc	tccaacctga	ccaatcagca	99360
ctctccactt	cccaagcccc	taccacccaa	attgtcttca	aaaactgtga	tcccgccggg	99420
gcgcagtaac	tcacgcctgt	aatcccagca	ccttggggagg	ccaagatgag	cagatcactt	99480
gaggtcatga	gtttgagacc	agcctggcca	atgcagtgaa	accccatctc	tactaaaaat	99540
acaaaaatta	gccggtcctg	gttggtgggtg	cctgtaatcc	cagctactcg	ggaggctgaa	99600
gcaggagaaat	cgcccgaacc	caggaggtgg	aggttgagct	gagccaagat	cgtgccactg	99660
cactccagcc	tgggcgacag	agtgaactc	tgtctccaaa	ttaattaatt	aataaaagtta	99720
taattgaaat	taacactctg	atccccgaat	gcttggggag	actgatttga	gtaataataa	99780
aactccagcc	tccctcacag	ccagctctgc	ataaattacc	ttctccattg	cagttcccct	99840
gtcttgataa	atcggtctctg	tccaggcagt	gggcaagggtg	aacccactgg	gtggttacac	99900
tttcagcact	gtgtctacag	tctggccagc	ctttaggtatg	ggagggcagg	tgaagagacag	99960
gcttctcccc	tcttacagta	gtgcctggag	cagatcactt	ccattgtcct	cgctgttggc	100020

```

cccacctggc tctggggggac aatcctgtgt ccagataaca actccaatgc gacgtacgaa 100080
gggaaggtca gatgtcaggg acaaccagga gtccctgcct catgtgtttc cttcttttct 100140
ggtttcgtgt tagtggecgca caccctccag caacttccctg agaaattgcc tttatgtgaa 100200
cgggagccag tctgaaaact tcccaacata ggtccatacc tttgggtcat ctccccac 100260
ggtgacctgg gcttgctcct gtgacttggt ttggcccatg agacgacagg aaatatgaca 100320
caagcagaga cttgagaggg aggtgtgcct tggggccttat cttactgaca ctgggggctc 100380
cagtgtcaga gacattggaa ccagagtga tccatcttga ataggggctg ggtaaaatga 100440
ggctgagacc tgctgggcta tattcccagg aggttaggca ttcttagtca acaggagatt 100500
cacagatggg gaacaagtga acgatgttta ccaaagagac cccggactta acagatccag 100560
gagatgtcct gatgtcccga caccttaaga acaaaagcat tcttagttca aaaataagtt 100620
tgggtggctgg gcgtgggtggc tcacacctgt aatcccagca ctttgggagg ctgagggtggg 100680
cagatcacct gaggtcaggg gttcaagacc agcctagcca acatggtgaa atgcatctct 100740
attaaaaata caaaaaata gcaaggtatg gtggctggca cctgtaatcc cagctacttg 100800
ggaggctgag gcaggagaag tgcttgaacc tgggagggcg aggttgagcag gagggtgagat 100860
cgcacctatg cactccagca ctccagcctg ggcgacagag caagactccg tctaaaaaaa 100920
aaaaaaaaaa aaaaagggtt tgctttaaag attcttgag aagacagtag ttgcacaaag 100980
atgaacaatc cttagtccac agccctagta gcagagcaca cctccccag gattttgtgc 101040
ctttgtctta tatatgaaca agcactgtac ctaaggcaca tgtgttcctc atcttgcctc 101100
tgggaacacc gtacgtgccc tatggagtag caattccttc ttgcctttac tgtcttaata 101160
aacttgcttt cactttactc tgtggactcg tcccgaattc tttcttgcct aagaaccaa 101220
aaccctctct tgagtctgga ttgagaccgc tttctggtaa caactggggc gatcacaggg 101280
ctggcctggg agagcccgt ggggtgagaga gatgcctgct gatggcatct gtgttgcct 101340
gagccaacca gcaaacctgt gagtgaggcc gttctaaaac attcatcctc agctctgcct 101400
cccagcccac acacgggaatt gtaagaaata gtcgaatgtt ttactctttt ttttttaaga 101460
cactaaattc tgggggtggt cattacacac caaagctaa ttggtacaaa accttgcatg 101520
ggtaaaaagc cttcatttcc ctctcacgtg taatcaatag tttgaagggg catagccagc 101580
attcgaggtc caagaatttc ttcttagagt ttgaaagcag cgctcccttc ccttattgct 101640
gctgggaagc ctgaagacat attctgatcc tctaagcta tcgtttacag tgttctcagt 101700
ctccctgagt tctgatcctc aaagggatgg ccttggaagt gggtaggctt tccaccattg 101760
cgccgggcac tgtagtttct tttcatctgc aaagtttgat tcttcaggctc agaaacattt 101820
tgaatatttt atttctcca tttctttgt tgaactcctc atatctgtgt gctgaggcct 101880
ctttgaggag gtttagctttg tttgtttgt tatttattta tttatttatt tattttgaga 101940
tggagtctca ctctgtcacc caggctggag tgcagtggca tgatctctgc tctactaca 102000
ctctgccttc cgggttcaag ctattctct gctcagcct cccgagtagc tgggattaca 102060
ggcagcgtgc accacgcccg cttaatttct gtatttttag tagagacggg tttcaccatg 102120
ttggccagct tgggtctcaa ctctgacct caagtgatca gcctgccttg gcctcccaa 102180
gtgctgggat taacaggtgt gagccaccac gccagccga gggtatctct ttttctcacc 102240
tattttcttt gggattctct ttgatatttt ttgttctact tcttgagaaa tttcctcaac 102300
cgtatcttcc aatctttgca gagatcttta tttttgcaat catgcttcta atttccatgg 102360
tttctttaga gtctccacgt gtttccctgg ctatgttttc catattctct tatctctatg 102420
cagatatcca ttatccgagt tttgaaaacg gtattccacc tggcactgta gctaaaagggt 102480
gcagcttctt ttccttctc tttgcttgtt tgcttgtttt tgtcttggtc ttttccacag 102540
cagggtctgc cttgagtgtc tggcattctg ggctgtctgc ttctatctca gcagctgcct 102600
ggaatctctg tgtgcctgtg gcagagtggg gatgcgtgtc aaactgccag ctccccagtt 102660
ggatgctttg tgggagcagt accttttttt tttttttttt tttgagatgg agtctcactg 102720
tcgcccaggc tggagtgcag tgggtgaatc ttggctcact gcaacttcca cctcccatgt 102780
tcaagccatt ctctccctc tcagcctccc gagtagctat gattctaggt gcatgccacc 102840
atgcctggat aatttttggt tttttagcaa cgacagggtt tcgccgtgtt ggccaggctg 102900
gtctcaaaact cctgaccact ggtaatccgc ccgcttggt ctcccaaagt gctgggatta 102960
caggggtaag ccaccgtgtc tggccgatgg agcagtatct cgagggacct ccaagtgtcc 103020
aaacctagggt cttttctctc cagctggcca gtttcccagt gagggggcct ttaaccttcc 103080
ccgggggtgtg ggtgggttgg gtgtgacctg ttctcagttg gctgcctgcc gccaggtctt 103140
cctgggggtcc cgggtccccgc agcctctcgc acaatccctg gggaaatgaac ctcccgctt 103200
ctgcagggtc gggagagggg tgcttgccta ggaagacatt cagaaaaact caattttctc 103260
cccacctca gaggtccctg gtgcctcag gccagagacc tttctggggt tctatgatgc 103320
aaaccagttg cttgtgtggt gccccaccg cgggtctggg ctctgctctc tcagtctcta 103380
agctgtttcc actcccccat gtgccttctt gcttcccatc ttcaaggcca cgggtccagct 103440
cccgttctct ttgttttgat ccttctttg actctcgagc ctgtgggagc gagggtgttt 103500
gatctgcagt gttgagcagg gttctctggg ctctgcagg ggaccagtg ttgagcccac 103560
atacacctcg ctgagtaagt agtcctaaag gactgtgcag ggcaccaggg acacgggtgg 103620
gagtgaatga tgggtccctg tctcacatct gtgtccgtgc cagtgccagg gggcctgggc 103680
tgtggggaaa ggaggaatcg aggcgctcag ctcaggaggc ttttcaggag caaagggtgc 103740
acagtgggtt tcaggcaggg aaagggtgtg gcagcggctg ggaaaaacaca caccagaatg 103800

```

tcaccttccg	aggcctgagg	ccccaccagg	tagccagaag	gtccaggata	cagtttagta	103860
attaagacct	tggggctctg	cggacacgct	gcoctggggtc	agaccctggc	cccaacactc	103920
acagtttgtg	gccatgaggg	actcaccac	ctcttcacgc	ttcagtttcc	ttatttataa	103980
aatgcgcgga	aaaatcacag	aatcctcttg	atcaggtggc	tgtgtggatg	gatgagatga	104040
tgtgtacaca	gccctccgta	tagagcctgg	tgtgtcctct	gtgaatacta	ggaatgacat	104100
ggagggcagg	tcagggagga	agccagggtca	cccaggcttc	ccccaccccc	cgccaagcca	104160
atccctggac	ctagcccagt	gggtggaggt	caggtcgggc	aggagggtag	gtcaccagg	104220
ggcgcccccg	ccaagccaag	ccccggacct	agcccagtgg	gtgtcaggaa	cgtcaggacc	104280
cgctctccgg	agatgagctc	cggagagatc	cagggaggga	aagcattgag	catcatttct	104340
cccagccctc	tcaaggccat	ctctgcctgc	cacagctctg	agcgcagggc	ctggtgtgga	104400
gtggggggccc	atccatgtgt	gcagaccccc	ctggagcagg	ccaagctgtc	cctggccagg	104460
ggccagctcc	ccaccactcc	acaggctcca	gccctcacac	gcctggccct	ctagaagccc	104520
tgctcactac	ctctgccacc	atctggctgc	ccctctgtcc	tctgcagccc	cataaaccac	104580
caccagaaac	tccccaggaa	agagccctac	ccttgccctg	ctcaagaaag	gcaacgtggt	104640
gccaccaggg	ctacaggccc	cgctttgtctg	cttccctgcg	tgtgtgggac	ctcccaagg	104700
cccttgccctg	tgagcaggga	aaatccctac	ctaaaggggt	ggctttgtca	ccaggacgaa	104760
gtgcccaggg	atatgggggtc	cctggcgctg	ccatgacaaa	tgactgcaaa	ctgagaggct	104820
taaaagagca	tatttattat	cttccagtct	ggagggtcaga	ggtctgacac	aggcctcact	104880
gggctgaaac	caagggtgtg	gcagggtctg	ttccttccgg	aagggtcccag	gaggatctgt	104940
ttccttgccct	tttccagctt	ctagaagctg	cctgtgttcc	taggctgggtg	gccccctcct	105000
ccatcttcac	atccagcacc	gctggctcag	tcttcatgtc	atgccttgct	gagccttttt	105060
ctgttgctac	agctgtctcc	aatacaacca	ggaacgggtc	tacactttca	cggacttggg	105120
tgattagatg	ggtcccacat	ggataatcca	ggctaaattc	catcttcagg	tccatgacct	105180
taatcacatc	tgcaagatcc	cagagctggc	aattgggtcaa	tgttggctga	agttgggttt	105240
ggggaggctg	aggctgcagg	atccatcacc	accttgggccc	tccgcacatg	cctggccactt	105300
ccacccctgg	ggtttgaatc	ctgacccctc	cacttattaa	ttctactaac	ttgggtatca	105360
gttaaattac	ctcatctctc	taggcctcct	gttctccatg	tgtacaatgg	gtataacaat	105420
agcaaccccc	atgctctgca	gaaaggatag	catgcagcca	caatgagaca	tcccttccct	105480
gtagggggccg	ggtgacctcc	agcacagcag	gactgcgggg	ttcagtcgag	tcaccccaaca	105540
gtactgagga	ggagcggcat	gccctcccac	tatgtacaca	cacagtcaga	gaggtttagtg	105600
agtggccagt	gacgcacatc	caggaagtgg	ccacctcctc	cctgtgctct	gtcctggagc	105660
tgtggaactg	agcgccaatg	aagcccctgc	cagcagaccc	gcagaatagc	acctgccttc	105720
ctcctgctga	acctgaagcc	cagaattccc	tcttgaaagc	cagaggcagg	gcttggctcc	105780
aggcagggtg	cagggaaccc	caggcgtgcg	tgggacactt	acccacacac	tctcctgttt	105840
agctcagcca	ttgtggcagg	tggggcgggg	cctctctggc	ttcctgaaga	atccagggtac	105900
cctgtgggtt	ctctcccccg	caggcttcca	ttctctggga	ccctcaggca	cgtctgtggg	105960
ggagcactgg	atgaggagtt	atgtgtctacc	tgtgtgattg	cgagctaatt	ctttaacctc	106020
tctgaatcag	tttccctcatc	tgtatcatat	tctcatggag	agtgtgagtg	tgtgtggaga	106080
tcatgatggg	ctatgcacac	ctgctgccag	acaaaacaag	acaactatca	ttacggagtg	106140
tcatgtgcca	agcactgtgt	tttgacttat	ccaagttaat	cctgtccttc	ctctcccacc	106200
acaaacctac	aagataggtc	gtcttattag	ctccatttcc	tcagtgatga	attcagagct	106260
agggaaagtt	aaagctgca	ttaggagcta	gagggagcaa	acccttgacg	tgaacccagc	106320
ttccagtgcc	aagcccatg	ggcatcccca	cccactgtat	tgccctcctga	tgggtctccac	106380
ctccatgagg	ttggactcac	taaaaacaaa	cagcattctg	gacctcgttt	ttgagtgaac	106440
atltgttatt	ttattggaaa	aagctggtat	taacatattt	atagttttat	tcaacaattg	106500
ggtaatttgt	gagacaccaa	agaaaaaaag	aatgcaccta	tgagttacag	agtccaaact	106560
gatcagggtc	gacaacttga	ccaccatgta	tcccacacca	ccacccccac	caccaccacc	106620
accaacagct	tcgtcctcag	agaagagcta	aattaaaaac	aaaaccacaaa	aaaccccaac	106680
aacttcacaa	tgactatgtg	aacgcccgtg	cattcgagag	taccaggaaa	tgtaagcaga	106740
gccaggatgc	aagtctgtga	ctattacact	ggctccttcca	ccgtttcttg	ttttgtccct	106800
cccctcgaca	ccttttctta	acacacattt	gatcttcaca	atltgctttg	gacatcatta	106860
ttttccaggg	atccagagac	atacttttct	tcaaagaaga	tcttttccct	tcttttttct	106920
tcttttgggt	ttggtaccca	aagtttaaaa	cagaagtaag	gaactaggaa	ctgtattaag	106980
acctcctttt	gaaggacatg	taagatttgt	actttgaaga	tggtaaatgt	taaactctatg	107040
atgtgacagt	aacctctagc	tgcaaataca	agtttcttct	cttaacattt	gactcacaaa	107100
gggagatgga	tcgtagcaaa	tatccaagta	atgggtaagg	ccctcagagc	tgggttttgg	107160
ctttaacacg	ctatctatac	aattgaccac	attctcgaac	ctctttacaa	gggggaaaaa	107220
agtaatccaa	tcctttgatt	gttaaattta	attagaatag	atatgtacat	ataaactgt	107280
ccagggtcaac	tggattttat	agtgatatat	aaacaaacat	tcttcattca	cgttgattaa	107340
aaaaaaatca	atgatccatt	tccctgtgta	aatgtttat	ggccagaagt	gagtacacat	107400
gcactttgtg	cttttacaca	cacaaaagta	tactgtaatc	cactgagaat	aacctcagct	107460
gggtctgttt	cctgggttat	gttatatctt	gtaaaaaaca	aaacaaaaca	aaacacaaaa	107520
aaaagtgttg	atttggctgg	gtctctgctc	cccactttct	gaatcaaaat	gccaaactac	107580

gtggctctgc	tgcaagtcca	tgagcaaaga	cgactcagag	gggtgggcag	gtttgggtatc	107640
accagaacag	gagcatctac	catggaaaca	ccaccttctc	tgtggccctc	attgtcagag	107700
gggcagagtt	cccaggggat	gtgtcctctg	ggactgtgtg	gtccttaaag	taaaggatc	107760
ctaaaatggt	cagaacatgc	aatttccttt	caaaggcagt	tcagtgcatt	ggctcaagga	107820
gggtgcaagc	ccaggatgaa	gtggagtcct	ggggagggcc	acactcctga	agccaccaag	107880
cagagcgagg	agctccgggg	ggtcttctct	gtcttccatc	ctgcgtctca	gttctcctgg	107940
acccttgtcg	tcgccaaagtc	tgccatgtcc	tacttcacaa	gacagaggca	ttcctttcca	108000
aaccttccat	ttgaatgtcg	ctctaacatg	agccgcccac	gagatggact	ggagagaacc	108060
ttgtgtgaag	acccggacgg	gttccttgaca	ccactgcacg	gcacctgcca	tgggtgacct	108120
gtgcatccgc	tcagagcctc	agcttcttct	cgtggacaga	ggggatccta	aggggtcccg	108180
cttatcccca	gcatccagcc	cagagcctgg	cacgcttcga	gaagtgtgtg	tttatggagg	108240
aaatgaatga	acaccacact	cacagtcagg	aggaagattc	caaaaaatcg	tgcattgggag	108300
tcagtgtccg	ctccgggaag	gtgcccagtg	aatgctgaag	ggtgaggcgg	cagggagggc	108360
tgcagrsggt	aagtcaactg	cctctagggc	tgagcaccac	gcctggtaca	cagcagaggc	108420
tcagcaaattg	gcaggtgaat	cagatgagga	cacaggcaca	cagaagacaa	acccactcc	108480
gctcctctcg	ggaaaccgca	ccagacctgg	gacctgggat	gtttcaagac	attcagaaga	108540
cctaggagag	gagcttgcac	ctgcaaattc	tcagcatgaa	ttcaccatcc	aaaaaacaac	108600
ggtgaggtca	tcagctctga	gacagggcga	attgccccat	ttataaccac	aagaacccct	108660
ggctggctcg	tttgagactc	atcatctgtc	cctggagccc	tgatctggga	ccagtgaggc	108720
atggggggaga	agcagctccc	atcagctccg	gtccctgcaa	caggacgcac	tggagtgaag	108780
aattaacccg	gacgcataaa	aagtcctatt	gatgtggtaa	agaccgcaga	ccgagacagg	108840
aagggacgtg	aatgaaagaa	ccctgaactg	taagactcca	cagtcatgtc	cattttatga	108900
tttgtggcgg	tgaacgcttc	ctttcctttt	tattttttta	aacagacaat	tactgccaaa	108960
cacaattctg	gcctaggaaa	gctggggcag	ggagggggcc	caaacttcct	gtgtccacac	109020
actgccacct	ctgcagctgt	cctcatcagt	gctgtgactt	tcttcccctc	cttgcaattg	109080
ggtcgtgaag	gtcatgtcgg	ggatgacttg	catgaggctg	ggtggcaggg	gccgggaact	109140
gcacatacct	agtgcattgt	agagtttacc	ttgtcctgga	agatgtacag	gttgttggtg	109200
gcggcgatgg	caatgatgtt	ctcagccggg	tgccaggccg	tgtgcaggat	cttcttggtg	109260
aagtccaagc	gtccacact	gatgtcatca	cgccggcgct	tgccccccac	gcacacgcgc	109320
cgtggcctga	gcacagcccg	gggcttgctg	ctttccctcg	aggcctccag	ggtcacgtcc	109380
cgcttggtgt	tccgatcgaa	catgcggaag	aagttgttgt	aggccccggt	catgatgacg	109440
ctgggtgggag	aaggagaggc	atcaggtgag	gaggagcaca	agccccctct	cgagaaataa	109500
gccaggtgtg	gggggctcac	gcccataatc	ccaggacttt	gggaggcccc	ggtgggagga	109560
ttgcttcagc	ctaggagttc	aagaccagcc	tggacaacat	agcgagactc	cacctctaca	109620
aaaaaaaaatt	aaaaatgacc	gtagtccag	ctattcagga	ggttgaggca	ggaggatcac	109680
ctgagcctgg	ggaggcagga	ggatcacctg	agcctgggga	ggcagagact	gcagtgaact	109740
gtgatttacc	actgcagtct	agcctgggtg	acagagtaaa	actctgtccc	aaaaacaaca	109800
acaaatgaaa	aagcaatccc	agagcctaca	gagccatcac	tccttggaag	gggaaaccac	109860
acctgcctct	atccccctgt	atcttggggt	ctcttatacc	ccctcacatg	tcagatgcca	109920
ccaacatgca	gactttgggg	ccaggagcta	agatcctttt	tatcctctgc	cccaatcatc	109980
atgaaaatac	cctcctggcc	aggcgtgggt	gtcacacct	gtaatcccag	cactttggga	110040
agccaaggcg	ggcagatcac	ctgaggttag	gagtttgaga	ccagcctggc	caacatgatg	110100
aaaccctgtc	tctactaaaa	atacaaaaat	tagctggaca	tgggtggtgg	cacctgtaat	110160
cccagctact	caggaggctg	aggcaggaga	gttgcttgaa	tccaggaggc	aaggttgtag	110220
tgagccaaga	tcgcgccact	gcactccagc	ctgggcaata	agagcaaaac	tccgtctcga	110280
aaaaagaaaa	gaaaagaaaa	gaaaagaccc	tctgttaatt	tctgttagtc	caggagagaa	110340
agctctggcc	ttccaaacag	actgtgcaac	cacagcagga	ggtagacatg	gaagcagctg	110400
ggacagaaaa	ccaccaggcc	ctgcttccct	caggggccc	gcctgtccc	aggactcggg	110460
cgaataaaca	aacatgcac	gccatgagg	tcggggcgag	cagtgtgtac	gtgcaggggc	110520
tcgctgccct	caccgtcccg	ctaaagagaa	ttccacacca	tttctctgct	ctccctgctc	110580
ctaaggagaa	gggtttcctg	ccggtgggag	gaagggttaag	ttcatccaca	tagtaagagg	110640
caggagagaa	agcacagttc	tgtgggcctg	cgcccagagg	gagggttttg	gggtttggcc	110700
tctgcagggc	cctggagcag	ctgtgaggtg	caaggtaact	ggggaggaag	aggatgttac	110760
gaaaagcgac	cataaagaag	ttgtcctgct	gaaggctctt	caggagaggaa	atcctgtttc	110820
cttttggaag	ctgagctggg	cttcctgagg	gtgacactgc	tctgtgacag	aaccagggtg	110880
atccctgggt	ctccaggggg	tatgcacaga	ggacaaaagc	tcacacgtga	gctccggcac	110940
tgcagtcagg	ggcttgggct	ctggccagtc	cgcttgggtc	cggatcccag	ctctgcccta	111000
ccctgacatg	cgcactctct	tagttttcta	taagaactgg	gatcaacaag	ggaacgcagc	111060
ccctgggtgag	cgtgaatcag	gggacatagg	tcgaacaccc	cgcacagtgc	tgggtcttag	111120
gcactttgct	tcttgttatt	taccagggtac	tcctcgatcc	taatcgcca	tgtgacccaa	111180
gccgcacccg	ctttatatgt	gactcagagc	ctgggacaag	ggaagcagca	tgcgaggggg	111240
gccgggtgaa	cgagtcccac	agaaggggcc	tgcccaggcg	ccacaggctg	actgggggag	111300
gccacaccct	ccccgcgcca	gcacagtggg	gaggcagccc	cctttgttct	tcagggaaca	111360

gttcacagaa	tgaacctggg	tgatttcaca	caatgctggt	tcttctgate	catttagtgg	111420
aaggagagcg	acataattaa	agtcatttgc	aacccacaca	gttcctgate	ctccccctgt	111480
tcgggtgtgg	aattcagctg	acacgtgctc	tgggggagag	ggaggggccc	ctctcatcct	111540
agagcaccag	gccgcaccac	catgagagcc	attcctcaca	ttcaggcagg	tttcttaa	111600
tccagaaggt	tcccttaaca	gggaaaagg	caggggagct	gcttcacctc	tcctagcctc	111660
atctgcatgt	gggaccacaa	cgccggctgc	tttcagcccc	agtgtccgc	tcctctttcc	111720
tttggggaaa	gaaaggctcc	tgccctcgcc	acccgtggcg	cctgtaatcc	cagctacttg	111780
ggaggctgcg	gcaggagaag	tgtttgactc	caggaggcgg	aggttgcagc	gagccgagat	111840
ggcgccactg	cactccctat	ccctgtgagc	ggtcaatcac	agtgtctctc	tcgccccttg	111900
gcctggccaa	cttgggcatg	tgatatccct	gtccatgctg	attggtgcaa	aaagtgggca	111960
agtgaccac	acagagccaa	tcagatcctt	ccatgagagt	tttacacagt	ccctgggagg	112020
ggttggtg	ctgaggataa	tggaaagggg	aatgatttgg	gggtcatctc	tgaagaggga	112080
gaggatgagg	ccagtgtgta	agaagaagca	gggaggagcg	gagatgggga	agcatggaga	112140
gaagaaaacg	gccggagaga	aaaaaacagc	cctagggata	cagcatgggc	ccctggggga	112200
gccttgccca	ggactcctca	gagcaagtgt	agggtgtgtt	gactcccgca	cccagcacg	112260
ctcggtggc	acaaatctct	ccccccaggc	aggacagatc	aaggagaact	tcattggagg	112320
ggggggcgtg	aagcctgttg	tgggagggcc	tgccggattc	ctccgggtag	gtaacctggg	112380
gaagggcagg	cctgccaata	ggatagtcca	cgcaggatca	ctgcccacc	cctgcgcata	112440
cgaactggga	tcttgctgaa	ggcatcacac	atggtctcat	ccccaaagcg	gccacgaag	112500
ccagtttcct	agaaccactt	tccagccgag	ctgacttagg	ggcttctctc	agcacacggt	112560
ggcgagggtg	gaatgtggac	cagagactga	gagagtccag	caggagagct	gctgcctctc	112620
cacagcacgc	tgcccatctg	cgttctgccg	gtgctaggaa	gccccacggc	agggggccatc	112680
gggcagccac	cacgcggcag	cagcggcgct	ctgcgggccg	gaccaactgt	cagagggggt	112740
caccaggaat	aagagggcag	caactgggag	cctgccagga	ttcgagtgtg	ctttggtctg	112800
caaggatgtg	ggaacctggg	gggaatcctt	gcttctctcc	tgagcctctg	aggccctgga	112860
aggcaggacc	cagggctctgt	ttatcttggg	acccctgacc	atggggcatg	ttgttctcag	112920
aacagtgtc	aaagtgaact	gggaggtggc	acacctctat	gccttctaga	aacaccaca	112980
gccactggag	acacctgagg	tccccagtga	agggctcaga	acaggttgag	tcatagtagc	113040
cccccagggc	accccacca	ttgcgggagg	caaacaaagg	cagaggttcc	agccgggagc	113100
agcagagcca	gctgtggagc	gagagacagt	gaggcgggtg	ggggaccact	aggacagggc	113160
gtggctggcg	tgtaaagtgc	acgcaggaag	tggcgggtgg	gaggcaggac	aggagagccc	113220
aggcctagac	accactgtca	gcctggggat	gcttggcggc	ttctccagtc	ctgggagcag	113280
gcatcacctg	gccgcgggtg	ccccctgggtg	gcagcttgaa	ggaaggacgg	gcagtgggtc	113340
gcagccagcg	gggacctacc	ccgcaaaacg	cacataaaaag	ctggaatcag	cttggttacag	113400
ctgcaggctc	ctctcgctccg	atttggtatg	accctcttgg	gacccactgc	accagggaac	113460
cccaaagtca	gctcagcagc	atgggaggag	ccctgtctgc	tgggggtgtc	tgggatctat	113520
ctgggggagc	ggcctagaga	gaaggtcctg	tgctctgctg	acccagctgt	gccagcccag	113580
ctgggggctg	ggcctccatc	ctgggtttct	aagcatcctt	tagtggcccc	ctgtgatcac	113640
catgcccagc	ccttgctgga	gctcgggctc	tgctagagaga	cccctgcggg	ctgggggagc	113700
tccaggatgt	tggcaactct	ctcagaaatc	tccttccctg	gacacaatga	cttggccccc	113760
cacttggtac	cagccctgct	tccagggggc	tccttcttgg	tcctgtctct	gccatgtcca	113820
gccttccct	catcccacac	accaaccctg	atggtcccag	ccctatgccc	agagccacag	113880
agagtcatag	tgccgcagct	ctcacatgac	caccacagtg	ccagccaccc	tcagaggtct	113940
gggagagccc	agacctgtca	tggtgactga	tgccatccac	aggggtggaca	gccccccacc	114000
aggtgatgcc	caagtccagg	ctgctggctc	tcactccacc	ctccttgccc	accacactgg	114060
acaggactgc	ggggaggagg	tgacagtaca	tgggctcctg	acaggtggta	ttctgatcta	114120
gcagccagtg	tagtctttat	ctccacactg	tgtatcatct	ggagaccac	ttctgaatct	114180
gggcggctgg	acaaagaggc	atcctgtcct	tgaggaagca	gctgtaggag	acactgagag	114240
gccacctctc	agcttctgag	atcgaaactc	acagatggag	agtaggcttg	tccatttcag	114300
aatcttacgc	ctggcaggac	cctgagcaca	aagctgatgt	gatttggggg	ggcagaagag	114360
ggattttccc	acctccagaa	tggaggaaga	atcccagaga	agagacacag	aggtaaggac	114420
ccacgggtag	aggtcaggtc	aggagccctt	gccacagccc	ccttgtccat	gcccgccttg	114480
ggctgagccc	aggctaggga	gacacaggaa	ctcacttctg	gcactggggc	gccactttcc	114540
aggcaggtgg	ggttgagaga	cggctggact	tgtggattgt	gacaagccct	ggaggggtgta	114600
ggagctccaa	ggtgccccctg	agcctcagcg	ggcccagagt	gggtgtcacc	aggaagagag	114660
ggagacagta	gtggtgatgg	gaggaggggt	gagtagaccg	atggtcaaag	ccacaggggt	114720
gcagggtgtg	ctcaggacat	acaggtgtgg	atggatgatg	gtgaccgggt	gctgggctat	114780
agccctgcgc	cccagacaagc	tgggagaggg	gagcacaatca	ccggggaccc	tgaattaaact	114840
aaactgttcc	ccactactgc	ccatagggca	ggcgccaacg	tggctgtgag	gttcagtgc	114900
agaagatgaa	gaatttcatg	tcctgcccc	tgaatctgag	cgtgagagt	tggacctgct	114960
ctggaaagcg	tgggcttcac	ccagacacct	ggaccatttg	aggctgagta	gccccatgct	115020
gcgggtcacc	ggaatcccag	cccagacccc	tgcagggcag	aaaccctccc	tacggtgagg	115080
tgaggtgcgg	gctgaggtca	gggcttaact	gtcgctccc	ttccaggcac	attcaaaact	115140

gtcgaaaatg	cagtcgttct	cgtacagggg	acagagcttg	ctccgaaggt	agtcattggac	115200
ctgggtgggat	aagggatgag	gtgagtggac	ggggcgctcc	gaccatcctg	gcccttccac	115260
aagaaggggtc	tcaaagagca	gcgaggggtct	gcatgccctg	acatggccca	gcgcagacct	115320
gctcatctca	gcgaggggtct	gaatgctctg	acacagcccg	acacagccct	gctcatctca	115380
tcgggaggcc	catgaccagg	cacacggctg	accccgaccg	tgacacagcc	caatacagcc	115440
ctgctcatct	tatcgggggg	cccacgacca	ggcacacggc	tgacctccac	cgtgacacag	115500
cccaatacag	ccctgctcat	cttatcgggg	gcccacgacc	aggcacacgg	ctgacctctg	115560
agctgtggcc	agagacggga	gtagcaccag	ggagcagagt	ccactgtgac	aaacagaacg	115620
ctcacagcag	agggggccagg	accacctggg	gtccagatcc	tggctctgcc	ctcccagctg	115680
tgtgatcttg	gacaagtgat	ttcatctctc	tgagcctcag	tttcttcaaa	cttaaagtga	115740
taagagggcg	aacctcacag	tggttctggc	attaagtgca	gggcaggcct	tttgagggtta	115800
atgatctccg	agaacacagg	gtggcgggcca	tcaagaaagg	ggaagaggga	acccacagag	115860
gtttctcatc	catccacagc	acgaggcact	gaggtccaca	gggtcacaca	gcctctaaga	115920
ggctgaccag	gaccttccccc	caggattccc	gtacccca	ggagagaggg	tgacacccca	115980
ggacctgcat	ccacctgact	gcagccggtc	ctacaagccc	tgtacctcga	gggcccagtg	116040
agtgcagcc	ctctgctgag	gctggagctg	ccaggacaac	agggcacggg	ctctgccctc	116100
tgggtgcgga	aggggaaggta	actgggtgcc	atggagcctg	gtttcaactc	ccaggagtgtg	116160
aaattaacaa	ctccaacgaa	cacagaaaat	gtgaagggtg	gtgtgaacgt	caatttcctg	116220
tgtcagcttg	gctgggcca	ggtaccaga	tacttgggtg	ttctgtgaag	acattttgtg	116280
ggggaggtta	acatttaagc	tgatatactg	agtaaacag	gctgccctcc	atcatgtggg	116340
gggccttgct	caatcagtcg	aaggccctga	tagaacaag	acagacctcc	ctgaggaccg	116400
ggggattccg	ctaacagatg	cgtgtgggct	cgcatagtca	ctctcccctg	ggtcaccagc	116460
ctgcccgcct	gctctgcaga	tttagaacat	gccacgtgag	ctaattcctt	caaactctcc	116520
ttctttctca	gtctctatcc	ccatcctgtt	ggttctgttt	ctctgagcca	tctgactaat	116580
atgggtggca	ggactacaca	ggaaaacaga	gtggcactag	gggaagcagg	attgggagga	116640
agggcctgct	attcactgca	cacaggatgg	ttagacaagg	ctacctgact	cccgcctggg	116700
gccctgctca	tcctcccca	gcccccggtg	cctcctgggtg	acccttgect	tccccctggg	116760
cccctgggct	gcagccccac	caagctgagg	gtcactgtgt	tccctgtctg	ctgggacctt	116820
cgagggtag	gccgaggttc	ttccttctct	gtgggtccag	ggtctagcac	tgtgtgggc	116880
acaggtgat	ggctcagtat	gtgtaacaac	taaaatcaag	ggggatgaat	ggcagcaggt	116940
tttagtgctc	gtgtcccacc	cccggctctg	catttttgtg	tgctcctcct	actcagctcc	117000
cagcagcctt	ggtgatgcac	gcgtccaaat	gcgcagtctg	ttctctctgc	cgtgcactaa	117060
gcattctcctg	ccctctagtg	gcaggggtgag	gaagagctct	ggagaaagac	tgtcaatcta	117120
aggtccgctg	cttgctggct	ctgtcacaga	tttgccattt	aactcaattg	tcttccaata	117180
aaatgggatg	gggagaatac	cggccccacc	tcccaggaca	gctgggaggc	ttagatgagg	117240
caaagcatat	tatggactta	cctcagtggtg	gctcattcaa	caaccgtccc	cagccccctc	117300
acccttgcc	tcttcaacca	cagaggctgt	taaaccatta	atcttcccag	ccactatggg	117360
ggctgccagg	gaccttctct	agacaatgag	gtgtaagaag	tcttctgaga	agcattctgg	117420
ggaagatctt	acaatcacag	tgaaacacgc	agcagacccc	aggggtgaga	tctagtgcac	117480
ttcctatttc	ctgcctggaa	tgtaggcaca	gtgcttggag	gtgtggcagc	cactttgcc	117540
ccatgaggta	ccacatgtga	aggtggaaaa	ccaacgcccc	aatgatgggtg	gactggatca	117600
cagaaggaac	cactgtggcg	ctgcccgggt	catggagccc	ccccaccttc	ctggactgcc	117660
ctctccagac	tcctgttgt	gggagaaaa	tagccccgat	ttgttaagca	ccgcacacca	117720
gccgaacgca	gtcctgctac	acacaatttc	tagcacatca	caagccacca	aaaaatgttg	117780
gttgttgtgc	tgcttttatg	tagttattgc	tattatttta	gcacaaatag	gtcagctggg	117840
ccagatgcc	agtgcaccag	ttacggcctc	acgctccaga	acagtcatc	ccctccttcg	117900
tgggtgcctt	catgagaatt	tcagaaagct	gtgtccccct	ccccctgaaa	atgctcatag	117960
aacacattcc	acgtagtctt	aggggttcat	gggcctttgc	tgacctcagg	gatggaggta	118020
agtgaccgga	caaggggccc	gagggggttg	gaaatgttca	tttccctgag	ctgcctccag	118080
agggagccag	agagttgctc	ctgcaggctt	gagccgggct	tatcctgtcc	ctctcctagt	118140
ctgggggtctc	tgccattccc	acagggacag	aggagggtg	agtctgcct	gggggtgtgca	118200
gtgtgaggag	ggggcctgag	ggaggagctg	gggcagtcgc	aagaactcaa	gtaaacacac	118260
gtggctgaca	aacaggcggt	ccccatagcg	gtccttgtgg	gtgtgtggct	tccaggagcg	118320
tgagctgttc	ctctggggcc	caggtcagat	cagagcagcc	caccctctga	gctctgcacc	118380
agttcccagc	gaggcctgcg	ccaccagga	cgctttccta	ctaggtcttc	gcacggagga	118440
aaggaaagcg	tagggctctg	agcctgggct	ctgaatctgt	caccgcccag	ccgagagaca	118500
cctccctcat	ctccctacct	ctcagtgcct	gagttccctt	tccaccaa	aggatgatgg	118560
ctccttgtca	ccggacagta	agaatggag	gtgacagatg	tcaagcacgt	ggcaccctac	118620
gtgtgaggag	tgacacgggt	aggaaccggc	tggggtttct	gggtgggtgt	tttcccacc	118680
atgtttgcac	ggccagatct	taccatctc	tcaagcccca	gcacaaatgc	cacctcctcc	118740
aagaagccctc	cctgatctcc	ccacctaa	ggaaccagct	ttgaagccat	cccacatttc	118800
tttcaagtcc	acattttatt	ttaacatcac	atgagttttg	ttgtctaccc	cctaacatat	118860
ctgaatggat	gataatagca	agataataaa	taatactgtc	caagaagggc	ccaggcttca	118920

```

cctagactcc aggettatag gcctgtgctg aggatctgga aaggaaacat gtgctcagtt 118980
cacctctgcg tgcactgctt acggatgcac cctgggaggg caacgcttaa ccctctttaa 119040
tggtacagct ccgatgcagg ctcccaggga gtggggaggg aagccatcgt ctacatgctc 119100
cactggggcc cagcctgacg ctcatctctg ttcccacatc tctttcctcc ctggaattga 119160
ggccccctgg ccctggactg caggccttgc tcaggacat ccaaagctcc ctgtgaggca 119220
agactgagca ctccctgccct ctgccaagct acgtgtgggg atgagttgct ggatttcttc 119280
agcctccgtg tcttcaccta cataccgggc atatgaaagc cagcctggc taggaaggcc 119340
ccctccatgg ggatctcagc atagggaaaa aagaccggg attgggggtc tctgtctgtg 119400
gtgcccaccc ggtaggctctc tatgggtctt gcctccatgt tcagggtcca gacctgact 119460
gtaaggtagt cccgggtgag catgtagcgg ccgctgtggc tgaacttcac gtcggacacg 119520
gaggagatga tttccgagaa gaatgagcgg ttactggggt cctcaggctc ttcaaagact 119580
gtggagacag agaagcaatg gccgtcactg cgctgtctcc gcccatgggg ttggcacgac 119640
ggatgactct gttttgcacc tgggcccctg ctctgtttat tcagtcatte attcattcct 119700
caaacctaga actaaacact taccaggga caagcctggt aagattctgt gctgtgcaga 119760
aatagccatt actatcccca ttcatagcca agaaaatgga ggagcagctg gctaaaaccc 119820
atgcctgggg agtcagtgt ggaagaaggt ggtagagtcg ggatttgaag ccaaagctat 119880
acttgatgtg ctgccctcta ctgcccccta ctggtgatgc tgaatgccag attgcaaagg 119940
tgtcctgaca ttctcaaag tgctggacaa tgcctctac cagactgggc actgctgtg 120000
gctctggcag taactggccc tgggaccttg ggccagtagt tatctctgtt catggtgtcc 120060
tgggcaggca tggctgagcc ctacttatag gtgggttttg tttcattgcc atggggtttg 120120
taacaaaatc aaatctgact gccacagagt tggtagagtc tcctgtatgc catccactga 120180
ccatctcctt ttttcttgga gcacctgtc tgcacaggaa gttgcttate tggctccctaa 120240
aggcaacggt ttgtgccc cctggacaat tatagactgg gacagagtgg gcaatgagga 120300
ctccccagac agtgtcccct cccactgcc ccataacct ggcttctctg agctgcagaa 120360
gttcccaaag tgggacaagg tctctaagct catttctgtt ggtatctgtc tctactggtag 120420
cagtgaacct ggggctgaag tagcgtgggg actaggacct ctgttggggc aggcactaac 120480
tccctaggac ctgggccaca gagagacca gggaaacgat ggaagagaac aggggtggtg 120540
agttgacagc cattaccag ccaatctgga aatacctaaa cctatgacaa cctgtccagc 120600
tgtcccctat gaaaccggct gagtggcagc cttgcctgct ggcttctctt ggtctctacc 120660
ccagaaacag ggaagcagag ctgatcacag caccctgagg ctcccagag gcccctccct 120720
gctggccctc ctgagccaca agggctcgtg tctgcctcc caggtctgtc ccagccctt 120780
atccctcat gggaaatggc agcaccctat tctccctcct gtccaaggtg gacactgtac 120840
ctggccactg cctctccaga aatacaactc ctgtccagct cccctctgca gggccactg 120900
gatgccctga tggactcatt cattcattca ttcatttatt cactcagtca accaatgcaa 120960
acagcaccta ctctgtgcca ggccctggga tgatgcagt accagcataa agccactgtt 121020
cctgtgcagc caacattctc cttgcagata cagacaataa aactaagtgg cgccctccac 121080
cgccagggag cagcaagtgc tggggaggaa gagccagcag gcagataggt gctgggggct 121140
ggtagtttag gtgaacagg cctccgtggg aggtctgtgt tgaccaaggt ctgagtgaa 121200
ttggggagag attggtggcg atgcctggag aggggtgtgc tgggcagaag ggacggcaca 121260
cgcaaggggc ctgaggcagg gacacgcaa gggccgtgca ggcagagaaa ggagtga 121320
gggggaacag ggacgcaagg ggccaccac gcaggatctc atgggcccag gagaggggtg 121380
aggaagtcac cattagggaa acgggagcca ctgagggttc agagacagg aggatgaaat 121440
ctgagtcagg gaggtaggga ggggcaggca ggaggctgga gtcccctccc gacggaggaa 121500
ggaagttcca gcaccgggt ggccagggtc gcagagccca ggtgtcacca tctgtatccc 121560
aggccactgc atgcaggag gtgaggggag gtgagaggag ggggagggaa gctgcttaca 121620
gggcaggaaa aggtcccac gtttatgttc atgcctctgg tatccccca aatcagagca 121680
ggcagcagga ggaaggtccc cccacctct cttgagaca aggcctcaa acacctgtct 121740
ctgaagcaga cccctgaagc tcaggagatc tatatccctg tcttagcct ctccacagcc 121800
tctggtgagc agtggcagcc ttcaacccca cacctctgcc ctcaaagcca tggcactgca 121860
ccgggtatcc tgagggcagg tggctgctcc ttccagtcct ggctcaaga tcaggaagga 121920
gggagggagc ctagtttatc cactaataag tgggtgcata ttttggaatt agaagtctat 121980
caggctggca ggtgtttaac gaaactcaa actgacagta ggcgcctccc tttccaggag 122040
cccaaccac ccctccacac gccccagtc cccaggcctg cctgcgacct caatctccct 122100
ccatcgttca caggggcgcc cttctcagtg gcccgagctt tctcttttc acaaggcac 122160
attgaaggga ggaccagaaa gaaaatcagc accatgggaa ggaagggtga ggccgctcgc 122220
agagggagct gggagagaac aggtctccag ggtctcaatc cccgagccc tcgtgtggcc 122280
ttgaacgcct tcacctccct gagccttggc cttgctcctc cctacaacag gagccaagg 122340
cgcttttcag gaaggggcag gaggagggg ttgagccag gcctggcacc accctgggta 122400
caggcagggc cgcaggcagc aaagatgctg tacagagtga gccagtgca cgatgagtgc 122460
tgcagcccta ctgacttact tccctccctc cctmccctct taacgaactc cttttttctc 122520
ctccctcctt tctctcctt tttttcttct ttctctctct ctctctccct cttctctctc 122580
tccctctctc tctctctctc ctccctctct tcttttctct ctctctcccc cctctctctc 122640
ctcctctttt ctctctctct tcccttctct atttctctct ctcttctctc ttcttctctc 122700

```

```

ctccctcttc acacactccc ttctctcttc cccccctttt tttttttttt ttctatcttc 122760
ttcctttttt cccctctctc catctctctc cccccctttt cttcttctct cctccctctc 122820
ttcctccccc cccccccctc ccttcttctc tctctctctt ttctctctcc ttctctcttc 122880
tttctccccc cctctctctc ctcttttctc tttctctctc tcttctcttc ttttttttct 122940
ctctctcttt ctttttccctt tccctttctc cctctctctc tcttctctct tcttttctct 123000
ctcctctctc cccctttctc cttctttctc cctcttctct cctctctctc tcttttctct 123060
tctctctctc ctcgtctctc tctcttcttt tetctctctc ccttctctct ctctctcttc 123120
ccctccccc tactccacta tccccccctc ttcttctctc cctctctatt ctctctctct 123180
tcttctttct tccgtctctc ctcttctctc ttctctctc

```

<210> 544

<211> 160755

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> 19206..21206

<223> 5'regulatory region

<220>

<221> exon

<222> 21207..21387

<223> exon 1A

<220>

<221> exon

<222> 21864..22188

<223> exon 1

<220>

<221> exon

<222> 34799..34930

<223> exon 2

<220>

<221> exon

<222> 37172..37409

<223> exon 3

<220>

<221> exon

<222> 50385..50523

<223> exon 4

<220>

<221> exon

<222> 57261..57395

<223> exon 5

<220>

<221> exon

<222> 59355..59458

<223> exon 6

<220>

<221> exon

<222> 60623..60747

<223> exon 7

<220>

<221> exon

<222> 61570..61682

<223> exon 8

<220>

<221> exon

<222> 63244..63372

<223> exon 9

<220>

<221> exon

<222> 63817..63916

<223> exon 10

<220>

<221> exon

<222> 64902..65002

<223> exon 11

<220>

<221> exon

<222> 65487..65654

<223> exon 12

<220>

<221> exon

<222> 67211..67282

<223> exon 13

<220>

<221> exon

<222> 67671..67928

<223> exon 14

<220>

<221> misc_feature

<222> 67929..160755

<223> 3'regulatory region

<220>

<221> allele

<222> 31547

<223> 99-32148-315 : polymorphic base G or C

<220>

<221> allele

<222> 50558

<223> 19-51-347 : polymorphic base A or G

<220>

<221> allele

<222> 63270

<223> 19-56-140 : polymorphic base A or G

<220>

<221> allele

<222> 65025

<223> 19-44-251 : polymorphic base C or T

<220>

<221> allele

<222> 67348

<223> 19-46-322 : polymorphic base C or T

<220>

<221> allele
<222> 67963
<223> 19-47-315 : polymorphic base C or T

<220>
<221> primer_bind
<222> 31412..31432
<223> 99-32148.rp

<220>
<221> primer_bind
<222> 31844..31862
<223> 99-32148.pu complement

<220>
<221> primer_bind
<222> 50215..50233
<223> 19-51.pu

<220>
<221> primer_bind
<222> 50613..50631
<223> 19-51.rp complement

<220>
<221> primer_bind
<222> 63131..63150
<223> 19-56.pu

<220>
<221> primer_bind
<222> 63543..63561
<223> 19-56.rp complement

<220>
<221> primer_bind
<222> 64775..64793
<223> 19-44.pu

<220>
<221> primer_bind
<222> 65176..65194
<223> 19-44.rp complement

<220>
<221> primer_bind
<222> 67027..67045
<223> 19-46.pu

<220>
<221> primer_bind
<222> 67435..67452
<223> 19-46.rp complement

<220>
<221> primer_bind
<222> 67649..67667
<223> 19-47.pu

<220>
<221> primer_bind
<222> 68051..68070
<223> 19-47.rp complement

<220>
<221> primer_bind
<222> 31528..31546
<223> 99-32148-315.mis

<220>
<221> primer_bind
<222> 31548..31566
<223> 99-32148-315.mis complement

<220>
<221> primer_bind
<222> 50539..50557
<223> 19-51-347.mis

<220>
<221> primer_bind
<222> 50559..50577
<223> 19-51-347.mis complement

<220>
<221> primer_bind
<222> 63251..63269
<223> 19-56-140.mis

<220>
<221> primer_bind
<222> 63271..63289
<223> 19-56-140.mis complement

<220>
<221> primer_bind
<222> 65006..65024
<223> 19-44-251.mis

<220>
<221> primer_bind
<222> 65026..65044
<223> 19-44-251.mis complement

<220>
<221> primer_bind
<222> 67329..67347
<223> 19-46-322.mis

<220>
<221> primer_bind
<222> 67349..67367
<223> 19-46-322.mis complement

<220>
<221> primer_bind
<222> 67944..67962
<223> 19-47-315.mis

<220>
<221> primer_bind
<222> 67964..67982
<223> 19-47-315.mis complement

<220>
<221> misc_binding

<222> 31535..31559
 <223> 99-32148-315.probe

<220>
 <221> misc_binding
 <222> 50546..50570
 <223> 19-51-347.probe

<220>
 <221> misc_binding
 <222> 63258..63282
 <223> 19-56-140.probe

<220>
 <221> misc_binding
 <222> 65013..65037
 <223> 19-44-251.probe

<220>
 <221> misc_binding
 <222> 67336..67360
 <223> 19-46-322.probe

<220>
 <221> misc_binding
 <222> 67951..67975
 <223> 19-47-315.probe

<220>
 <221> misc_feature
 <222> 11925,11927,11929..11930,11933,11947,11975,11989,12068,12278
 12350,12475..12574,12622
 <223> n=a, g, c or t

<400> 544
 gaattctttc ttctgaggag gcaagaattg aggttgcctgc aggcccgtag agattcactg 60
 ctgctaacat aatcaaacat gcctgaccct tgccttccccg tcatggccccg aactagtttt 120
 tcagatttac ttgggaatct ccttggccaa gaggcagggg ggctccattt agtagtttgg 180
 taggccttaga attttatttt tggtttacac tccaaacacc aggtttgcct gatgtttgta 240
 cagtgatgta caatgtccct tcctgagtggt tgcactctg gagttcattt ctgcttcgtc 300
 caggacacca taaatgtgaa cacacattga gactctacag tcctttaagg gtagcaattt 360
 caattatttt atcagattat ataattcttct gtttcacgtg tgtagatctg agatcacact 420
 gcctgcaggg gctctgcttt ttcttctttc ctgtgggaaa gatgctaaag catgaaaaga 480
 tgcaaacaca taaaaacaac aaaaaagta tgctaaggga gccagggaa gtgaagggtcc 540
 acaccacaac accacgcact cagagaaagg gacatcaaag ctgatcctgc aggatggata 600
 ttcttttatc agacaatggg gtgggcagtg gggtagcgggt gtggagggtgg ggaaggggtgc 660
 cctaggtgga gagaatggca tgtgcaaaga cgagtagggc agggaacagc aggcaacact 720
 cccacaggta ggagttcagg tggatggcca gcaatggcta aggaggttg tgggaatgga 780
 gaatcctggg tggtcatata gaggcaaagt gatagtccct tcccacacag tgatagccct 840
 ttccaccatc atcaggtcag tgctggtgca aagagatgga agtgtccagg gcagggatta 900
 caaactctca aacatcacag aggtctggtca gaaacataac gcaggtagga agtaaggagc 960
 ctgaggccca ccagaagagc ttgtgccctc tccaaaactc aagagtggcc agacagccgg 1020
 gcacagtgcac tcacgcctgt aatctcagca ctttgggagg tggaggtggg cagatctttt 1080
 gaggtcagga gttcgagacc agcctgatca acatgacaaa atcttgtgtc tactaaaatt 1140
 acaaaattag ccaggtgtgg tagcacaccc ctgtaatccc aactactttg gagccccagg 1200
 caggagagtc acttgaactg ggggggcaga gggtgcagta agccaagatt gcactattgc 1260
 actccagcct gggagaccct gtcaaacaca cacacacaca cacacacaca cacacacaca 1320
 cacacacaca cacacacaca tacacacaag agtggtcaga cagagctcct gatgctttat 1380
 gagaagccag aattgcaggg gttttatgtg aaatttcctg gattgcaaag cactgggtgt 1440
 accaaataaa caccactggg ggctgtagct ggcccacaag gcactggctg gtggtgactc 1500
 ctgctaataa aggtaactcc ttccatgac cgccctgaac attgggctct gcaatgccac 1560
 agctgcccta gtgacccttg gcaggcacct tcttgagtga ttccaaatag ttatgacctg 1620
 tccttggtga gagaggaggg gcaggtctct tgagggtagt gaagcagtag aaatgtttgc 1680

atttctcagg	gatgcaatcg	atgtaaacca	gataaatgaa	accacagaaa	gtcagtagct	1740
gaggcagggg	tgaaatgtgt	ccccgtggcc	tcttaagcaa	ttagctttga	tgtccctggc	1800
agctgctgaa	ttccaaaggc	aattccaggg	gctttgattt	gaagccagtc	tcttaagacc	1860
cacttaaagg	cagggggtac	ccagagaaga	gcaaaccag	ggtgggtggt	ggtgatgggg	1920
gtggggagag	ggagtgggtg	ttcctgtcct	caatgtctgc	agagttgctt	tgtttaaagg	1980
tgagtaccca	cttcttttgt	gtagatctag	gagctaaacc	cagggccagc	tggtggaagc	2040
tacagggagg	cagatcttga	cctaaagaac	tccctaacaa	tgagagatgt	ctgaaggtgg	2100
aatcagttgc	gtttggaagt	agcaaacact	tcgtcatggg	aggccttcaa	gcacatggga	2160
aatggccact	cttagggcta	caatggtaaa	gagaagtgtt	gttttgata	aactctgaag	2220
tcctttctat	cctagagatt	ttgtgattta	tcttattagc	aatatttcat	ggtgttcaac	2280
tgaccctgtt	atttggggtc	ttgacttttt	attttaagaa	aatgtgcaga	aacttcagaa	2340
ctctctttct	actccggaag	tgagactctc	tgacagtaaa	atataacaag	tggcaggtaa	2400
tccagaacca	tgatacttta	gaggcacagg	taatagggag	tgactggcag	tggcttcctc	2460
tgtgtctgcc	tgggaagagt	taaagtatta	tataagccag	acttctgaaa	aacgggaagg	2520
ggaatggaca	gatgggatac	gggagactgg	aattaataag	aagtcaaagt	gctgagtcac	2580
tgaactaatt	tcaaagtctg	aaggtaacag	gaaaacagaa	aatcagacaa	ttggaaagta	2640
atgaaggttt	tgtaaagacc	ccaggtggcc	aaaacaacag	gagaagtcag	gaaaacgtaa	2700
ttacaacact	gatgtgagcc	ctctgagcca	gaccatcctg	tctctggccc	tccccctctc	2760
cccgagctct	gcctgggtcc	tagcagctcc	ccactgcagg	acacagttag	aggggtgggg	2820
ggctcaccat	tcaactcaaag	cactctcggt	taatgccgcc	agtgatagtg	tctgtaagtc	2880
caccatggcc	agtcactccc	tcttggttaag	aatctgtctc	cccgtgacaa	agaaagtcag	2940
aacagatgtg	aatgctagga	attgtttcac	ccattacaca	gagggaaaaa	ctgtggcccg	3000
aagagtggat	cgtgtgtaaa	gtgcaatggg	gaggattgag	gtatatgaga	ctcaattcat	3060
ttctacctcc	tgaattaaca	gaaaaggccc	atactggcaa	agtttagagct	ttagcttgtg	3120
cttctgcttt	aaaaagcatc	atctctgggg	atgaatgtag	acagtctctc	aaactcaata	3180
actggctttt	gaggaacaga	gatttctcat	gttccacatt	ctaaaaagcc	acctttttgt	3240
tgacaggggtg	aggtttgagg	acgtacttaa	gaaccatcaa	aatctgtgct	ctctcctggt	3300
cacagactga	tgaagagagc	cagcggcctt	tgaagctgct	cgtgtttgtc	tgattttaag	3360
aggcagagaa	aggcccaaag	atgggttccc	agcaggtagg	gacaagtcag	caagtttccct	3420
gagccagggc	aatcgtatct	ctaaccgaact	agagagagaa	tgttcattta	gtcttttaaat	3480
ttattttctt	atattttttt	ttagaatcag	aaaatgtccc	cagatgggtcc	ttgtgtgatg	3540
gacttttagaa	agtcattaca	aacacttttg	ttttctggcc	aatctttctc	ctcctgcttg	3600
ggagaagagc	ctcaactctt	ctcacactct	cccctcctgg	gtggctccag	ggcctcctga	3660
ccagtcctctg	cttcaccctt	gcccaccgct	ctacacacgg	cagtgggaca	gaccctttaa	3720
aatacaaaact	tgatcacact	accgagctat	gaagtcttca	gtggctttcc	cactgtcttg	3780
agagtaaaag	ccatcctcct	tacagtggcc	aaaaggtggc	ttaaaatcag	gtcactgaca	3840
cttcttcatt	cactctcctc	tgcccttgct	cacaacttgg	gtggcactgc	ccttctttct	3900
cggctcaggg	cgccttcctc	caacccttac	cagtcctttt	gaacctgggt	ctgccaactc	3960
ctaactcact	cctccctggc	tctctgcagg	gctgagctca	actcaagaga	acttgaagag	4020
gacattttctg	agcacctggc	cacagatcct	ttccagacaa	tcggagtcta	actcaccact	4080
ctggggactt	gtcaatatct	atccacatct	tacttatttc	cttgtttatt	tgtttctaga	4140
cttttctcct	ggcttgactt	taagcaggaa	tctcatctgt	attattttacc	actatagccc	4200
tggctcatag	aattgttcct	gatacatagg	gatgactcaa	gaaatgcttt	tgagagggaa	4260
ggaagggaagg	gagagaagga	gggaagaaa	aagataggaa	ggagggagga	aggggaaggag	4320
agaaaaagaa	agattggagg	gagagaggaa	atctctctct	ctctctctct	ctctcttttt	4380
tttttttttaa	catattctag	ttggttttta	gccagagaag	ggtgataact	aaaacaagag	4440
acttaaccat	ggactttatg	gcctaagaac	aacaatgttt	gggacaaggt	aagaatagct	4500
ggggactcct	caagtctcac	cttgcaagca	gccagctgtg	ttgcctaggg	gtgggacaga	4560
cagatgctag	ggaaggcaaa	gggagccacc	agttggggca	gaagggaaatc	agtggaggac	4620
ctgggaaatc	ttagccctta	taggtttgca	ggacctcttc	ctgcttggga	gactccagca	4680
tctgcctttc	aatgaatagc	atcaggacta	gcattgcccc	caaggaacct	ggaatcaatg	4740
agaggggttg	tggagtgtaa	atgtttgggc	cagagaaagt	gagcaccttg	gagacggagc	4800
tccgaagttc	tgcaaatgca	atatcttcat	ttaaagactg	gtctgtaagt	ggcactccgc	4860
acacagttgt	gcaatttata	gatgatggca	tgggggtctg	gaggctggct	ccagggagat	4920
gaggttgcat	ggaccttagg	cattgcagac	cacaagactc	ctatggatgg	aaataaaagc	4980
agctacagcc	accagcagag	aaatctcttc	ttgtttgttt	gtttgtttgt	tttgttttgt	5040
tttgagacag	agtttcatct	ttgttgccca	ggctgggggtg	caaaggcatg	gtcttggctc	5100
actgcaacct	cttctcctct	ggttcaagcg	attctctctg	ctcagcctcc	caagtagctg	5160
ggattacagg	cctccgcccac	catgcctggc	taattttttt	gtatttttag	tagagatggg	5220
gtttcaccat	gttggccagg	ctgggtctga	actcctgacc	tcagatgatc	cactcaccat	5280
ggtctcccaa	agtgtctggg	tagagaaatc	tcttctaagc	aagagagttg	tgacacagc	5340
actggacaat	ttgccgggtg	gggcatgagc	tggctaaggc	attgggaagg	ggctggtgag	5400
gatggtggtc	agaggcgccct	ggcaaacctc	agattctata	acattcagac	caggtccatt	5460

tctctgctgat	gaccaagtgg	actctcagaa	gccatcagga	gggtgctcgg	ctcatcaggg	5520
gaaagtcaat	tccctggggc	tttcacttat	aactttgttt	gcagatagca	agccttttcc	5580
gcccggcttc	tcacctcgag	cctttctgcc	tgtaacaatc	acattattta	atttagatga	5640
gtgaagttac	cctagatcaa	ttatacttat	ttttcctgtg	taatttccaa	agcttaatat	5700
ctccattogg	gcccagcctg	ggggacaggt	tgtctagcag	agtcctaaac	gatttcagcc	5760
tttaattcaa	ttgtactttt	accatagccc	agcagcgagc	ataattcttt	tatccctaag	5820
atgtctcatt	agcaataatc	taatagcaca	tattaaaata	taggtcactg	agggtgggctg	5880
ccaagtggaa	ggcttgtcat	aactttgaag	gttggacagc	tgccttgggtg	ggacttgggtc	5940
ccccataaac	acaccaccct	gactctaggc	ttaattctaa	aatgatcaat	aaaacacaac	6000
aaaaacagct	tactttctgc	agttcaaggt	taagaaccga	cggtggctag	gaaatagagc	6060
tgtggggtag	ggtaagggag	aggggaatgt	tcttgccaac	atgacgtagt	aggaaagatc	6120
tccgacctca	ggaacttggg	ctggaacctc	atcccagttg	tgccgtgaac	atgcagactg	6180
acctgcagta	cagctgttat	ggcccttgac	cttgggtgtg	acacctgtaa	aaggggaaga	6240
tactgggctt	aaagccaatg	tttcttgaat	tctggcactc	cctgatcaac	ttgtcctagt	6300
atgcatttga	tgttttctct	taaatcaact	cattcttctt	aattaaacac	atttgtttta	6360
aaaaggaagc	tcaagtatca	acatggaaaa	acctcaagaa	tatttgcagg	aggattcatg	6420
cggaataagg	ccaactgtat	aaactttaaa	catgcacaaa	agtgatgcgt	aaaaatgggt	6480
tagacaggca	aaataaatct	aggggggttca	aggtccagat	agcagttacc	tttggggagg	6540
aggagatgt	tgacagggag	gggcaaccag	ggggactcct	cagattctgg	tcattttttt	6600
aatggcctgg	atgtagtttc	atgagcgttt	ttactatgta	aaaagtgcag	ttataattac	6660
ttcaattttc	tgtgtgttaa	gcctcatata	aatatatata	tgttttatat	ataaaaattt	6720
atatatatgt	tttcatatat	agtttatatg	tataaaattt	taggaatata	cgcaacattt	6780
taggtatatg	taaatgtacg	tgtgtaattt	taagtaataa	tatatacata	tcgtgtatac	6840
ataggtacat	atgcagtata	tgtatatatt	gagtatgtgt	gcatgtgtgt	atatagtatg	6900
tatattgatt	attcttaata	atatatatatt	atatttaata	ataaatacat	attgttatat	6960
aattatgcat	tatatgtatg	tataccatac	atttaatatg	tgctattagg	tatgtattat	7020
gtatgtattt	agtgaggatt	attcccaaatt	gtgtatctaa	gctttcacta	tctggcacct	7080
atgaacacta	gagagcaggt	atctagttag	agcagaaaata	ctctatagtg	acagtgtaga	7140
tacatgcttg	ggaataatcc	acatttttta	agtttaacagt	aagaaataat	gaaagaaatt	7200
ttatactgtc	atcatgtaat	aaataaaaaa	ccaaaatcac	atgccataaa	tagataacta	7260
aaaataaagc	aacgaaaaga	aagcactgat	aggagattct	agtttcatgc	ggtttggggc	7320
tgaagttct	gacccaaagc	ctggcttccct	tctgttgaac	tggggattag	taagttagag	7380
tcattacaga	cacatgaaca	ccagattgag	actcactcct	tccgtaatca	gggctaaaaa	7440
agcatgaaaa	gcagtggaaac	tttctccctc	tgtgattcaa	agtaattcaa	atcagggcct	7500
gcatagccct	gagccattgc	cccttttccct	tggggctgta	cttctctact	tcaggagaga	7560
tctgcaagg	ccctccaagc	tccaactatc	ctagcttcta	agggatgcgg	gcatggcgaa	7620
aggctctgtt	acagggtggg	tggaggatag	ggagaaaaaa	atgggagaga	cgctattagc	7680
aaaatttgaa	aattttgaaa	caaagcccca	ttcctttctc	cagctccccg	gactggttct	7740
cacaaagcct	gagccagagg	caggggtggg	caggcacaca	ctccttggag	ggcagccccc	7800
agccttccca	gacacagccg	ttccacctgc	ctcctgggct	acactgagct	ggagctgac	7860
tccttgaagt	gcgtgtttgt	ggctctgggc	ctgctcttgg	gccacacgga	atatatgtgc	7920
agcaccctct	ggtgactgca	tgtccactcc	tgaggccagc	aggctctgtc	ctcagtcctc	7980
tcctaaggcc	taagtctctc	caccaactgc	ctgacctgac	tctccccagg	acatgcactt	8040
cagcttttag	ttcatggccc	acatccacac	gtgggcagtg	tagaccagct	gccagtcctc	8100
ttacaagaga	actgcgtgtg	ctggagggct	cagtgaggat	tcctgtggcc	cttggaacag	8160
gcagggtggc	ctcatgatga	cctctcccca	cctttgttat	caccaaggat	ccttccagc	8220
ctggatcctc	ccctcactgc	tgcccccaacc	tggacccccca	agtcttccca	gcctcctcat	8280
caaaacctat	ctttcgtgca	cctccttccct	tcagagtgtat	gccagggcaa	tgttcaacta	8340
tctgctctga	gaaatgttcc	aaagagagga	cgtaggtgtg	ggaagaccct	gggaccacgt	8400
gtcggagccg	gttctgatct	cttgctctgc	tactaccctg	tgtaattttg	ggagtggaaag	8460
tgaggcaggg	agggtacaaag	tggggcaaaag	aagtggagggg	ttcttctgcc	agctacctgg	8520
gaggaagggc	aaacctcatg	acacacagca	ttgaggggag	actggcagtg	gatgctgaag	8580
acctggaaga	tgcgcaggac	aaaggcaaag	ggggcagaga	agaaaaatag	aagagaaaca	8640
aaatgggcct	tggggcagat	cccagaactg	gtgggagggg	tggatctaag	ggcttgagg	8700
gggaggtgag	ccttgaagag	ggaaggactc	tagctccttg	aggggaaagg	gccagaggag	8760
atggtggctg	acaaaccaca	atgtctgggt	tcagaaatgc	atcagccatg	gcctcaagtt	8820
tcccagccaa	aaagagttag	cagccctact	gagaataggg	agctcgagca	gagagatgga	8880
gtgaggcaaa	tgaggcccaa	actggcaacc	gctgagccat	ggagatagaa	caggggtgaa	8940
gagcgtaaag	cctggagcct	gccaggatct	gggctcaaac	cctaccctct	gtccctctct	9000
agccataaag	tccaggacag	gacgtctaac	cactttcagc	atgggtctca	atctgtaaaa	9060
tggaataaat	gattgtcttg	tatgaaatga	tactttcagc	agtgcccaca	cccagtttgc	9120
taagtgaata	gaactgccaa	gtgtatagca	aatgtctatc	gtgtttatag	tacgtgctaa	9180
tcactgctga	tgcactttgc	agtcgctgat	gcatttaagc	cctccaactc	ccccaacaga	9240

tagatactat	cataagccca	attttattat	cattattatt	attgccagag	ctggagtgca	9300
gtggcatgat	catgcctcac	tgcagccttg	acctcctagg	ctcaagcgat	cctctcatgt	9360
cagccttcoct	gagtagctgg	tactataggt	gtgcaccacc	acgcccggct	aatttttgta	9420
atttttgtat	tttttttgta	gagtcagggt	cttgccacgt	tgcttaggct	ggtctcaaac	9480
ttctggggccc	aggcaatcca	cctgcctcgg	cctcccaaag	tgctgggatt	acaggcgaga	9540
actaccacac	ccggccctaa	gacccatttt	ataagtgaga	aaactgagcc	acgcatcagc	9600
tcgaggtagc	aaagccttgta	agtgaagtc	aggatttgaa	ctcccaggca	gtacagaagt	9660
tgagtgccac	tactcctgct	gatcacatta	agggagccag	agatcaaggg	cctcctaaga	9720
aactaggaag	ggagggtggt	ggtattacca	gaaagagggg	tagcaaatca	ttaccctgca	9780
ccctacctcc	tagttcccct	gtccttacct	aaagaccacc	cagctttcat	tttgagggct	9840
gagaatacaa	aggaggcaaa	cttctgaaga	acatgtttca	ggtaggtgtt	ctctgtatgt	9900
agtcacacaga	gggtgaacta	ctgcgtgtac	caccatcact	aaacaactta	gtaggttcag	9960
gatcctgggg	acgaatgcag	agcaggacca	gccagagacta	ggtgcatccc	ccaggccttg	10020
gcttcattgc	agacaacctt	gagccaaggc	ctcatgatcc	ccttgaagag	ggtgcaattc	10080
acacctctgt	cccttcactc	ttccacgcct	ctgttctggg	gtattgatgg	atgctcctgc	10140
tacctcctag	atggtaccct	agacagtga	cgtgaagcag	cttttctccc	ttccatgtct	10200
cagaagggac	ccattcatga	cttcatggaa	tagacagccc	aggcaggaaa	tggctatggt	10260
ttttgccaa	cagtcagagc	aaaaggagga	cacaccagtt	tgaggggaga	aaggcattca	10320
aattgggcaa	agctgaattg	cccacaaatt	gccacagcca	ctctcaactt	gggacaaagg	10380
ttatgaaaca	cgtcactaat	actggagttg	ttattttttt	aaagagcaac	aattatttat	10440
ttactcatg	agacttcatt	tggggcaggg	tttaaaggga	atgacttggt	gatgttccat	10500
gatgtcaagg	gtctcagctg	ggataacttg	gttggtgaa	gctaaaatgg	ctgggggacg	10560
gctggacatt	tctttctctt	cctgtggtct	cagagcctct	ctctctgcga	tctctccagc	10620
atggcaacct	cagggaaagt	ggacttcaca	catggagact	gaagggtcca	agagagagtc	10680
atgggcagag	ctgcaaggct	tcttttactt	acctcacttg	gaaagtccca	gagcattatt	10740
cctaccacat	tccactgctc	acacagagcc	atccctgaca	tgggtgtggg	gggcattcca	10800
caggggcctg	agtattggga	agtgcagatc	actgggaagc	catcgtgggt	gctggctata	10860
tgattttctt	gctttgggca	ttaccttact	gaatagattc	tgttgtgatt	tcacgtttac	10920
cattttatta	tagaggctat	tgcaaagggt	atagatgaag	agataagtag	ggtggctttt	10980
gggggaaggg	gattggagct	tcatgctctc	cctgggtgcac	aaccctccag	gaacctcccc	11040
gtgttcaact	atctgaaagc	tcaagttatt	tttttttaaa	caagaatata	catgccacaa	11100
acatgcagat	tcctggctcc	cactgcagac	ccactgaatt	caaatttctg	ggttggggcc	11160
caggaatctg	cacttttaac	aaatctgcca	gaggcgtgag	ctgtaaaaagt	ggaaaagagg	11220
caaaaggcca	ctaggaagaa	agagtgaact	tgaggactca	actgccactg	cattgtagag	11280
gctaaagaaa	tgtgaccctt	catacagtgc	taccgcgtaa	ttatcttcac	aggtgtgtgc	11340
atccccattt	tatagttggg	aacgctaagg	cttagaagcc	aaaagtcacc	cagccagcaa	11400
gtaatgaagc	taggctttca	accagctttt	tattttttta	gtccaaaggc	caagattgta	11460
atagttatgc	caaccatata	ttgctatttt	atcccagctc	tgtaatgtga	agtcagataa	11520
atctaaatta	aaattctgga	gaagatccct	gcctcccaca	gacatagaga	aattaaatgt	11580
tttgataaag	acaacaataa	gaagtaacat	gtatgtgata	ccaggcattg	tctaggtgct	11640
ttacatgtat	ttaactattc	aatttctctc	gcaattctat	gagctaagtg	cccttatcct	11700
cctcatcatc	ttatccattt	cacagatgaa	gaaactgagg	ccagggtctg	tggctcatgc	11760
cagtaatcca	agcatttcaa	gaggctgaga	tgggtggatt	gcttgaacct	aggagtatga	11820
gaccagcctg	ggcaatataa	caagacccca	tctataccaa	aaggaaggaa	agaaggaaaa	11880
aaggaaagaa	ggaaggaagg	aaggaaggaa	ggaaggaagg	aggangngnn	ggnaggaggg	11940
gagggangga	aggaagggag	ggaggaagag	gggangagag	ggaaagggng	aggggagggg	12000
gggaaggggg	gggagagaga	ggggggaaag	aaaagagggg	aagggagggg	agaggagaaa	12060
gagagganag	agggagaggg	gaagggaaag	gagaaagaga	agggagagga	aggagggaga	12120
gggaagagga	gaggggaggg	ggaaaagagg	aaagggaggg	gagaagggaa	aggaggagac	12180
gaaggggaag	aggaaaaaga	gagacggaga	agcagagaag	gacgagcgcg	cgcaggaagc	12240
gggcaagacc	gagaacggag	gcgagcgagg	ggcgaagngc	agagcgggaa	agcgacggac	12300
ggcacagagc	ggacgacaga	taacggggcg	agcgagggcg	gcagcacagn	acgcgagcg	12360
cgccgcacca	acggagaaaag	agcgaagatc	gaagagagat	acgagagaga	gaggcaagag	12420
cacgcgaaga	gaagagagga	gagcgcagcg	gccaaaagga	cggacagcga	ggcannnnnn	12480
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	12540
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnngttcag	gcaccctctc	tctcgcgcg	12600
cgccctatccc	ccccttcccc	cnccgggttac	atgtatggca	gacagggaaa	accgggtgctt	12660
atgacatacg	cacatagccg	ggggtttgaa	gggaggggaga	aacagctcaa	gccaaaagaat	12720
gcaagagaga	aagcaaaagc	acacgaggag	agaaaggagg	aagaagtacc	ggaggagggg	12780
aggggaaccag	agagagaaaag	aaaaagaaga	aagaaataaa	ggaaagagag	aaaggagaga	12840
gagagaaaaga	aagacaaaag	aaagagggaa	aaggagggaaa	ggaaagaaag	aaaggaagaa	12900
aactgagaca	cagagaagta	ggggaacttg	gccaggattt	cacagatagt	ccacagtggg	12960
gtcaggatta	aaattcaggt	tagtggctcc	taagttcatg	cttttagcct	ggataaccatt	13020

ctgcctctcc	aggctccaca	aaagcttaat	ttgctgtttc	ccaagaatag	acatcagaag	13080
gccagtgaga	caagtaagaa	agaagtggga	agatagctgt	agaatcact	ttgggtccaa	13140
tatattcctg	gtgaagccat	tggaaagtgt	tttctgagca	aaaagaaaag	agctcagaca	13200
ctagagggca	atcattttta	gagactctga	gatggatttc	atgcaggagt	ttgcaaattc	13260
tccccaact	ctattttaaa	tgctgtgtac	attagagaag	acaaatacat	ggaaacatgt	13320
actgtgttct	tggatgggaa	gactaaacac	tgtgatgatg	tcagttctcc	ctcaaattga	13380
tctgtagatt	taatgcaata	acaattgaaa	ttccagtggg	gtttttcatg	gaacgctgca	13440
agatggttca	gaaatttgta	gggaagagca	tggccaagat	atttccaaag	aaaaggagct	13500
cgagaatctt	gctccaccag	ataggaaagt	gtattataaa	acaatgttaa	ttaagactgt	13560
gtggtaattc	ttgggcacag	ataaatagac	caacagaaca	gaagagagag	tccagaaaaa	13620
aaccacaactg	tacaaggaaa	cttgggttat	gatagagaat	tctctgatga	ttagagcaga	13680
gaaggtgtaa	ctacttaagg	actggggcag	gacaatttgt	tatctgttat	tcaaataaaa	13740
aataatgaag	tggatccct	acctcacacc	ctatacaaaa	atcaactcca	ggtggacatc	13800
aatatgaagg	acaaaactgt	caaattttta	aatataactt	tggaaaatat	cagctaggga	13860
cagatttctt	aaaccagaca	taaatataga	aaccaaaaga	aaaaattgct	acattaaatt	13920
acattgaagc	taataacctc	tacttaccaa	agtcacccaa	cagagcaaaa	agattttacaa	13980
tgcagccaag	aaaagatggt	ggcaacattt	caaagattag	tacccaggat	atattattaa	14040
gtactgtgaa	ttaataagaa	aaacattaat	aagccaatag	aaaattgctc	aaacaatatg	14100
tatcatcatc	tcatagaaga	aaaagaaaca	caaatgaccc	atatgtattt	gtgagaagat	14160
gttgacaact	attagaagtc	agggaggtgc	aaatgaaaac	tacagtgaga	taccatttca	14220
cacccaaaaag	tttggcaaaa	gttaaaagcc	taggtaatac	caagggttag	ggaggatgtg	14280
gagaaattag	atgtgaagaa	ctgacacggg	gctagaggga	gtttcaattg	gtacaaacac	14340
tttagagaat	ggtttgcat	tgcttgataa	agctaaataa	atacatactc	tacaaaccag	14400
caattcactc	ctaagaataa	accttaggaa	aactcttgca	catttggtga	ggtgacatcc	14460
taaagcgttt	atagacagca	ttgttcaaaa	tccaaaaaga	aaaaaaaaact	ggaaacaatc	14520
caaatgtcct	tcacagtgg	atgaataaat	aaattgttat	tattcataca	atagaatgaa	14580
tataaacaac	actgaaaaca	agtgaactgc	agccaacccc	atcagcaagg	atgaatctca	14640
gaaacatatt	gggccaata	agtcacagaa	caatatctgt	agtgtgattc	cttttacata	14700
aaatttgaag	aagaataaac	taacaatgta	ttgtttagaa	atatattcat	agatagtaat	14760
attataaaga	aaaaacaaag	aagtgggtgt	tgcctaaact	aggatagtgt	ttattttaga	14820
gcagggaaca	gggggtgaatg	tgcttagggg	gcgtgggggtg	catgtgggct	tgtcagggtat	14880
gggatattct	atttcttaac	ccggaagggt	aggtgggttc	ttgtacgttc	atattattat	14940
tattatttga	actgtgaaaa	agataatata	tgttttattt	taagagattc	cgagatgaat	15000
ttcatgcagg	atttgcaaat	ctgccccaaa	ctctatttaa	aatgctgtgt	acattaaaga	15060
agacaaatac	atggaaagat	gtactgtgta	cacttttttc	ttaagtacga	gaaatttcac	15120
actaaatttt	aaaatgctgt	gtgtgtgtgt	gtgcgcata	ttctgggagg	aaattccatg	15180
tctcatcaga	ttatctaagg	aatacctggg	gttctaacag	agtgaacaact	ggatgtaagg	15240
tttctgagat	tctgtccaga	tattctcggg	tggatagagc	ccctgtgcag	gctggcagcc	15300
aggtcactag	gccaacctc	cctctgtctt	agagaggaa	ctaaaccagc	tgtgagctct	15360
ctccctccat	aactcacatg	actatcttaa	ggccaaaagg	tgtatctggg	gtctcatgta	15420
ggggagggca	agttcctctt	tttctcctgg	gagactgagt	ccctttgccc	tgggcacctc	15480
cttccctttc	tccttccctg	gctcttcgac	atgtgctctg	cctctttctt	ctttctatgg	15540
tccacctgca	tattgcta	ggacttggcc	attattgcac	agcctgagaa	cagcaaagcc	15600
tgagtcagga	cccatgggtg	tgtctcacag	cccatgtctt	ttctgcatg	ccactgggtc	15660
ctcctattct	cttctcccc	aacacctctg	tctctgtcag	atctggcttc	ccatggggac	15720
tgcagggtct	agctgggctt	gcattggcaa	gtccaccaaa	gaatgcattt	atccattcat	15780
ccctgtcacc	cacggaagga	ctttgggttt	tggttgcttt	tgagacaagg	tctcactctg	15840
tcaacttaggc	tggagtacag	tagcatgacc	acagcccact	gcagcctcca	cctcctggat	15900
tcaagcaatc	ctcccacctc	accctcctga	gtagctggga	ctacaggtgc	gccccaccat	15960
cctcggctaa	tattttttta	aaaaattttg	tagagacagg	gtctcactat	gttgccagg	16020
ctgggtttcga	acacctgggt	tcaagcactc	ctcccacctc	agccttccaa	agtgtctgaga	16080
ttagacttcg	gattttattc	tgaaggagat	aaaagccatt	ggggagagac	agtgataggc	16140
tctgaacttg	tttccaaaag	gtgtttctag	ctgctatgtg	gaacttaaac	ttcatggaat	16200
aaggggagaa	gtcaggaagc	ccattcggag	gctatgacat	taatccaggc	aagaggtgac	16260
atggcttgga	acagggacac	caccatgagg	tggggagggtg	tgatgtgatt	tggaaaccagt	16320
catttgacagt	aggattggat	gatggtcaag	agaaagagga	gtccagggtg	actccaaggt	16380
ttgtggccca	aggaactaga	aggaagaaga	tgccatcacc	ttggtaggga	gactgtgggg	16440
aagcaggtgt	gggtgtgggtc	aggaagggga	ggccaaggat	cttactttgg	acatagtgc	16500
ttccaggtgc	ctttgattac	ccaggtagtg	atgtccagtc	tgagtttga	taaaggcaca	16560
tgaagttcag	gggagcagcc	cagggagagg	atgtgaatgt	gaagtcagca	ggcaacagat	16620
gctcgtttaa	gccagtgcc	gaatatggct	agctgggcta	ggaattaaaga	gaaaaatcta	16680
aggactgagc	cacaccgcac	agatcggaag	tctcaggtat	ccaagggca	cttttagtggg	16740
tggtgtcctg	aaggaggcgg	atttcagttc	atggaggtct	tatgctattt	gtaaatccag	16800

cacaaacttat	gccaatgatg	aatgaattca	gggcaggtca	gctgcagtgt	aatatatgcc	16860
tattgtcccc	tgatcaagac	agaaagacag	aatgaaaagg	aagaagggaag	gaaggaaggg	16920
agggaaggag	ggaaaaaaga	ggaaggaaag	aaatcagggg	gagaaagaag	gaaaggaagg	16980
aaggaagggtg	ggaaaggaga	gagaaagaaa	gggactaagg	gagaaagaaa	aaaggaagga	17040
aggaaagaaa	agagaaagaa	aaagaaagaa	agaaaaaaga	aaagaaaaga	aagaagggaag	17100
ggagggagggg	agggaaggaa	aggaaggaaa	gaagtgaagg	agggaagaaa	gcaaagggaag	17160
gaakkyaggr	maggwsagmk	aaagmarkgk	arkawakgms	wawkrwmmmm	kgawsaaaga	17220
maagararas	agaawgaaaa	graagaagga	aggaaggaaac	ggaggaaaga	aaagagggat	17280
ggaggaaaca	aatatgtagg	caaacctctc	ctcctttttt	tccttagtct	cctcattggt	17340
gccatggagg	tgtaggttct	gatagcgctc	tcagcggaca	caggcccttg	gattctaaat	17400
gtgtcccagc	ccagctgttg	tgtgtcaggg	ccccagtgtc	tgtggggaga	tggccagaga	17460
tggactcaca	gcatcagcca	ttgcctttta	ccccatggcc	tgtgtcacca	agtgccatgg	17520
taagtggag	tgatggctcc	ccagagatca	cattagctct	gataatgctc	cagcctccca	17580
tgacaaactt	gccctcaggc	cacctggctg	ggcaggaaga	agggctccca	gagaagccac	17640
atggccccat	ggcgggtgag	ctgggcgaga	gatggagaga	gacgccttcc	cttttagccc	17700
agtcccagcc	tagtgtcctc	actgctgacc	cccggtagtc	tctgaaacca	cagatggagc	17760
tcacagactt	gctgattggc	ccccgtgatg	gcgtgcgcac	taggaggaaa	tgccctccctc	17820
cacccttgta	gcaaacactt	ccagctccat	gccccacccc	cttatcatcc	actgttccctg	17880
ccagtgcaga	cccaacccaa	tggcttcttg	ctgccagtac	ctggggctct	gctgttagcc	17940
tttctctggc	agcaggacag	gctcatccct	cttatcagac	aggctggact	tgstgggaag	18000
ttgacactct	gggggaggcc	ttcatggata	aatactstag	ttttcttgcc	cctcaagtga	18060
gacaacccca	aggcgtgctc	tgtgcagtct	cccgaggccc	ccaccagggc	tgagcaccwg	18120
tttccccagc	agcaagtgtc	ccttaatcta	ctttctcctg	gtttccttcc	ctttgctgtc	18180
tcacttctcc	tctccccaac	gattgcttcc	aggattatct	cctaaataaa	ttacttgtat	18240
tctaactttt	gtttccagtt	gtttcttgag	gaatccaata	caaaaacgaaa	ccaatcaaag	18300
acaccaaaacc	caacaaaaga	aagagaactc	ttctggttct	gtattgtaca	tgtttctgga	18360
gcaccattta	agtaacagaa	tacatcacgc	actgtctttg	acgctggtag	ggaggtctca	18420
caaataactg	tacaggcaaa	taaacagcag	tataaaagag	gagtttgact	ctggtgtagg	18480
aggtggttat	cagggaaggc	ttcacagtga	gggtgactgg	aggttttgga	ggatgggtag	18540
gagttctcca	ggtagaaaaa	agaatgatgg	aaacagcata	ttaaaaaacc	cagaagtgta	18600
aaaaagcaca	aggtactcag	gggaaccact	agtagtttag	tatctctcat	actactggag	18660
aataaagcat	attttggaag	tgataaagga	tttgtaggaa	aaatgaggag	agaattagaa	18720
tagcaggagg	tgtggttaaa	tagccagagt	cttgtctata	ctcctcaaag	tgtttaggca	18780
ttatcttgga	aagggttgga	gattttttaa	aattgtgggt	tatctttttc	tgattgcata	18840
aatatcaaat	gctcattgtg	gaaaagttgg	catatacaga	gaagtataga	gaagaaaata	18900
aaattacctc	aaatccagag	ttaattaaat	cacatttatg	tgttgggtgtg	tttcagagga	18960
gtttcaggca	gaggagttag	gtggtcgcac	ttgagttcta	ggtagagctc	tggcagctgg	19020
tgacgactcat	gcagctggaa	agatactgaa	cgtgggggtga	ccagctagga	ggctgctgca	19080
gtgaggggtg	atgaggggtc	tctgtttggg	ctttgcaggg	tgtttcagag	gtgggattct	19140
cagcacttga	aaactagttg	gatgggggtg	ggggtagagg	agagaagggg	accatgacta	19200
ctagagagat	tctgagtgtc	tccaccatga	cttgggtggag	ggagcagagg	ctggaggcca	19260
ggagacttgg	gttctcattt	ccactctgtg	acttccaatc	tgtgggacct	tggaacaagtc	19320
ccttttagtcc	acagagccac	agtttcctga	cctgatacgt	ggaaagatga	ttctcttccct	19380
gctttcctta	caggattgtc	atgatcgctc	aatagatcaa	aggagataaa	cacctttcat	19440
gtgtggaaac	ctacagttct	gaagctcttg	tcctcaaacc	tctgctcaat	cttttccctc	19500
acctgccttc	tgtcatcttc	cccagaagcc	agggggaacc	catacccttc	taggtttccc	19560
ttctctccc	ctctgcatcc	tgcccagagg	acatttgtca	ygattgtccc	tctggtagag	19620
atgctctaaa	caccgccaca	caccaccatt	ctttcattca	ttaaactcatt	cacttcayag	19680
gctggttgat	gctctagtac	gttccagggtg	ccagaacacg	tgctgtaaaa	gacagacaag	19740
gtccctgtgc	tcatggagct	cacataccac	ccaagggggg	acataaartt	aaacaactag	19800
gacaaattcg	gatagcgatg	taacaaatga	ataaataggg	tgataggata	gagtgaagct	19860
gtattttcga	tttgagtcgt	cggaaggga	cctctggact	gagacctgaa	caactcaggc	19920
agagaaaaca	gcaagtgtaa	aggtcttggg	gtgggtttga	gcttaggatg	tttacagaat	19980
ggaaagggtca	gtgtggctgg	gctgatccaa	gccccaccca	accacttag	cacggccacc	20040
tctctgaagc	ctccttggat	caacaggatg	cttcccttgc	tgattcagct	ccaccctact	20100
tccacacatc	tgtggtcaca	acacatctcg	accacactgg	gttgtgatag	actctatata	20160
ctggctctggg	agtccttga	aggcaggggc	tatctcctct	ctagccagca	ctgttcacgc	20220
acacagcaga	tgatcagcat	ctgctaagg	gattaataca	ttaatcaata	gatgagtga	20280
tgaatgagaa	aacgactctc	aggtccaaat	ggctcactcc	tttacttgct	taattgttac	20340
cttctcaaat	tccctgaccc	cgatgcaaaa	ctgcagcccc	actgtccccc	sattccctca	20400
cccacatcat	aacgtgtgta	tttattatgt	ttcccgtttc	ctctgtctcc	gccagcagaa	20460
tgtaaactc	catgaggtca	ggaatctccg	agttatgttg	cgccagtgtg	atccaagagc	20520
ccggaacagt	gcctggcaca	cagcgggcat	atggaagaac	aatgtgtga	aggtgtgaat	20580

gaatgaataa	ttgaaagaat	aaatagtagt	tctcagcctc	acagaacacg	ggtcacaacc	20640
tcaaatgacc	tgctaccctg	cccataaata	acagagatgc	aggagtaagt	gctgggctgt	20700
gacctgtcaa	catgctaagc	cgctcaaaca	aaactgcccc	acagcccgt	ggcgcctat	20760
ttgcagcact	gggccctgag	ccgcacattc	ccatttcgtt	gataaagaaa	ctgaccagat	20820
agtttaagtg	gcctgctgcg	gaagacagrg	ctgggtgctgc	accggctcgt	gcttccccag	20880
tccttttttg	gcctcctttc	tgacgcgacg	cagaccccag	ttctggagag	tctgtcactc	20940
gctccccgtg	gtgggagatc	agaggcctgg	tgtccttggg	agcggcgagc	ggtgctcggc	21000
gcaggataga	aagggagtgc	gcgcccaggt	ccccagatc	cctgggaacc	cgcgccaccc	21060
tcccgccct	gcccaccccc	ggcgcgctg	tcagtctcca	ttagcgctaa	caggctccag	21120
acggagcggg	cggggcgctg	ggttaatgca	atcggcgctg	tacctggggc	gcaggctaca	21180
ttaccagccc	ggcccccgcc	aggcacggcc	agaaccagtc	agcccgcgcc	ctgccggccg	21240
ccccgcgcct	ccagctcttc	cccgggcccc	gcccgaacgc	cacacggcgg	agcccagccc	21300
cagcccgcgc	cctagagcct	gccaaaggcg	cgccggctcg	gggcccggcag	ggcgcaaggc	21360
accagggatc	ccctcgccgc	cggacacgtg	agtgcgccct	gagcgcggga	cagggctagg	21420
tctgcctagg	aggcccgggc	cgagacgcgc	cagcagaggg	ctagcgagtt	tgtagtgcag	21480
tgacgttaag	tgtccgagaa	ggctcctgtg	gctgttgaag	tgtcgcggac	ctgagcttgg	21540
ggaggggggt	ggcacgctgc	cctcagcctc	ggtgagttca	atcccagcca	tttggggcag	21600
gcgaragtgg	gtgaaacgag	gaaaagtgtc	gcarggtctt	cagccgcccc	casarggctg	21660
tcagaagtct	ccaactcttg	agttccggcg	tgccccaacc	tctgtttccm	aattttttcca	21720
gcggacgcgc	gctcttttct	gggaaccttg	cgccgcctca	gcgcgcgctc	atcccagtg	21780
ctaaggcgct	cccgggtggg	cttgggagtt	gcaagtaggg	aggaacggcc	gggtaaccac	21840
ctctttttccc	tttatccaag	cagagcctcg	gcgtgcccc	aggaccggta	aagttcctct	21900
cgccagccgc	atccatgctt	ctggcgcgga	tgaacccgca	ggtgcagccc	gagaacaacg	21960
gggcggacac	gggtccagag	cagccccttc	gggcgcgcaa	aactgcggag	ctgctgggtg	22020
tgaaggagcg	caacggcgct	cagtgcctgc	tggcgccccg	cgacggcgac	gcgcagcccc	22080
gggagacctg	gggcaagaag	atcgacttcc	tgtgtccgt	agtcggcttc	gcagtggacc	22140
tggccaacgt	gtggcgcttc	ccctacctct	gctacaagaa	cggcgggcgt	gagcgtgggg	22200
tcgggctggg	aatttgaatc	tgggaggtcc	actgtctgca	gcgggtggctg	ggacaggagc	22260
tggaatacac	acggaaggga	ggcgaggaga	caggggcaaa	tctggggcgc	agaaagaact	22320
ggacagggct	aacgggaaaa	aaaaaagatt	ggagtctct	ggaaggatcat	tttcccaggc	22380
tctttgcaga	gtacctcgag	ctcattccag	cggagtgct	aggattgggc	accctggaag	22440
caaaacagca	gaagagtga	atcgagtc	gaccctaaag	tcattggtagg	ggtatggatg	22500
gaaaggacag	aatctggggg	gccaggttgg	gtgggggagc	ctgacctttt	gatgggtctgc	22560
tggaaggag	gtggagattc	caagagctct	tgaaggggca	ccagaagtgg	gtgggatttg	22620
acaaccaggc	ccacagtgc	cctaaatcta	gcactctgag	cctgggggca	ggaacctttg	22680
ggccagaagc	actgggaata	cttcggtttt	ctgaaggcac	ctggggaggc	cctgtgggtc	22740
tggggataga	aacacacaag	aagaagccag	tatcagaaat	aatgccattc	tcaggggagca	22800
cagcccaggt	ggaatcaggc	cagtaggtgc	caagaactgg	cctggctctc	aaggcaggag	22860
gcccagatga	ttggggtgaa	acctctacct	cctcaagttc	tagccgcatt	gcaggggagga	22920
gtgggagagg	ggcctgaaga	agactccagt	ggaacagcca	cactctctcc	cccttctgct	22980
ggatgggtcca	actggccacc	tgccctgaaa	tgagagccta	gagatcacct	acagccaatc	23040
caggaagaat	aacatagaac	cccggggccg	ggaagcggtc	tggaaagtcat	ggtgctggcc	23100
cccacccct	agctccttcc	tgaggggctt	tgtcctcgcg	gtgccagtc	ctgccacttt	23160
tgctgggatg	agctcagagg	taccctgcaa	agagtgtggg	aaaatagacc	ttttgaggaa	23220
gaaattggag	aagggggacc	cagctctgaa	agcctctctc	tctccactgg	gctgcattgc	23280
ttggcggtag	ctgtgactct	ggacttaagg	gaggtcagag	ggaggaaggg	caagaatttg	23340
gagctgggta	gagggaaagc	tcattgacctg	ttcacaggct	ctaggactta	caactctgct	23400
tctatgtgta	ctctggacac	ttgctttggg	acgggcaata	cctgggtgtt	gcaaaaaagg	23460
agtggggccg	ggcatggtgg	ctcatgccta	taatcctagc	actttggaag	gacaaagtgg	23520
gcagattgcc	tgagctcagg	agttcgagac	cagcctgggc	aacatggtga	gacctcgtct	23580
ctactaaaaa	tacaaaaact	tagctgggcg	tagtgggtgca	cgcctgtaat	cccagctacg	23640
caggaggctg	aggcaggaga	atcacttgaa	cccgggatgt	ggaggttgca	gtgagccaag	23700
atcacgccac	tgcactccag	cctggacat	gggtgacaga	gcaagactct	gtctcaaaaa	23760
aaaaaggagt	gggatcacca	tagagcacag	gtggctctga	gcagaggatc	ttgagtaaga	23820
aagcagttag	ctcttccaac	gagaaagtta	acccaagggt	ggagctgaca	gatggagggt	23880
tgcgctccatg	gtctccctga	cacctcctga	gatgggtctg	tcattgtcag	atactctgag	23940
accagatagc	tgggacagca	gtcctgagct	tcaggggcat	ctgaggtctg	gggctgctgc	24000
cgtggggaaa	caacttgtga	ctctgcgggc	tcaatgtttg	tgtctggccc	tgggatgggtc	24060
atgggcagag	agagaaagg	gagaaaagga	gaagctaata	cagaggtgaa	actttccccc	24120
ctttggcgcc	tgcagcctct	caggcgcttac	tgggcagggt	taagcatggc	tgtttggggc	24180
cagggaaggga	gaaaatgcag	attctctgtg	tcttttaaga	ggcaggggaga	tgatgaatga	24240
gagaccttaa	gacccgccat	cccgcctgtc	ctcagtgacc	gccccagact	gcttgtctct	24300
agacagtggg	aggctctgtc	attaatcagt	aatatttttc	tgggttctct	tggcgtgagg	24360

cacaatgcta	ggctctgcag	gggtcacggt	caccaagagg	catgaaccac	cacttctgcc	24420
tgccaggagc	tttaatcacc	cgagtcttta	ttgtcatgct	gctagaagtt	cttcccattg	24480
ctctatgtgt	ttgttgaaac	taaaagcatc	cagatggcca	atttgacaag	tcagctagat	24540
ggatattcca	gggctttcat	tgacactgtg	tgctctttag	tcattgccag	caaaataaag	24600
agcacctgtt	gtatgcagtg	tactataaac	caggttctta	ggatgcaaaa	tggagcaaac	24660
ttgtcacgag	ttccagtcct	taggtgaagc	tgaccgaggg	cactttctcc	cgggcttgct	24720
atctcaaaac	acagctcact	ccaagttggt	tggtgggttg	tctctttgtg	ggtctgtctc	24780
ccaaacagga	aaaggcacia	tgagggcaga	gactgtgact	ttttaatctc	tgtgtttcta	24840
atgcccaaga	taagtcctag	atcacaggaa	tgtggtagaa	ggtgcccag	aaactgctgt	24900
tgaataagct	aatgaaatgc	tccaagccct	caaagacctc	caaccgtatt	cagaaacaac	24960
aacagaaaca	ctcagtggtg	actaataaag	tgaagccaca	tacaacagtg	gggcaggggc	25020
agcctattca	ttagtggctc	tagctgtgga	gtcctgggtt	ccagtttcta	gctgtaaggc	25080
tttggcaagt	ctccaagcct	cagtttctct	acttgtcaaa	tggaaataat	ggtgctcagc	25140
tcagaacatt	gttgtgggga	ccaaacataa	taactcatcg	agagcctggc	atggattgtg	25200
gccttaggaa	aggtggctgc	tgattttggt	aatgtcatta	tgatgatgta	tgaatggat	25260
ggagagacaa	gtgctttaga	caaatgctct	aaaggcctga	ggaagggctg	cttaggaagg	25320
gctgggagga	ggtgggctgt	ggttgaagct	cagctgctct	ggatggggaa	ggtgcagaca	25380
agcggtaga	agggaggaga	tctccagctg	tgacctggg	gcaggaatgt	acatggaatc	25440
atctcagaga	acaggagtgc	aggctggctg	cagggcaagc	caggagagat	aagggtgcag	25500
gggcaagtgt	gggccaaggct	gcagaggcct	tgaagccag	gctaaggggt	gggatatta	25560
taccagtga	tttccctttc	tggttaggat	gttcacagtt	ggtgtcaggg	agcagtgag	25620
ccctccatct	cagactatga	ggtaactcct	tctctcactt	acccctcatc	ccttcagaca	25680
tgctcagcta	gctccctctg	ggctttatct	ctgcggaggc	ctcctggctt	ctctgtcttt	25740
ttgtggatca	attctcatcc	agtaattccc	aaattagccc	cagagatgag	agtgagtgg	25800
caggaagggt	ggtctttgca	gttgacagaag	cagccgttta	agactggagt	ttgagtctga	25860
gctctgcctc	tcactgtgtg	atctcgggca	tagtacagcc	cctctctgag	cctcaagttc	25920
ccagccatag	gtgaacatga	cctgagataa	caccacaaga	tttattcctt	tccaatgccc	25980
tggtcaggg	ttacactgaa	gccaggactc	accagctctg	ttatttaaca	gccctcagtg	26040
tgctcttctg	tgccagtat	taacactgta	acctctgcaa	ttctgactgt	tcagtctggc	26100
ccagaatgga	ggatattttg	aaatgatgaa	ggtggcaatg	gtttaggccc	ctggctaattg	26160
ttttctgaat	gaattactgg	aaaagatcag	cctgtctgaa	catcttcccc	atggccagct	26220
gctgggatgc	acgggctgca	ggaggctctg	ggaggggaaa	gccactctca	gaaattccgg	26280
agctttgttc	agaaccttct	caaatagctg	gtctccatga	ggaggcagta	tcaggcagtg	26340
attctagagt	ttccctttgc	acctgtgatc	ctggctctgtg	ctgatccctg	gggaagagca	26400
ggaagattga	ctgggtgctc	atttttgect	ttcttccagg	gaagtggcca	ctgtgaatta	26460
acctttgcac	atggctgctt	ctggttgagt	cctgtcctga	ggccagctta	gagctgtgca	26520
ttgttagaga	atatagtctt	taggttcagg	gtctgagctt	aacttttgct	agaaaggtaa	26580
cgatagacaa	atcactcacc	tttctgtcag	tgagcttcag	tttccttaca	cagaagagga	26640
gaataaccac	agcaccttct	tgcaagggtg	gatggcatca	gagacaatat	atgtaaacctc	26700
cttgaaatga	tgtcacataa	taggggctcc	ataaatgtag	tcattagtat	tttgttattg	26760
ttcaatgata	ttactgcat	gctagactta	ggagtggggc	aggatcctga	ttttggaagt	26820
agcagaattc	atcctaagat	gaaattgata	aaaggaaata	aggctggaaa	atagtccac	26880
ttgggtctgg	agcccaagca	tgatagactc	aggaatcagg	ggatgggctt	tgctccattt	26940
cctaacagcc	taaccttatc	tcaaaataga	ttcatcacct	ggtaaatggg	gtttataatt	27000
cctgcatggg	gtcccatgac	cttctgtgat	tctgcgtccc	cagcggactc	tctcctctcc	27060
ccaaggaagc	tcagagtctt	agggaccccc	agccctttgg	gagcccttgt	ggccaaaata	27120
tctgggatcc	ttaatactga	gtatgaagca	gtagctgcta	cagaggtcag	gagctgtgca	27180
actcagtgc	cttatatctg	gctggctgc	agggggctat	ctacaccctg	ggcttgccaa	27240
gccagacact	gattgtcagc	tcagatgcac	aatgagccag	ccagctgggtg	tggcactcag	27300
ctgacaagtc	tgtacatccc	ttggcagaaa	tgtggtgctc	atctgggacc	ctgatctgag	27360
gtcactggca	tggtttggct	tgttactcca	agcttgtcaa	aaggatctga	aaggggctgt	27420
tcttgacaag	attgggattt	aatagggata	aatgtttatat	cctgccctgc	agtcccaaac	27480
ctaactgcct	aagtaaggat	taggccacag	cacaagtgga	gaaaggcccc	agggctttca	27540
ttagctgcct	ccttcatgtg	agtcactgct	gagatccatt	atttagccaa	aaaaaattta	27600
ctaaatgctt	atcatatgcc	aggaatatgg	agatgagcaa	aagaaaatcc	ttgcctttaa	27660
ggggctcatg	atatgctgca	gatctcgtaa	aagtttgtca	tttttgattc	caatattgga	27720
ggtattaate	ccaaatgggg	gaggtgaggt	cctgctctgt	tatttggggg	tcattttcc	27780
ctctgtgatg	tagttctgag	caaccctctg	atgtgtttct	cttaaagaga	ctaagatgga	27840
ggaaatggaa	accagaatct	tcacagagat	tttactaaag	ccacagcttt	attaggaaaa	27900
atcaagtcca	gatcctccaa	agtgacgagc	agatggagaa	ttaccacatg	aggaggggta	27960
gcccggcgcc	agtttccctg	aattccaccc	ccatttttct	acttagagca	gctgggttta	28020
atccatcagg	ggagtgggtg	tgttccctca	gtgggcctgt	ttccaggtct	ttcactcagc	28080
aacaacaatc	aacacagaag	acgtctgtga	ccacatgttt	gggggtttct	cccagcacat	28140

caggcaagta	atcaagtctg	cagcagacac	cagctgagtg	cctccgattc	aattcaattc	28200
tggtgctgtc	tacctggaga	tagcatcaga	tcccacaggt	tgaggcattc	ccacaagaat	28260
gcccctcact	ttgtgttcct	ataatgagcc	ccaggttggt	ttactgtgct	tctgaccac	28320
tgtctataaa	tcagggttcc	ccccaccct	tgcttgggtt	tgattaattt	gctagagtg	28380
ctcacagaac	tcagaggaac	actttattac	atthttctgct	atggtttaga	tatggtttgt	28440
ttgtctccac	taaaactcct	gttgaagttt	gaaccccagt	gtgggagtg	tgaggaggag	28500
ggcctagtga	gaggtgtttg	ggtcatgaga	gtggatccct	tataaatgga	ttaatgtcct	28560
ttgggaagg	taagtgaagt	ctcacgccac	tctcttggtt	cccctcttgc	catgtgatct	28620
ctgtaccct	gatccccttt	ccttttctgc	catgagtggg	agcagccaga	ggccccacc	28680
agatacagct	gcccacctt	gaactttcca	gtcaccagaa	tcatgagaca	tataaacctc	28740
ttttctttat	agattcccta	gcctcaggta	ttctgttata	gcaatgctaa	acagaccaag	28800
gcactccctc	accttcacct	tggttccttc	cagctgaggt	cttaccatag	ctctgtgtac	28860
tactatgaaa	cctatctgtc	tatctatcta	tccatctgtc	tatctattgt	tctattgttc	28920
ctggctcaaa	ataccaatag	cccttggtgt	aacattgggg	cacgttaggc	ctcagaaaac	28980
agaacctctc	tctctttgac	cttctcctgc	cctccttcca	tctgctccct	tatctctcca	29040
aggtaggatt	tttccctggc	ttttctttct	tgagctggc	agtaacaaaa	ttctctgacc	29100
cactttctaa	ttgtgagtca	taaaaccccc	atthtcagaag	gagtcctgcc	ccaggccctg	29160
ggggaaggaa	tgctgcacag	ggagaccgag	aagaatctga	acagacagcg	cttgtctggc	29220
tttccacct	agcttattag	tattacatca	tactccattc	aatcatgggtg	gccaacatg	29280
cctatcta	gacatctcca	tagaaggccc	aagaggacag	ggttcaggag	cttcaggaga	29340
ggcaaacaca	tgaggttcc	tgagtaggaa	atgtctgagg	ggccatctca	gcttcagaac	29400
tcttctaggg	tcagctaagg	tttggcctgg	cgtatcctgt	ccccgcctct	ggccggtgct	29460
tccattccct	aaatctcttc	actgcatgca	tccccctccc	actaccttca	tgccatcctt	29520
catgcagcac	tacagggcat	tctttctagg	taatggggct	ggctgtggcc	tgggggcatc	29580
ctttgtcctg	catttgctca	tggtcagcac	tcttgtttgc	acacaagagt	agagtagcca	29640
gccccacttg	ggacaggggac	ttggggatcc	cagagcactg	ccgcagagtc	ctgtgtgtgg	29700
cctccagctg	gcgttcatgc	tgtgctccac	aaagggccca	gccaccctcc	accacacaag	29760
acagccttta	cttctgtttt	ccagtggaca	gagctgtctg	acatctgtct	ttgagtataa	29820
tgacaagaca	tgagtcccat	ttacggagca	cccactaagt	gcctggcact	tcacctctgt	29880
catctctgat	tatcacagca	aaccagtgc	acaggtatta	ttatcgcat	tacaaagggg	29940
gagctaaggc	tcagagaagg	cacatttaga	caagtcacat	agctatacat	agcagggtg	30000
agggacagga	ttatctttag	gtccaggcat	gaaggcctgc	cctacctcca	tgcttcagag	30060
agcacaaactc	tgcccccttt	ccatctcatg	ggagccaagt	gtgcctgccc	accagcacca	30120
ctccccatac	gaatacccca	ccaccctcca	ataccggac	ggtggaaattc	cctgccccaa	30180
cagcctcagg	cacccttctg	ggtctacatg	aacatcttgc	tggtttccct	cttctgtggt	30240
gtgggctgtg	ctgcgggagg	tgggggtgtc	tgcaaggcgg	gtggacatag	cttggacacc	30300
tattgtgaag	agccctgaca	tggttagatt	gagctgggag	gaagtggggg	caggggcaac	30360
gggtcttccc	ctgtacctcc	acattccagc	ctggagctcc	aagagctgag	aattccaacc	30420
ttgaacttta	taatagaact	actacaaagg	tctctttgtc	aaagtaggaa	gacagaacat	30480
gttttattta	acagttgttg	atthgtcacc	tttaaatgtg	tcgaagtgtg	agcagccttg	30540
tctctgact	aaagtttcac	cttctcctga	tgctactgt	gctgttaggg	cacccttggg	30600
gtgttgggga	agggggacaa	atctagcttc	cctaagtgtg	gaccaagggt	ttcttggggg	30660
ctctggtgca	tgacaccagc	agcgacagcc	tgtagctgag	ctgtgtgtat	caagggaact	30720
attctgtgga	ttggcacttc	ttgcatatat	caaggtgtgg	ccagaattca	cagttcgagg	30780
aatcctgtcc	tcaacaaact	aggtgtcagg	ggagcctctc	tccttctctga	agctcctctt	30840
tgaccacact	acctccacct	cccccgagat	cctcagcagg	tcttggccac	tgacccctc	30900
actgaaccct	tcttccaggc	tttccagccc	tctacctggg	gtcctcctca	cctgttgggg	30960
gctgtctccag	cacatcccac	tctaaaccta	atgaccccg	gcttcccttc	ctgggtactt	31020
ggcatttgca	cagaggcttc	cagagccctt	ctgtaccag	aagagtttct	ctctaaccagt	31080
gggatgggag	gcagtgtggt	tgggccagag	gtgatgggac	taatgctttt	cttactaaat	31140
tcatccaaag	gccactgttc	agagtttctt	tcatggctga	cagttctttt	tctcatgtgg	31200
ttgtgtgagt	gcgttgacat	gcaaaagtgt	gtgtccattt	tgcatgagta	tgacagggtg	31260
tgcatttgtg	tgcatgcata	tggtttttgg	agactcccag	gcactgggca	ctgagctcct	31320
catgaggcat	gcccgtcctg	tgtttttcca	ggtctgccct	caccagccca	gcacccatgc	31380
agccagggca	ttccaagata	agattctggc	cttgcagttc	tgagactctc	ggaccctgtg	31440
tgaggctggg	tgagctggc	actgccacac	atggagatgg	agcaggacca	cacaagtatg	31500
gcagttacaa	gccttgacga	gcagtacttt	ttaggggggt	tgcaacsagc	ctcggtttcc	31560
agagaaccac	tgagagctg	tttataaaag	aggaacttcc	agttgacttc	actcatccct	31620
ggagctcctt	cctgactctt	caacctgaag	agtttacttc	tgcaagagga	gaaggaaact	31680
ctcccagggt	tccttctgca	agagtccttg	ggcaagctag	ctgtcctctt	ttagaataag	31740
gcactggcca	cgggtagctg	gctgtttttt	cattcctact	tagccatttc	accactcttt	31800
ggtcttctta	atctgtttcc	acctgaatga	agctttgggt	ggccacatc	aaatgcactc	31860
acagagaaga	gcccgcaggca	catgcagacc	catcatcttc	cctccttttc	tcatgttact	31920

gtgcctccca	gccagcagag	gaagaataac	tccaaactgg	gcagtttacc	tatgtgttgg	31980
cagtgtcacc	cagaggttta	gagttgagga	aactggccaa	agtgagatgc	ctgggttaact	32040
ggctgatgct	gcttttcccc	ttccttgccc	atgcagcaga	gtattgagtc	gctgggggca	32100
accacagtg	gcgaggtcgg	agcagcgact	cctagctttt	tccttcccca	cgttcccttg	32160
ggccactgac	ttccatcttc	aggcctatca	aagatttttt	gtttatttgt	ttgttttgtt	32220
ttcttctctc	tttttctctc	tctctaaatt	tttttttttg	agtcagcatc	tcactctgtc	32280
accagggctg	cagggcagtg	gcatgatcat	agctcactga	gcctcaaact	ctgatgccca	32340
ggctgttctt	gagttcctgg	gctcaagtaa	gcctcctgcc	ttggcctccc	taagtgcctg	32400
gactacaggg	atgagccact	gtgcctggcc	ctattaaaca	gtttaataca	gctatctaac	32460
tgccccctgc	cctggctcta	gatcctcaag	gggagtagca	gttggccaca	aggcagagtg	32520
gggctgcgcc	agatccaggt	ttgaagccaa	gcttcatact	tgctagttag	acaagcaact	32580
taacctttct	aagcctcagt	ttcctcatct	gtaaaaggga	ttgtggtaat	tctctctcag	32640
gggtgggttt	aaataaataa	ttatgtaaaa	acttgtgtgc	agcttggcat	ataacaggtg	32700
ctcaacaaac	ggtacttggt	actttcacca	acccccactgc	ctacctccat	ctacatcagc	32760
acaccagcac	caccattact	gtcagcaatg	tgcataggga	catgggtcag	gtggcaaac	32820
agccctttct	atgtgggaga	gggagaaagg	aagagaatga	aaggaagaaa	tgagggaagg	32880
gagaaatagc	acatggccac	ccagagagct	tccagcctgg	agcagtggct	gtagcattgg	32940
gccagcctat	gaccaataga	ccacatggct	tagctgttcc	cagatccccc	atttcagaac	33000
aacctaccct	ctgatcctat	tcagactcat	gtccttcatc	taggctggaa	tgttccagaa	33060
tctgtggggc	atgttgga	cagctctgga	gctcttgagc	caggcagacc	tggaacccaa	33120
tcctagatcc	acaacttatc	agcaggataa	ggctggctcag	gtcattta	ttctccaacc	33180
ctcagtttcc	tcacttgaaa	aatgggtata	gcagttgcta	tgctcagagg	tttctgggta	33240
gtgtaagtgg	gatcaagccc	aggtcctgct	tgatacacag	gagatgttca	tttcccagta	33300
gttttacctt	ttcccccttt	ctgccctgcc	ccccaccact	gatccatctt	ctactcacaa	33360
gggactaggt	ctctcagcat	tagggccaac	acttcatgct	tcctacttag	gagaggcacc	33420
ctgagaaaca	agtggagact	gatagtctga	gtagctgagt	gagtttgacc	ctaggtatca	33480
tgtgactttg	ccacagttct	ttgctatctt	gaaaccttag	ttccatatac	tgtaaaaatg	33540
aaataataat	gatctttgat	ctttgtgggt	aggattgaat	gaaagtgcct	ggagctcaga	33600
aggggacgag	caagtgtgag	ctgctgggtat	ccattgttaa	tattgcta	gttaccattg	33660
ttaaagtatt	tcctgttttc	ttgatgtggg	taggtcagag	agtatttgg	ttccagggtt	33720
acaacacctt	agctaaaggc	cagtggtaac	aggagtttgg	atctggcctg	gccacctcca	33780
gctgtgcgtg	gaaaggagct	gggtgtgtgc	tttgggcaca	cttgcaagct	ggggctcata	33840
tgacatgtgt	cccagtgagt	cacctcgag	agtcagaatc	cactaagcac	atcccgagct	33900
gccaggggtg	actgagaatt	gtctctgcaa	ctcagacacg	tctaagtcca	ccaggaattc	33960
tcocagggaat	taattgctgc	ctgggtgccc	gggaccccat	caagtttctg	tgatgttctg	34020
gggtgggtgac	ttccctggtc	agagacttga	acctctgccc	ctttgcttca	gccacctgta	34080
acagtgggga	cctagtgggt	gcaaggccg	gaatgtgaat	ccggcttcca	tcacctacca	34140
gcagacccaa	aaggagccat	tagactccct	tctctgcccc	tcagtttgcc	ctgggggtac	34200
gtaatgaccc	tgactgggtta	ttatgtttgc	aggctgttgt	gaaactctaa	gaagaatcca	34260
gtgagatcat	gcttgggaaa	gcaagccaca	tataccccta	tgtgatagga	tgccagcaaa	34320
attagaaact	ccgtcatgta	aatttaggca	ctgtctcttt	ttctctggtc	tcaattttct	34380
tgctgtgtaa	aggaagggtt	tgggttagat	tggcattccc	agagtgatga	ttcataaaa	34440
aaaaagttca	gtgtttta	aaatctggta	aaggctacac	ctgtgatccc	cctcctggca	34500
catcacagca	tgcacttggt	tatcaaaggc	taggagaagc	ctgcaagaag	caaacctatt	34560
ttgctttgct	taacctagat	tttactaatt	tgaccacaga	acctcactat	tatggttatg	34620
attattacta	ccacaaatat	tcttactctt	atgataatta	gwattgattg	ctgcgcgtcg	34680
cctttggaaa	cagccagctg	agcagacgcc	caggatcttt	gcagctcttg	cagacacgga	34740
tccaagactg	ggaggggag	gggtctgtca	ggtcacactc	tgccccctgt	tcctccaggt	34800
gccttcttga	tcccgtagac	actgttcctt	atcatcgagg	ggatgcccct	gttctacatg	34860
gagctggctc	tgggacagta	caaccgggag	ggggctgcca	ccgtttggaa	aatctgcccc	34920
ttcttcaaag	gtaaagaagg	gggtggagaa	agtcacgggt	gttcataaag	gcttccctgt	34980
tgcccttggg	gaatctgctc	cagtgggtgag	atctaaggta	gacctcctgt	catgtgggat	35040
tcacaggtat	tgacaaggtc	aacagtgtcc	ccatttccaa	gttacgtgga	gagcattcag	35100
tgtgttggga	atagcattag	catagaaatt	ctggaaacct	gggttcta	ccagcttacc	35160
tgctgagtac	ccagagaatc	tatttctctg	atgggaaatt	tttacgtaag	tatcagaagt	35220
accagcac	tacaccacta	ctctctcctt	ttgctcccat	ggcaggcggt	agaagttagt	35280
catggatctt	tttgagccca	gccggaaagc	tgattcaaaa	tccttagtac	aatagccaca	35340
actagtgtat	tgcagctgaa	atacaacatg	aagcctactt	gcatttggga	ctaagaacac	35400
atctgcagaa	agtaggcaga	gcaactgcta	tttcttggcc	cctatacagc	tgggagaagg	35460
gcatggagga	agagttagtc	tctcccaagc	actggttggga	gaactgggca	cagatggcaa	35520
cgagggccag	tgtgactccc	atgagcctct	tctccgctgg	cacgtgcctc	ctgagtacct	35580
cttgtgtact	cagtcctgtg	ggagatacag	ctggtgcaag	agtcttataa	gacatgtgca	35640
ttcgttactt	tttttgttgt	taattgtcag	aaattcaact	caaactgggt	tcagtataaa	35700

agagaattga	cttctgttac	agtaaagtcc	ggggattggc	ttcaggtata	gatagatcca	35760
gatgccccaa	taatgatgtc	tggaatctat	cgctcttctt	gtgtttcaga	tctgttggtt	35820
tctgttagca	tcagtctcag	gtaaattctt	ctcaagtacc	tgcaaagatg	gccatcagca	35880
accccaggct	taaatttttac	caagttttaa	ttttaccaaa	agcaaacaag	taaacaaaca	35940
aaaaccctta	tagagtcata	gtttccttaa	aggtcccaga	gaagattctc	attgggttaa	36000
cttgagtcac	atgcccacat	actaaccaat	cactgtggct	gtcaggaagc	agtgtctctga	36060
ttggccaggc	atacatcttg	cgatggagga	agagtgggga	gtagcctcgc	caacacctca	36120
caggctaata	atagcttaag	gctaattcct	tgaaaagcaa	tggtgggcag	gtaaacaata	36180
catctaccct	agaaaaaagc	tatagaacta	cccctaaaag	agcttgatgat	acattgagga	36240
acacgatact	ggcaccgcga	gcaggtggct	gagagtagga	cccagaaagc	acacagggct	36300
gaagttccaa	tcagggagtg	cttgcttggg	tttccccaga	agcagttcgg	agacaaggat	36360
ataagtgtaa	agagttagtg	cggaagtga	tccttaggga	gcagcaactg	gggataggga	36420
aggggaggca	gccataaagg	gtgtgcacca	agtcaatgcc	actctgggca	gggagctcag	36480
tcccacagc	ggagaatgtg	aacacctgtc	agtgttatcc	tgcccagggg	gcgagggagc	36540
tggaactca	cgatccagct	cctaactgtg	ctgcccactg	ggggcaagca	ggtggtgagt	36600
gggcagggga	gtccagtggt	aaagagagag	ctctcgggca	aagagatggc	aggggcctat	36660
ggactctggc	aactgtctat	agcacgtttc	ctcaatcccc	gggccacgga	ccaataaccg	36720
gcctgttagg	aaccgggcca	cacagcagga	ggtagcagc	gggtaagtga	agcttcatct	36780
gtattttacg	ctgctcccca	tcgctcgcac	gaccgcctga	gctccgcctc	ctgtcagatc	36840
agccgctgca	ctagattctc	ataggagcgc	aaccctact	gtgaactgcg	catgagggg	36900
atctaggttg	tgtgtctcct	atgagaatct	aactaacgcc	tgatgacctg	aggtggaacg	36960
gtttcatctt	gaaactaccc	ccaccccaaa	atctgtggaa	aaattgtctt	ccatgagaca	37020
ggctactggt	gctgaaaagg	ttggggaccg	ctgttctgca	ggaaacgaga	gacagaggga	37080
atgggagtg	agtgggtggg	ccacacccaa	ggagaggtgg	ctgtggggct	gggcctggga	37140
gaactcctac	ttaccccctg	tccctgcccc	ggcgttggct	atgctgtcat	cctgatcgcc	37200
ctgtacgttg	gcttctacta	caacgtcatc	atcgctggtt	cactctacta	cctcttctcc	37260
tccttcaccc	tcaacctgcc	ctggaccgac	tgtggccaca	cctggaacag	ccccactgtt	37320
accgacccca	agctcctcaa	tggtccgtg	cttggcaacc	acaccaagta	ctccaagtac	37380
aagttcacgc	cggcagccga	gttttatgag	taagtcacag	accccttggt	ctgggcctgt	37440
tgaggccagt	gcttggtatg	acctgagcca	aacactaagg	aaagtcacag	accaaggaga	37500
cgcatgccgt	caggatatta	atgtttactg	agcagccact	ggcctgatgc	tgggtgagag	37560
gctgaggaca	cgccacggtc	gagtagttg	gagaagcttg	cgttctgggg	cagggaagtg	37620
gaggcgggca	agataatata	caaataaaca	ggtaagggag	tgagaatggt	ttagagtgtg	37680
tgmmtctcag	ggaatgcaac	actttctggg	gtatgtaact	gctcttaaag	aactgaaacc	37740
aggtatgtgg	gaaaaatcaa	tcattggagg	aaaagaacgg	ttgcgtgggt	agtcaggaaa	37800
ggcctctctg	aggaggtgac	ataggaactg	atgatgtcag	agaagggaag	agctggggct	37860
ccagggcagg	cgatgagctg	caggttgaac	ccgagttgat	ttgaccctga	agctgtagtc	37920
tgactcaccc	tggtgtgctg	tccttctgga	gttcccatgg	gggaacataa	tcagagcttg	37980
gagaaaatcc	aagaagcggg	aagcaggcca	gctgtatgca	gctctgagaa	attatttggg	38040
ccatgtgtgc	acgagaagca	ctggccattg	gtgcaagaca	gaatatcatt	taaaaaaaga	38100
aacttttatg	ttgaaatacc	gttatacatt	aaaagtagta	aaaatagtgc	atatacccat	38160
caccagtttt	cccctaattg	tgacaactta	cataaccatg	gtctgagttt	gaaaccggaa	38220
aattaacatt	gatacactgt	tagctaacaa	gctgcagacc	ttacttgaat	ttcaccaatt	38280
ttcccactca	tgttcttttc	aggtatttag	ttgccatggt	tctttaatct	tctccaatct	38340
ttgtctctcc	ttgattttca	tgacctgac	acttgaaaag	tacggtcagt	tactttgtga	38400
aatattgatt	tgagtttggt	tgttgttttc	tcataattaa	actgtggtta	tgcatttttg	38460
cgtgattacc	ctaggaatga	tgctgtgccc	tccatcagtc	attccatcag	gggggtggga	38520
gacatgctgt	caatatcttg	ttacttgtga	tgtaaacctt	gcacacttgg	ttaagggtga	38580
gactgccagc	ctcctcctgt	gtagagagag	ttattttcct	tttttaagta	atgtgtcttt	38640
taaggacata	cactgaattt	atgcaaatgt	cttgattctc	atcatacttt	tgtccacatt	38700
tcttagcatt	tggtgatgat	tcttgcaagt	aaggactatt	accatgatgt	ttatctagtt	38760
ataatttctc	atttccatca	tttcttctat	tttattttat	ttttttgttt	tttgagacag	38820
agtctcgggc	tggtgcccac	gctggagtcg	agtggcacca	tctcagctca	ctgcaacttc	38880
cacttcccac	atttaagtga	ttctcctgcc	tcagcctcct	gagtagccgg	gattacaagt	38940
gtgcaccacc	atgcctggct	aatttttgta	tttttaatat	agatgggggt	tcaccatggt	39000
ggccaggctg	gtctcaaact	cctggcctca	ggtgatccac	ccattttggc	ctcccaaagt	39060
gctgggatta	caggcgtgag	ccaccacccc	agcttatcat	tccttctaga	ttaattggaa	39120
ttcttcttta	aggaagaatt	gtcccttctc	ccctgtttat	ttattttttc	agttattcat	39180
ttatatcagt	atgggctcct	ggatatttat	tttattccgt	agtcttaatt	cataactatt	39240
attgttggtg	ttattattat	tatttatttc	aactttcatt	ttagatttgg	gggtacacaa	39300
gtaggttggt	acatgggtac	attgcatgat	gctgaggttt	ggggtgtgat	tgaacctgcc	39360
accaggttaa	tgagcatagt	acccaatagg	tactttttcg	actcttgctc	ccctccctcc	39420
ctcactcctc	actcttggtg	tccccattgt	ctactgttcc	tttctttatg	tccatgtgta	39480

ctcaatattt	agcttccact	tataagtaag	aacatgcagt	atttggtttt	ctgttctctg	39540
attaatttac	ttaggataat	ggcctccagc	tacatccatg	tccctgcaaa	ggacatgatt	39600
ttgtcctttt	tgtggctgca	tattattcca	tggtacatat	gtaccacatt	ttctttttct	39660
ttttcttttt	ttttttgaga	ccgagtctct	ctctgtcact	caggctggag	tgcaagtggg	39720
tgatctcggc	tacttgcaac	ctctgtgtcc	caggttcaag	tgattctcct	gcctcagcct	39780
cctgagtagc	tgggattaca	ggcaccacc	acaacgcctg	gctaattttt	gaatttttag	39840
tagagacagg	gtttcaccat	gttggctagg	ctggtctcaa	actcctgacc	tcaggtgatc	39900
cacctgcctt	ggcctcccaa	agtgtcggga	ttacaggcat	gagccattgc	accggccac	39960
cacattttct	ttatccaatc	catcattgat	gggcacctag	gttgatgaca	tgtctttgct	40020
attttgagta	gggctgcaat	gaacatccac	gcgcagggtg	ctttttggta	gaatgattca	40080
tcttcctttg	ggtagatgcc	cagtagtggg	attgctgggt	cgaatgggtg	ttctattttt	40140
agttcttaga	gaaatctcca	aactgctttc	cacattggct	taactaattt	acattcccac	40200
caacagtgtg	taagcattcc	cttttctcgg	cagccttgcc	agcatctgtt	atttttttga	40260
ttttttaaat	aatagccatt	ctgttgggtg	tgagcttata	accatcatta	tttaatttgt	40320
ggcttccctg	aatcctctca	gcctctactt	catccattta	tgtccttgag	gagggcgatg	40380
actgacttgt	tttcagccac	ctgatttaaa	atgtttgcat	agcactctgt	tcacaatgta	40440
gcatccattg	tcttcacccc	tcaggcgtgg	gtcaattcca	ttttatcaat	ccctacacaa	40500
acactgtagc	aggttaagcag	aaagtacctg	atacaacttg	tggggcagac	aggatagatt	40560
ccaccagaac	tccaccctca	gggcattcat	ggcttagagc	agaggctccc	aaacttttct	40620
gcttaagatc	atagagtaaa	tattgcagaa	tttgcaggcc	acatatgttc	ctgttgcatg	40680
ttctttgttt	tattttacct	ctggaaagta	aaaccattct	tagctcacag	gtcgtacctt	40740
aacagtccat	agctcagatt	tggcctgggg	gccgtgggtg	gctgattcct	ggcctagtgc	40800
aagatttccc	aataaaaactt	cccgccatga	tagaaatggt	ctatatctgt	gcaatccacc	40860
agagtaccca	cttgccacag	gtggttaccg	agcagttgaa	atgtggctag	tgtgactgat	40920
gagatatatt	tctaatttaa	ttttaattta	tttaccttta	aatagacatg	tgtggccagt	40980
tgctactgta	ttgggcagtg	caaaaaagtg	tggaaaaaaa	aaacatattc	acaaacaaca	41040
aaacttttagg	gctcctctcc	ttcagtccta	tggattcccc	aagcccagaa	cctgggaatg	41100
agtcacagatt	atctggagat	tggggttate	ctgggaccac	ctctttccct	gccactttgg	41160
tgacagcagg	ccagggggat	ttagtttggg	tgaagagac	ctctggaaag	tctactgcct	41220
cctggggctc	aggggagtc	gtgttctcag	gatccaggaa	ataccctcaa	tggttcactg	41280
cagagaattt	gctaagggtc	ctgtacctgc	atccacctgt	ctccatccat	gattcccatg	41340
gacttctaac	aggcatatgt	aaaaattatg	tgttttagaa	tttttcttgg	agagggtctg	41400
cagttgtcgt	caaattctca	aatacctctg	cagccctccc	agaggatctg	aatcactgct	41460
gtcactgaac	atcagcatct	gctgtaagaa	acctgtcttc	ctcaccatca	cattaatagc	41520
taacctctta	ccatgtgtat	gaggttttct	gctaacttcc	tcctatgtat	tattttgatt	41580
taagcctcac	ccacctaatg	aggtttttgt	aactcttate	ctcatcacac	tcttggggag	41640
gcttcatttc	acagttgaga	caatacagtc	cacaaccaca	caactattac	tgcacagagc	41700
caagatttgg	accagccag	tgtgcatttg	caaaaccttg	agagtgcgca	tctcccattt	41760
tgcaccgtag	gagcttactt	ctcctcactc	taaccccagc	cctgtctggc	agggaaactt	41820
cacagcatgc	acccttaacc	tctgtgttat	gttggcctct	acccattata	catgtttgtt	41880
attatgcaga	aatattgtca	tggtcacaca	tcacatttac	ccagcttggg	ttgtattcca	41940
gccatagttc	aaagcaccct	ttctatacta	catttttaatc	ctgaccactg	tggatataaga	42000
ttatttttat	gaatgggaaa	acaggcacaa	atcagtaagt	gacttgtctg	aggctataga	42060
gtttataagt	ggcattaaaa	gtctatttgg	atccaggcag	tctatctcca	aagcccaagc	42120
tcttagccca	gggttcaaaa	ccttgactgc	acatcagaat	cacctggaga	gcatggatgc	42180
ctggattcta	catccagaga	ttctgatttc	attggtccgg	gtacaaccag	ggcatagaaa	42240
tttccatcag	tagctcccc	tgcaattcta	acatccagcc	aacgttggaa	gcccttgttt	42300
acacactgcg	ctcttctgtc	ttggagtagg	actcctactg	gaatcaggct	gacatctcta	42360
tagactcatg	tcattggaaaa	tctaggccct	ccttcactct	tctgaggagg	agtatggcct	42420
cagaaaattc	ccgaaccatc	agagagcttg	caggtggggg	ttttaggcct	ttctgtctta	42480
tgaacatggt	ttggagggga	agggtgtaaa	gatagtggag	cagagtgtctg	ccgacacatg	42540
tgattgggtg	cacctctctc	ccctcatcct	cccataaagg	aaaaagcatg	atttttcttt	42600
ttgctctcgg	caacctttgt	tttaciaaatt	aaaatgggaa	atgatagctt	tgcccttagt	42660
ccagtttagca	tttgattcct	ccgctgatgt	cttcatggct	agtatgtcgg	ccccagcaga	42720
ggccccagca	gagacaccca	gccagaggga	gaggttgagat	aggtttttag	accctactta	42780
ctttaattac	agccctaagc	ttcctccagg	ctcagctata	aggagagtgg	tgggaaaaga	42840
tggcatcttc	aggctgaaat	ggttggggga	tgcaggtaga	actgaatgca	gagttgtttt	42900
ttgtttgttt	ttgttttgtt	ttgttttaaa	aaagacgggg	gtttgtctctg	tcacccagtg	42960
gcacagtctc	ggctcaatgc	agccttgacc	tcccaggctc	aagtaatcct	cccacctcag	43020
catcccaagt	agctgggact	ataagcatgt	accaccacgc	ctggctagct	ttttatattt	43080
ttttagagaga	tgggggttca	tcatgtttca	caggtgggtc	ttgaactcct	gggctcaggt	43140
gatccaccca	cctccatctc	ccaaagtgat	gggattacag	gtgtgagcca	cctcaccggg	43200
cctacagggc	ttatttttagg	agccttctgc	cctacagatc	ttccctcttt	ttttcctctc	43260

cttaaccttc	cctccactaa	ccatgcaaac	cttcattgct	accatcagcc	aagcactgag	43320
gatctcctca	catccaaatc	ccattttaatc	ttcacagttc	atggaggtag	aaattattcc	43380
cattttacag	ataagagagt	gtaggctccg	gttttaggta	agtggcagag	ctgggagtg	43440
aggggcctct	gcaagtagat	aggagttctt	ctcatgctgc	ccttgccctt	tctggcctgg	43500
agcctgcctc	tgtgctttgt	aatgcacagc	actgtcatca	gctgcctctg	gaactttttt	43560
tttaatggcg	tgatgccctt	ttgtctaaat	gtttctgctt	gaaaaacatc	ccctcaactc	43620
agtttgggga	cccagtgagt	gggactccta	gtgccaaccc	tgaggaaata	gaaaattttt	43680
tctctttctg	ccaacctgct	ggccaatttt	gttaccatcc	tgtactcatt	taggtgtatg	43740
gactgagcat	atcattcaag	ggaacaaaac	tgctattctc	cccaggtccc	aggcctgaag	43800
ccaagcagcc	coacagctaa	aagaaactct	gcagctctgt	aactttatgt	gtaaaaggcc	43860
acctttggtg	aacatgtgcc	tggcaataga	aaacttccac	cccattgccg	tccctggtga	43920
ggaagaaaag	tctccctcca	gcctagtatt	aatcatctgt	gctaaatatc	aagtgaagaa	43980
ttgagctttt	ttagtgtgta	gacttcggaa	agcctggaca	gtacacttaa	cgatgattca	44040
ttttcattaa	acttctggaa	aactaaaact	gacgtaagtt	tcttgtacta	aaccccaagg	44100
tttgggcctg	ctgggggaag	gaggtgcat	tctcattgat	tttcttgggt	gtaagcttgg	44160
gagtccagat	cttttctactg	atgaaatacc	tagacaacct	ctacaacctt	gaaagtggac	44220
tttgaatgca	tgggacatca	gctgggcctg	ttggggggca	tttcaacccat	gagattggac	44280
accagaggca	ttttggcaag	tttcagggca	aggatgattg	gttccatgcc	tttttattcc	44340
cattattttg	atagtcaagt	caaccaaaatg	acaattgaca	caattcaaca	cctgtcccat	44400
aaaggcacag	gaagaagcgg	aattaagcat	cagatagggt	cagtacatgc	ctctggtttt	44460
cttttttctt	tttctttttt	tttttttgag	gcagattctc	actctgtcac	ccaggctgga	44520
gggcaatggc	tcaatcttgg	ctattgcaat	ctccacctcc	caggttcaag	tgattctcct	44580
gcctcagcct	cccaagtagc	tgggactaca	gggtgtgtgc	accacacca	gctaattttt	44640
gtatttttag	cagagaggcg	gtttcaccat	gttgaccaga	ctgatgtgga	actcctgatc	44700
tcaagtgatc	cacccgcctt	ggcctcccaa	catgctggga	ttgaaggcgt	gagccaccac	44760
accagcctg	gtcctctgtc	tttttaata	tgcgtacgcc	ctgccacctt	ttcctcttct	44820
ttttctctct	ctcttaggac	atagcagagg	ggctaaagtc	aggggattgt	tttgagttag	44880
gactaacagg	atgagaagtt	agccaggcag	acaaattgag	ctcggacgtg	tgttctggct	44940
gaaggaacag	aaggtcccaa	ggcccagagc	catggatgca	ccctataact	ggggactgac	45000
aagtagcttg	ctgctgctgg	gggaaaggc	aggggtgtgg	aaggccagg	atgaacttgg	45060
cacgggatgg	actgtggaag	gcctcagatt	ctgagagact	ttcattgtta	tcctccggac	45120
ctcgatgctt	tcgacttttt	cggttggatg	attctttgtt	gggggacagg	gggtgcacact	45180
gtcttgtgta	tctgtgatgt	ttagcagcta	gcagcatccc	tggcctctac	cctctagata	45240
ccagcagcat	ctccctcctc	tccagatgta	acaacaaaa	atatctctct	agacatgcca	45300
aatgcctctg	gatggcagg	gcaaagttgc	ctccagttag	aaccactggt	ttaggtgcta	45360
agaagcctct	gaggctttgg	aggcaggaga	gtggcaagg	tagaacagca	ctttggatgg	45420
atggttctgc	agtggcacag	acagtggatt	taagggggct	gacaggaggc	agagagactg	45480
ggtttgggag	aggggtggag	ctatttaca	tgactctgga	aggacagtgt	attagttagg	45540
gttctctaga	gggacagact	aatgatata	atctcatatg	agtttattaa	ggagtatcga	45600
ctcacacgat	aacaaagtga	tgtcccacaa	taggtgtctt	gcaagctgag	gagcaaggaa	45660
gccagtccaa	gtcccaaagc	tgaagaactt	ggaatccgat	gttcgagggt	agcaagcatc	45720
cagcatggga	gtaagatgca	ggccagaaga	ctaaaccagt	ctagtctttc	catgttcttc	45780
tgcttgcttt	tgttctggct	tactggcag	ctgactagat	gggtgccacc	cagactgagg	45840
gtgggcctgc	ctttccgagt	tactgactt	aaatgttaat	ctcctttggc	aacacactcc	45900
cagacacacc	caggaacagt	actttgcatc	cttcaatcca	atcaagttga	cactcaatat	45960
taaccatcac	agacagaatg	tgggtctggc	ctgggatgtg	gacagtgggg	gtgggggtag	46020
agggagcaac	caagagacag	gattagcggg	gaccagacat	ggcaactgat	tgcatgggga	46080
agatgatgca	gggtgagagt	ttaaggccac	aacagctggc	ctgggagctg	cagggatggg	46140
agccattctg	gggagggggc	attggtctgg	gtagaccttg	atgaccacc	caactctgct	46200
cattcattca	cgcagtctca	catccctctt	ccccattgct	ccctccctta	cacctgtgca	46260
cctcctgtca	gctttctggc	cagcagagaa	ggcacctgcc	accttcacag	cggagtctcc	46320
ccagccgacc	ccctctactg	agttttctgg	gtacccttga	ctctcttgct	gacacctgct	46380
gtccttgtaa	gcctaggact	caaacataat	gatcattata	attaccattt	attgagcatt	46440
tcttgggtat	tattatctga	tattctgtaa	ctcagccctc	atcacagccc	tttactgaa	46500
aagagaaaga	ctcagtgatg	ggaaatgctt	acacgcacta	ctgtccctt	gcctgtgatc	46560
cccagggggc	tggagccatc	acctgcttct	ccacagccat	gccaccagcc	cccggcacac	46620
tgcttggtc	agagcagagg	tgacagagaa	gtttgtggaa	tcgatgaaag	gattcgggtc	46680
acacaggate	tgggtgtaag	ggctaggatg	ggaagccagg	tctgtctgac	cccagagctc	46740
agacaatttc	tgtgccacat	ttttctgttt	tcttcatat	tctttcaa	aacatacatc	46800
tattttgagt	ggataaatga	tgaaagagt	aatgaaacag	catcgctgg	ggtcttcagc	46860
ctttctttca	cctgcctgga	aacaaatttt	aattcctacc	caagggtgag	ctaagtaagt	46920
ttccagactc	agggatatg	ttttccttac	aagcctggaa	tcttctgca	tcattcggga	46980
tgattccagc	aagggtctgc	atctgcctct	ggcagacaga	caattgatct	tatccctgct	47040

agggtgtgtac	aatgtttgcca	ttaatgtgtg	tttttgaatt	aaagccacct	tccagggaag	47100
gacgatataat	taagctgttt	gcctttaaca	ctttagtgtg	aatttgtttt	gttttgtttt	47160
gtttttgaga	tggagtctcg	ctctgttgcc	caggctggag	tgcagtgaca	agatctccgc	47220
tcaactgcaat	ctccatctcc	caggttcaag	caattctcat	gcttcagtct	cccaagtagc	47280
tgggattaca	ggcatgcact	accacaccca	gctaattttt	gtatttttag	tagagacagg	47340
gtttcgccat	gttgaccagg	ccggtctcga	actcctgacc	tcaggtgatc	cgctgcctt	47400
ggcctcccaa	agtgtctgaa	ttataggcat	gagccaccat	gcctggctat	ataagtctat	47460
taagcagctg	ctttctgaat	ggacctctag	ttgagcgcaa	atgcctatag	aatgagacag	47520
ggaagtttcc	gtatgggaaa	atgtgtggtg	ccctgggcag	tatgaaagat	ctgggcaaaa	47580
gggttagaaa	tttgccacaa	gtgatgggag	gagttgctaa	gagaaagatt	gagagtgtgt	47640
gggaaactga	ccctctttcc	ttactcgttc	tccttggggg	gatcctggga	tctcattttc	47700
tatagttaga	gggattgttg	ggtttagcaa	gaaaggctgg	gagcatttat	ctggtttctaa	47760
tcctatgata	tctcatgagc	taacagggtc	aactgccagt	tctgggctta	gcactgggga	47820
ccaggaatgg	ttaattcacc	tcctcatcct	gggagacctt	tgtatacagt	tagccctgac	47880
cttgacagaaa	caggcaggct	ctccttgcaa	ctgagtcaag	agccacagga	actggaagag	47940
ttgaaagatg	cctatcaagg	atgattgggg	ggcctcccag	gagaggtgac	actggatctg	48000
ggctttgaag	ggtgttgggc	aatgtgcagc	tgactgttgc	ctctgagtgt	gaggcacaga	48060
gaagaaccca	gtgggatctc	gttttggggg	cccctgcagc	tcccttgaac	ctcccaacat	48120
gtgtcatgct	ttattgtgaa	tttgcgtgca	gtgttgccct	ccatgctacg	atacaagccc	48180
accaaggcag	agtccaggacg	gtgcacgagc	agttcctgtg	tgtgtccgag	gcccagatgg	48240
gctgggtcac	agccggcctt	cagtgcacaa	tgaacgatta	gggtgcagag	caaataccac	48300
accaagtgtg	tcccatttct	gcttgctttg	ccttgcaagg	gtgcagagtg	gtcagggaaa	48360
cccttctctc	ctgggacttg	ctgtactgtt	tcagcagtc	gtccttactg	acctttcctt	48420
agctcctaac	caactttgat	tagattctca	ttagcaaacg	gtcattttgt	tttcaattct	48480
ctttatcatt	tcttcattgt	agattgtaca	agggacccca	atattctcag	accaccttgg	48540
attgtttgtt	tttcttactt	ataaaaaacc	aggcctggcg	cagtggctca	tgctgtaat	48600
cccagcactt	tgggaggcca	aggcagggtg	atagcctgag	gtcaggagt	caagaccagc	48660
ctggcgaaaca	tgggtgaaaca	ctatctctac	taaaaataca	aaaatttagc	cgagtatgat	48720
ggtgggcttc	tgtaatccca	ggtattcagg	aggctgaggt	atgagaatca	cttgaacttg	48780
ggaggcggag	gttgacgtga	gccgtcatcg	caccattgca	ctccagcctg	ggcaacagta	48840
gtgaaactcc	gtctcaaaaca	aaacaaacaa	caacaaacg	aaacaaacaa	aaacaaacaa	48900
aaaaaaaccc	aaacacttta	ttgatagcta	acatattaca	aaggagtgtg	tatcatcaag	48960
cgacaactca	gcaaattgta	ccggttgaa	gcatccagta	acctcaccca	gtcaggaaa	49020
gagcatgatg	aatgtcctga	agtcctcatc	atgtcctctc	ctagtacagta	acccctcaa	49080
ccccatccca	gggtacacct	ctcctgactt	ctaatecttt	aggctcagtt	tgctgttgt	49140
tgaattttat	atgactggag	tcagacggaa	gtgctcttct	ggctttgact	tctttctctc	49200
agcagtgtgt	gctagagcca	tccctctgga	ggtaattgct	gtataatact	ccacttaggc	49260
cagggtgtgt	ggctcacacc	tataatctca	gcactttgag	aggctggagc	agttggatca	49320
cttgagccca	ggagtccaag	aacagtctgg	gcaacatggc	aaaaccagct	ctctacaaa	49380
agaatacaaa	aattagccag	gcatggtgat	gtatacctat	attcccagct	acttgggagg	49440
ctgagggtgg	aggaccacct	gagcgtgggg	aggctgagtc	ttcgggtgagc	cgtgatgggt	49500
ccactgcact	ccagcctggg	acacagagtg	agagcctgtc	tcaaaaaaaa	aaaaaaacac	49560
aacaacaaca	aaactccact	ttataaatat	atcctaattt	atccattcca	ctgttgatgg	49620
atgtttgagt	actttgcgat	ttggggttat	tatgaaataa	tgctgccata	aacattctag	49680
agcatgtctt	ttggtgaaca	tgtgtacaat	attctattga	gtcaatacct	agggcacagg	49740
ataagcctat	cttcagcttt	agtagctatt	ccccaatagg	agaaatgttc	acttttgtct	49800
cagtctctag	accagggtatt	ctcagattca	gcaatatgga	ccttttgggc	aggatcattt	49860
tttgttattg	gagactgtcc	tgtacattgc	agtatgttta	gcagcaccca	tagtctctat	49920
gccagtagca	ccacctctcc	tcaagtcatg	acaatcaaaa	acatctcaga	tattgccaaa	49980
tatcctccgg	ggtgggggtc	agggacaaaa	cagtcttccc	tcctgctgag	aactgctctt	50040
tatagtgtga	gttctgtgag	gacagaaacc	ttccctattt	attactccaa	ggccaggcga	50100
gcaataggca	cttaagagat	ttttgtcttt	taaaagcagc	catgagcgtg	gaatctcccc	50160
agatgatattg	cctcttctag	gacagagtgg	tcctggggcac	aggccatggc	tgaccaggtc	50220
gggccccatgt	ggtgcatggc	agtggctagg	gtccctgagt	taggggagag	tggccaggtc	50280
ctgtctccat	cagcatgeat	ttgcaggggc	tggtctgtgg	tcacggcctc	tgctgtctct	50340
cctgacgaca	tttaccctgg	tcctctcccc	tctcctctgg	gcaggcgtgg	tgctctgcac	50400
cttcacgaga	gcagcgggat	tcatgacatc	ggcctgcccc	agtggcagct	cttgctctgt	50460
ctgatggctg	tctgtcatct	cttgtatttt	agcctctgga	aaggggtgaa	gacatcagga	50520
aaggtaatat	ctctgtgttt	ctctttcact	tacttgggtg	atcaaccttg	gggggtgtga	50580
ttatttctag	caataattat	gtagctgggt	gacaaaaaag	atggagctgg	aagtgaagg	50640
tctgggttca	agccctgtgt	ctgccactga	cttggaacaa	tccttccctt	tccttccctt	50700
ccccttcccc	aaatctgtgt	ctccaccaca	ataggttgaa	gggggtataag	tggatcaggt	50760
ttcctcatat	tttctgtcca	aaacctccct	aatagtcagag	accagggtact	gggatactgc	50820

caagggcctc	acgacaaagt	ctagagatac	tatcaacatg	cccttgataa	atcttgaatc	50880
ttgacctaaa	tcttcctgca	aatgttgcat	cctactcttg	aatatgacca	taaaatcaat	50940
aaatccccc	tctgaatttt	tgagaaaaaa	ggatgctcta	gaagatattc	agatgtatgc	51000
tggaattttgt	tttccctcgg	atcacgaaat	aagtgccccc	agggttccag	gtgccttggga	51060
gagaagagca	taggttttaga	tgacccatga	gggccagtc	ggagtggca	ttctgaactt	51120
gggtgacact	gtcctcctat	agtcagcctc	tcatgggtgg	gaatattcag	gaaatggctc	51180
ctgttgattt	ttagcccaag	gaacatcatg	ggaacaacaa	ccccatttgg	actctacagg	51240
gtctattttag	aagcttgact	attaaagagg	atatggatgg	gaaattttct	ttccagtgtt	51300
gtggtgagct	aatgctgtgc	aacaaaccac	cccaaatgt	agtgactcaa	aataacaacc	51360
attttattgt	ctctcacaat	tctatgggtt	gattgggac	agctgggtgg	ttcttctgct	51420
ccatgtgata	ttccctggac	tacatggctt	cactgggctg	gaatattcta	gatgggtgat	51480
acacattgct	agcatttggc	actagctggg	agctaagttg	gagctgccaa	ccagagcatc	51540
ttgggtatgtt	tccatatagc	ctttctatgg	tgcttgggct	tctcacagca	tggcggttga	51600
gttccaagaa	catgtcccaa	gcagacaagc	cccagtgatg	tacaagtagc	tcttccagtc	51660
actgcttgca	tcattcttgc	tattgtccca	gtggccaaaa	caagtgttga	ggtaaaaccc	51720
accgtccata	tgggagggga	ttacacacag	gtgtgagttc	attggggggc	acagcgcaac	51780
agtctacctt	aatcaggtgg	gtgtcaattt	gggagaatcc	tcattaggca	actgattttg	51840
gaaagggggg	gtgcaccaga	gttctctctg	atactcttag	agttcttggg	catgccattg	51900
agagcaaaga	aagtagcagg	ggagcagcag	ccagtagaga	tgaaatccat	caagaactgg	51960
agagagaact	tcctatcagc	atgttgggga	cacagtgtct	accctaagaa	agcactcaaa	52020
caaaatgcag	accagggctt	ggagaaagtc	tagcgttgag	caaaaccagg	ataggaccac	52080
taacattctg	atgcctggca	cctagtaggt	cttcagtaaa	tatttattgg	gtaattgaag	52140
gatgggtggg	tataaagtt	tggggaactt	cattaagtat	tcttttgaat	ttagttcaaa	52200
atatcaacat	aggagaccta	ctgtgtacca	ggcttgatgc	taataactagt	gatgcaagaa	52260
taagacaggt	tccttcttca	attgcttttag	tctatgtgta	ttacaggcag	gttatggatc	52320
aaccaatgtc	actagcttct	tgggtctcta	tccagagaac	atatgtgtgt	gtcctcattt	52380
aataaaaacc	tgtggtcaca	aactatgtgc	actattatat	atcttgctat	tttttaactc	52440
taactttacc	ttgaagtcaa	tttcacatcc	agtagtcgaa	ttacatttca	atagaaatac	52500
aaactgtggg	tttcaaaact	gtaattaaat	cagcttaatg	ggtcatcaca	tacacttttc	52560
aaaaatgaaa	aagtctagat	aataagagtt	cattgcacaa	gtaaagtaag	agctgtttct	52620
tgggattttt	gtttcagtta	cagcaatctc	taagtttatg	tgtagtttgt	cttgatattg	52680
aaggcatttc	ttagcctgag	ttgtggtcaa	aaagtgtgag	atgctgcatt	agtggagaaa	52740
ggaagctctt	tcaactgaaa	gtgtctccaa	agaccataga	gaagggtggc	ttcgagctgg	52800
gtctacaaaag	tcaggtgcag	gtagaggtgg	ggtggaagga	agggattcct	agcagaagga	52860
actacatgag	caaaactgta	gagatgtgga	agccccaggc	cagccttgtc	tagcactctc	52920
tgtgcctttc	ctgggtacca	ggagcagagt	tctcctggcc	tctgcaggca	cagacagaga	52980
ccctgagggg	agacagggct	caaccctgtg	aattgcagaa	gatatatgag	ctttatactg	53040
cttctggcct	tggcatagga	ccaccacaaa	cttctaacat	tgcaccccaa	gattgggttc	53100
cccaatgcca	tcaccaaaga	gggtagagcc	tgccccgtct	agtttagctt	ctgagttagag	53160
tggagtatat	gttgtctgca	ggcaggctga	tgcaaaagag	actgggagga	gtaaggctga	53220
gcatgctcag	ttctttccaa	aatacacctt	cagagaaggt	aatgaggggc	gaaccagagt	53280
gttacactag	gaaagccccc	atgtagaaac	acaatgagag	aggaatatga	gtccctctg	53340
catgtgtcat	ccgaaccac	agcccacatt	ttgcataagt	ccctcagtgt	tctgaccact	53400
aagcaggcat	gccacaggca	gtccatggag	aggagatttt	tagaatgggg	agcttcactt	53460
aggacattac	tgtgctctgt	ctttaattgt	ttttataaac	tggcttatga	gaaaccaaga	53520
gtgttgctta	tttctttcta	gactgaacct	ggaacaggac	attgagcctt	tcttagcagg	53580
cttccatagc	ctcagagctg	gcctcaaagt	aattgcaaat	gttcatacct	ccggtcttgg	53640
caagtgaagg	ttgtgctggg	cctggcttgc	tttagtgact	tgattggact	caattataat	53700
gaacagcatc	attcacacat	gagtgaggca	tagactaaaa	tgtttgtagc	ttgggtgttt	53760
cttcagtaac	atcagtgcac	accccacacc	ccataaatct	ccctttttaa	aatcacaaat	53820
tctaaatcag	taaagggtaa	attaatgcag	atttatagtg	gtaaagtgcg	gacatttatc	53880
atctctgttt	tcaagtcaac	cttagagtag	gtcctgggca	gtgtttttca	aactctcatg	53940
ggtgttaagaa	tcaactgaaat	ggcttgcctga	aactcagatt	gctgggtccc	cttctgagag	54000
agtctgattc	agtggggatg	aggtgagaat	ttgcatttct	gacaagcacc	taggtgatgc	54060
tgatgctgct	gggtctatgga	gtcacacctg	atctaggcag	ccattttctc	gatgcctgga	54120
ttcatagcaa	ggcttgcaaa	acttcagtga	caagcacctc	accaccttcc	tgggcagctc	54180
tttcccttga	gagagctcta	tcaatttgaa	aattccttct	tttatggagc	caaggtcctc	54240
attttgattg	tgagccattg	gcttgaattt	ggtaccctgg	aaccacacag	attatccata	54300
gaaataccag	caggtatgga	tttaaagtga	tagaaagcag	tgacctccct	tagggactaa	54360
ggacatttgc	caagaccaat	gggctgctca	ttgctttctt	gatgttgtgc	tcaaaattgg	54420
accaagtcta	ggttctcatg	gccagagctg	tgttgcaagt	tgaaatgctg	agagctgaga	54480
agcctggggg	ggagatgaca	gagcccaagc	ctttcttctg	tttaccattt	gtgcattcag	54540
ggcacatttg	agcatgagtg	aactgttagc	caaagatcca	ggaatccttc	tttcaacaca	54600

agatcttagg	cagctgaagt	aacacccact	gccaatctctg	agaatcttca	acaagactca	54660
gatgggttag	ctttgaacac	atgggcacag	acaaaacaag	ttccctgctt	tcttgatgct	54720
tgaactatag	tcagggtctc	agctcagtc	tgccctgatg	tattccttag	ggaaactgaa	54780
tccatggcca	acaaacatgg	ccaatgcagg	accacctcca	ggcccatagg	gagattccct	54840
gaagtcagag	gtcaagatac	ggttttctga	tgaggaggat	gtagtctcac	ctgatttgct	54900
gggctgggca	ttgcagcagg	gctgcagcta	ttgacatgag	ttttaggaga	ccagagcagt	54960
taggaccagt	ctcaaggaga	tgtgagagct	ccttcttggt	ccttttgcca	agggcttaca	55020
cctatttgct	ccagatcagg	agactgaata	caagattgat	taacgtgagg	tcacccagat	55080
gcaacagctt	cactttccag	ggcatgtttc	cctccttatt	tgttatgcaa	tttgtccttc	55140
ctgttcttgc	ctccctgaaa	gaaaacaagt	ggaaatccca	tttccataaa	gaccttctta	55200
gaacaaggga	gtgatggaga	aacaagtgg	taacatgaaa	cagaggaggc	tttcttgatt	55260
ccttctgagc	ccagaagatg	tgactaccac	tatgcattta	ctcgctccca	tgctgacca	55320
gttactcatt	cattcacttg	ttcatgcatt	tattctttga	cttagtcgtc	cactaacttt	55380
ctgatttate	acttaccac	tcattcatcc	atccatccat	ccatccatct	actcaaccct	55440
ccaccacact	aatcatctta	tccatccttt	taaccagcta	cccaatcata	atccagccat	55500
ccactcatcc	atccatttac	ctaacaatcc	aatcattcat	ctacaccact	gcccagtcga	55560
atcatctgta	caataaacat	ttatttgagc	tcacatgtgc	cgggttctgg	ggattcaggt	55620
ttgaaaaata	taggatttta	cttctaagga	gctcatgata	tagtgggaaa	gacaagtaaa	55680
gaaagaggat	aaatcccat	ccttaaacat	aagtttgaga	agcatatggc	tttattttct	55740
atatcccat	tttttgttta	gagcccatat	cttttttagcc	tggcaaagaa	ctttctgtgt	55800
tcaaggtttc	cactttcccc	ttagggatat	gggaagattc	ctggggctac	gtagtctcag	55860
ggatttgagg	ggtggaacca	tctggcattt	aagttatagg	ccttctcatg	tttcagctga	55920
gtcctccttg	agtctgacta	ccttgacctt	agcctgattt	ttcacttggg	acacagcctt	55980
ctttcagcaa	ggctacccat	ggctgcctct	gcctaaagt	gtgattttct	accttggtctg	56040
cacaatttta	tcactctggg	agcttttaaa	aaaatactca	tttcaggcct	acctctgacc	56100
aactaagtca	gaaactccaa	gaataggatc	tgagctttaa	catttttacc	tataacttcc	56160
ccagggtat	ttgaatgtgt	agccaagggt	gagaagggaat	agcgaggaaa	cctatataac	56220
acccccatcc	ctgtctctac	ctttcttttc	tgttctctcca	acctggacaa	ggggatgggg	56280
tgtttctttt	tagtttgagg	taatctcttc	ctttgtgtgt	ttctgaataa	ggtagcttgt	56340
ctgtgtccca	catctgttcc	cactaagata	aagaatggct	agaggttctg	ctttctgccc	56400
agccacatcc	cttcctaggc	aatgtgctta	ggaaagaaaa	tatgcttaaa	ggggggtaaa	56460
gaaaaaaagg	aagagataaa	cataaggagg	agagtggagg	agagggagat	gagggagggg	56520
agagcaagaa	gagggaggga	ggatgggaag	agagaaaaag	agaggggggg	aggggagagg	56580
gggagagaga	gagagagaga	gagagagaga	gagagagaga	gagactgaga	tttctaaata	56640
tccctgccagt	cagatagggt	catgcagcaa	ccagtagcaa	tgggtgatg	gacacaggac	56700
tgatggggaa	aggggagagc	acaaagggtg	gtgtacttag	ttctgtctgg	ttcatgaacc	56760
acgccttgat	ctaggcaatc	ctttgccaat	gcctgtattc	atagcaacac	tcgcacaact	56820
tcaatgacag	gtacctcacc	acctctctag	gctcttttcc	tttagagagc	tctatatatg	56880
ggaaagtctt	tcattttatg	gagtcaggag	tctttccttg	aaggagtcag	gagagggtggc	56940
tttgtagatg	aggaggcatc	tggtgctatg	aggacctagt	ctttgccctt	ggctttcatc	57000
atagtgtat	ccccactgtg	gctgactctc	acctgggtt	ctgagcttct	ctaggggtgtg	57060
acctgtgtcc	gtttgtggt	ctagccctgg	attctggctt	cagggccttg	cctagagctg	57120
gaacttgtag	catgtgcttt	gggtaaagga	aggtgggaaa	gagcatgact	ggctccctgg	57180
gaaagggctc	tgtgccccac	cagcccgcga	cgggattggg	gccagagcga	ggctctcacc	57240
tgaacttatc	cattgcccag	gtggtgtgga	tcacagccac	gctgccttac	ttcgtgtgtg	57300
tcgtgtcctc	gggtccatgg	gtcacgctgc	ccggagcctc	caatggcatc	aatgcttacc	57360
tgcacatcga	cttctaccgc	ttgaaagagg	ccacggctag	tgctcrgtga	ccaccacacc	57420
ttggggccagg	cttgtgggag	ggttttcagg	agaagggtgat	gatggaaaat	ctgggtcccag	57480
ctctgccaca	aatgtgcagt	gtagccttgg	acaggatcct	tcctgtctg	aggtgcagct	57540
tccccatctg	accaatgcgg	atttgcacct	gacagtctcc	ataagcccac	ccatgtctgg	57600
aggcctggga	ttctgtggtt	gcatctgggt	gtcttcacag	actactcttt	ttgaggagag	57660
aaattccctg	tgaagaggac	atgatgtctt	gggaccttgc	tcttgccctg	tgccacagc	57720
tccttagtcc	acccagacca	ttcctgccc	tctttctact	cttgatccc	caaacctagt	57780
ctttgccacc	atcctgtgat	gtcagcaca	ggatagtctt	agccaccagg	gaggccctgc	57840
caactctctt	ccccaacacc	ctcatccaac	cactccccct	gtccagaggc	ccaaactatg	57900
gtgaaagtgg	gtgaatttgg	tagtggagtc	cagtgcagag	cagtgtggt	gggagcagag	57960
acaatcacag	aggtactcag	taccttgagc	atcttcagat	aactgctgag	attacttcta	58020
gcctcctctt	gcagggcccc	tcagtggaga	cacctcaaca	tgctatctta	caattctcca	58080
gggtttcttt	atttgaaccc	ataataatcc	tggcaggccc	cagcagcaca	ggatgaagag	58140
ggatgcaccc	caatatacat	ctccatagtt	gtaatgtctc	aacacactgc	aatgttatag	58200
accgtaacc	aagagaaaac	ctattttcat	agtaacagcc	agaaagataa	cagagcataa	58260
gacatgaatc	agcctcgtaa	attgcaaaat	aagtcagact	tctatttgtt	ctgtgactgt	58320
ttatgccaaa	cctttcagat	gtgtagaagc	taagccctca	gtgcagtctc	aaggagcaga	58380

tctgtcttcc	cccatcagat	catgetgccc	tctgtttgca	caggcatctc	tgaatctga	58440
attgcaaggc	tgggcgcggt	ggctcacgcc	tgtaatccca	gcactttggg	aggctgaggc	58500
gggcggtatca	cttgaggtca	ggagttcaag	accagcctgg	ccaacatggg	gaaaccccgt	58560
ctctactaaa	agtacaaaaa	ttagcggggc	acgggtggc	gcacttgtaa	tcccagccac	58620
tcaggatgct	tgaacccagg	gagtggaggt	tgcagtgagc	caagatcatg	ccactgcact	58680
ccagcctggg	tgacagagtg	agaccctgct	taaaaaaaaa	aaaaatctga	attgcagctt	58740
agtctgagtg	tgtgaggtat	aattatcccc	attatacaga	tgaggaaaca	gacagagaga	58800
agtgaacttg	accagggcta	gaacatgagg	cagagaagtt	aaaaaggaat	tcagatcttc	58860
aggcctccgg	ccatgtgcct	ttatcaccca	acggattaaa	tacgtaagcc	ccattggccc	58920
ccaaggagtc	accattgtct	atggcttgta	gaagcctcct	aggaatgggtc	ctcgttttct	58980
gaaaatgcca	tctccgtaac	tcctaagatg	gccataaccc	tctgttcttg	ccccattcac	59040
actctagcct	agaacttttc	attttgttaa	ctttctttga	aaatcagggc	atgaaattga	59100
gtgaatgagt	tcctacaggg	tgagctcact	cacgactacc	caaggctggg	agatgctaga	59160
gaggcccagc	ctctctctgc	agttgttttg	tacaggatgc	aggggagggg	gttgccaggg	59220
ctgcccattct	ctgggttcaga	ccatgtttcc	tctgggtctca	gagcatcccc	aggggtttctc	59280
agcccttccg	gaccagttag	gtgttccagt	gttgtaggaa	gcagaggctg	atggcttttg	59340
tctgctgggt	tcaggtatgg	attgatgccg	caactcagat	atttttttcc	ttgggggctg	59400
gatttgagtg	attgattgca	ttgtccagtt	acaacaaatt	tgacaacaac	tgttacaggt	59460
aagattcttc	tcagaattct	gagaagctct	aaatcctggg	gattgactct	tgtgggggtg	59520
cagagagggc	tctgggtctgg	aagccaactc	tccctgggca	agccaaattt	tcttcttggtg	59580
aaccatcctg	ggcattctat	aaactgcgac	atggcctctg	agggctctga	tgaccacatt	59640
tcatttcagg	atgcctctta	aacaaatgtg	aggtgtggaa	ctgggaaaat	tgaggttacc	59700
accactgaga	gatgggtagt	tatgacagag	gagaactgtg	aagatttcag	tatggactct	59760
gtccatcaga	tgcccaggca	ggcaggggtg	gaatatcgca	gctgctgagg	gcctggcagg	59820
gtcagaagtg	agactgcagg	ggagactgag	actcagaaga	ccatgatcta	gctcagttca	59880
ggaagcagtc	aatgctacct	cctgctggcc	cagtgtctgtg	gggacttcag	gcacaggcac	59940
aaatttggtg	ccacttccat	tacactccat	ccaaggctta	aggcagaatc	acagtgtctt	60000
tgttacctga	cagagtccag	tgaattcata	ccagcgggac	aggctatagg	gaggttaagg	60060
aatgggggtga	tcagccccct	gatagaagac	aagccagtg	atggaggtga	atttgagatg	60120
agccttgagg	gatagttagg	attatgctag	gcagacgtgg	agtggactgc	atgcactggg	60180
gggagaagcg	ggacaacaca	ggcaaatgca	aggaagtgg	ttgtttatgg	accaatttat	60240
ggtttggttca	gagtacacct	tgggagtc	ggaagataaa	tatataagga	aggttgggtc	60300
ttcttagcaa	agctcttgaa	tgacaggatg	aggagtggg	aggcactggg	gagcagccat	60360
ggaagggttg	ttgaaggaag	ctgggtgactc	aattccctgg	caggagtaga	ctctggtatc	60420
aggctgttg	atccataagc	agttagccta	cttccctgcac	cagtgatgg	gaggccctgt	60480
atccatgtgg	cagcaggagc	cactgaaggg	gggatggcct	ttgaggctgg	ggccaggctg	60540
caggttctat	agccagccca	gcagctcaaa	cacagggttg	aggggtgtcaa	gggatttgac	60600
ctcactgtgc	ttcttcccc	agggatgccc	tgctggaccag	cagcatcaac	tgtatcacca	60660
gcttcgtctc	tgggttcgcc	atcttctcca	tccttggtta	catggcccat	gaacacaagg	60720
tcaacattga	ggatgtggcc	acagaagggtg	ggtgggcagc	ccacctgggc	cccagcccac	60780
tgaggcggga	gctgagaagc	ccaccttatt	cttggctgca	tggctcttcc	gtggctgtag	60840
gaatactggg	ttgtccatgg	aggtgtccaa	accacccatg	tgattgactt	tcctttgagg	60900
ttattagtgg	gcattccagg	cagtcacagt	ccccatgcat	gtaggagaac	cttcctctga	60960
gtcaggggtg	aaggaacgga	ttttggactg	tcctctctgt	accagccctg	ggctaagcac	61020
ttgacatacc	tccacttagt	tctcacaagg	ctgccgggca	agtgtcaata	gactcacttt	61080
acgaatggga	agactgagat	gcaagctaaa	tacattgtct	ggcgtcacc	agctagttag	61140
caattgtgca	atagtattca	caccccaatc	aatccagctc	tggagcttgt	gtccttcctt	61200
gcagcttccc	atatccttat	ggccacagag	aagctgagac	ctgggggaagg	gctacctcta	61260
atgcactccg	aggaccccaa	gctttagtga	gtaagagtg	atcccttata	gagtatagta	61320
ggtgggggtt	gcagcatgta	gcctgtagct	gtccaggcag	ggaactgctc	tccagactgg	61380
ctgttggggg	tcaacctctc	cgatgcacag	gtgagctgta	agttcatgct	gatttcatct	61440
gttatctcta	aacctgtgtt	ctgtccgccc	acacatgacc	kaacaattgg	gccccagat	61500
actcccctat	catgtgcagc	tcagaccaat	ggtttcagcc	attgatgagg	tccttgatgt	61560
ttcttacagg	agctggccta	gtgttcaccc	tgtatccaga	ggccatttct	accctgtctg	61620
gatctacatt	ctgggctgtt	gtgtttttcg	tcatgctcct	ggcgtggggc	cttgacagct	61680
cagtgagtga	ccctgcttag	gatacctatc	ccccatccca	ctgggcctga	cccccttccc	61740
caacacacag	tgtgggcct	gaagttccca	ctattcaaac	accaggttaa	cagttgtttc	61800
ccagaaggcc	ctatttaaat	tcagacaaa	aaaagttagt	cctcactcaa	aaagataaga	61860
cttaggccaa	agccaagaac	cataggaacc	ccttgacat	cttggaatc	caaaagaaga	61920
ggcttcagat	aagccagccc	cacactgtcc	tcttgagggt	ggggaaatga	ttcagaggca	61980
acacagataa	aatcttgtgc	tctaaacaag	cattttctca	ttatatttta	ttatcaataa	62040
tcaataggcc	aggcatgggtg	gtcactcct	ataatcccag	ggctgtggaa	ggctgagggtg	62100
gaaggattgc	ttgaggccag	gatgtcaaga	ccagactggg	caacataggg	agacccccat	62160

ctctataaaa	aattttaaaaa	attagctgag	catggtgttg	tatgcctgta	gccctageta	62220
ctcaggaggc	tgagggtgga	ggatcacatg	agcccaggag	ttggaggctg	cagttageta	62280
tgattatacc	actgcacttc	aacctgggta	gagtgagacc	tggtttctaa	aaaacacctc	62340
aaaacccaaa	cgaacaaaca	aaaacatttt	gaaccagta	gtttcttaca	tccttttatt	62400
ttatccaaat	gtaagattgg	atttactgac	atctttttta	atctatgtct	acccttagta	62460
cctcatgcct	ggacatttgc	aaaaaatctt	atggaagggc	tggcacttgg	ttttcctccc	62520
actgcctttt	gctttcagtc	agcagatctg	ccaggagcag	ggagttgaga	aggattttga	62580
ggctgcttct	gggcttataa	tgaagaatac	tgattttgat	taacagtgtc	tgccaagagg	62640
aggggagagg	agaggagagt	ggtagcttgc	attcttcttg	tctgccctca	cattgtcctc	62700
ataagggaagc	aatctgcccc	tagcagtggg	atatgagacc	ctttcagact	ctaagagtct	62760
ggagtttgaa	gtgaccactt	tgcttgatca	ttagaaaggg	agccaaaaat	ccttatcaaa	62820
aactgctgcc	tgaagtcccc	atcactagaa	gctcttctgc	aggagttggt	tccagagaca	62880
cttattgaca	tgtaaacgta	tgacatgggt	tttggtgttt	tactgctttc	actccactat	62940
cagcttatct	gtacccactc	aggctgagtg	agtgtcagga	gacaggtagc	tggtgcgtag	63000
gggagacagg	tggtgactta	accctcacc	tctcccacgt	agtttctgag	ttctgagttt	63060
gcctgagaac	aggacagaaa	tgtgacgaga	ggatggggaa	ggaaggacgt	gctgatttct	63120
cgagagaggc	aaggcagcct	acatgagtc	tgggctgcag	gaggtcttag	gaaccctggg	63180
gcctgagact	gaggtccagg	gagaccctaa	ttcctgcacc	ccaccctccc	tggttccctc	63240
cagatgggag	gcatggaggc	tgtcatcacr	ggcctggcag	atgacttcca	gggtcctgaag	63300
cgacaccgga	aactcttcac	atgttggtgc	accttcagca	ctttccttct	cgccctgttc	63360
tgcataacca	aggtgagtag	gggctgggct	ctgggtcacc	tgggggctc	tgaggccgca	63420
tttcaataaa	gtcaaacatt	cctagcctta	gaactggggc	tgagctcagg	gagaacaatg	63480
caggatccag	catcctcaat	tcagcggcct	gaccacttag	ggtagggccc	agtagtcttc	63540
ttccatctct	gatgctgagg	attocattca	gccctgttaa	ttgccttatt	gacttgaggg	63600
gcagcaaaaag	tcccttttgg	acccatctaa	ctctttattg	gctgaaactg	aggtgactgt	63660
aacgtcaata	caacagcacc	acagccctat	gccctgggtt	ttcaaataga	gctccgagca	63720
agtgggacag	ggggcaggta	agagttgaca	gacacaacaa	tcagttccca	cgtttgacca	63780
aagaggccct	cttggcttct	tctctccctg	tgccagggtg	gaatttacgt	cttgaccctc	63840
ctggacacct	ttgctgcggg	cacctccatc	ctttttgtg	tcctcatgga	agcccatcga	63900
gtttcctggt	tttatgggtat	gtgagtgtgt	ggaaaagcct	cagctcccag	tcctcctaga	63960
atcctgcacc	tggagggtgtg	caggaggggc	ttccatttcc	aggacagcca	cctaaaattc	64020
cagagtcag	caagtcactt	attgggaaca	aatctyaatc	ctcggtcat	ctttggatga	64080
acctgcccct	aacaggaggc	tgcaaaggcc	cctgggcatt	aactcctaaa	agaggaaacc	64140
ttaggaaaat	gctgaccccc	aagtcatata	attcatccta	ccaggggggt	gtcagattta	64200
gcaaacacaa	cacgggttgc	ctagttaaac	ttgaatttca	gataaataac	aaataattat	64260
ttagtataag	tatagctcaa	atattgcatt	ggacatactt	accctaattt	ttttcattat	64320
ttatgtgaaa	ttcaaactta	actgggtatc	ttgtattttt	tctggcaaac	ttattctgga	64380
acagaactga	gagaatattt	tacaaacctt	taaatgtgtt	aattgtttgt	ttttccccc	64440
caagtgtcac	accaacatgt	tagtcctgtt	ctcactctgc	tgccactcag	aaagagattc	64500
aatggaagag	tctgggctct	cctatcagat	tgaagtccag	gaatgtgtg	tatgcatagt	64560
tggtgttatt	ttcagagcaa	gagtaaccaa	gaggaaagag	ctgggctttg	gagtcaggcc	64620
aactggctct	ggaatttggg	gcaaattccc	tcacctcttt	gagcccagg	ttccctctga	64680
cagggtgaatt	ggggtgacac	atgaaagggg	atactgtcct	agagtttgtc	ctctccctca	64740
ttctgcatta	caaaggggcc	atccccgagt	ctccctagtt	ccakkkkatc	agcatcttgc	64800
ctcactgccc	tgtctctcac	ctggggccag	aacctcatgg	gaggacctgg	ccctggctat	64860
catggggggc	atggtaacag	gcctgccctg	tgtgtgcaca	ggagtggaca	ggttcagcaa	64920
cgacatccag	cagatgatgg	gggtcaggcc	gggtctatac	tggagactgt	gctggaagtt	64980
cgtcagtcct	gccttctctc	tgggtgtgat	tgtctgcagg	gaagycctgc	atgtggggag	65040
ggggctgtgt	ccaggatgga	gctgggtgag	gatatttgct	tcttagggga	ggaggctctg	65100
ggatccagag	gccctgggtc	tgcagagggg	tcacttggga	tgcttggccc	tgtggataac	65160
gtggtagaca	tccaccttac	taggggggtc	tccagctggg	gccaggctcc	cgggggctgt	65220
tatgccttct	ccaaagtcac	cttctgttct	tctcttttct	ttgctccctg	tcatactctg	65280
ctccttttga	ttatcacttg	cttcttgaat	tctttcttat	ttctccatct	ctttctcttt	65340
tcactcctt	ccttatttcc	tccctttgct	gtgatgtcct	cttctcttca	tttctctccc	65400
acctttcttc	cacctccttc	tctctttcct	ttcttgtctc	tcttctgtcc	tgtcttctct	65460
tctctccctt	ctctgcccct	ctctagttcg	tgggtgtggg	cagcatcatc	aacttcaagc	65520
cactcaccta	cgacgactac	atcttcccgc	cctggggcaa	ctgggtgggg	tggggcatcg	65580
ccctgtcctc	catggtcctg	gtgcccatac	acgtcatcta	taagttcctc	agcagcgagg	65640
gctctctttg	ggaggtgagc	tctggtcctc	ccagggggaa	cagggtggga	ggggactgag	65700
ggggaagacg	ggacgactct	cattcctgtt	gggggtgggg	aagggaacaga	aggacacaga	65760
cactaggggtc	aaacggaccc	acctcattgg	ccagggttatt	ttcccccatg	agcctcagtt	65820
tccacatctg	tatattgagg	ataatattac	gtaccccaaa	acaaaaaaga	agtacttagc	65880
acagtgtctg	gcgcacagga	ggtgttcagt	acatgttact	tgggggtgag	ctcagccctg	65940

gagttcacta	aggattgatt	agacagactg	cctgaaccca	gtcactgtg	atgtctctgt	66000
ctaagatttg	tcatttccca	agatgtccca	gctctcccca	tccaagccca	ctgtgatctg	66060
ctccttcttg	ttttcacctg	cctctttcca	gaacctaaata	atctgatcag	cctaaaccag	66120
agatttctga	actatttctt	tctatgcatt	ctgcatatat	gtcaatatatt	atacatatgt	66180
atatatgtac	atgtgtgtgt	atatacatac	atgtatatat	acacacacac	acacatttat	66240
ataaatattt	aggaaactgc	cctttattct	gaaattatgt	cactcctatt	tgattaaaat	66300
atcctttctt	tcataaacta	atagtataaa	tcttttcttc	atatccttac	tttacaaaac	66360
aaagatgatt	tcattccttc	attcctttat	ccactcactt	ggaagggtatt	tattgggacg	66420
cagatatatg	ctgggtagta	ttcgaggcac	tagacaaaaa	ttcctgccct	tatggagtgc	66480
acatttcta	caagggcagg	taaacaaaat	gaggatggaa	ggcatccttg	ggagccacaa	66540
ggaaactcaa	ggaagggagt	aacagacaga	cagtcccat	cctcattctt	tgtgatacat	66600
ttcctgtctg	tgaatccct	aagtctggtt	cgggtcact	gggaggatca	gtgttcagt	66660
acctcattct	agacatggga	actgggacct	gagccttcta	ttcttcacac	tttgggagt	66720
gagaggcttc	ctgtaccag	tgatcaattg	ttggttcaga	acacatgggt	tgagacccca	66780
caagtgcctc	cactgcagga	gggctttcct	gattccctgc	agggccagag	gcttccttcc	66840
acactctccc	tgctgcactt	tctccattct	gggtctaaga	tgatgtgtgt	gtttgttcat	66900
tgccagtccc	ttacatgggc	ggtaagctcc	cccaaagtag	agactgtgtg	ggtctccttc	66960
aagtctggat	ccatagggcc	tagccccatg	tctgaccaca	gtaggcagct	caagaaacag	67020
tgtctggatg	agtgactcaa	tggaccagct	ccacaaaaca	agctggagggt	gtcttgtaca	67080
gaccccaaat	gctatccatg	tggggctgca	ggatcaaata	gcagggtggcc	ctcatctgsr	67140
ggtgcagcca	ggctgccaga	aggggtgtccc	tggggccaagc	tgaggcctcc	tccccctctc	67200
ttcctttcag	agactggcct	atggcatcac	gccagagaac	gagcaccacc	tggtggctca	67260
gagggacatc	agacagtccc	aggtgggtga	agcctagacc	cctgggggtg	agattacaag	67320
ggcggggcct	ggctgttccc	tgctgtgyac	tgcccaaggc	tagacatcac	atccagaaaa	67380
cccgaatacc	cagtgtgagc	tgcttttccc	ccttgaaaac	atcgggatgg	gggacaggga	67440
ggctcacctt	gagcccatgg	cctcaggctt	gccctgtgac	tttggggagg	ttctgtctgc	67500
ctttctgggc	ctctgtgaca	attaggggat	caacttgcac	gttccctgag	gtccgtgaag	67560
gaaggggggtg	tttttctgcc	ttctctctac	ctcctgtctg	ccccgccagc	tggcccttgc	67620
tcctttctgt	ccccaccatg	tcatcaagtc	ctcgtgtctt	ttctctgcag	ttgcaacact	67680
ggctggccat	ctgagcctgc	ctggaggaga	aggaggaacc	cccatgccaa	tgtccaggtc	67740
acaggcatcc	gctgcgctcc	cacctcggac	accatcttgg	gattcctccc	ctggaagttg	67800
tcctttctga	tcctctcttc	ttttcccat	tacaaatgat	ttcgtgactg	tagtttttgt	67860
tcaccttctg	tgcatctggc	ctgggggctg	ttagctcaga	ggagaggagc	aaacaggaaa	67920
atgacttctg	ttctgtcccc	gctgttttgg	gggaagtctc	tcycactttg	ggatcctgct	67980
gaagctaggt	tcatgaggtc	ggaaatcccc	accacatttg	cctagacttt	gggcacagga	68040
gttcttagtc	caccaaatac	gagagaggat	gggttttga	tcagataccc	cccccaaaa	68100
aaaaaaaaaa	acaaaaacta	aagcaaaaat	caaacaaaat	ctggctgagt	ttagtggggt	68160
ggttggggaa	ggtacataga	ccctcctctt	gccacccta	gacagccctc	tcatgtctga	68220
acctcagcct	gggagttaga	tttatttgtc	tctaaaatga	agtcagtggg	tagatgcttt	68280
gagggatttt	gagtagaaac	attcatagtt	aattttcact	ctggccaatc	tgagtttgat	68340
gtgtgtgttc	tggaaacattc	ctccagcttt	tgggtggtcag	atggcccaga	gatatggggg	68400
acaggaggaa	gagggtaaat	gaaccacagt	gagcaggttc	taggaggtac	ctgcatcaga	68460
caagtgggtg	gagggcacgt	ggcaagccac	atctactgag	gcctcatgct	gctctgtctc	68520
tgtaagacac	ggagcccaga	aacctactctg	cacttctcga	gacctgcctg	gggaaacggg	68580
ggcaggggacc	aagtgaggcc	tcatgtgtgt	cttcaccgtg	ctgtcctcac	aaggccaggt	68640
gggtgcccac	agggagcctg	acaggctgtt	gtgttaattt	attgttcttg	cacacctgca	68700
cagcctccct	ctggggatcc	cacctggagt	ggaccagggg	tcttgagaaa	tggagagttg	68760
gctgcaaaaa	ctctcatgca	ctagatgtgg	caccttggag	ggcagggtga	gacaagcagc	68820
ccagaaatac	tctctcaagt	ggaggggaga	attttgagag	tggatggaac	agtttggtgg	68880
tttcagagaa	tttctaggtt	tctacttggg	tctacttctg	atacaaaact	gcacttgggt	68940
cctctgggtg	gtgttttagtt	ttagtccctg	aagagaaatg	attcctagtt	tgctaaattg	69000
gtggcatctt	tgggaggggt	ttctgtttat	ggttagagtc	tcttacaccc	ttgttggagg	69060
gattcttatt	ctgactgtgg	gagctcctgt	tgcaggatct	tgggaaaaaa	taaaagaagc	69120
gctgcattctg	cagctcaaga	aggtccttgg	cctcaaatgg	gggtgttgtt	gagcctgggtg	69180
gttcctgcat	gaagaggatt	atgaggggac	caggggtggg	cagggagatg	gttttgtctc	69240
ccagggtcct	gaggtttcct	tgctgggtcg	gggtcctcag	gtcattctat	agataaaaaga	69300
gggaaaatca	ggagactttg	aatctttctg	tataaaaagg	tcagctgaat	gcctgagaca	69360
gccagggtgg	caggtgtctt	ggagccctgt	gaacagttag	gcttaagaat	ggagaacaat	69420
caggtcgggg	tctggggccc	attagttagt	ttatatcctc	ccataaaaagg	taacttcttc	69480
ctaggtgtta	ccatttttct	tttcgttttt	tgtttttgtt	tttgtttgtt	tgtttgtttg	69540
tttgtaataa	agcactttta	tgcacattac	ctgccatctg	cccagttagg	actgcagggc	69600
tatagcttct	atctcccat	ttcccagggt	agagaaccaa	ggcccagcat	tttagtcaact	69660
cttgctcaag	gttttttagc	aactaacaga	tcgagttggg	ccttcaattc	acatccactg	69720

actctcagcc	cagattat	tgaatatcc	ctgcacaata	gggttcaccc	caccagggac	69780
tgctcatttt	aaaaaactca	ttcaaacccg	aaaggaaaat	ttcttagcaa	aagaacaatg	69840
tggtggagga	tggggaagggg	cgagagaatg	ccatttat	tcctctagct	ggtttccaga	69900
gaggaaatta	tttagctgct	ctcttttgat	gaaaataatc	actctttgga	atagttggat	69960
gtgaaaagct	gagtcactt	ggttgaaatg	agagcaaaaca	gtcagcaaag	ccttttgcat	70020
tagagcaggg	tcgtgcttcc	gagagagcct	gccatttccct	ctttgccatc	tgcatgtggc	70080
cccttctgcc	tccagacatt	tgtcccgggg	tgaatcggag	atgtggtgct	agctgaacca	70140
acaccaaacc	aacgcagtgg	tgctgccttg	cggcggaagt	tggtccttga	atctgggatg	70200
ggaacctggc	tccaagcctg	ggtcccctgg	gaggggtggg	gtaccagaa	agcccttgga	70260
agttctcggg	gaggtgcttg	gagatcattt	gggtttacct	ttccaccac	atttaattgga	70320
gagagagtat	gggctttatg	ttaagtcata	tttgacttcc	ttttttagc	ttgtttttaa	70380
tagcagaggt	cacccgggac	aagggtgctg	tgtactgtat	atgacacttg	acgcttttga	70440
tattttttca	ggttttttaa	gaattattat	ttttcatgaa	atgtaaaata	tcagtttgag	70500
aacatcacat	ttacgtctac	tcaatgtcta	gttatttagc	acccaccttt	tagctttcat	70560
tctagatgaa	aacgagacaa	gggagaagga	gagctacca	ctcttgccag	atatcctgct	70620
gaacagaaat	ccctgaagct	gccttaattc	tcaaaaggag	ttaccgctca	gctgggagcc	70680
agttcctgct	atatgatctg	ttttctagcc	tcgctaattg	gagactgaag	cattccttacc	70740
aaagaaatca	tttcttagta	aagaagccca	ttgaactcac	tttatttggt	tatttccttc	70800
gaaagccacc	gaagagagaa	aaacagagaa	ggtgtgtagt	gtggcggaaa	aagcacagca	70860
tatagtttta	cagacttggg	tctgcagctg	actagctggg	tggcctgggg	atagtggctt	70920
catcttttgg	ggcttcaaga	ttctttgtct	ttaaaatcag	gggttatatc	agatcatcaa	70980
agttccatt	ccattaaaga	aaaccctgca	tgtatccata	atgatgctct	cctgttaaat	71040
ttacaatgaa	ggaaacacat	cacttaactg	taagaatttc	ccaaaatgaa	ctgatgacca	71100
gtgatctctc	tatcagagaa	atgtcagatt	tctagcctcc	agaactttga	tttttctgga	71160
cattcaatag	ttctcttttc	tcagatattt	ttcaactgat	gccagaaaca	cttggtattt	71220
gtttttaatc	caaccctttt	gttttgaggc	tttgaggagg	aacacatttt	cataccctgt	71280
gagtcacagg	atccacagct	ctgctgtggt	ctcagaagcc	actgaaacat	tggtgaatgt	71340
gaagtcaact	ttgggggtgc	tgccctcatc	cctctgtctc	tctgcttccg	tgtaaataaa	71400
gactgtttca	attgtgtcct	ctctgtgtca	tggaactgtc	caatgtcatg	cagatttctg	71460
tgtctgatat	ggattttaaa	agttgttctc	tttgtggaat	ataagtgtac	agaataataa	71520
ataattgttc	ctgggctgtg	tatctggtag	cagagtcttg	aatgctttct	tcctatgaag	71580
tggaatgcta	caaattatgt	aagggaagtg	ggtgtatcta	tgatcagctt	ccaactagta	71640
aagaagagcg	tctggtcata	gtgaccaccc	ttttaatcaa	ataactcttt	ttataacctt	71700
tggaagagga	gattggaagg	agttaaatct	gtaatcttag	ctttgagatt	aacatatatt	71760
tttaataaaa	aagagggcac	caagtgtatc	caggtttagt	ttagttagt	tttcatttct	71820
aaggctgttt	caaggagctc	agaacctcct	ggtggattga	attaaataca	caatttggtg	71880
catgtgtgaa	tttttctggg	gagagggata	cattcacatt	tagaccttag	aagatctaag	71940
tctttgtttg	gggaagatgt	aagctgagta	ttgtcattgt	ttggagaaga	tgtgaactta	72000
taggtaatta	tttttaatgc	aagccagcaa	atagatagtg	ataccaatgt	aaaaggggtg	72060
ttgtcaaata	actgttcagt	caatgtcttc	aaatatctaa	aggctgtcag	agagttgtgtg	72120
gtgggcccac	gtgctgaaat	ggtgccaatg	gtaggaagtc	caggaagaca	gcttgcaaga	72180
ttctaccaga	atagagaatg	ggctgttgct	ggaagtggta	actccagctc	tagagatatg	72240
caagcagata	gcaggcagtg	tctcctgggg	atgcaatgtc	aggtggaatt	ggggggaggg	72300
agggtgcaca	acctctaaga	ttccttccat	ttggagttcc	tagggttggt	tttttctttt	72360
tttcttcttc	tttttttttt	tttttttttt	tttgacagtc	ataagcctgc	cttgtagacg	72420
agcactggga	gatgcaaata	cattcatgcc	aaggaccctg	gggtaggagt	ggtttggcct	72480
cacaaattag	agttgggaag	atatcccaga	gaggtatta	tcattctgat	cattttgttt	72540
caaccagaa	ttggagttgg	gctttattat	agtgaatcaa	acagaagaca	gctgcacttc	72600
tggtattccc	ttgtgcctga	cgagatctgg	taagcagtg	tcctgtggga	ggaggggagg	72660
gaggctggtc	cagagaagga	aagggcagct	gttttgtggg	ggtgatggag	aatctgggtg	72720
cccaggcttc	caccctgtcc	cctaggctga	caacacagta	ggagaagtcg	gagcagcaca	72780
gataagcctc	accttaggca	cttagtgggc	ttctgaattt	tcccaattt	aattgcaccc	72840
catcctactt	ctggagattg	gatagcttca	tttttatctc	ctcccaaag	gcactgatac	72900
acgtagtctc	tatctggggc	tcaatttggt	cctctacagc	ggatcgggag	tggtcagaac	72960
taagtgttca	tgaatgggtt	tcaaaatttt	tcagaatctt	ctgagattaa	attcaaactt	73020
ctgtttgaat	gaatttgtgc	tcatttttgg	ggaaaaagga	tccatacatt	catcaagttt	73080
tcaaatattt	aaaaccacaa	agtatatatt	acttttgggg	gcctctctct	tctgatgata	73140
catggcatcg	gtctctgccc	ttcaccccaa	actaaatgag	gatgacaata	gaccttattt	73200
ctgaatctca	gtcaccccg	attatgttga	ctttgttttt	ttgtctgttt	gtttctgaga	73260
cagggtctca	ctgtgtcgcc	caggctggag	tacagtgggtg	cgatgacagc	tcacagcagt	73320
cttgacctcc	tggtctcaaa	gtgatcctcc	cgcctcagcc	tcctgagtag	atgggattat	73380
aagtgcagtc	caccacagtt	gtctaatttt	atttttgggt	gaaacagtga	ctcactagat	73440
tgccaggct	ggtctcaaac	tcctgacctc	aagcaaacct	cctgccttag	cttctgaggt	73500

agctgggatac	acaggtgcag	gccactgggc	ctggcttgac	ttttcatatc	aatcatccca	73560
cagcaaatatc	ctcattttat	cccgtgacaa	tgagcctgca	agataggcag	caacaggaac	73620
accgtgcccc	ctggacagat	gagacaactg	aggctggagc	tgagaagtga	cccgcctaag	73680
gtcacgcagc	tactgaaggg	caaagtcagg	ccccctcatg	cctgggtcaa	tgctcttcac	73740
attatatcca	ccgcctatg	gaaataaggt	agagtgggga	ccagacaagt	cctgacgggt	73800
accacagaac	tgtgggaaga	gactgcaggg	ctataaggac	ttgggtcacct	aacaggagct	73860
tgttgcaagg	tactgggaac	attgcttcgt	cacacagtct	caaacaggac	tggaaaggatc	73920
aatgctgtta	gggatcaatg	ctgttaggga	tcaatgctct	ggaaaagttc	tggcccccca	73980
gtgtccactt	gagaccaact	actctgatgt	gatgattgag	tcatgttgga	aaagtcattg	74040
ctaagccttg	gctctcccag	ctgtgaaatg	agaatgttgg	attggatgat	tctctaaagt	74100
cctttctgtt	tctgactcta	tgagatacac	tcaggggagcc	ggcatgaagt	tgatgggcta	74160
attcatatga	agatgtaa	gactactttg	tcaggcagac	agtgacagat	aaaggtggga	74220
gttgctgcct	tttgttcac	ctataagttt	agtgcggggc	ttggtaaact	atttctgtaa	74280
aggtctctgt	cacaacttct	cagctgctgt	tgtagcatga	aagtaacctt	atttataagt	74340
atcagggtggt	gggttggtatt	tggcctgagg	tctgtggttt	gcagatctct	ggttagggtg	74400
aaagagtga	gggtctggag	ttggactaga	cctgggtttg	agtctcagct	ttaccactga	74460
ctgctgtgaa	atcttgga	agttatgtaa	aacttccgaa	ggctttcttg	tttctgaaga	74520
gtgagaataa	gattcccaca	agagagtttt	caggaagggtg	aaacaagggtg	atgtacactt	74580
acagcaactc	tctggggctg	cagtacctgg	attcaagacc	tggttccatc	actccacagt	74640
gtgaatccct	gggcaagcca	cataacttcc	ctttgcctcc	gtttatcatt	cataaatggg	74700
aaagacagta	gtgacccttg	ctagggtcat	ggggagaatt	aaatgttaat	attgtattca	74760
gaatagtacc	acctacacag	tttatccttt	tgtatatattg	gttcatgtca	gctataggat	74820
gaatgtatat	ttcctcctct	catcacctct	gcccatttca	aaggcatccc	agctaccact	74880
gtgttttcac	gaagccaaat	cagtgtctgt	tctctcgtcc	tcttggtatcc	cctccttagg	74940
atgggtgccct	ccttaggatg	atgtccttga	acttgggtct	gggtagccaa	atccaagt	75000
ccctgggcct	gagtgcatgc	aaccacctgg	gcagaagttc	aagcttctgg	aaatcccagg	75060
ctccacagac	cttgccctct	gcaggaaccg	gcttccctgt	aagccctcag	ctgtcagccc	75120
ccattagacc	actggcatgg	gagatattac	tctaggctgg	ccctgggtctt	ggctatgacc	75180
tggaaagggg	ggagaccaga	gggagactcc	tcgaagagct	ggcacttgct	tgggtcctgg	75240
agtcctgctt	atcagctacc	ggctctgcca	gcctcaggcc	tggggaaagc	tgggtcgggc	75300
cagactagca	gggcatgagg	gtaagggttg	ggctgcagta	catcgaggag	gaccaccctg	75360
tccccagaga	aggcccagca	agggtcacag	cctggaatgc	ccaggagcca	caaagccacc	75420
atctctgcag	cagagggtag	ttgttaggtg	gggagcactc	cacacacccc	tgagctcca	75480
ggctgcaatc	cagaccccag	ccccggaggg	gcagacagga	gtcagaagaa	gagaggccta	75540
acacagcagt	agcacctggt	cacagtcagc	ccagcaacag	ggcacctgcc	tgccgtccac	75600
ctcgagccat	tcccaggacc	ctgctaaacc	tcttttcttg	caccacggca	accaaactgc	75660
ctccttgtag	tcgcctttga	cccctgaccc	acatctgcag	tcacttggtg	gtaacaatcc	75720
cctatcatgg	ggagaaggga	cagggtaggg	ctggcattcg	aggcataccc	actcacataa	75780
gagcattgca	gctctggcct	gtcaaagtga	ctgcagagcc	aaaccaggga	gtgtcagaga	75840
caagattagg	ggatctgggc	tccacagtta	catttgtgga	acccttgccc	ttgagttttg	75900
gaattggaag	gacaacaaag	cacaaagagt	gtgtggcttc	atcaaaacag	ctgagaggat	75960
gaggccacat	cctggccaca	caagccctga	agttccagga	ggaccaaggc	tttaggagca	76020
tcagcacctt	ggacaaggcc	aatggctga	tctgccttta	attagcaaac	aggttggttt	76080
accttttgtc	agttactatt	ctgagtgcct	tacaaatatac	agtcactgaa	ccctcctaac	76140
gactccatga	gatagcatga	ttattcgcat	ttataaatgg	gggaaactga	gacacaaaga	76200
gctgaaataa	ctagttgttg	gaactgggat	ttgaacccgg	taagtctggc	tccagtctgt	76260
gtctttaacc	attgatctgc	ccccttccct	ggttcccggc	cacatggaca	tgacatggct	76320
aggctgggtg	ggacatgagt	cctcctctac	ttccatccct	tcttcaattg	caaatgcata	76380
atactaaata	aataacttat	gtgtatacat	atgtaagttg	tacacatata	tgtaatttaa	76440
cacacatata	tgtgttatat	acatatatgc	ctatttttaa	caaaaatatg	taaatgtaaa	76500
tatatatgta	tacgtgtgtg	tgtctatata	tatatatata	catatatata	catatatata	76560
catatatata	catatatata	tacatatata	tacatatata	tatacatata	tatacatata	76620
tatacatata	tatacatata	tatacatata	cacatatata	tatacatata	tatacatata	76680
tatatatata	cacatatata	tatacatata	tatacatata	cacatatata	tatatattta	76740
agtgcctaca	atgtgatagg	aagcaaacaa	cttgcctctag	atcacatagt	aagagggaat	76800
tcagtttgga	cagaggctcc	ctatctccta	ggaaaagtat	ctatcctggc	tttctccaga	76860
agccccccag	tcctgtactc	tctgggttctt	tatgccaaat	acagggttag	tctgggctca	76920
ctagccaaaa	gcaaaaagat	taggcacata	tatgttagga	tgcaagtgac	tgcatctaac	76980
agaaatgtaa	ctatagtttc	ttcataaatg	gacttttctt	atcctcttgt	aacaaacagg	77040
caatgggtca	gggagaagg	gttgagcagg	aagaagatgg	agaagtaact	ttggctcctag	77100
agaaggactt	caacagggcc	ccctgcctgg	atgtgtccag	aagccccaga	tggctctgga	77160
gctgctttaa	aaagtaataa	aaaaattgga	tgccttccag	cttcttgttc	cactatccat	77220
agcatgtggt	actcatcctc	atggagaaaa	gatagtgaag	ccacctgcag	atgccttgcc	77280

cacctttcag	gcaggaggaa	gggggagggg	gagaaaaggt	aaaggcagaa	gacagttgag	77340
tcctctcttg	tcctgctgga	ggagcatggc	ttccccagaa	cccctccgca	gtctgcctac	77400
accccatctg	ccaaatctgt	gcaacacaga	accctgtgact	ataagagagt	ctggagaagt	77460
aagaactttt	gctgggtacg	ttgctgccct	gaacagaatc	atgggtctct	tagggagagg	77520
atgggaagg	cattgaggag	atgctgatcg	ctgcctccct	ctctgcagct	tcctcaccct	77580
aggttccctc	atctgctgag	aacaagaggg	tcctgttgga	aagcaccctg	gacagaaagg	77640
ccacagataa	gggcatctat	gttctatggc	ctgatattag	ttactccctt	gggctcaagt	77700
tgtggggact	caggactcag	gtcttgagg	aggaagacag	acagacctgg	gggtggcatt	77760
cacagaggca	ccactgagct	ggcaggtaga	tatgtccatt	gagcagagta	tttctgccca	77820
ttctagggtt	cctctcctct	tccttgccct	gacagggtgc	ttagtaacaa	cggaggggaga	77880
tttctaattg	ataatatgag	cactacgacc	accagggtgg	accaacacac	acttctgctg	77940
ctaagcagag	gctgaaccca	gacccttctc	agagcctgtc	tgaatcctca	acactctctg	78000
gaaccagggg	agtgaaaagc	agttttgaat	aaatgaaaag	atccatcttg	ttttgttact	78060
atcatatctt	gggtgcactc	attcgttcct	tcgtttatct	attgatcaga	atcatacatg	78120
gtcccactat	gttccaggaa	agaacaatgg	aaaacagaga	aggaatattc	ctgcccgga	78180
ggagctctca	gtctaatggg	gagagggatt	gtgtgttgat	aacgaaacat	ttattgagca	78240
cctattgcat	gctcatggaa	agccctttag	tggtccctca	tttcttcaa	ggtaaattca	78300
agtcctcagc	ctctctgtct	tcctctcacc	ccacctctct	gcaccatcac	cctacactag	78360
ctgcacataa	tccaagcaca	ccctgtctcc	ctgagcctca	gccttaggct	cttccccctc	78420
tttcatctct	ctgaacctga	ataacttctg	tttgtcactc	aagatatcag	accctaaaaa	78480
atgcctttcc	taacctatcc	atcaccacgt	ttgccacatt	tatttaaattg	atctttcagg	78540
ggaccagcaa	attttgagac	aggaggcaat	aactgcttat	tcataattgt	atgcctgggtg	78600
cttagacaag	gatctggcac	atgtaagcct	taaggggatg	gttgggttta	tagagtgaa	78660
tgagacaagg	tcactctcata	acctagcaga	gaaatcatgc	acagagctcc	atgtggggag	78720
atcagagagg	gctcccccata	gcagggtggg	ctagaggtgc	gtcttaggga	aattccagg	78780
catgagaaca	gtgaaagtgg	cagcacagag	gcatgaatca	gtagcagaga	gtacaatatc	78840
tacagaaatt	tgcagggtcc	aagcagaggg	gctgtagaag	agcataaaat	tcagaatatg	78900
gagacatcct	gtgctgagat	aaggcagtg	aactttttcc	agaaggcaaa	agggagccaa	78960
gggttttaga	tgggtggaat	gatataatca	taattgggtg	tagatgggtg	attagtgaac	79020
gattgtggtg	tagcgaaacta	ccccaaaact	tataaagaca	accatgtatt	taactcgtaa	79080
atctgtggcc	catctaggaa	gttctgcaga	tactgaccaa	gctccgcctc	ttgattgggt	79140
ttctctcatg	gtctgtagct	ggcaggccag	ttggaaactg	gctgggtctta	gacgcctcc	79200
cctgggatgt	tttctctcca	tgcagtgtct	catccccag	ggaaatcatg	tgggttcaag	79260
ggagtgtagtg	gacatgagta	aggcctctta	aggccttggc	tgagaactgg	ctcaggcacc	79320
gtcacgtctg	ccatacatta	ttttgaaacc	acatgtaaaa	gctgatatat	agagaggtga	79380
aaacaattgt	ggccattcag	atggctcact	ctgcctctgt	agtgtggaga	gtagtgtatg	79440
agagaccaat	taggaatctt	acaccagccc	agggtggagg	caaagggtgg	gtttaaaaca	79500
aatattttat	ttttttaagt	tcaaatttaa	cttttaattg	acatatagta	ttaggttctt	79560
tcaaattgtaa	ttgcagtttt	tgtactgttg	aaatgtgctg	tttgatattg	gaatacatcc	79620
ttaaataaat	gtggttatgc	tatacatgat	tttaatgcac	atatttcgct	ttaatttttt	79680
tgctaattgac	ttattacttg	ctgtttattt	catattttatt	ttaggctatg	gaaataatgt	79740
tagacaaaaa	gcaaatttga	atgatttttt	tttagttgaa	aatgggttgt	aaagcagtg	79800
agacaacctc	caacatcaac	aacacatttg	gccagggaac	tgctaattgaa	catcgggtgc	79860
agtggtgggt	caagaagtgt	tgcaaggag	atgagaacct	tgaagaccag	gagtgtagtg	79920
accagccatc	agaagttaac	actgaccaat	tgagaacaat	catcgaagct	gaccccttta	79980
cagctacggg	agaagtgtct	gaagaactca	acttgaccat	tctatgatcg	ttcggcggtt	80040
gatgcaaatt	ggaaagggtga	aaaacctcaa	taagtgggtt	cttaatgagc	tgagcaaaaa	80100
tttaaaaaaa	gtatttttga	agtgtcatct	tctcttattc	tatgcaacaa	caatgaacaa	80160
tttctcaact	ggattgtgac	atgtgatgaa	aagtggattt	tatacggcaa	ctgggtgacaa	80220
ctaggtcagt	ggttggactt	agaagaagct	ccaaagcact	tcacaaagcc	aaacttgac	80280
caaaaaacaa	aaggtcatgg	tactgtttg	gtgatctgct	gccagtctga	tccactactg	80340
ttttctgaat	cccagtgaat	ccattatata	tgagaagtat	gctcagcaaa	tcgatgatag	80400
gcactgaaaa	ctgcaatgcc	tgcgaccagc	attggtcaac	agaaagggtc	caattctcca	80460
caacaaccaa	ctgcacatcg	cacaaccaac	acttcaaaag	ttgaatgaat	tgggctatga	80520
agttttgcct	catccgccat	atttaacctga	cctctagcca	attgtctacc	atttcttcaa	80580
ggatcttgac	aactttttgc	ggagaaaatg	cttccacaaa	cagcaggatg	cagaaaaatgc	80640
tttccaagag	ttcatcgaat	cccgaagtat	ggattttttac	gctacaggaa	taaacaaact	80700
tattttctcat	tggcaaaaat	gtattaattg	taatgggttt	tattttgatt	aataagtgtg	80760
tttgagccta	gttataatga	tttaaaatct	acaatccaaa	accacaatta	cttttgacc	80820
aacctaatata	ttgtacatac	ttatgggggc	acgtagtgat	gtttcactac	acataatgta	80880
cagtgatcag	atcagggtaa	ttagaatagc	tatcatctca	aacattttaat	atttctttgt	80940
gttggaata	ttcagtatct	tcctagctat	ttggaactgc	atagtacatt	attgttaact	81000
atagtcattc	ttaaagtgtc	tagaacatta	gaatgtattc	ctcttattta	actgtaattt	81060

tgtctccctt	aacaaatttc	tcactatctt	tgcctttccc	tacccttccc	agcctctagc	81120
atcctctggt	ctagtttttt	cttttatgag	atcaactttt	taaagcttct	caggatgagt	81180
gagaccaagc	tttgtttgac	tttgtgttcc	taaaacaaag	gttttaataa	aacaatacaa	81240
aagggttgggc	aggccaaagc	taccccaaca	ttaaaggccc	ccaaagaagt	ctgatctatt	81300
taccctaaaa	gccagaaagg	aaagattaca	atgagaaacc	cgaccaaaaa	ttgcttgggg	81360
ctatgattag	gcaggttaat	caactgacaa	aagggccaag	gtccctttgc	taaacacctt	81420
gctggaaacc	caagctttgt	gcacatgagt	gggtgaaatg	gtcaggagtt	ggagaagaga	81480
aactccaggg	ctccttgata	ccaaagcccc	tatgtgctgt	ggtgaagccc	cagtgtgggc	81540
tatatacaga	attgtatata	gaatatataa	ttgtaaaggc	tgatagggtt	atgaaagtgt	81600
gaatatattga	acaggcttta	tgtaagaaag	cagtgtctcc	tttgcctgag	tgttttgtgg	81660
gaatggatat	tgtctggctg	gagaacactt	cccttaccta	gtattataaa	actgaaatct	81720
gttgatatag	tcctaattgga	gactatagtt	aggaatagaa	gagttgaggg	aattaagggtg	81780
aacatttgga	tgaaaactaa	tatgttttgg	caggctttat	gtgaagtgtc	tgcactctct	81840
ttacatgatt	gtattatggg	actagacatt	gtactctgact	ggggaatgtt	tccctacctt	81900
agtactgtaa	aacagaaggc	atatatatcc	aacctccaag	caatattaat	tgaacacact	81960
aaatgagaac	cagtaagatt	gtctgagggc	agacagtgtg	gactggaagc	tggagcactg	82020
gtaggaacaa	attctcagcg	tgatagtcct	ggcggggcgg	gggcgggggg	aggggacata	82080
aaccgggact	tatggcaaaa	gcctgtgagt	gcctcccagt	gatgaacact	gggactttga	82140
actagagaat	ttccacctga	gggtcaatta	ttaccttgtg	attggacatt	aattgaagct	82200
acctcagtga	ctgaaggaca	taaaacgata	ttaaatcctg	aaatacccat	gatattcttg	82260
gtgatgtcag	agaaacactc	tactgggggt	agggggaagg	cagtgttcag	aggtattcca	82320
tgaaaatgag	ttcaatggaa	atagaattca	gtggaaatgg	tttatacagg	atcatgctat	82380
ctaggagtgc	aggaggagga	cactcacaaa	cagagagtct	ctttcaccct	aggactgatt	82440
ccagagtgtg	gtgaggagct	tctgaattat	attagtgtga	cagtgcccta	taaacacttc	82500
ttaactgagc	actaagagct	gcttgttctg	tggacagcaa	ttccaagggtg	aacgaacatc	82560
ctgttttgaa	ggccaccact	ttgtttgaag	aaagcaaaaa	caaatacagct	caatgggttg	82620
aattgcatgc	tgtttaccta	gcatgatgga	agaattgaac	agtgggaaaa	gccccatgt	82680
tggggccagt	ggcctggcca	cacactcagg	caagagggtg	atggaaacct	ggcctagtaa	82740
aagggttgctc	acagggggca	cagtcctacg	ggaatttgag	gggtgcatta	aagtaggaca	82800
tgtcaatgcc	cttcagaaga	atcgctttcc	agatttgaaa	ggtagttgga	attggcaaat	82860
agatgtccct	gtgtgcttgc	ttaagggtgga	cacctgggtc	catgaaatga	actgacactg	82920
gggtagggga	gccacgcagc	tggaatgaat	ctaggcatat	tccttttgca	tcctctgagg	82980
cacaaaatgc	caataagaac	tgttctgttt	gccagcagga	gacagagggt	ccagagggtc	83040
atgtggcaga	ccctgggtgg	aaggccctga	acatagctgg	caagtgagac	tgtagggtgt	83100
agccctggca	tgggggtgct	aaaaaggggt	cttgaccaga	atagatgctg	tctctagact	83160
gggttttgct	tacctggtgg	aagatgcaaa	tactcagaat	gccataaaaag	aagtggaata	83220
gaagatattg	caccaatttg	gatggcagat	tcacatttct	tcaggccaag	aaatacacaa	83280
tatagcctat	aatgtccaac	aatgggcaga	gagatctcct	cctcagaata	atagtttgat	83340
agaaaattgg	aacagacaac	taaaacattg	gttgtctgaa	atggaggggag	ataaatgcat	83400
gaaaggctgg	cttgcacatc	ttcacaagtg	tatgtctaca	ctcagcagga	ggagatgaag	83460
aagtgcccc	actagataga	ctcctctggt	ttcctgggtg	atctgggaaa	gaagagatgg	83520
ggagaatgct	ggtgtgacta	tgcaattctt	agtagggaaa	gaatatgctg	atactatgac	83580
tattttttta	tcttcttcac	actatatcaa	cttttttttt	ctttttctta	cttgatgcag	83640
tggttataga	accagggtctg	attccaacga	caacaaaaat	gtgtaaattc	ctaaggccct	83700
gatggggcag	attgtgctct	gatcccatct	gtaaaaattg	gggttcatag	taaatgcatt	83760
tatattttac	cagggtggtag	aaacacccca	ctagtctctg	acctgtgtaa	ctttacccta	83820
tctgaatggg	agtggactaa	gtgggaggca	cttgctagac	tagcattgct	gcctgcaatc	83880
tggaccagca	cagtggccaa	aactaatgta	ccttccgaaa	gatggaaagt	ttaggcaaaa	83940
atggggagaa	ggaggaagag	tagctaaggg	caaagggaatg	aataaatggg	ttgtgtgatg	84000
acggaaatcc	aatatatatt	aacatctcaa	aagaggctca	gagcaagtga	tgatattgtc	84060
tcttagctcc	attatacaga	tgccataaaag	gctaaagctg	tatgtttgca	gagtccagtc	84120
ttgcttttgg	aaccagcaa	gatctctcca	acaaggctac	cagcccaagt	gctctctccc	84180
tgggagacat	tttcatacaa	tatagcgtag	aagtgtgact	aattattaat	gaggtgaatgg	84240
gattctagta	atgcgccagt	atttttttga	gttctatatt	gtttgctgta	aaggggttct	84300
ggccagagtg	accagagggtg	atgggctgtg	acatcataag	aaacacatat	tagggccctg	84360
gcctcagcca	gggacccctg	cagtctggaa	catccaacaa	aagaaacaca	ggcacagcac	84420
cagtgcaggg	aggggcttcc	tccaaggtcc	aggagtgtac	ctggtaaggg	ggttaccttt	84480
ctcctccact	gcaatgcaga	gtatggctgc	aaatgaaagg	aaatacacag	aagccatgct	84540
gctaagagcc	tatctactgc	ccattaccct	taaggccactc	tgtatctttt	aagatctagt	84600
ggatcatagc	ctaaactata	acatcaaaaa	tattttgata	ttatgccctc	ctgtgaaacc	84660
aagggaagaa	atttagccac	aaataaagac	cctgaacaga	accttgacct	tctgaaaaca	84720
cccagaagcc	aactgacaat	actcaactta	caccacagta	aaatgaacac	aaacctccc	84780
agatgagaaa	gaatcggtgc	aagaactctg	gcaactcaaa	aagccagagt	gtccccctac	84840

ctccaaatga	gtccactaga	tttccaggaa	tggctcttaa	ccagactgaa	atgacaggca	84900
tagaactcag	aatgcagatg	gcaagaaagc	tcatcaagat	ttaggagaaa	gttgaaacct	84960
aacccaagga	atccagtaaa	acaatccaag	acctgaaaga	caaaatagcc	gttttaacaa	85020
agaaccaaac	tgaacttcca	gagctaaaaa	attcactaca	ataattctat	aatataatta	85080
aaagtattat	caacagaata	gaccaagatg	aggaaagaat	ctcagagctc	aaaggccagt	85140
acttcacatc	gacacagtca	gacgaaagtt	aaaaaaattt	tattttcaag	agaattaaat	85200
cgttttattga	ttacacgtga	taatggatga	tacacaagct	tcattcccat	ctataatttt	85260
atctgggtacc	attattcaat	ttagatatat	tgcataaggt	gtgccaacaa	tcacttttat	85320
aaccattcca	tgattttgct	tgggtaatcc	cttttaatgg	tgaacttcag	gtcacaacag	85380
taactatcag	ttcaactaca	ccaaggtttc	caaagacaat	ggcttctcca	cccaagcagg	85440
ttgtatatata	attccaaata	gaacctggca	tcacctgaa	ggaattctaa	cttcacactg	85500
ttgggggaaat	ttaccaagat	ggcttcagag	tagactaact	ttacacagca	cattaaaaaa	85560
aaagacattt	attcagcatc	acgatcagac	tattacattt	agcaatcaac	agcatgggtg	85620
caaaaaaaaa	aatctacatt	aaaacccttt	gttggaaatgc	tttacacttt	ccacagaaca	85680
gaaactaaaa	taacctgtta	tacaattagt	cacaaatata	gtccttgagt	tttttgccca	85740
tacacatgag	tattttgtcta	aaacatgtct	tctttgtagc	agctaggccc	tgccaccact	85800
gtgcttgggt	gagttcacaa	atctgtcgta	acctgtagct	tccctgtcac	ttctctgggt	85860
ctcctctcct	gctaagcttt	gtttccta	taaaatcttc	aatgaacaaa	acttccaaga	85920
agtatgtaaa	gagaccaaat	ctgcaattca	ttggcattcc	tgagagaaaa	aaagagaata	85980
agcaaccttg	caaaatatat	gtggggatat	agtcctatgaa	agtttctcta	atctcactag	86040
agaggttaac	atgcaaattc	gggaaatata	gagaaactgc	tagatgctat	acaacatgac	86100
catcctcaag	gaacatagtc	atcagattca	cgaacatcaa	cccaaaagaa	aaaatcttaa	86160
aggcagctag	agagaagggt	caagtcacat	acagagagaa	ccccatcagg	ctagcagcag	86220
acctatcagc	agaaatctta	cacctcagaa	gatattgggg	gtctattttt	agtgtcctta	86280
aaggaaagaa	atttcaacca	agaattcata	ttccttcaaa	ctaaacttca	taagtgaagg	86340
agaaataaaa	tccttctcag	ataagcaaat	gctgagggac	attgtttcaa	ctaaaccagc	86400
cttacaagag	gtcattaagg	gagtgtctaaa	catggaatca	aaagagtgat	acttgttacc	86460
acaaaaacac	actaagaata	tagcccgag	gtactataaa	gcaactacac	aaccaagtct	86520
acataacaac	aagctagcaa	cacagtcaca	ggctcaaaat	ctcatatacc	tattctaacc	86580
ctgaatgtaa	atgggctaaa	tgcctccatt	taaaagatat	agagtggcaa	gccagataaa	86640
aagacaagac	ccaaccatct	gctgtcttca	agagactcat	ctcacatgta	atgacaccca	86700
caggttcaaa	gtaaagggt	ggagaaatat	ctaccatgca	aatggaaaaac	taaaaagaac	86760
cagtcactat	ttttatgtca	gataaaatag	atgttaaacc	gatttctatt	aagaaggaca	86820
aagaagggtta	ttacgttatg	ctaaaatgta	caattcaaca	agaaaaatta	actatcctaa	86880
atatatacac	acccaacatt	ggagcaccac	aattcatgaa	acaattcttc	ttggactaca	86940
aaaagactta	gataaccaca	caataagagt	gggagtcttc	aacattccac	tgacagcatt	87000
agacagatca	ttgaggcaga	aaacaaacga	agaaactcta	gacttaaaact	tgactcttgg	87060
ccagttagac	ctaatagaca	tctatagaac	actccaccaa	acaatggcag	aacaaatact	87120
cttctcacct	gcacacagag	ttccgctgtt	gtcgtccagg	ctggagtgca	atgggtgcag	87180
cttggctcac	tgcaacctcc	gcttccagg	ttcaagtgat	tcttctgcct	cagcctcctg	87240
agtattctctg	ggattatgac	acccatcatc	acgggtgggt	aattttgttt	tattgtttgt	87300
ttgtttgttt	gtttgttgtt	gttgttgttg	tttgtatttt	tactagagac	cgggtttcac	87360
cacactggcc	aggctgggtc	caaactcctg	acctcaaaag	atctgcctgc	cttgggtctcc	87420
caaagtgtctg	ggattacagg	tatgagccac	cacacctgac	cacacagaac	atattctaag	87480
attaactaca	cgctcagtca	taaagcaagt	gttaaaattt	tttttgtaaa	gttgaaatca	87540
taccaagcac	actctcggaa	cacagtgcac	taaacataaa	aatattatca	agaacatctc	87600
tcaaaaactgc	ataaatacat	ggaaattaaa	caacttactc	ctgaataaact	cctgggtgaa	87660
tatcaaatttt	aaggcataaa	tcaaaaaatt	ctttgaaatt	attgaaaata	gggatgcaac	87720
ttaccaaaat	ctctgggatg	cagctaaagc	agtgttaaga	ggaaagttta	gagcatgaaa	87780
tgcttctcatc	aagaagttag	aaagatctca	aattaacaat	gtaagtttgc	acctaaagga	87840
actagaaaaa	gagaacaaac	caaccccaaa	gctagcaaaa	gaaaactaaa	attagagaag	87900
aatttgacac	tgagttgcaa	aaatccatac	aaatgatcaa	taaaactaca	agttggttat	87960
tagtaaaaaat	aaaccagatc	aataggcccc	taactagatt	aacaaaatca	aagaagatcc	88020
aaataagcac	aatcagaaat	gacaaaaatg	atgttacacc	tgatcccaca	gaaatataaa	88080
agatcctcag	ataatattat	gaataactct	atgtgcacaa	attagaaaat	ctggagaaaa	88140
taaataaatt	cctggaaata	atctcctaag	attgaatcag	gaagagattg	aaatcctgaa	88200
gagactaata	tggaaactctg	aaattgaatc	agttacaaca	acaacaaaaa	aaccctacca	88260
atcaaaaaaaa	gtcctggatc	agattaattc	acagccaaat	tctaccacat	gtacaaagaa	88320
gaactgagac	caattctact	gaaactatct	caagaaaaatc	caagaggagg	gactcctctc	88380
taactcatctc	tatgaagcca	gcatcagcct	aatgccaaaa	tctggaagag	tcacaatgaa	88440
aaaaaaaaaac	ttctggctaa	tatccctgat	gaacatagac	acaaaaatcc	taacaaaat	88500
accaggaaac	caaatgcagc	ggcacatcaa	aatgttaata	aacgatgatc	aagtaggctt	88560
catccctgag	atgcaataat	tggttcaaca	agtacaaatc	aataaatgtg	attcaccaca	88620

taaacagaat	ttaaagcaaa	aacaatatgt	tcatctcaat	agacaaagaa	agaatttctt	88680
ataaaatctg	acatcctttc	atgttaaaaa	ccctcaacag	actcagcatt	aaaggagcac	88740
atctcaaaac	aataaaagcc	atctatgaca	aaccacagc	caacatcata	ctgaatgggc	88800
aaatctggaa	gcattccctt	tgagatatgg	aacaagacat	aatgccaac	tctcaccact	88860
cctattaaac	atagccctgg	aagtcctaac	tagagcaatc	aggcaagaaa	aagaaataaa	88920
aggcatctaa	acaggaaaag	aagaagtcaa	actatcttca	ctgacaatat	aattctatac	88980
ttagagaacc	ctaaagaatc	caccaaagg	ctactagaac	tgacaaatta	ttttagtaag	89040
gtttcaggat	acaaagtcaa	tgtacaaaaa	ttactagcat	ttctatacat	caataacact	89100
caggctgaga	gtcaaataca	gaacacaatc	ccatttgcaa	caaccacaaa	taaatgaaat	89160
acctaaggaat	acagctgacc	aagggaagtga	aagatctctg	caaggagaac	tacaaaactg	89220
ctcaaaacaaa	tcagagatga	cacaaataaa	tggaaaaaca	ttcaatgctc	atggatagga	89280
aaaatcaatt	tcattaaaaat	ggccatgctt	cctaaagcaa	tttacagatt	caatgctatt	89340
tccatcaaac	tacctgcacc	aattcttcac	agagttagaa	aaaacaattc	taaaattcat	89400
atccaaccaa	aagagccaga	atcatcatag	caatcctaag	caaaaagaac	aaagctggag	89460
gcatacacatt	acccaacttc	agactatact	ataaggctat	agtaaccaa	atagcatggt	89520
actggtacaa	aatggactc	atagaccaat	ggaacagaag	agaaaactca	gaaataaagc	89580
cacaaaccta	aaaccatctg	atcttcgaca	aggtaacaaa	aaacaagcaa	tggggaaagg	89640
actccctatt	cagtaaatgg	tgctgggata	actggccagc	catatgcaga	agaatgaaac	89700
aattgaaaca	cagccatgcc	catttgata	ggatcgtcc	atggctgtct	ttactatcac	89760
agcagttgcc	aaagagaaca	tggcctgcaa	agtccaaaat	atttactatc	tggcacttta	89820
tagaaaaagt	ttgctgatac	tctaatttgg	atcactaggt	gaccacatgg	aagacaacca	89880
cattgttgac	ctgaacaaca	acactctact	tctttacata	aatgaaaaat	aagccattga	89940
aattctgggc	ctaattgcta	ccatagttta	tcctggtctc	actaataatt	cttcctcagc	90000
agtcacaggg	tgattgactg	atgaatgtac	atggcccaat	catcagttgt	ttgagccatt	90060
gaggtggact	agttatgccc	atgggagtag	agctctctcc	tctacgaccc	accacgagcc	90120
caaaatttcc	tccagatact	ctgaccagtc	agtcctagga	cctgattgac	cccagggagt	90180
ctgacccctt	aagtataaca	cagcatcatg	ggcagcatca	tgggcctggg	aagggtgtaa	90240
cataatccaa	tttctgccc	ttgaactgaa	tgtaaacagg	aagacgttcc	ctgaagcaga	90300
aggaaatgac	cttgatgacg	atgacccttg	ccaaaggtag	gtacccttgc	cttgacacct	90360
acctgggtgg	ctgacgggtg	atcaaggctg	gacctgcttt	catgtaacta	actggccttc	90420
gatgggtcac	ttttccatt	gagtgacttt	tttcagttat	acacttttgt	aaactagaag	90480
tgtttttact	ggcattttct	tatgtacttt	tttattttta	ccatcatttt	aatttaaaaa	90540
atgcagtcac	acattttcca	tgcatacctc	taatttatgg	cagggtatag	aggtcttgca	90600
tttatggcaa	tgggtataaag	tctccttttt	gagtgagcat	gttgaagtaa	aaagagtgac	90660
ttcattttaa	gaaaactgct	catggaagta	cagatgatat	gctgataagg	caaaaaacca	90720
tgatattagt	atgagactaa	ctgaggttcc	agaaacactg	cgtatgccca	ggctgcagtg	90780
gagaatgtca	tagaatcctg	gattcataga	gtgtggagcc	atggtgaagg	gtgctgagga	90840
gggtccctcc	cccagagcca	cacctgtct	ttccacaagg	aattcccaa	tgtaacccag	90900
tgatttcaga	cttctgtctc	ccagttcagt	gttctccacc	acaaaatcta	cacctgatca	90960
atcccattga	tcagagacaa	agctgagtga	ggggcccgag	aagacatgtg	tttctgtgct	91020
ccaatgcctg	ctctaaccatg	tgttttccac	atatctgctg	agcaaaactga	tggaggtgga	91080
gaagcttggtg	agagttcatt	tgaaggcccc	agatatgccc	actctcccaa	gtcctaccca	91140
acctcctatg	taagccaggg	gtggctttgg	catgtgtcca	tggggatggt	cgctcaaag	91200
tgatgcagga	aggagtcaag	gcagtcctct	gatgggctga	tcctttgctc	tggaatcctt	91260
aagatcattg	tagatcctta	agaacattcc	agaactctca	cagcattctg	gagtcattta	91320
tttaacacat	gtttattgag	cacctactgt	gggccaggca	tgttcttggtg	tccttggggg	91380
ccattagtga	acaaagcaaa	ggtccttaga	ttcacggagc	gtgcattcta	gcagggggag	91440
acagataaga	agaacatgca	aattactcca	tggatcatgt	gatatgttag	aacgggataa	91500
gtgccttgga	aacaaagaag	cagtttaagca	gatgagggag	atcagaagga	aggatcccat	91560
gaattccgct	gtcttgaatt	ttgacatagt	aggggagagg	agtgggcccag	gaggtgtgtg	91620
agtggcaagt	gtactgaggt	gtccagtcgg	caagtgtctc	actctcaggt	gtgccagct	91680
ccctaagtgt	gaggagaaaa	atggcaggtg	tgtccattca	ccctggccaa	gctgggaaga	91740
aaagcccaaa	ggttctaatt	ggcctcacca	cctctcccca	gggtacaaaag	gaccctacag	91800
gcatacagaga	agacccatt	catctcagca	gccaggcatt	tggagggttt	ccagcagccc	91860
acctctagct	gccttctttt	ctttcctttt	ttaaaaaata	atatttactg	tttttatttt	91920
ctgactgcaa	atgtaatgca	tacttattac	aaaaaaggta	aagtattatg	attttaaattt	91980
tgtttgtatt	ccagtttttc	tgctgtgtgc	tatactttct	tcctttaaaa	tggaaatgtta	92040
agttcagata	atttggtatg	ttgctttgct	cattaagtat	atcatgagca	tcattctatg	92100
ccattaaata	gcatagcctg	atattagcag	ctgcatcaca	tttggtattg	caccacaatt	92160
aatttcccca	agctttttat	tggggtcatt	aggttacata	tgaagttttt	gataatatag	92220
agagcactgt	aggaatatatt	ttatagtga	acctttatgc	ccattcataa	ttattttagg	92280
ataagctccc	agaaatgaca	tttctgagtc	gaaaagtgtg	tatcttttgt	taaaattcct	92340
tgccaaaata	ttccaactac	acttctccca	ttgaaggatg	aaaatctcca	ttcatcagat	92400

tttttgcgtg	gcttgggggt	attaaaattg	tttttgggta	tccgataggc	aaaatgataa	92460
taataatagc	aatattattt	tcctattttg	tttgcattta	tctgaagacc	agtgaagttg	92520
agttcttttt	ccctttcttc	acattggaat	gttgttttta	ttattattat	tattataatt	92580
attattgttg	ttatgccact	tgtacttggt	gatctgcagg	aaaacctccc	aagatggaaa	92640
gcctgaaatt	gtctttgctg	gctctgattc	ttgacagctg	tgtcatccca	gagcctgagt	92700
gcctcagttt	cctcatgtac	ctagtggggg	ccatgaggcc	tgcttctctg	tactttgagg	92760
tctgggactg	ttgcttataa	tatacttggt	tataagcacc	acatggcatg	gatctacctg	92820
gctatgtaaa	cttggggcagg	ttctctaacc	tctctgggct	tcagttttct	catttgtaaa	92880
atggaaataa	tggaacctat	gtaatcagag	taatctgagg	cttaaattgag	ttaatacata	92940
aagggacttt	gaaacagtgc	ctggaacact	gggaggacgc	aataactatt	accaatgttc	93000
atctatgttg	tatccttgag	atctttcatc	agggcaacca	acagcacttg	cctgggatag	93060
gcagatggta	gaatccttggc	atgtcagggc	tgcaagactc	atgcagaaat	caatcctctc	93120
acatagacct	ggcagattgg	gaccagaaat	gtgaaaggaa	ttcaccctaag	gtcaccctgt	93180
aaatgtgtgg	gagagacaaa	actagagcac	agttctgacg	ttgtcccaca	aagattttac	93240
ccctaagata	ttgttggaag	tgccacctcc	aagggaggat	cagtgtattg	gtggtctccc	93300
ctcctcaatg	ctgggagttc	caaagtttcc	gggaagaaaa	gagctgtgaa	gcccttctca	93360
ctctgcttgg	tcttaggaga	ccttagtgag	tcacagcgtc	cccacctgaa	gcccttgata	93420
gcctcctacc	cactacaatg	tcgtgagctc	gtaaatatca	agtccttttt	caggcttaaa	93480
cctcccagtc	caaggcgctg	ccctagaaga	cacctcgcct	agatctggct	gaacttcagg	93540
ggttctttct	tccccctccg	caggtgcacc	caagatccca	aggtagggca	gtttctctca	93600
gaactattga	ccaaccgaaa	ggaaaacatt	cctttcaagc	tttctgaaga	ctgtctttac	93660
ctcaatattt	acactcctgc	tgacttgacc	aagaaaaaca	ggctgctggg	aagttgtggg	93720
atccccgtgt	caagacgtgt	cagtgccagt	acccagata	ttctagtgtg	gatcggaagg	93780
ggatgaaggc	agcttgggga	gggagctgca	caggccagga	ttgtttcagg	accccgaggc	93840
ctctacagga	aacacaggtt	ttccacacgt	cagtttcccc	tcgtgacata	gggactctgg	93900
gggagtttgc	tgtgcctctt	taatgaacat	cttaattgtt	ccaagttccc	tcagtataat	93960
agaaggatga	gaatgattac	ctttagttac	tagattaaaa	atctgatacc	cagattggta	94020
tcagagtggg	taagacatga	ttttcaataa	tgtagcggt	cgaaggaaat	tagagaaaag	94080
ccaacacctc	aactcttcct	tttcagatag	agaaaccgag	gcccagacag	ggaaggggag	94140
gtcaccaggt	aggatagttt	tggtcgaagt	cttctgatct	tcaaactagt	gcttttgaca	94200
cagagttagg	cattgagatt	gtatgtggcc	ttctccagc	acaccaacat	ccatttgagg	94260
taactttcac	tgtccgggta	tggtgtgttg	gggcagagcc	tgggacaatc	ccagaagctc	94320
ttccttttgc	ctttggccaa	atatctggga	tttttttgta	cctaatttcc	ctccctaatt	94380
gtgttggaag	aggggtgatg	cccaatgtgt	cagcatatgc	caaataaaca	aacggcagga	94440
gatggggctg	gctgccagct	gcagggttgg	gagtgtctgc	tggcaaagaa	ggccacccca	94500
aggtgaaaga	ggaaggggtg	tcaggtccag	tcagtctccc	aggggacacc	tagcatgggt	94560
cctaggagtg	gcgagcagg	tctgcgaaca	tgggactaga	agttggccct	acatgtgctt	94620
cgtgagacac	aggaagtggg	agaaagggtt	actcattaat	tcattcattc	ttctattgtg	94680
tactcagggc	cccataatac	cagttagacc	ttgggcttca	cggaaaggag	gaacatgaac	94740
gcactccaca	ctgcccctgc	cttcaaggat	cctgcctttt	gtggggtaga	ggcatatcct	94800
ccttttcagca	tgttattgca	ggtcagcact	cgggctcagt	cttcacacaa	agatgaatgc	94860
acactcaatc	cctccacagg	aggcaggcag	ggattagagg	tgtgggagaa	acaggagctc	94920
tggaacacct	aaggcaggaa	aacctccagg	aatggccaca	ggttctagaa	ctacacgtgc	94980
ttagaacagc	acttcgtaca	tagtttatgt	tatgagttct	tttataattc	atgaataata	95040
ttattacaat	actattattt	tagccactct	cacttcttcc	ccactatgtg	gactttttaa	95100
atgcaagaac	cttgagttag	gaattgtacc	tactctcatc	ctcgggtatt	agcagagtc	95160
ctggcacata	gtaagtcttc	agacagtgtt	agtcatttga	ttgaaggcat	cctgaagagg	95220
gtgggtttta	ggctgggctc	tgcaagggtg	ataggtattg	gggatgcaga	ggcataaagg	95280
aggcatttga	ggaagagaca	ccatcacagg	catgtgtgct	tctcgagaca	atcattcatg	95340
cacagagaag	ttacttcac	catgaaagag	ttacttgaga	tgaagctgag	atacaagggc	95400
tgccccatgg	gtacgaggag	tgcttgaaca	gtccaggctt	gaggggtgat	ggagtgaggt	95460
ggagaacatg	aatccttagc	gtttgctatg	cccatgatga	tgttctcagc	gtgaagagcc	95520
ttgcgaggag	gaggcactgg	agactgggta	gaaaggaagg	ggcagccagg	gtatgtgcag	95580
tggggtgggt	gcttggggcc	cagttgggag	aattatggag	gagagagact	gccttttgca	95640
accttgctgg	gcacttggtg	aatttgggta	acaacctccc	tcagttgtga	ccaacaggca	95700
ggtcaccaaa	caagatggcc	tctgagtgtc	ccctggcctt	gtgtcctgta	acgagtatgc	95760
tgcttcccc	ctgcccagg	gatgggtgtg	atccacagag	gggggctgat	ggtgggcacc	95820
gcatacaact	ctgatgggag	ggtactcgca	gcccataaaa	acgtgggtgt	ggtgaccatt	95880
cagcactgcc	tgggcatctg	gggattcttc	aggtaagaaa	ttagactctc	ctcactgcac	95940
ctttggcccc	caacatgagg	ctgctaggac	cagctctggt	catgtcagcc	ctcaggagac	96000
cttaactggg	ttcttcattg	tagcagacaa	gcaccttcat	aattggacac	tacctaccct	96060
ctcactcccc	agccacacta	gtccactagc	ctctgagctt	ttgtatgtgg	tgttccctct	96120
gcctggaatg	cttagtctac	ctaaagaatt	cctcttcac	ctgcaagacc	cagccccag	96180

ttagctccac	tgaaagactc	atctcctttt	catctgtgct	gctcccacac	attgcatttc	96240
tctgtcatgg	cagctagcat	gcagcccage	tgttgaaggt	tgacacatct	gacttctcat	96300
ggaaaggagg	gaaggggcag	agtcatacac	ggagttccagg	gcatattgtg	ggtgaaggaa	96360
tggggcgctgc	agaaggtggg	gtgtggggagc	atctgactcc	ttcctggagg	agtgttggga	96420
cccactcacc	ccattttctg	cttgaaatct	ggcaagtgtg	ggaagcaaag	atggagtcct	96480
cctcatcagg	tctccatggg	gacagaagtc	cccatggcgt	ggaggaattt	ggtagctttg	96540
agagcttggt	tggggaaagc	attcaaaact	aaagggctgg	tacattggag	gagagaaaat	96600
ggggatgcca	agaattttta	gaatttttga	gaatgttttt	agaattcatt	ggttataagc	96660
aacagtttcc	cagtgaccag	atttaagtca	agacggacga	ttggctaggt	gtgggtggctc	96720
atgcctgtaa	tttctgagag	tgatgtggcc	ctcactcctg	ctctgggtgga	gaaggggtgac	96780
gtcaagcccc	tggtcgaggt	aggtctcccg	ctggatgccc	ccaacccctt	ggctctgtgc	96840
ttctgaattc	tcagaggtta	ttcttgccat	gggttctagc	tgatgttctc	ctagaatcac	96900
tgaagcgatt	gggaggtaga	ggcggaagcc	ttgtctgagc	ccaggagtta	gagaccagcc	96960
agggcaacaa	agtgagatcc	tgtctctaca	aaaagcaaaa	aattaagctg	ggcatggtgg	97020
tgcaagactg	tggggccatc	tacatgggag	gctgaagtgg	gaggatcacc	tgagcccagg	97080
aggtctatgc	tcagtgagc	tgtgtttgca	ccactgcact	ccagcttggg	aacaaagcaa	97140
gaccttgctc	caaaatcttc	tcttgaaaag	gagaatttat	ttttcaagga	aataagagatc	97200
tgggaggatg	ggctttgtgc	aaaaacagga	agcagaaatt	acaaaatgat	gggaatccta	97260
gactctgtta	ctcttgttct	ctctctgtct	ctttctctct	gtctgtctgt	ctttctctct	97320
ctctctcacc	ctctacttct	ccctgtccct	gtttatttat	ttgagaaaca	ctctgggcat	97380
tgattctgtc	cgagatcctg	cacggggctc	tgggggcatg	tgcgcttgcc	ctgactcccc	97440
gactgtggag	cctgctgtct	ctccctctgt	gcccttcttt	ctggctgcac	tttgcttcca	97500
atctgcatga	gcaccctatc	tgcccctgag	cttaaggact	ctccttggtt	ccagaaagta	97560
gtcaggctgt	ctttcctgtt	gtgaaaaatg	agtgtttttt	acattagcag	ctctccaccc	97620
caattccagg	tcacttaaga	gagaggtcca	ctgtcccgtc	tttgcttcca	tgtccctgaa	97680
ctcttagaaa	agtaggaaac	cagagtatgc	tgggcaaac	gaccccaatg	cctaggtcag	97740
gcagaaggga	ccctgtccct	cgggagggtc	ttttaaat	ttatattttt	tacatttttt	97800
taaagatgaa	aagaggttct	tgggtgatta	attattgtta	ctttgtggct	tgactcagga	97860
caaagggtgca	gagaccatcg	cccatggcca	aatctggatc	tatgcctgca	tggcccttga	97920
gctaaggatg	acttttttta	atcatatgaa	attcaaat	cattgtccat	aaaggaagtt	97980
ttcctcgaac	acagtgcac	ccattcattt	accttgtgtc	tctggctgtg	tttcatgcca	98040
acagcagtct	tgaagttgca	gcagagacca	catggccac	aaagcctcaa	atatttacta	98100
tttggtcttt	gatgggcaca	ttgctgacct	tgagcctaaa	gagtcagtgt	gtattactgc	98160
ttgggactct	agtacacaaa	tgtgcagggt	gaaactcctg	gctgtgccac	agatgcctca	98220
ctcagctgag	aaaccccatc	tatgtcttgc	aagggacgag	accctgtttt	tctttagaac	98280
tcaccattaa	agcacatttg	ctactttctg	aagtggctct	gtgtgaatca	tcttatctag	98340
gcctcctgca	attctgcaca	tctttattgt	gtggaagaca	tggcactctc	ccacatgtat	98400
taactcatga	ggtaggtgca	gtcattatta	ccatccatga	gtggagaaac	caaggccag	98460
acaaatcagg	tggactgcct	gtggccta	ggctggtaag	tggagcagcc	aggatttggg	98520
agcagacaag	taaattcaag	attccatcat	ctcaacccca	gctccacctc	acctttcttg	98580
acacattcag	cttgagatga	ttatgtccat	ttcaatagag	ataaggtagc	agagataaga	98640
gactgggttaa	ttgggtcata	ctacaattgt	tattagtaat	agaggcaatg	ctctgcggaa	98700
tccagaaccc	acacatgtgg	ctctagagtt	gtttctgtg	ccccctgcca	cttgtaacag	98760
tcaggcttag	ttaggataga	acatcttttt	ccatattgat	ggaggggaag	gacttcgctc	98820
ttgaactctg	ttgttgcttg	tgatctttgc	agcaaattgc	taacactgtt	gggtgtgaaa	98880
ccaccaactc	agctgtcatg	gctcactgtc	tgcggcagaa	gatggaagag	gagctcttgg	98940
agacgacatt	gaaaatggta	ggttgctgtg	tcccgtagcc	caaaccctgt	aaacttggct	99000
ccagacttct	tcatttccagc	tgtcctcttg	ccctgggaca	gttacctggg	gcaatttctc	99060
aagtctcagg	agtctcagta	tctgaatggg	gaatctaatt	tgtccttttt	tttattgaaa	99120
aatgacacaa	atgtaaaaac	aaagtccaaa	aataacatga	taaaaaaact	gaccaaattt	99180
actatttgac	caaattttta	tattttgcca	tctctgtttt	cagatgtatt	tttgagaaac	99240
taaacattac	atattcccag	gggacaccat	cattctgaat	tttggggatg	gagttattaa	99300
gtcacaagat	tttcagaaag	atgtcacaa	tatatctggg	tgacttagaa	actgtctgta	99360
ttagacctgg	tagtgggtcca	gttttctaga	ttttctgaga	ctctgactca	gttgctattc	99420
taggatagtc	gttcgtccac	tcaatcatta	atccatctac	tatgatcttc	ttatgcatct	99480
atgtgttcac	taattcatcc	cattcattga	tatattttta	tcaatcta	atcaacctgt	99540
tcataacttt	ttatttttct	attttcaatc	tatccactgt	tcattgcata	tccagccacc	99600
atatacttta	actctatcac	cccattcctc	caaaaccaac	aatccagtta	tcacctatct	99660
gtaggttttc	accactatt	catgtatcca	tccaattcaa	ctgtactcca	gctattgggtg	99720
aagccatcca	tccctccatt	tatccaccca	tccatccatg	ctaagtatgt	aggggtgggt	99780
gtagaggtta	gtgaaacaga	catgaagtgg	acatagtccc	tgtcacata	tacttttcag	99840
gtagagtatg	gtggcagcac	agaggggaag	cattcattgt	agtcacag	ggtgcttcac	99900
agagaaggtg	gacgagccga	atgtgagacc	agacagcgga	attcgggaat	tcagccctt	99960

```

aaccctgact ccacettatc tttcttgaga aattcagcat tgagatcatt gtgcccattt 100020
taatagaggt aacagagaca gagaaatttt gtaattgget catgtcacag ttccaggttag 100080
tcagaggcaa cacagttcca gttaggaccc agaaccacac cctgtgggtc tagaatatct 100140
tctgccattc ctgctgtcct cacatattag gacttgggga cctttatgat tgacggacag 100200
ctgtggcagt ctctcaacac aggggaagccc agcaggacaa acaccagat gacacagcac 100260
ccagggccat tgggaactat tccctttgag ggagaagggt gtgaattcca agctcatgag 100320
tagcctgata tctggaatcc ctccctggac ctgaggctac tcctgggtcc caggtccggc 100380
tgctaccact ggactctgct tgtgtttaca tgggttgagt ccaatgtggt cttggagctt 100440
aggtcttggg tcaagctcta aatgaccaaa gtgttcaagg aattaaaaca caactgcttt 100500
ctaattgcctg gaaggaggca aacattccag caattctgca tgtggcatca gaggaccag 100560
cttaaaagga aaaacttggg aactttggga aaatccagcc ctaagatcct gggacatcct 100620
tctgagattt tctgagatct tgtgggagcg cctccatgat taccactgc ctccagtaca 100680
cacacatgca gacacacaga gaaacacaca cacatagaca cacacacaca gagaaacaca 100740
cacacagaca cacagagaca cacacaacaa cacacacaga cacacacaca gagaaacaca 100800
cagacacaga cagagacaca cacaacacaa cacacagaca aacacacaca caaacacaca 100860
cacacacaca cagacactcc tggctagtgg gactacaatc cttaatggag agacctgcac 100920
tggttacttc ctgcgaacag gccagacacg tgagctacag tgcagcgata caatcactgc 100980
aatcttcatg aacacacacc aaagagaagc atggggtagg gtaagtttca gtgagttgta 101040
tgagtcagag ctgtgtaatg ggagatgaga aaactcccc aaggtgcctt gaatggaaaa 101100
aggaatgtgt tggaaataca tccttgtgtt aactgaaaaa ctcaggagt gacagtttca 101160
ggcatggctg gatccagatg cctattgaat gttattgaga atctaccatt ctctatcctt 101220
cagctttgga caactctgtg ttgacttcac tcttcagcag atacatcttc tgggaagggt 101280
aaagacaaca gcactctaga gttatatcct atctgcttcg aaacctctcg tccaaacaat 101340
tcctacaaaa gttctggggg aaactctatt ggattgacat ggatgtatac ctatccctga 101400
actaatcccc gcaatcaggg aaatggagcg cccagggtca catatagatg cctgaattca 101460
tggagtgata gggaaagaaa gagatccctg aaaaagaatg ggggtattct tccctgggga 101520
acaggaaggg gagagggatg ggggacaggg aaggctccaa aagcaggtgt cctatccaga 101580
gctgtagcaa tgctggctca gagttcctgg cccatccttc ccgtgccagt gccactctt 101640
tcgttctatg ccttcaccct gtgtcaggc ccagcagagc cagagtcagg cccacttct 101700
ctggggccag ccagctcgcc accaggaggg agaacctgac acctctgctg cccactcac 101760
ccagctcagt gttctcctgg gaagcctctt acccacatcc tctgcttttg tcttcacaga 101820
atctctgaac tctagactta catggagacc ccagagaggt aaggacattt tgtttctcga 101880
ttgcggttt tgagtcttag cacttttaag ctccaattaa ctataagtga aagaatcctc 101940
tctcggttaa ttataggaac tctgtgtgct ttgatgctga ggcccagaga ggggcagtca 102000
ctcacctggg taacacagcc aggaagacta gtggctggcc tggaaacctt tttctgact 102060
cccagtcagt tgctccagg catcacctct ggtgcctcg ggtctgccc actccctgc 102120
ttttttacat tttctgctcc ccaaaatggc actatgggag gaggttgaac cagaacattc 102180
cactatcggg aggcagagat aacagggatg attagccagc gagaggggaa gcctgaatct 102240
cagtcgaagg aactcaact cctcccagca cacaggagtc tccaacaata tctctgtgat 102300
ctcctcacca cccccacctc ccaatgggtt gacagtttct ggtgacatca cctctgacga 102360
atctacaat cctgtcctct ctgctgcctt aatggaggtc acagcactct cctaaatggt 102420
catggcgga gtacatgaga atcattccag caaaagactt attaacactt tctatattcc 102480
aagaacttgt ttaaggagct gtgatatagg agtaaaccaa gaaagactcc tgccttttt 102540
gggaccttcc attacagtgt agggagagtg caataaaaaa gcaattctag tatgtattct 102600
ggtggatggt gtgcatgcat taggggtaga gtttgagggt ggattcaatt taagtgcgag 102660
gatcagggaa tggctcaata agaaggtggc atttgagcca agctctggag gaggcatgaa 102720
gccagctgtc aggaaacctg gggaaagccta ttccaggcag agggaaacgc cactgcaaag 102780
acccgatgg aagtggcagg tccagctgga gaggatggag tgtggggaca gactggcttg 102840
aggctgaaga ggtaatggga agtgggagag ggatcattta aagtagttgc atttgattc 102900
tgagcaagat gggaaagcctt tggaggtttt gaacagagga gtcacatgat cttagatttc 102960
acaaaggtct ctgcccctgg tgatcaaata gactgtagga aacgggcaga gtggatgcag 103020
ctgaccagct ggcgggccac tgcattgcca taatccagcc aatggctcct ggctgcttaa 103080
ggctgtagta gtggggatgg gaggaatggt tggagtctgg atatctttga aggaatagct 103140
gagaggatcc gctgatggac aggatgctag gggtaagaaa gggagaggag tggaggatgt 103200
cctgagtttt cgggcagaag caaagtcata cccacacagg gcagccactt gaaaactcta 103260
agtggacaac aatcacttgt cattgttgct gatggcagtc ttccacttg gctgccacc 103320
aaccagggca atcctgtctc tctcctcaac ttttatectt ttctacttca tctcctctac 103380
ccaattccgt gtctcatggt gcagccagat tggccttct taacagagtt agagtgcgtc 103440
accccaactt cttaaaagcc tgaccttct tatgagacaa attcccttcc ctccatggag 103500
ttagtccttc aaaacacacc tgcgtgcgca ctatgtgcca gactatacag aaggtaggct 103560
ctgcacctgt ccctccctct aaaacctgcc ccacgataat tttccaagcc cagaactcct 103620
gagtgtttct ggaatttacc ctgcatagt atatctatgt ccctttgctc acgtggttcc 103680
cgtttttag aaattctcac tcctttctc acttgtcaat accagtcact gccagagacc 103740

```

cactgcaggc	aggcggcacc	tcctccacgt	agcctgccect	gcattcttct	tgcagagaag	103800
ctgtctctct	tgctggcctc	ccacggcagc	cctgcctgaa	ctgcacagcc	tctcaaggag	103860
gccggacttg	caccccaatc	ctgttccgta	ttgtcagcca	tattggatta	ggatctgcac	103920
cttgtccagc	tggttctggt	ccacttcaca	gaacatttcc	cccaggcagc	ccgaactagc	103980
tcgtcattca	ttggcttttg	tagagcagaa	caaaggctcct	ggaagccata	gggtctcaaa	104040
aaagctagga	attgtccagt	tgcattctgat	atctggggagg	gaaaatacca	gccccatagg	104100
gcatggggag	tggaagatg	gcccagaagg	actgggggtc	tattgaaagg	ggaccacacag	104160
caacctgact	aacaggtaat	acttacagtt	attcagccct	tccagacacc	aggtgctgcg	104220
ctaagtattt	tgcattgtgt	cagccattta	attcctcaca	ataactcacc	tcttagatga	104280
gaaaactgag	gccccaaacag	gtgaaactcc	cagccagtaa	gtagcagagc	caggcttcag	104340
atccagttaa	tctggtttca	aagtccatac	tctgttttaa	ctgtaccag	aaccagctgc	104400
cctgaggga	atgctggaat	caggctctcg	ctaactctgt	accatacaaa	aattattcat	104460
caaaggtaaa	acctaataat	aggacatgga	tcaataact	gtgagttcat	cactgattct	104520
tttattcatg	attttctctc	taataggga	tctcgtccta	gtctaggctc	cttgagtgat	104580
gagggttccg	tacctctca	aagccaccca	tggtcaata	acagctctca	tttaaataga	104640
gatagatagc	acaatctctc	ctcattaatc	atggattctg	cgtttataaa	ttcacctgct	104700
tcctaaaaatg	tccttataac	ccccaaatcg	atactggtgg	cactttcatg	gtcacacaca	104760
ggcaggtaca	gagtagggga	atctggattt	gcatgatggg	cacgttccat	ctgagatccg	104820
gcaaggcaac	ctctgtcttc	ttgtttcatc	tctcaagcta	acaagtgtcc	tcttcgtggg	104880
caatttagtg	ccatgtgttc	tgcatttttg	tgctttttct	ggtgatgtca	ctgttcagag	104940
ttgcccga	gagtagcgct	gctgtctagt	gttcctgagc	taagcaggct	gtgctgtgcc	105000
ttaccgggaa	ggcgctgtg	tgagataagc	ttgggcagtg	ctgctggcca	tgcgttcggt	105060
gttgaaaaat	ccacaaaact	gcacatacag	gaaaaggagg	aggaaattgg	ccagttcata	105120
catgaggctg	tgatgggaag	tgctaaagta	acacctaact	tgtgtgatgc	agctgtggaa	105180
agatggaaaa	gaaactgcat	tgaggagattc	atgagatgat	gaagggaattt	ttaaaaagca	105240
ggatggacag	cactgttgtg	aggttgaaaa	caggaaattt	acactcatct	taccaggggt	105300
caaaaaatgg	gaagggtctt	tcagctgggt	ttttattaaa	agtaatccta	cttataatta	105360
actcttttga	agacttatgt	attatataaa	gtgtctttca	acagaaaccc	acacataaaa	105420
gaaggttgat	gaaaatgttg	tgccagagg	tttgcaagaa	cctaaccocag	tatttccct	105480
ttgagtgatg	accctgtatt	ctctaattca	gcactcgtgg	gagctttgtc	ggaagcaact	105540
gctgggacta	ccgaaaaaca	ctgtggacac	agagagggaa	atgcatgtac	ttcaaattga	105600
agtatataga	catgtaattt	tatatagata	atacatgtat	ttcagctctga	gtgaagattt	105660
cttctctctc	tcgtcacctg	accagtgctc	gctctgcct	gaagttctgc	ccctgagtca	105720
cacactctac	ctccttagtt	aggaccctgt	gtgtgcatac	ccatggccca	aagtcacgc	105780
ggtctagggg	gctggtctca	ccctcagaca	ggcagagttg	gggacacggg	tgtgacctag	105840
ggtgggaatc	acaggcgctg	tgtgtctctc	tccccagag	ttacccccac	acaccacagg	105900
tgattgatgg	agtgtgtctg	ccaaaaacac	ccgaggagct	tcaagctgaa	aggaagttcc	105960
acactgtccc	ctacattgtc	ggatttaaca	ggaagggaatt	tggtgtggtt	cttccaacag	106020
tgagaaggcg	caggctctct	ggagggactc	accaccccc	atcagccctc	ccacctctga	106080
tcccaggagt	gcttccctct	ccaagcactg	ctctgagtc	tgggcagctg	ttcccttcag	106140
caggaggtaa	catttccatg	gaaaccttct	ccaggagggc	acagttgtca	ccgggatatac	106200
agggccctgg	gatccccctc	ccccagactc	tctgattgtc	ttcctattga	agaatcctga	106260
agtgtctgtg	ctgggaggac	cagtagataa	aataactgtg	cagatgggaa	aactgagggg	106320
gcctaggagg	ggaaaggagt	tgaggagtc	ggagggcag	tcgggggctt	cctggcttcc	106380
cactttgggc	tggttatgca	tagttcccc	ataaatcact	catgctcttc	atcacctcat	106440
tgaaaagatc	caaaaaagtg	gcttcttttg	atttccatt	gacttctagg	gaacagtaga	106500
caccaggggtc	tacttgaggg	atgacggtca	gaggagggtg	aggatggaca	agttacctaa	106560
tcgggtgctg	tgctcaatac	ctggtgacaa	aataatccat	acagcaaaact	ccagagacac	106620
aatttaccca	tgtaacaaac	ctgcacctgt	accccccaacc	ctaaaaataa	aattgggaat	106680
aaaaagtggg	agaaagaaag	attgacttct	aaaattgaaa	aagcgttctc	cttcagtcg	106740
aggacacaca	aagctgacca	tgattaaagc	agtaggacag	aatttattca	gtaacacaac	106800
tgcacagagg	aaagaagagt	ccagtatgga	ttggactcaa	atccccaaa	ctaactcctg	106860
gcactgtttt	aaaggctgag	tgtgcaaaag	gataggcact	gtgtgctgtg	gagagggact	106920
tggctccatgt	gactagaccg	cctggatgtc	ttcatcctgg	ctcacctggg	gcagaaacaa	106980
actcctctta	ctgtcaggac	aggaagccat	gcattagact	gcaggaagaa	cccactgaag	107040
tcaggctcta	ctcttccac	agggactggg	aagatcagga	gtcagctccc	tgaatgtttg	107100
cattgcaaag	agaaggctct	aaggccctca	aggaaatggg	gttgggtggg	aaattccatc	107160
ccaaagggca	gagaaagtgt	ttatcattgc	aggcttctaa	actaactgct	ctagttgggt	107220
tcaggggcct	gtctgcttct	ctccagggtt	tggtctggagc	agagtaaat	gttctggcag	107280
agttgagcct	tcccaggcaa	gcatgttaag	gatactggag	tcattctagg	gacacagcct	107340
taagctgcta	caacgatgc	tagagttctg	tcgactctct	gagtgacagag	gtttgggcag	107400
agttgttttg	tgtgaagaga	tatgaagttc	gccccctcaga	aggatttcag	aggttatacc	107460
aaagacaaa	gccatgaagg	caggctctaa	ggctttcagt	gtcatctgtg	acagggtggg	107520

gtactaggga	ggtctgcatc	ctcttcccca	gaacctctta	ttccacactg	gcttggcaga	107580
caccttccct	caccatgtca	ctggccactg	taggtatccc	agcctgacac	acacacaaaa	107640
cacacacaca	cacacacaca	cactgcaaaa	cactgccaca	gcttctccac	attttttttt	107700
tttttgtaat	ctttgcaatg	cttgagtttc	tggatataag	cccatttgat	tcattgattt	107760
tgcccatttc	agtaaaaacc	catgccttta	aaagcccaaa	atattggagg	actttcagtc	107820
tgcattgatt	tgggttggtc	gtcagtttgt	ttcttctcgt	taattcccaa	tgattcataa	107880
atgcttaact	tttttttttt	ttttaacagt	tgatgagcta	tctactctcc	gaagggaac	107940
tggaccagaa	gacagccatg	tcactcttct	ggaagtccta	tcctttgtt	gtaagagtct	108000
aggaatcacg	ggaattggct	aggaccacac	gagcgacaag	gattgcccac	attatagagc	108060
aattaaatgg	ccgaatgaag	actggggcct	caggggttct	cccatctttc	cacctttccc	108120
acttcacttt	ccaccctagc	ggggagttgc	acagggcttg	tgggattcac	cattgaggca	108180
gcccttctgt	gtggcctgga	gaagctacat	cgctcaccag	ggggtgggtg	tcactttatt	108240
gatctatttt	agggcattcc	taagggaattg	attccagaag	ccattgagaa	gtactttagg	108300
ggaacagatg	accctgtcaa	gaagaaagac	ctgttctctg	acttaatggg	ggacgtactg	108360
ttcggtgtcc	catctgtgac	tgtggcccg	aaccacagag	gtgagtccta	gaggctgaac	108420
aggggaggga	tatggacccc	accagcttct	gtatctgact	cacctacctc	ccagcataga	108480
cagatgtgga	aacagccgag	ggtcagggcct	caaaggctga	ttccatatgg	catgggatga	108540
ggtgctgtct	tatttttggt	tatgccagta	gcagcctgtg	aaaaaaaaaa	ccagaggcaa	108600
gcgggttttt	taagggtggtg	atcccagata	tcagcagtag	ggcgggtggg	aagtggagag	108660
ggaaagagat	ggaatccaat	ccaaggtgcc	ttgacaaggg	agtatcctct	gtggacaact	108720
ggagctggga	aactcaagga	aacactgaga	atacagcact	caggggcatc	ccatctgagc	108780
accaagggag	ctgggggtatt	tatccaccag	ctcccacttg	tcattgtttg	aaggctcttg	108840
caaggagtgt	tttattccct	gtgactttga	cctgctgcac	acaagggcag	agtagtctct	108900
tgtgaccaga	caaaggcctc	aggccgggag	ctgcagatgc	tggaggtaga	agtcaggctg	108960
gcatgccccag	gaagaggggga	tatgggtgag	acactgacag	catctgctgc	aagggtccca	109020
tgcctggagt	tatcgtggga	catagggctg	ctgtaggaca	aattattgaa	gatgagtctt	109080
ggaaggtttt	taagggtccaa	gttggctgca	aacaagcttg	ttaagcattg	gagctgggaag	109140
aacaatggga	gtcctgcaca	ggatccagag	gattgtccag	gaccaagaag	gccaaaagta	109200
agagctatgg	tgggtgtggg	ggaggtgggc	ggaagaatgg	caatgtctga	ggctggcctt	109260
tgtctatctc	gggtgtgca	ggaacatgca	agcacagtgc	caggacaggg	tctatgcagg	109320
accttctacc	actgacccaa	ggctgtgtgg	gtggggcatg	aggttaggga	tgctgtgggt	109380
cacctctaga	gaagtgtctt	ctcctgggtg	ccaactagag	gaggctcaca	ggactcctct	109440
ttttcttcca	gctctcatte	gcctagtctg	caagccagga	aatgtcctct	ctctaaccat	109500
gctggaaagg	tttttaaat	tggaaactta	taagctaaag	ctaaagctat	agctaaagct	109560
gatgtcgag	gtgcccagac	acacctttgc	acaggaaggg	gcagggtgctc	ataactctca	109620
cttcttcaca	aagtcctgat	aaaaccctat	aaccaggacc	actggagttg	aatcatttct	109680
gtcttaaaact	tggctttgcc	ccatgttctg	catctgatct	atatatagtg	ttcccatctc	109740
catcttccaa	tggtttgagc	aatactgaac	ctctgttttt	catctgattt	cccacaactt	109800
tgagttcaga	gtttttgggt	gttgttgggt	ttgttgggtg	ccaggactac	acagatctta	109860
tcaactttca	cttattgttg	tgtctcactc	tttttgataa	aaacaacatt	tctgaacata	109920
aagttaatat	gttaaagtta	atatgaagaa	agtttcaaaa	atatggaaac	acgtaaagaa	109980
gaaactacat	atcactccta	attccccac	ctggaggcaa	gtggtataaa	tttttttgta	110040
ctttcttcta	aagatttttc	atgtcctata	tactttaaaa	atcaatttta	tatttcgctt	110100
ttgttcatag	aacactatgt	tgtgaggatt	ttctcaatat	tcatataaac	tcataaaaac	110160
attccttatt	ccatgaaatg	gctgtgttaa	atagacttta	atattcctat	cctattagat	110220
gtttagcctg	gctgctcaca	ttctgatact	acaataacac	tgagttcagc	ctaattgtta	110280
taagtctcta	accacatgtc	tagtaatttt	cttggaatc	tttttagaag	tgaataacta	110340
ggctggacca	aagaaatatt	tttgactct	tggcaaataa	tgcaaatgtg	cattccagtg	110400
cataagaacg	tggattttct	aattttactt	ctcatttggg	ataccaaggt	taaaagttaa	110460
tgtgccta	ttgccccacc	aaaaagaagc	acatcacct	gtattctttt	gcatgtcttt	110520
catgacatgt	ctttcattgt	ctctgcttct	cttctgtgct	ctatttgtca	ttgccccaaa	110580
ctgtgcccta	ctttcctctg	aagacttgtg	ttgtgactgt	aggaattcta	tgaatatcaa	110640
tcacttttagc	caaaaagggt	tgacaaaagta	cattttgggc	agcatgctgc	ctataataat	110700
ttctatcatt	cacaaaagct	ctttcctcta	tagttggctc	tgagttcctt	tggaaaatgt	110760
ttgaatggca	aaggcaaggt	caaaccctcc	tttttagcaag	ttttgcttga	ccttgaagca	110820
gccatttaac	aggtggatta	cagagccaca	gaaggatggc	atcttcccaa	gtgcgcttcc	110880
tgcctgagcca	aggtgagcag	gcagggagct	gacaaagatg	agtgaataga	ttattcttca	110940
ttcttacatt	gaaatgacat	gtgcgggtgg	ggcgtgaggt	tagggatgcg	tgagctcctg	111000
ttgttaaatc	cttttgtggc	tgaatattta	agaatgttaa	gaaatgatgg	ctggagggtg	111060
tggctcatac	ctatactctc	agcccttttg	gagactgaag	tgggaggatt	gtgagagcct	111120
aggatttcaa	gatcagcctg	ggcaacatag	tgagatcctg	tctctacaac	aaaattgttt	111180
tcaaaaagtg	atgatactat	attacaaaat	aacatatata	atatcatccc	aagtttatat	111240
acataaaaga	gagatatgtt	aaaataaaaa	agaagcgttc	tctgtggtag	agttaccagt	111300

gatgttttaa	atttgatttt	taaaatgggt	tttcaaaatg	atttttaaat	tatataggag	111360
gtggaaaatt	caaagtgtcg	aggcacagga	ccaggtggcc	catgatgtag	cccagaaggg	111420
ccagtgtatt	gtggctccaa	tgagccaatc	attgggaaac	tggcatcttc	ttcgggctgg	111480
aacaggagag	ctttgttgtt	gggagagaag	gcaagcaaaa	agaagagagg	caagggaana	111540
gcaaggtcac	ccttgctcag	ccccctcttt	ggctcgccat	gactttactg	ccttaacacc	111600
ctaaccactc	caggccaggc	aggcagcaag	acacatggag	acagtggatg	ataaagcagt	111660
gagtgcgcga	gattcctgag	acacaagagg	cagattgttc	cctctctgca	tatgtttgta	111720
tttaagtagc	ctcatgttca	gacaagcaac	ttggatttgc	ttcagtcctc	tcaggatggg	111780
tgagaaaaac	actgggaagt	ctcaaaatga	gggagaacag	aagacacctg	tcagagtggg	111840
gatggcgctc	aagtgaacga	agtctgttat	caatgaatta	catccagtgt	aaccagatgt	111900
agagagattg	tcttgtgtga	gaatgtacca	gcaggcaaaag	gggtttacga	ggcagagtca	111960
gtgtccctgc	actggcagtt	attttgaatg	aattgaccca	gggtttccac	attcattcat	112020
taaacatttg	ttcattgaac	aaatatctgg	ctctaattcc	agttccacct	caaccagcta	112080
tgcagcccg	agcatgtcgc	tgagctttcc	tgtgactctg	tttctctact	gtgctgacag	112140
ccagagggtt	cctgcagagt	tggagacctt	ggtagcctcc	aggtgtgtgt	ctggcaacat	112200
gaactgtgca	tgaatccttg	tcttctcaga	tgctggagca	cccacctaca	tgtatgagtt	112260
tcagtaaccg	ccaagcttct	catcagacat	gaaacccaag	acgggtgatg	gagaccacgg	112320
ggatgagctc	ttctccgtcc	ttggggcccc	atctttaaaa	gataatggct	ccttgcctct	112380
cgtgagcttg	gagttaggag	atctgggttc	ctgtcttggt	gtgggtggct	tcagcaagtt	112440
tcttctctcc	tgtgtctagt	ttactgattc	tctataacag	gggtgaatgt	cactgggttg	112500
tccccagct	tcctcccact	ctaacatatg	tgaggcgagg	tgtgtattca	tgtgcccttt	112560
gcacagccac	tcagaatcct	gctctgtgac	atcaacaaga	cgggtgtgtg	tgggggagtc	112620
ttctgaagga	ttcactatac	agggttgaat	gtcattaggt	tgtccccag	cttccctctg	112680
ctctaataca	catgacgggg	gatgtgtatc	catgtacctc	ctgcacagaa	actcagaatc	112740
ctggcctgtg	acatcaacaa	gacaggcggg	agggtgtctc	ctgcaggatt	cagtatgaca	112800
gagttgaatg	tcacggggtt	gtccccccac	ctcctccgcg	tctaacatac	ctgagggagg	112860
atgtgtattc	atgtgccctc	tgcacaggcg	ttcagaatcc	tgttctgtga	catcaacaag	112920
acaagtgttt	gggggggtct	ctgcaggatt	cactatgaca	gggttgaatg	tcattgggtt	112980
gtcccccagc	ttcctcctgc	tctaatacac	attagggagg	atgtgcatcc	atgtaccctc	113040
tgccacagac	actcagaatc	ctgggctatg	tcatcaacaa	gacagggtgt	gggacacatg	113100
caggggtgtc	ctagggttag	aagccacca	tcaatttccc	tctcccagga	gcgctgagaa	113160
tgtgagttag	ggtgagatta	gagttggtgt	taaccctgag	tcagggtctaa	tgtgtgtcgg	113220
tttgtcttcc	tgtctgtctc	taacaaaaac	tacataaacct	ttacatttat	tacatttaaat	113280
aattgttagt	ttagaaatca	caggattatg	aattacgatt	tatagtcagc	aggattcact	113340
gtgacaggat	tgaatgtcat	tggcttgtcc	cccagtttcc	tctgtctcta	acacacatga	113400
gggaggatgt	atatcatgtg	ccctctgcca	ccgacactca	gaatcctggg	ccgtgtcatc	113460
aacaagatag	gcggaggggac	acatgcaggg	ccctgctcta	ggttgagaaa	ccaccaatca	113520
atttccctct	cccagaagtg	ctgagaatat	gagtgagggt	gagattagaa	ttgggtgttaa	113580
ccctgagtc	ggtctaatgt	gtgtcgggtt	gtgtttctgc	ctttatgtct	ctaacaaaac	113640
ctcataaacc	tttaaattta	atataattaa	taattgttaa	tttagaaatc	acaggatgta	113700
tgaatttgga	atgggagagg	agactttatt	ttttagtggg	tttatagtca	gcaaaagtgc	113760
tatccctcaa	gctgggaagg	tgcctctggc	caagcccaca	aacaggctca	tcgaacgagg	113820
aggggttggg	tagaagcttt	ataggaacag	attggctaaa	catacatgtt	caacacgtta	113880
cagggggagg	aatggatatt	catgaagaca	gtcctgacac	atgtgtatta	aacaaacatg	113940
catgtaacat	tgcccatggt	cacctgggtg	tggagacctc	atattttaa	gtattacaat	114000
tagggcttat	aaatccaagg	gtcttctcag	gacacaaagc	ccagcaagtg	agcagcctct	114060
gtacaccggc	caggtccagt	ccatggctgg	tgatgttctt	atctggagaa	aataactgaa	114120
atcagctctc	tatgcaatca	aagccgtagt	taaggctggg	gggcagggtt	ctgttcttcc	114180
gagtatccaa	gctgcagcca	ttttaattgt	tttcattttg	cttaactcca	ggccagtact	114240
gggttagctg	tagacaaaa	gaagcacctt	gcagcaggga	gaacagagtg	gattccttaa	114300
gggttagagat	gcaggcctga	acccttgccc	ggcatggcct	tcgatctttt	tttaatttgg	114360
tgtcttattg	ccacaaggag	tgtgttctgt	cagaatgatc	acctttat	tattgctgat	114420
actcgtccgg	tgggtgtctaa	accacaaaaa	agggggagta	tgatgaggcg	tgtctgacct	114480
cctgtctgtt	tccaggcagg	aactcagttt	aggggttttc	tgggggtccc	ttagcccgaa	114540
gaggggtctg	tcagttagtt	gggggtgtta	ggattttatt	tttagtttac	attatacaat	114600
atttttaaaa	atcctttcat	gatgtcttct	aagccttaac	tctcagctgt	tacagatcac	114660
atgggactca	ccccatggct	gctcaggatg	caccatcgcc	actgggcatg	tcccaattat	114720
gcacccttag	gaggcttagg	ttctgttata	tttcagaatg	tgaattgtgg	gtgtgtgcaa	114780
gagagagcaa	ccctgggagg	tggggcaagc	acatggaaat	atgcatgccc	attgctgagc	114840
cctaggtcag	ccatgcttaa	aggtaaaagta	cacacaaatc	caccaggatc	ttctaataat	114900
gcagacctca	gctcagtggt	tgtggagcat	gcgccaagac	tatgtttcta	gcagggttgc	114960
acgtgaagtt	gacaatgcag	gtccgcggac	cacacttga	gtaacaaagg	cttttttctc	115020
tcttcccac	agagggtgcc	tcagaagagg	agatcagact	tagcaagatg	gtgatgaaat	115080

tctggggccaa	ctttgctcgc	aatgggtgag	gctcttggca	aagacacagc	acagctggtg	115140
aggggtggggg	gcggggcatg	cctattggga	aggggagct	tctaaggttc	tagcgatcaa	115200
acttctgacc	ctgtgacat	agcactctga	caatgagagc	tctctacaaa	tggagaggcc	115260
gcccccgag	atagtgaact	ccccgtctct	ggagatatag	aagcctcttg	acggagataa	115320
cttgggctgc	ctcacacatc	tctgaagatt	gttggggaca	cacagcagct	ttggggcaat	115380
tctatttgat	tttgtttcca	gaaaccccaa	tggagaaggg	ctgccgcact	ggccagagta	115440
caaccaggag	gaagggtacc	tgcagatttg	tgctaaccac	caggcagccc	agaagctgaa	115500
ggacaaggaa	gtagctttct	ggaccaaact	cttcgccaag	aaggcagtg	agaagccacc	115560
ccagatagaa	cacattgcgc	tgtgaacgga	aggtccatcc	agcctcgggg	acctggagga	115620
gcaaagactg	gggtcttttg	ccaaagggat	tgcagggttc	gaaggcatct	taccatggct	115680
ggggaattgt	ctgggtggtg	ggggtagggg	gcagaggtca	tgaaggagca	agttttttat	115740
ttgtgacctc	agctttggca	ataaaagatc	ttttgaaagc	caaatcactg	cttgtgtctt	115800
gtattagaga	ttaatccatc	ctcctcagag	acagaacgat	gatgaaagag	gcaatgtgag	115860
aagggaagctg	gctttgctgg	ggatggcctg	gcctcaggag	gagtacagtc	cagagggctg	115920
ggtcattgga	agtgctcagg	ggagctcttg	gcctactgca	tgtttctgag	cccccaagaa	115980
tttccaacaa	taggatttag	gattgccaga	gtgcagcatc	cctatcctcc	atttggatct	116040
gcctatggaa	atggaaatgg	cccaggctga	gaatttgctt	ggatcaggga	agagagagag	116100
gtgccgaggt	gatccccgtg	cactgttgga	tggcctttat	tgactcttgc	acaggtctgc	116160
cacaccttcc	tacgtatgta	cactagcctc	ctagaccctt	ccctgaggct	gtctctttca	116220
acagctgggt	taaactccct	ctgtaacctg	gaccacttct	gttgcgggca	ctgaccacct	116280
tagagcaagt	ctccagaggg	tcctccta	actgtgtctt	tcagaatctc	aggggtgatt	116340
tctggattct	gctagaatgt	ggaaaactct	aaagagtgtc	actcctgcct	tatcagcaag	116400
agaaaaagct	ggattgtcct	caaaatcata	acttttccta	ttgcccagga	gaaagatttg	116460
ggtagatagt	cagactagag	agggccaggc	atgggtggct	aagcctgtaa	tccagcactt	116520
tgggagcccg	aggcaggcag	atgataaggt	gagaagatcg	agaccatcat	ggctaacaca	116580
atgaaacccc	gtctctacta	aaaatacaaa	aaattagctg	gggtgtggtg	tgggctgctg	116640
tagtcccagc	tactcgggag	gctgaggcaa	gagaattgca	tgaaccggg	aggcagtgct	116700
tgcagtgcgc	cgagatcatg	ccactgcact	ccagcctagg	tgacagagca	agactccacc	116760
taaaaaaaaa	aaaaaaaaattc	gccctgggca	gagctgcagg	ggagggtggg	aagccgactc	116820
agggcctgca	cctgggtagc	tgccccacct	gggtgctgcc	caggtaacgc	atgtacagga	116880
tgagcctccc	ttccccagc	agggacagat	ccactcagct	cctgccccgc	atgctctcct	116940
aaaagtgtgt	atcaagactg	tgcctcatta	ttccctgcga	tgggaagggc	tggggagaaa	117000
aaaacctacc	ttaccacttg	attgtgtcaa	aatacaagg	aattcattgc	aaagagcttg	117060
ctgtgtccca	tgaacggggt	ggagctcaag	tctgaaatta	aaggatgggt	aggaaggggg	117120
atggccagcg	acaacgtggg	ggaagtgtga	ccctgagcag	tgggggcaag	ggggccagcc	117180
cacgggagcg	agggctgggt	ttggcaaggt	tgtgtgagca	caccgtgggt	gcctggagga	117240
cagcttttct	accttgacat	gtaggaaaca	gacttctctc	tttataggaa	gataatgcca	117300
taaaatgtct	gtctacctat	ctgtctatct	attatctatc	taccatctat	caattatcta	117360
tctatcatct	attacctatc	taattctatt	atttcattaa	ttacatttat	ttatgtaatt	117420
gtattttcaag	ctctatttac	ctcctgaact	tttcatgtga	gagactacat	tttattcaat	117480
atatgtttta	agttggattt	ctcttagtac	atattgacaga	gtcctgatta	gtcctgatta	117540
aaatcattgc	tgcatttgat	catttatatt	ctatcctgta	actataattt	atgtgatcac	117600
cagtaatttt	atctgtatca	atcttgtctc	ctgtattaga	taacagggtc	ttaaggctctg	117660
gtacaaacat	ttcagttttt	tattgaacat	aacatacata	taagaaatat	atatatatac	117720
acatacacac	aaacacacac	atgctatgta	tatattatga	cttgataact	tcactaactg	117780
atcacactgt	gtaattagga	cccagatcaa	gacacaatat	taccagcatc	ccagaagcca	117840
catggagctc	aattccaggc	cctgtcactc	tccccctcct	tgcctatcta	cccaaaatgg	117900
tcaccacagt	cctgatgtct	agcagcaata	tttctttttc	caggttttgt	gcttttatatg	117960
aacagaatca	catactcttg	catctgggtt	ctttccctca	atattatggt	tatgagattc	118020
acgtgtattg	ttgtatatgg	ctgtagtttg	tcattcattgc	tgtatagtca	ttcattgtat	118080
ggatatgtca	taattttactg	gtgtagggca	cttggagaat	gtattagtct	gctcgggctt	118140
ctgtaacaaa	ataccacaga	ctgggtggct	taattaactg	aaattcgcac	ttgcatagtt	118200
ctcaaggcta	gaagttccag	aacaggacac	aatgagaagg	cagcagtctg	caaacaagga	118260
ggagagccct	caccaggaaa	tcagtcagct	taatcaacta	aaatttgcat	ttgcatagtt	118320
ctctaggcta	taagatccag	aacaggacac	agtgagaagg	cagcagtctg	caaacaagga	118380
agagaggcct	caccaggaaa	tgagtcagct	taatcaactg	aaatttgcat	ttgcaaaaaa	118440
ggaagagagc	cctcaccagg	aaatgagtca	gcttaaatcaa	ctaaaatttg	cgtttgcata	118500
gttctctaga	ctagaagttc	cagaccagga	cacagttagg	aggcagcagt	ctgcaaaaca	118560
ggaagagagt	cctcaccagg	aaatgagtca	gcttaaatcaa	ctaaaatttg	cgtttgcata	118620
gttctctagg	ctataagttc	cagaacagga	cacagttagg	aggcagcagt	ctgcaaaaca	118680
ggaagagagg	cctcaccagg	aaatgagtca	gcttaaatcaa	ctgaaatttg	catttgcata	118740
gttctctagg	ttagaagttc	cagaccagga	cacagttagg	aggcagcagt	ctgcaaaaca	118800
ggaagagagc	cctcaccagg	aaatgagtca	gcttaaatcaa	ctgaaatttg	catttgcata	118860

gttctcagagg	ctagaagttc	cagaccagga	cacagtgagg	aggcagcagt	ctgcaaccaa	118920
ggaagagagc	ccccaccagg	aaatgagtc	gtttaatcaa	ctaaaatttg	catttgcata	118980
gttctctagg	ctataagttc	cagaacagga	cacagtgaga	aggcagcagc	ctacaaacaa	119040
ggaagagaac	cctcaccagg	aaatgagtc	gcttaatcaa	ctgaaattcg	catttgcata	119100
gttctcagagg	ctagaagttc	cagaccagga	cacagtgagg	aggcagcagt	ctgcaaacaa	119160
ggaagagagc	cctcaccagg	aaatcagtc	gctgttctca	tttaattgtc	tcactttaga	119220
agatcatgca	agggacaaaa	tctccagaat	ctttcctggg	cggggtcaca	gctgggggtg	119280
gaaagttgta	gcccccttga	aacttcccgc	atagctgtcc	ttctatggag	gccaggagcg	119340
catcggggaa	ggtacagtcc	acagtcccc	tccatccac	cagtcaggct	ccaaggggtc	119400
ttcacatcca	caaaacacca	tttcataga	tcaatagcac	acacaccaag	atgcgcaaat	119460
tcaaaccaga	tacccaaatg	gcactcactt	attgaatttg	caaggatttt	taccactact	119520
cttttggtgg	tagtgcttag	tggcaagaat	atagaaaacc	aggaagtatt	cagcactgat	119580
gtgacagatc	agtagctcct	gggatttggg	cagaattttg	tgcagtccag	ctttttggag	119640
aagcttatgt	catttacgct	tgctgagtcc	tgtgtaagcc	ccaaagccaa	gctttcacaa	119700
gctaggactt	aggcagcttt	gaaaaggaga	agtttatctt	ctaccctctc	aaagagggtg	119760
taggaggttc	cccttgagag	taaccactgg	tccctccaga	tggcttggct	gcttctgcca	119820
ggctctactt	tcagaaatgc	ccttcattgt	gcaattatca	gaattaaagc	ctttcagtgt	119880
ctcctcattg	tccagggatg	aagtctgttc	tccctggctt	ggcattgaag	ctctctgtct	119940
tccattcccc	cttccattgc	aactggcctc	cccaagaagc	ccctgaatct	gccttgttcc	120000
aatgctaatt	tcttctctgc	ctctccaaat	tttgcccatc	tctcaatacc	tgggtaccatc	120060
aagagtcac	acagctttgg	gcattaacat	atatgaatat	tgatagttct	cagggcaaga	120120
aaacacacag	aacatgcac	tctatggagg	ccactctatt	cacctggatg	cttataatgt	120180
aatctgtagt	ttgagtttcc	agggctcttt	ccagattata	attcaatctt	cacttttctg	120240
tgtctaaatt	tttacattgc	tttctgaatc	atcttttttc	ccattttatt	cttaacaggg	120300
taaaggaagg	cttaatagag	tagcccta	gaataggatc	tgggtttata	atcgggcttt	120360
tgtgatttga	atcaaaagaa	tgcaaaaact	tagtgtttat	cagagtgtgc	tgcacttatt	120420
cctggagtta	tgcaagatca	ttttagatgg	cacacaaact	aaaaaccact	tatagaatgg	120480
ctgttttatt	attttgctgt	gtattaggg	aaaaaccctt	actatcaagt	ccatggttta	120540
atggatatta	cctgtgacaa	ggattgtctg	cagctgttta	aaatctgtcc	caccttctct	120600
ggtacacagc	cagattacat	tttccagcct	tcattgcaat	tagattgaac	acgtgaataa	120660
gttctcacca	atgtcctctg	agtgggagtg	gagagtgcga	cagccaggcc	tggcccatac	120720
aatgtctcca	tggtcacact	tctgtcctct	cctcttcag	gtgacaggca	attgacacct	120780
atggcaactt	tagaaacct	gagtgaagga	aggcaagcc	accatagcct	agatcaggac	120840
tgagtaaact	acagcctgag	ggcctactgt	ggcctactgt	ctttttaaaa	ataaagtttt	120900
attgaagcac	agtcacgccc	attggcgtag	gtattgttta	tgggcccgcct	tactaccaca	120960
gcagtcgcca	cagacagccc	atggcctgca	aagtccaaag	tccttactat	ctggcccttt	121020
atagagaaag	tttgctgata	tcctaatttt	gatctctgaa	tgaccatatt	gacaacagcc	121080
acctgttgga	cctgaacaac	gttctagtcc	tttacctatg	cgaataataa	gccgttgaaa	121140
ttctgttatt	atttgtctacc	atagtttacc	ctactctcac	taataattct	tgtctcagag	121200
tcacaggggtg	attgactgat	gaatgtacat	ggcccgaatt	ccggttggtt	gcccatttga	121260
gggtgactag	ttatgcccac	gggagtacag	ctctctctcc	taagaccac	caccaggcca	121320
aaatttcttc	cagatgctct	gaccagttag	tcctaggacc	tgattgaccc	caggtagtct	121380
gaccccttaa	atataacata	gcacatggg	cctgggaagg	tgtaaacata	atacaatttc	121440
tgcccattga	actgaatgtt	aacaggaaga	cattccctga	agcagaagaa	aatgaccttg	121500
gtgatgatga	cccttgccaa	aggtaggtga	cccttgccaa	aggtagttaa	cccttgccct	121560
gtcacctacc	tgggtggtcct	gatgggtgatc	agttctttca	tgtaactaac	tggccttcaa	121620
tgggttactt	ttcccattga	gtgacttttt	tcaattatat	gcttttgtaa	attagaagtg	121680
tttttactgg	catttcttta	tgacggtttt	tatttttacc	atcattttaa	tttaaaaaat	121740
gcagttacac	attttccatg	catacctcta	atttatggca	ggttatacag	gtcttgagct	121800
tatggaaatg	gtataaagtc	tcctttttga	gtgagcatgt	taaagtaaaa	agagtgtctc	121860
atttaaagaa	aactgttcat	agaagtacag	acgatatgct	gatgaggcaa	aaaaccatga	121920
tattagtgtg	agaataagtg	aggttccaga	aacactgcat	atgtccaggc	tgcagtggag	121980
aatgtcgtag	aatcctggat	tcataagagt	tggagccacg	gtgaaggggtg	catgagagag	122040
ccctccccc	atagccaccc	cctgcctttc	cacaaggaat	tcccaaatgt	caccagtggt	122100
attctcagac	ttctgtctcc	catttcagtg	ttctccacca	caaaatctac	acctgatcga	122160
tcccacagtt	cagagacaaa	gctgagttag	gggctcagca	ggacatgggc	ttgctgtgcc	122220
caatgcctgc	tctaattata	gctttccata	tatctgctga	gtaaactgat	ggaggtggag	122280
agggttgggg	gagttcattt	gaagccccca	gatatgccc	ctctcccaag	tcctaccccc	122340
tgcttagaag	ttaaggccag	ttcctcagat	tttactttcc	acgtcatata	gttccacatg	122400
ggaaaccaga	gggattcccc	agggaaaagc	aatgacccaa	atcaactgcc	gcttaaacaa	122460
gagacgtact	gcttacagct	gaagtgtatg	aggggagtta	tatgtattaa	gcaaaaatga	122520
gatctactgg	aaggcttggg	aggctccagc	ttcacccatc	acaatctgca	gaatcatcat	122580
gaaccagaaa	tgggcagtc	caggagtggc	caaaaaatc	tctgtttgca	caattggctg	122640

gtgtcacaaag	caggagtgtg	attgctgcagt	gggttcaggag	aagaactaat	ccttacatct	122700
tatatatttgt	gaatacagca	ccacaaaatc	ttcataggcg	aagagccagg	actgtttctc	122760
aggttgcaaaa	gggtcagctga	ctaaggcaac	agggcaggat	ggttaacagg	cacgtgcatg	122820
tgtgacacatg	tgtgtgcgtg	tgtgtgttgt	gctgagtgag	tgggactagc	tttgctttct	122880
acttaggagg	accaccagga	ttgtcccttg	tggatagaga	tagggatgct	ttttattagc	122940
atgcagttta	tcaaccaggt	ttctgtcctg	gataaaagta	agggaggaac	cctaagctca	123000
gggtcaacttt	tgtagagtcg	gttagttctg	gggactgatt	ctcatgctgt	cagagcatcc	123060
tcattcccat	cacagaatgc	ccctcaccag	cctgcacgtg	gctagaatga	gtgctaata	123120
gcatcccttt	ttgaatttgg	gtctccagaa	gcttcatttc	agatacaact	cacggccttg	123180
ggcaagaatc	cattagcagg	tctgggactg	tcatgtgctt	tatggctgct	cggttgcccaa	123240
tctttcctga	tgtcaatcgt	ggctctggact	ggacaagggc	aggcttgcca	agtacatttg	123300
ggaaagttaga	acatggctcc	ccaaagtacc	ggtagctggc	tctcatcttc	ctctcttttt	123360
ctttcttttt	ttttctttct	ttctttttct	ttctttccct	ttctctctct	cctcctcttc	123420
ctcctcctcc	ttcttagtct	tcttcttctt	tctttcttat	tatttcttcc	gtctttcttt	123480
ctttcctctt	cttcttcttt	cttctcctct	ctcctcctct	tcttctctct	tttcttcttc	123540
ctctttttct	tcttctcctt	cctctttttc	ttcttcttcc	tttctcctta	ttcttgtaga	123600
gatagggtct	tactatgttt	cccagggttg	tcttgaactc	ctctctcaag	caatcccccc	123660
accttggcct	cccaaagtc	taggattacc	aagcgggaag	gggttgccaca	gtgccagcc	123720
tcccctggct	atttctatcc	cttcagccct	accatgctca	gcctgggtca	atgagctgac	123780
aaggcaattt	gccttagata	aggctaccaa	ttagaatata	tccctgatgt	ataaaagcaa	123840
gagaaatggc	tgccagccac	actgtgctgg	aaggcagaaa	cctcaagtac	tggttctgac	123900
tttgccactg	agttgtctgt	tggccttagg	caaaccctcc	ccatctcttg	gccttagttt	123960
cttttgggaa	taataaacgg	aattgagttg	agcctatgta	ttagtctact	taggctgcca	124020
gaagaaaata	tcacagactg	gggtggcttaa	acaacagaaa	tcaatttaag	attgtgagac	124080
agcattaatc	tcattgggtt	attttgagaa	ctgagactga	gttcttgcac	acaaaactct	124140
cggcatagtg	tttgccacac	agtaagctct	cagtaaata	ttgtcaatga	atgtatgaag	124200
aaataaaaag	ggaaaatgca	aataagtaaa	aacactgaca	agattacagc	caggaaatgg	124260
ctgttgtaat	tctaatttagc	tatatagcct	tccaataatt	tcccatgcaa	ataaagacat	124320
atgttactac	caaaaaggga	ccatattata	cctatctaga	ttttcaaaaa	tatttcatta	124380
ttttattgaa	atataagtca	catgtcataa	agtttacctt	tttaaagtgt	acaatctagt	124440
gggtgtttagt	atattcccaa	agttgcacta	acatcatcac	tatttaatcc	caggacattt	124500
ttaccacccc	caagataaaa	ctcatgcccc	ttagcagtea	ctcctcatcc	ccgtctcttt	124560
ccccttcccc	agaccctgtc	aaacactttc	tgtctctgta	gatttgacta	ttctggaaa	124620
tacacataaa	aagcatcata	tgacatgtgg	ctttttgtgg	ctggcttctt	tcctttacca	124680
taatgatttc	cagcttcac	tacattgtag	catgttcttc	ttatggctgg	atgatatgcc	124740
tctgcacgaa	tacaccacac	tttatttaca	cattcatcag	gtcatggaca	tgtgggttgt	124800
gcccactttt	tgactaggat	gaatgacact	gctctttgtg	tacaagtttt	ttatggacat	124860
gctttcagtt	ctgttcggta	gacacctagg	aggggaattg	ctgggtcata	tggaaactct	124920
atgttgtaatt	tttgagggaa	ctgcctacac	cgcacaacag	tttataacct	gttatttttt	124980
cctttcacaa	cgcacctctg	cttcattgtt	aataagtagc	tgtgcacatc	actattttga	125040
gtgaatacat	catatttctt	tagccagcgg	tatcacagt	tgtttagtga	attccctatt	125100
gttggaacatt	taataatccc	atgaaagagg	tttgagtac	ttccttgtgt	ccccagcagc	125160
ttgtaaatga	cagttttcca	gggtgtgccc	gagcactctg	tatcccccta	atttggtyat	125220
ttcacattgc	cttgacatca	cacctactgc	tctccacccc	tatatgtgtt	gtctacaatg	125280
gtgaacccct	tgagaagctg	aaccatgtct	tgaattgacc	tttgatatcca	ttatacatgg	125340
ccagggtgct	ggcatttttg	taaattgttca	cagaatggat	gggtacatga	atggatggat	125400
gattaaagcc	aggagctatt	gagagatgga	atcattttta	cattctgtcc	aaaaattcct	125460
gctttggaag	gtagtgaatt	acctgagatt	ggaagtgtgt	gagaaggctt	ggctagtgtg	125520
caggatactg	tgaagctaata	tcaggcatca	gaaagtggac	tggaataaat	ttaggatcgc	125580
ttccaagctt	gaaatcctgg	aacgctatga	aacacaagcc	ctgggagctg	agatatgtcc	125640
taacttaccc	agctgagctg	tgaggtgtga	gtggctctaa	cattttccag	ttgtttctga	125700
ggacctcaga	tcaaagcttc	cctttgccta	aaagcatctg	cctgctgggt	cgggcctttg	125760
ggggccctca	gagagcacta	aggttagagt	cctgcaaggg	tgacaccgtt	atgccacaag	125820
cagttgggag	agtttacagc	tctctgtaat	ctgagagtga	agtccagatt	ggtttgatga	125880
aagagggtaa	actgtgagtg	ggcgtggctt	gagggccccc	tggaagccca	gggagatctg	125940
gggaaaggga	gggcttttct	gatctctccc	aattagagga	ttaggcaatt	ggcagtgacg	126000
ggcgggtaact	gggggcccagg	gtggcgccag	ggctggacag	cacagtcctt	ctgagctgca	126060
cggagacctc	gcaggccccc	ggaactgtcg	cccttccagg	atgtggctcc	ctgctcttgt	126120
cctggccact	ctcgtgtgct	ccgcggcttg	gggtgagtcc	ttctgaagtc	aaatatgctg	126180
ggcacttttt	gaaatccttg	ttctgggccc	aactgggcgc	agatgcgtag	aaaggcaaa	126240
acacaaaagg	tccggctccg	tggcggggcg	cgacctccgt	acttgggaatt	ggacttgag	126300
cagctgagcc	cagccagcct	ggcccgccgc	gagacacagg	gagggtgaac	atgctgagac	126360
cgccctgcac	tgcttgcccc	aagaaggccg	gcagctggcc	cacctcactc	cgcacacaa	126420

agaaatttag	gcagctcagt	ttattgtccc	ataattcgtc	ccgttatggc	tcgataacgg	126480
atagcggctc	aggagaatat	taagagcatc	gactctggag	ccagagtgcc	tgggttcgag	126540
tccccgctgg	gcgcttcctc	gctgtgtgta	cttagggcaag	agactgagct	attctgtgct	126600
tgggttacc	cctctctgaa	acagaggtgg	cagtgtacc	tacctactg	ggctttggtg	126660
aggaggaaat	gggtggttgt	ttctaaagca	ctcttggaag	cgcttggtat	gtagaaagca	126720
tgaaaaaggg	gtggataaat	ttaaaggcgc	tgtttaaaaa	cgtagtgtat	gaatagaaaa	126780
tttgagctgt	ggtcaggcca	ctatatcagg	acctcttgcc	attaaaaaga	cagtttctta	126840
ctcatgttct	caacaggagg	gggacaccag	tgcgcggggc	acaaggggaa	gcagcagagc	126900
ctggggaggg	gacaggggcg	atctgaggcc	aaggggcttt	tactgtggct	tccaaggata	126960
gaagaggaaa	ggcaggggcag	gcaggctgag	gactggcaag	ttgggatact	tcaggggctc	127020
tggggcacag	gggctgttcc	taattgtttt	gtacctagcc	ctggcatgat	tagggcaggt	127080
gggtagtggc	cagggcagtg	caacccgatc	aaagaggcag	ttggggtgtg	ggctctgggg	127140
tggctggacg	ctgggaggga	cagtttctcc	aaggtcaaca	aggcctcaga	tgccagagta	127200
tcagaaataca	gaaaaacaaa	cacatggtac	atagaggggt	gcagcgaggg	gcctcgaaat	127260
acccccatgc	cattttatag	acagagaaac	tgagactcac	acagggaat	gtacttgccc	127320
agggtcaacc	cgaaaatcat	gcctaggtct	gtctctgggt	cctgaatcct	gacagccag	127380
ccccgtctgc	atcctgtcct	ccttctggca	gcctgacact	gcgagagctc	tggaaactgtg	127440
gggaagggca	gagaagagag	gaagcctatt	tggaaactgaa	tgttccttta	cctctgggta	127500
ctcctggcaa	tggcatccat	ttccttcctt	aggaagacca	tacaggctgc	ctccacttcc	127560
tcagtttctc	cctctgtaaa	atgggcatgt	tgatgcctac	ccagcaaggc	ttatttgaag	127620
atggatttaa	acaaactgga	atgcatgcct	ggcacatagt	agggtcccac	catgttcgtg	127680
cttcataata	catcagcagc	aactggtcct	gttctcacac	ttgtttctgc	ctcccccat	127740
tcaccacatt	tttcacccct	ggcaatctgg	ctggcatcca	cctcatcctg	ttgaagggaa	127800
tcctctgagc	gagcatgacc	agcccagtgg	ttcttctctc	gacttgactc	tcctccacct	127860
ccctgaagtc	ctcagcaatc	ttagctgggt	cctcgccttc	ttgctccctg	ggcttcaaa	127920
acatgggaac	gttctctctc	ccctattctg	atggatcttt	ggctctggcc	gtagtggctc	127980
ctgtgtttga	cctttgtttt	tttttctctt	ccctctcaca	ctggcatcct	caatgaagcc	128040
atacacatcc	accgtatgta	ccctcacagt	ccaggagaag	attctgcctc	gctccctcac	128100
caaggcttct	tcagcctttg	aagtgcgctc	atcctgtggc	atcatcttgc	ctggatatcc	128160
cactcacatc	tcacccgagc	ctgtgtaaac	agggatccag	cattacaagc	cagctctttg	128220
gtcttctttc	ccttccattt	ccccacctc	tggtcaggga	ccaagtcttt	tcttttctct	128280
tcttttcttt	ccctccctcc	ctcactccca	cttgccctgc	tgccctgcctg	cctgcctgcc	128340
tgccctgcct	ccttccctcc	ttccttccct	ccttccctcc	ttccttccct	ccttctttcc	128400
ttccttccct	ttccttccct	ccttccctct	ttccttccct	ttccttccct	tctttctctc	128460
ttctctctct	ctggaggagc	caggattaca	ggcacatgct	accacacca	gctaattttt	128520
ctattttcag	tagagagggg	gtttcaccat	gttgccagg	ctggctctga	actcctgacc	128580
tcaaatgatc	tgccctgcct	ggcctcccaa	agtgtggga	ttacaggtga	tccactgtgc	128640
ctggctctcca	agtctttcaa	aatacctttt	agacatcatc	atatttctac	atatttttct	128700
tttttttttt	taaaatttta	aaataattaa	gatggggggg	aggatttcag	gtgaagaccg	128760
gaaatcccat	acagtgccta	aaaggtggaa	atcaccaaga	aaacaggcca	catgtaatgc	128820
caccacccat	tgctatgtcg	ataaacatgc	ttccaaggaa	gttcatctca	gtattatttg	128880
taattagcaa	caacaacaaa	agaaaagaag	ctaaatattg	acattgcagg	gttggtctatt	128940
aataagatga	gacatggatg	ctgtgtgtga	actgggcttt	ccataatggg	tttccattgt	129000
gattggatat	tcccccttaa	gaccaaactc	gaattgttct	gttctgtctc	agccccacac	129060
tttgaggag	gtgttgacgt	cttgctgtga	tccaaagcag	agcagctggg	aggacaagag	129120
gctggaaatc	atttcctagg	aggggaagctc	agagaaactg	agggtactgg	agccagatag	129180
gacctgaggg	gtgggcagca	agatcaagtg	tctgaaaggc	cacaggctgc	agatcagatc	129240
aggccagtat	agtcccatga	caggtagaac	cagaactgat	gcggaggctg	tgggaaatga	129300
atctcagctc	agtggaggaa	cattgtccgt	gctgcaagaa	tggagcagac	ctgcccaggg	129360
ccaccagaag	aatcttccct	gacctgatca	catcctttat	ctggaacggg	tccctgtgct	129420
tatttgtcca	ttaaagaaaa	ctcaagcgct	tagcctggca	ttctaagccc	tccctgacat	129480
gtgcggtctc	attccaggaa	tattttccac	tccccccaga	ctccacctgg	tgcattgtggg	129540
ccatgcccc	ttccccaggc	aggctctgca	ttctgtgctc	ctgagcctca	gcaaattccc	129600
ttctctctgc	tgtgtaccac	tctctgcttc	tcatctcccc	tcattcagtc	ctccccctgc	129660
gcaagtcccc	gctcctccat	gatgcccgc	atcagaaggc	cttgccccct	cttctaattc	129720
ctagactgcc	ttatgggtac	ctctcccgag	acatggccac	ttccttccca	gctgtagccc	129780
cagggtgata	tgtgaccctt	ccctataatg	gtcagtgctt	gtgagaatat	gggacacccc	129840
tttttcatcc	tctcatccag	catgcccgtc	agtgccagga	ttctaattgga	taaagtgttc	129900
cagagacttc	taagggggaa	gctaaatgtc	ttgttctttc	ctagtagctc	tccttcttgc	129960
atctattttt	agctggatgt	ttttatgcct	ccaattctag	tttgccatt	aaaccagctc	130020
aatgggttag	ggaggacatt	gatcgctcatc	cctattgtac	atcaagagaa	actgaggcct	130080
agagggttta	ggtgacattat	ttaaggctac	tcacttagaa	agcggcaaac	tccacctgga	130140
atctgggtcc	agccttttgc	ctctgatgca	tcctgattta	ttctccatgt	ccagcagggc	130200

atccgtcctc	gccacctgtg	gtggacaccg	tgcattggcaa	agtgtctggg	aagttcgtca	130260
gcttagaagg	atttgacacg	cctgtggcca	ttttcctggg	aatccctttt	gccaagccgc	130320
ctcttggacc	cctgaggttt	actccaccgc	agcctgcaga	accatggagc	tttgtgaaga	130380
atgccacctc	gtacctcctc	atgtaagctg	cggcatgtgt	ccttggggat	gtttacctca	130440
aagtgatgca	ggaaggagtc	aaggcagtc	cctgatgggc	tgatcctttg	ctctggactc	130500
cttaagatct	ttgtagatcc	ttaagaacat	tccagaactc	tcacagcatt	ctggagtcca	130560
ttatttaaca	catgtttatt	gagcacctgc	tgtgtgccag	gcgtgttctg	ggttcttggg	130620
atccattagt	gaaaaagcaa	agatccctag	gttcctggag	cgtgcattct	agcaggggga	130680
gacagataag	aacaatatgc	aaattactcc	gtggattatg	tgatattgata	gaacaggaaa	130740
agtgccttgg	aaacaagaa	gcagttaagc	aggtgagggg	gatcagaagg	aaggatccca	130800
tgaattctgc	tgtcttgaat	tttgacatag	tcggggagag	gagtgggcca	ggaggtgtgt	130860
gggtggcaag	tgtactgagg	tgtccactcg	gcaagtgtct	aaactctcagg	tgtgcctatt	130920
cctgaggaga	acaatggaag	gtgtgtccat	tcaccctggc	caagctggga	agaaaagccc	130980
aaaggttcta	attggcctca	ccatcacctc	ccagggtagg	aaggacccta	cagacatcag	131040
agcagaccct	gctcatctca	gcagccaggt	gttcggaggc	tttccagcag	cccaccagtg	131100
gccgccttct	tttcttccct	tttttaaaaa	ataatgttta	ctgtttttat	tttctgagtg	131160
caaattgta	atatacttat	tacagaaaat	ttaggaaata	cagagaaagg	aaagtaagaa	131220
aattaagatc	acatacaata	ttccaccacc	cagagagaac	aactatcagt	atttttagatg	131280
gtaaagtatt	atgtgtgaat	tattccagtt	tttttgctg	ttgatatact	ttgatatact	131340
ttctttcttt	aaaagggaa	gctatattga	gataatttgg	atgcctgctt	tgctcattta	131400
taagtataatc	atgagcataa	ttccatgcc	ttaaatagca	cagcctggta	ttaaaagctg	131460
cattacattg	ggtattgaac	cataattaat	ttccccagc	ttttatttgg	ggtcattaag	131520
ttatatatga	tgtttttaat	aatataacat	catgaatgtg	aaacatttat	gcacattcat	131580
gaatagttta	ggataacttc	tcagaaatga	catctctgag	tcaaagagta	tatatctctt	131640
gtttgatttc	ctccccaaaa	tattccaact	acactcctcc	cattgacgta	tgaacatctc	131700
catttggcag	actcttggca	atgcttggga	ttattaaaaa	tatttttggc	tattgtatag	131760
gcaaaataat	aataacaata	ccagcaatat	tattttcctc	tttaatttgc	atttatctga	131820
agaccagtga	gttctttttt	cctttcttca	cattggaaatg	tattattatt	attattatta	131880
ttattattat	tgttattctt	cttgcacttg	gtgatcttag	gaaaatttcc	caggatggaa	131940
tcaagaagtc	atctttgctg	gctctgattc	tgtcacttga	gagctgtgtc	atcccagagt	132000
ctgagtgcct	cagtttcctc	atgtacctag	tgggggcggg	gatgactgcc	ttttggtaca	132060
ttgaggtctg	ggactgtttg	ttataatata	cttgtgtata	agcaccacat	ggcatggatc	132120
tacctggcta	tgtaaccttg	gtcaggttct	ctaacctgcc	taggcttcag	ttttctcatc	132180
tgtaaaatgg	agataataga	acctaccta	tgggactagt	ctgaggctta	aatgagttaa	132240
tatacaaaa	gtacttaaaa	aacactggga	gaactaaata	actattacca	actattacca	132300
gtgttcacat	atgttgcac	cttgagatct	ttcatcaggg	caacacaaca	gcaactgcct	132360
gggagaggca	ggtggtagaa	tcttggcatg	tcagggtctg	aagactcatg	tagaaatcac	132420
tccgtcact	tagacctggc	ggattgggac	gcagagtgtg	aaagggaattc	acccaaggctc	132480
accccataaa	tgcatgggag	agacaaaact	agagcacaat	tctcctgatg	ttgtcccaca	132540
aagatatcac	ccttgagcta	ttgtgagaaa	tgtagcctcc	caggaggagat	cagtgtatta	132600
gtggtctccc	ctccttgatg	ctgggagttc	caaaggctct	ggaaagggaa	gaggtgtgaa	132660
gccccttctca	ctctgcttgg	tcttaggaga	ccttagtgag	ttccagcgcc	cccacctgaa	132720
gcccctgata	gcctcctacc	cactacaatg	tcgtgagtct	gtaactatca	agtccatttc	132780
caggcttaaa	cctcccagtc	caaggcgctg	ccgtagaaaa	cacctcgctt	agatctggct	132840
gaacttcagg	ggttcttctt	tccccctccc	cagggtgcacc	caagatccca	aggcggggca	132900
gttactctca	gagctattta	caaaccgaaa	ggagaacatt	cctctcaagc	tttctgaaga	132960
ctgtctttac	ctcaatattt	acactcctgc	tgacttgacc	aagaaaaaca	ggctgcccgt	133020
aagttgtggg	acccctggt	caaggcggtg	cagtgcagct	accccgcatc	ttctggggca	133080
gaatggaagg	gagtgaaggc	agcttgggga	gggagctgca	caggccagga	ttgtttcaga	133140
gacccaggg	cctccacagg	aaacactggt	tttccacaca	tcagtttacc	ctcgtgacat	133200
aggcactctg	ggggagtgtg	ttttgcatct	ttaatgaaca	tcttaattgt	tccaagttcc	133260
ctcatgctaa	tgaaggatg	agaatgatta	cttttagtta	ctagattaaa	aatctgatac	133320
caagattggg	taagacatga	ttttcaatgt	tagtggtgga	aagaacttag	agaaaagcca	133380
acaccccaac	tcttctttt	caaataagaga	aactgaggcc	cagacagggg	aggggaggtc	133440
accagtagg	gtagttttgg	ctcaagtctt	ctgatcttca	catcagtgct	tttgacatgg	133500
agttagggcat	tgagcttcta	tgtggccttt	ctccagcaca	gcaacattca	tctggggtaa	133560
ctttcactgt	ccaggtacgg	atgttggggg	cggagcctgg	acaatcccag	aagctcttcc	133620
ttttgccttt	ggccaaatag	ctgggatttc	tttttgtacc	taatttccct	ccctaattgt	133680
cttggaag	gctgatgacc	cagtgaagtc	gaatttccca	aataaatgaa	gggcaggaca	133740
tggggcagcc	cgccagctgc	aagttggagg	gtggggaggg	tctgctggca	aaggaggcac	133800
ccagggtgaa	aaaacaaagg	gtgttgtgtc	tagcagctct	cccaggggca	ccgtgggcat	133860
ggtgcctatg	agtgggggag	caggtctgcg	aacgtggaac	taaaagtggg	tcctcatgt	133920
gctttgtgag	acacaggaag	tgagagaaag	gtttactcat	tcattcattc	attcattcat	133980

tcattcattc	ttctattgtg	tactcagtcg	cccatataca	cagttagacc	tggggcttca	134040
gggaaaggag	gaacatgaat	ccactccaca	cagccctgcg	cttcaaggat	cttgccctct	134100
gggctgtaga	gacatatcct	cccttcagca	ctttattgca	ggccagccct	caggctcagt	134160
cttcacacaa	agatgaatgc	acactcaatc	cctccccagg	aggcaggcag	ggatttagagt	134220
tgtggggaga	acaagggtgc	tgggaacctg	gagtcaggag	aacctccagg	aatggccaca	134280
ggctctagaa	ctacacggtc	tgggtttaaa	tcttggttct	gcttttgact	agctgagaga	134340
cttgggagtt	tcttaacttc	tctaagcctc	tgtttctca	aatgggaat	catcacatat	134400
gatcagtcac	gggtgaccac	taagcgtgat	ctcagtcctc	ggctaaaaag	gcagaggcag	134460
gctcatacc	ctgccctaac	agtggactca	ctgcactgtg	gccggcgcc	gcagtgtgct	134520
gggcagctca	acatgtggac	tctggaggca	gactgcctgg	gttaaagtcc	tgctgtctac	134580
acttttgagt	tgtaggacct	tgggcagggt	aagtgcctcc	attttccac	ctggataatg	134640
ggacattatc	agtacctacc	caatgtatag	tttattttac	tgctgttaga	acagcacttg	134700
ggacatagtt	tatgttacga	gttcttttat	atttcatgaa	taatattatt	acaatatcat	134760
tattttagcc	actctcactt	cttccccact	atgtggactt	ttaaagtca	agaatcatgc	134820
atgaggaatt	gtatccactc	tcatcctcca	gtattagcag	agtccctggc	acatgctaag	134880
ttctcgacag	tgtagtcca	tgactgaag	gcactcctgaa	gtgggtgggt	tttaggctgg	134940
gttctgcagg	gtgatagga	tttggggatg	cagaggcata	aggaggcatt	tgagggaag	135000
acaccatcac	aggcaggtgt	gcttctcgag	acaatcattc	atgcacagag	aagtttactt	135060
caccaagaga	tagttaactg	agatgaagct	gagatacaag	ggctgcccc	tgggtacgct	135120
gagtgcatga	atagtctagg	cttgagggtg	atgggaggtg	cctcccgagg	aggacatcct	135180
tagcctttgc	tatgcccact	atgatgttct	cagcatcaag	agcctttcgg	ggaggaggca	135240
ctggaggctg	ggtagaaagg	aaggagacag	cagggtatgt	gcagtagggg	ggtaggcttg	135300
gtcccagttg	ggagaattat	gcaggagaga	gattgccttt	tgcaaagttg	ctgggagctg	135360
gtgaactttg	gatagcatcc	tccttcagtt	gtaaccaaca	ggtaggtcac	caaacaagac	135420
atcttctgag	tgctccctgg	ctctgtgtcc	tgtaactggg	atgttgcttc	ctctctgccc	135480
agggtgatgt	gtggatccac	ggaggggggc	tgatgggtgg	tgccgcatca	acctatgatg	135540
ggctggccct	tgctggccat	gaaaacgtgg	tggtgggtgac	cattcaatat	cgcctgggca	135600
tctgggggatt	cttcaggtaa	gaaatcggac	tctcctcact	gcactttggc	cccagagacg	135660
aggatgctag	gacccagctc	tggtcatgcc	agccctcagg	ggagcttagc	taggttccac	135720
agtaaggcat	ccaagccctc	tcgtaattgg	acactaccta	ccctctcact	accagccac	135780
tcacccactt	gcctctgagc	ttttgcatgt	gctgttccct	ctgcctggaa	tgcttattct	135840
atccgaagaa	cacctcttca	tcttgcaaga	ccagccccc	agttacctcc	actgaaagac	135900
tcactctctc	ttctccatg	tttctccagc	acattgcttt	tctctgtcat	gacacttagc	135960
agtcagccca	gcagggtgaag	gttgacacat	ctgacttctc	atggaaagga	gggaaggggc	136020
agagtcacag	agggagctca	gggcatgttg	tgggtgaagg	aatgggggct	gcagatgggtg	136080
gggtgtggga	gcactctgacc	ccttctctgt	ggaggtgttg	gacccactca	gctcattttc	136140
tgcttgaat	ttggcaagtg	tgggaagcaa	ggatggagtc	ttcccatcag	gtctccatgg	136200
ggacaggagt	cagatctcct	tcaaggcgca	actgctatga	accttttcta	aggttctcct	136260
ccatccatgc	cagtcagggt	tcttctctga	cacgccactc	agttgggtct	attgagggtca	136320
tcaatgacct	ccccctgctc	tccacccaac	ctctcaggac	ctcccagcag	cagcagatgg	136380
ccactcagcc	tctgtgacat	gcttctctcc	cagccctttt	cctgggtctc	cctcctccct	136440
gtccacaggc	ctctcttgct	tccctctccc	tcttactaa	ttcccagtga	tcccaggag	136500
cagccagagc	cctctgttcc	agcccagctc	acctttgaag	cccacaggca	tccactcact	136560
cctcctcccc	acccctggct	gtctaaaggg	tgcccactc	ttcccaggga	caagttgaat	136620
ccttgactcc	cactgcccct	ccccaacaga	gaccccttcc	tcctcccacc	acgcctccac	136680
tcagcttctg	ctgccacatc	ctcccttggg	ctcaggagaa	ggccttgttg	acagcccgga	136740
ctgtctcttt	tctcacaacc	ctcttggtgt	cgcttccaga	atccactcag	agtcccttac	136800
tttgacctc	ttccctgggt	cctagccctg	ccaaagctct	ctgtctgtca	ccttgattat	136860
gatctttaa	actttcagat	ccctgccact	tttatataaa	gctgagttgc	acagtagcca	136920
gagtgatcac	ttaacacatg	cattgaatca	tgcatgctct	ctgcacaaaa	ccctgcaggg	136980
gcttcccatg	ctccttacca	tgacagccga	agttcttgcc	aggccccagg	gccctctcta	137040
gctgcacctc	ctgactcaca	ctttctttca	ctgggcccga	ggccctttgc	acttgctttt	137100
tcttctgcct	ggaattcctt	tctttggata	tttacaaggt	tcagtgtctc	attgtgcttg	137160
ttttatgaag	gtctttgcct	ccaaaacctc	aaatgtcact	gcctccaaaa	agccttccct	137220
gattgggatc	tgaaatggca	ccccctgtcc	cactcctggt	tttttctcta	ctccattgta	137280
tttacctcag	tgacttttga	ctacctgaca	tcattatatt	ctctctatgt	atctgtttat	137340
ctgcttgtga	tctgtagtgg	gaattcagtg	tcacacacag	ttttgcctgt	tttgctctca	137400
gatgtgctct	agctcataag	acagcgctcag	gcatacagta	gatgctcagt	aaatagttgc	137460
cagttgtgtg	aatgtagaac	catacatcac	cacaatgctg	tactaatgaa	agcagggtct	137520
cagagatgct	gaagcccagc	cttattctta	agggttcact	gagaacccct	agcccatct	137580
gtggctctga	aggtcctgca	tgacatctct	gctccccacc	ctcaacctgt	tctcttctc	137640
acagcacagg	ggatgaacac	agccggggga	actgggggtca	cctggaccag	gtggctgccc	137700
tgcgctgggt	ccaggacaac	attgccagct	tggaggggaa	cccaggctct	gtgacctct	137760

ttggagagtc	agcgggagga	gaaagtgtct	ctgttcttgt	gagttttcct	gtcaccagge	137820
ccaacccac	gcttgatgtg	atgctgatga	gacctcttgg	acacctgtca	atccagctat	137880
ggatacctct	gattacaata	cctgaattca	ggactggccc	tactcacagc	ccagcatcag	137940
ggggtagaaa	gctaaagacc	agctctcctt	ggcccccagg	aagctcagag	ctcagcttag	138000
tgctctgggg	ccatatgaat	ctccagttgc	agcctgcaat	ggtaggcattc	tcctcttcca	138060
gcttggttga	gctctctctc	tctctctctc	tttctctctc	tccttcacac	tcattttaac	138120
ataaggactc	acatcccttc	tcttgggaag	taggaatagg	cataaattat	gagtaagggc	138180
aggcagagag	aagaggtgga	cagaggtcat	tggttggcta	aaccagacct	acatgtggag	138240
gggacatgga	cactgagcag	gctgggaatt	cctctggggg	ggctctgatg	cttgtccatg	138300
cccaagaagg	aggcgacagt	ctttgtgact	gtgggggtcca	gtgggctagg	ggaggcaggc	138360
agaggaagga	gggatggagc	cgcggtatgg	gagggatggg	gcaggggttg	tgggtcatag	138420
acacaacctt	gggtgtgagg	ggctcctgtg	ggattgggga	ttgggttcag	gagacactgg	138480
gggactctggg	atgaaaaccc	agatgagagg	tgctgggagc	tgtaggaaga	cttccacctc	138540
cttgaggtgg	gcagaggggc	agcccactac	tggaattcctc	agtcctgtgt	tggttttata	138600
gtggagtaga	tctagcctgg	aatagcgagt	gagtcactga	ccccactcct	gagcatgaac	138660
tctcctcccc	tccactctgc	tgctcaggtt	tgctctccatt	ggccaagaac	ctcttccacc	138720
ggggcatttc	tgagagtggc	gtggccctca	cttctgttct	ggtgaagaaa	ggtgatgtca	138780
agcccttggc	tgaggtaggt	ctccggctgg	tacgtctccg	gctggacacc	cccacctcct	138840
tggtctctatg	ctcctgaatc	ctcagggatc	tctcttggg	tcggttgtag	ctaattgttct	138900
cctagaatca	ctgagggacc	aatggctgag	caggaagggc	gaggagacac	cttgatcagc	138960
gtcccagttt	cacagccagg	caaaccgaca	cagggcttgg	aagggatttg	ccaagggcag	139020
caggtgatca	gggcagagct	gggactccag	ctcatggccc	tagcagccag	tacagtggcc	139080
tatctgtgac	cacactcctc	ctatgtgcca	gggctctggg	ccatgttggg	cagtgtgggt	139140
gtcttgtgtc	tctctgggtc	tgccctaatg	ctggtaagtg	gaacaaccag	gatttgaaag	139200
cagacaagga	aattcaggat	tccatgtctc	ctatcccagc	tccacctcac	atttcttgag	139260
acattcacct	tgagatgatt	atgtccattt	caatggagat	aaggtagcag	agatgagaga	139320
ttacataatt	gacccatggt	acaattgaga	ttagtaacag	aggcaacgct	ccgtgggacc	139380
tggaacccac	accacagggt	ctacagtatc	ttctgtctgt	ccctgccact	agtacaagtt	139440
gggcttggga	tagaatgcca	ctttcctctt	tgatggaggg	aagggatgtc	gctcttgaac	139500
tctgttgttg	cctgtgatct	ttgcagcaaa	ttgctatcac	tgctgggtgc	aaaaccacca	139560
cctctgtctg	catgggtcac	tgccctgcgac	agaagacgga	agaggagctc	ttggagacga	139620
cattgaaaaat	ggtaggttgc	ctgttcccgt	agcccaaacc	ctgtaaactt	ggtcccagac	139680
ttcttcattt	cagctgtcct	cttgcccagg	gacagtttcc	tgggacaatt	tctcaactct	139740
cagtatctga	atggggaatc	tgatttgtcc	ttttttattg	taaaatgcca	caaagttaa	139800
aaaagaaagt	caaaaaataa	catgataaaa	aattgtgtaa	caatcccag	tcctgacca	139860
aattttaatat	tttgccattc	ttgttttcag	atgtattttt	aagaaaattaa	atgttacata	139920
ttcccagggg	acaccatcat	cctgaatttg	ggggatggag	atattaagct	caaagatttt	139980
cagaaagatg	tcacaattta	tcttgggtga	cttagaaact	gtctgtatta	gacctagtgg	140040
tggtccagtt	ttctagattt	tctgagactg	actcagttgt	catcctagga	tagtcatcca	140100
tccaccattt	cgtaaatccg	tctatctatg	attgtcttat	ccatctatct	gttactaat	140160
tcattccaatt	cactcatatc	tttttataca	tctaattgtca	acctattcat	aactttgtat	140220
ttatctattt	tcaatccatt	caccattcat	ggatcatcca	gccaccttat	atctcaactc	140280
catcacccat	tcctccaaaa	tcaacaatcc	aattatcgcc	tgtctgctag	ttttcaccca	140340
tctattcatg	tatccattca	attcaactgt	actccatgta	ttgaccaact	ccatccatcc	140400
ctccattgat	ccatccatcc	atccatgcta	aatatgtagg	ggtgggtgtt	agaggtagca	140460
aaacagacat	gaagtggaca	tagtccctgc	tctcaaggaa	ctatccaaag	agaaatacat	140520
tcataacttt	cgcaggttga	gtatgggtgc	agcacagagg	ggaagcattc	attgtagtaa	140580
tcagggatgc	ttcacagaga	aggcggagga	gccagatttg	agaccagaca	gtggaattca	140640
ggagttcatg	cccttaatcc	tgactccacc	ttatctttcc	tgagaaattc	agctttcaga	140700
tcattgtgcc	cattttaaca	gaggtaaaca	agacagataa	attttgaat	tgccccatgt	140760
cacagttcaa	attagtcaac	gaggcaacac	tgtaggaccc	agaaccgaca	cctgcgggtc	140820
tagagtatct	tctgccttcc	ctgtccctgc	ccatccctac	atattaggac	ttggggacct	140880
ttaggattgt	tggatggcca	tggcagtcctc	tcatcacagg	gaagaccagg	aggacaaaca	140940
cccagatgac	acagacccca	gggccatttg	gaactattcc	ctttgagggg	gaagagtgtg	141000
aattccaagc	tcaggagtag	cctggactct	ctccttggac	ctgaggctac	tcctggatcc	141060
cagggtctggc	ctctaccact	ggactctgct	tgtgtttcca	tgagttgagt	ccaatgtggg	141120
attgtgtctt	agggtcttgg	tcaggctcta	agtgaacaaa	gtgttcaagg	aatgaaaaca	141180
caactgtttt	ctaaccggcc	gaaggaggca	aatattccag	caattctgca	tgtggcatca	141240
gaggacccag	cttaaaaggg	aagagttgag	tctttgggaa	aacccatccc	taagatccta	141300
gaacattctt	ttgagttttt	ctgagatctt	gtggaagcac	ctccatgatt	acgcgctgcc	141360
tccagtacac	acacatgcag	acacacagac	aaacacacac	acacacagac	acacacacag	141420
agaaacacat	acagacacac	acacacagag	acacacacag	acacccacac	acaaagagcc	141480
acacacagac	acactcatac	acacacacac	acacactcct	ggctagtggg	acttcaatcc	141540

ttaatggagg	gacctgcact	ggttacatcc	tgagcacagg	tcagatctgg	gaactacagt	141600
gcaacactac	agtcactgca	atcttgggtga	acacacacca	aagagaagca	tggggtagga	141660
tgagactcag	tgagcttgcg	tgagtcagg	ctttctaata	ggagatgagg	aaactctccc	141720
aagtaccttg	aacagaaaaa	gaaatgtgtt	gcaatagcat	cgtcgtgtaa	actgaaaatc	141780
tcaggagttg	atggcttcag	gcatggctgg	gtccagatga	tcataggata	ttattgagaa	141840
tctaccattc	tctgtccttc	agctttgcaac	atctctgtgt	tggcttcact	cttaggcaga	141900
tatatctcct	gggaagggtta	aagacaacag	cactctagac	ttatgtccta	tctgcttaaa	141960
aacctctctt	ctaaacaatt	cctgcaaaaag	ttttggggta	aactctattg	gattgacatg	142020
agtgtatgcc	catcctgaa	ctaattattca	tgttcaggga	gatggagcac	cgcaggtcac	142080
atatagatat	acgaattcac	ggagtgtatgc	gggaagaacc	tgacacctct	gttgccccac	142140
tcaccagct	cagtgttctc	ctggtaagcc	tctcacccac	atcctctgcc	tttgtcttca	142200
cagaaattct	tatctctgga	cttacaggga	gacccagag	aggtaaggac	cttttgtttc	142260
tggattacgg	gttttgagtc	ttagcacctt	taagctccaa	ttaactgtga	gtgaaagaat	142320
catctcttgg	gtaattatag	taactcctgc	gtgtttgttt	ctgaggccca	gagaggggta	142380
gtgactcacc	tgggtaacac	agccagggaag	actagtggct	ggcctggaac	ccattttcct	142440
gactccagct	ccagtgtccc	caggcatcac	ctctgtgtgc	cctgggctct	gcccactccc	142500
cttctttttt	acattttctg	ctccccaaaa	tggcactgta	ggaggaggct	gaaacagaaac	142560
cttcacaaat	caggaggcag	agataacagc	gatgattagc	caaggagagg	ggaagcctaa	142620
atctcagtc	aaggacactc	gtctcctccc	agcacacagg	aaactccaac	agtattctcc	142680
caatctctc	atccccactc	ccacccccac	ctcccagtg	gttgacagtt	tctgggtgaca	142740
tcacctctga	cgaatcttac	aatcctgtcc	tctctgtctc	ctccctggag	atcacagcac	142800
tctcctaaat	ggcatggggc	ggagtacatg	agattcattc	agcaaagact	taataaacac	142860
ttcctatgtg	ccaggacttg	tttaggagct	ggggatataa	cagtgaaaaa	agaaagactc	142920
cctaccctct	tgggaccttc	cattacagtg	ccaggacagt	gcaataaaaa	agcaaatcaa	142980
gtatgtatcc	cgtttgatgg	tgtgcagcat	taggggatag	agtttgtggg	tggcttcaat	143040
ttaagtagca	ggatcaggga	atggttcaat	gagaagggtg	catttgagcc	aagctctgga	143100
ggaggcagga	agccagctgt	caggaaaacct	ggagaagcct	attccaggca	gagggaaacag	143160
tactgcaaaa	gaccttgaca	gaaggggcca	gtctggctgg	agaggaccga	gtgtggggac	143220
agactggctt	gaggctaaag	aggtaatggg	cagtgggaga	gagatcaatt	aaagtacttg	143280
gatttggaat	cagagcaaga	tgggaagcct	ttggagggtt	tgaacagagg	agtcacatga	143340
tcttagatct	cacaaaggct	tctgtctctg	gtgttcaaat	agactgtagg	aaaggggcaa	143400
agtggatgca	gttgaccagc	tgggcagcca	ctgcattgcc	ataatccagg	caagggctcc	143460
tggctgtcta	agccaggctg	tggcagtggt	gatgggagga	gtagtggag	tctggatata	143520
tttgaaggaa	tagctgacag	gatttgctga	tggacaggat	gcaaggggta	agaaacgggg	143580
aggagtggag	gacgccttga	gttttctgac	acaacaagg	tgtgccca	cagggcagcc	143640
acttgcaaac	tctaagtgga	gaacaatcac	ttgtcattgt	tgctgatggc	agtcttccag	143700
catggctgtc	acccaactga	ggtgctccc	tctcttgctc	caacttttag	cctcttctac	143760
ttcacctctc	ctcccatctt	ccatgtctca	tgggtcagcc	agactggcct	tccttaacag	143820
aattagagca	cgtcaccccc	acttcttaaa	agcctgacct	tccttatgag	acaaatcccc	143880
ttccctccat	ggagttagtc	cttcaaaaca	cacctgctg	cacactgtgt	gccagactgt	143940
gcagaaggta	ggctctgcac	ctgtccctcc	ctctagaccc	tgccccacag	catttctcca	144000
agccaagaac	tcttgggtgt	ttctggaatt	tacctgcac	agtgcacct	atgtcctttt	144060
gctcatggcg	ttcccaactgt	ttagaaattc	tcactcctt	cctcacctgg	caataaccat	144120
cactgccag	agccacccgc	aggcaggcgg	cgtctcttcc	acgtagtctg	ccctgcatct	144180
tccttccaga	ggggctgctc	ctcttgctgg	cctcccacag	cagccctgcc	tgaactgcac	144240
agcctcttaa	ggaggctgga	cttgccacccc	aatcctgttc	ttcattgtca	gccatattgg	144300
attagatct	gatcttgtcc	agctaggctc	ggtccacttt	tcagaacatc	tccccaggc	144360
agtcggaact	agctcgtcat	tcattggctt	ttgtagagca	gaccaaaggt	cccagaagcc	144420
atagggtctc	aaaggctagg	aattgtccag	ttccatctga	tatccagaag	ggaaatacac	144480
cccatggggc	gtggaactgg	gaagattcca	cagaggactg	gtgtctatga	gagggaccca	144540
cagcaacctt	gctaacaagt	aatacctaac	agttattcag	ccttccaga	caccaggtgc	144600
tgtgctaagt	atcttcatg	tgttcagcca	tttaatcctc	acaataactc	acctcttaga	144660
tgagaaaact	gaggcccaaa	caggtgaaac	tcccagccag	taagtagcag	agccaggctt	144720
cagatgcagt	taatctgggt	tcaaagtcca	tgctctatct	tagcaacatc	cacgctctat	144780
cgtagcaact	acaccattgt	gactaaatat	gaaatataac	tgtacccaga	accagctgcc	144840
ctgatggcaa	cacatgagtt	gggtctcttc	taactctgtga	ccatataaaa	attattcctc	144900
aaagggtgaaa	cctaaaatta	agacatggat	caatatactg	tgagttaatc	actgattctt	144960
ttactcatga	ttttctctct	agtagggaat	catgtcctag	tctaggctcc	ttgagtgacc	145020
agggttccgt	acctcctcaa	agccaccctg	ggatcaataa	cagctcttgt	ttaaatacac	145080
atagatagca	taattctctc	ctcattaatc	atggattctg	tgtttataaa	ttcactgtct	145140
tgctaaaatg	tccttataac	ccccaaatca	atactgggtg	cactttcatg	gtcacacaca	145200
ggcaggtaca	gagcagggga	agctggattt	gcatgatggg	catgttccat	ctgagatccg	145260
gcgaggcaac	ctctctcttc	ttgtttcatc	tctgatgttt	acaagtgtcc	tcttcgctgt	145320

ctatttagtg	ccgtgtgttc	tgcatttttg	tgctttttgt	agtgatgtca	ctgttttagag	145380
cgaacccaag	agtagcgctg	ctgtctggcg	ttcctgagct	aaacaggctg	tgctgtgcct	145440
tacggggaag	gtgcctgtgt	gagacaagct	tggtatgaggc	aggagctgca	gtgctgctgg	145500
ccgtgcattt	gggtgtgaaa	aatccacata	atagcacatt	cagaaaaagg	agaaggaaat	145560
tgcccgattc	atcacatgag	ctgtgataga	aagggtctaaa	gtaacaccta	ttgtgtggga	145620
tgagccgtg	gaagtctctt	tcaacagaaa	cccacacata	aaagaagggt	gatgaaaatg	145680
ttgtggccag	aggtttgcaa	aaacctaac	cagtatttcc	cccttgagtg	atgacctgt	145740
attctcta	tcagtactca	cgggggcttt	atcagaagca	actgccagga	ctaccgaaaa	145800
tcaattgtgg	acacacagag	gaaaatgcat	gcacttcaaa	ttgaaatata	tagacatgta	145860
attttacata	gataatacat	gtatttcaat	atgagtgaag	atttcttcc	ctcctcatca	145920
cctgagcagt	gtcagcctct	gcctgaagtt	ctgcccctga	gtcatggaga	cctacccccc	145980
taagttagga	tcctgagcat	gtgcagccat	ggcgcatggc	catgccggtc	tatggtagctg	146040
gtctcaccct	cagacaggca	gagttgggga	catgggtgtg	actagggagg	gaatcacagg	146100
tgctgcactg	ctctctcccc	agagtcaacc	ccttctgggc	actgtgattg	atgggatgct	146160
gctgtgaaa	acacctgaag	agcttcaagc	tgaaaggaat	ttccacactg	tcccctacat	146220
ggtcgggaatt	aacaagcagg	agtttggctg	gttgattcca	atgggtgagaa	ggcacatgtc	146280
tggtggagg	actcaaccac	ccccatcagc	cctctgtct	ctgggtcccag	gaatgcttcc	146340
ctctccgagc	tgactctga	gtcctgggca	gctgttccct	tcagcaggag	ttaacatttc	146400
cacggaatc	ttctccagga	gggcacagtt	ttcaccgggg	tatcaggggc	ctgggattcc	146460
ctctccccag	actctcttat	tgtcttccca	ttgaagaatc	ctgaagtgtc	tgtgctggga	146520
gggcccagtag	agaaaaaac	tctgcagatg	ggaaaaacgga	gggggcctag	aagggggaag	146580
gagtgaggga	gtccggagaa	gcagtcgggg	gcttccctggc	ttcccacctc	gggctgggtg	146640
tgcgtaattc	ccctgaaaat	cactcatgct	cttcatcacc	tcattgaaaa	tatccaaaga	146700
aagtggcttc	ttcttgagtt	accattgact	tctaggggaa	agcagacatc	agcgtctact	146760
aagagagtgg	atggctcagag	gaagatgagg	atggaaaagc	tacctaatcg	ggtgctatgc	146820
tcaatacctg	gtaacaaaat	aatctataca	gcaaaactcca	gagacccaaa	ttaccatga	146880
tcaaacctgc	acagttaccc	ccaaacctaa	aataaaagtt	ggaaacaaat	aaatggaaaa	146940
agtaattgag	ttctaaaagt	aaagaaggtg	tctccttcca	gttgaagata	aacaaaactg	147000
accctggtta	aagcagtagg	acagatttat	tcagtaatat	gattgcaata	ggggaaatag	147060
tccagcgtag	agtggactca	catccctgaa	acaaaagcct	gatgacgttt	cataggccag	147120
gtgtgccaag	ggaaacactg	tggtctatgg	ggagaggctt	ggttcatgtg	actagaccac	147180
ctggatgtct	tcactctggc	tcacctgggg	cagaaacaaa	ctcctcttat	ctttaggaca	147240
ggaagccatg	cattagaccg	caggaagaac	ccactgaagt	caggctctac	tctttcgaca	147300
gggactggga	agatcaggag	tgagctccct	gaatgtttgc	attgcaaaga	gaaggctctc	147360
aggtccctcaa	ggaaatgggg	ttgggtggta	gattcacatc	ccaaagggca	gagaaagtgt	147420
ttatcattgc	aggcttctaa	agtaactgct	ctagttgggt	tcggggacct	ggctgcttgt	147480
ctccaggttt	tggtggagc	agagtaaat	gtcctggcag	ggttgagcct	tccaggcag	147540
ttatgttaag	gatactggg	tcattctagg	gacacagcct	taagtgcta	gaagcaatgc	147600
tagagattgg	tcgagtcctt	gagtgagag	gtttgggaag	agttgttatg	tgcgtagaga	147660
tgtgcagttc	gcccctcaga	aggatttcag	aggttatacc	aaagacccaa	gccacgaaga	147720
caggatttaa	ggatttcagt	gtcatctgtg	acagggtggg	gtactaggga	ggtctacatc	147780
ctcttcccca	tagccctcta	ttccacactg	gcctggcaga	caccttgcat	ctccatgtca	147840
ctgacactg	tacgggatcc	agccacagac	acacacacac	acacgcgcgc	acacacacac	147900
actgcaaaac	actgccacag	cttctctgaa	attttgtttt	ttgttttttt	tttttgtaaa	147960
ctttgcaatg	cttgagtttc	tggtatataag	cccatttgat	tcattgattt	caccatttcc	148020
agtaaagact	catgccctta	aaagccccca	taattagagg	actttcagac	tgcatgtgtt	148080
tggttggttg	gtcagtttgt	ttcttatcat	taattcccaa	tgattcataa	atgctgaact	148140
tttttttttt	tttttagcag	tgatgagcta	tccactctcc	gaaggggcaac	tggaacagaa	148200
gacagccatg	tcactcctgt	ggaagtccta	tccccttggt	gtaagagtct	aggaatcatg	148260
ggaattggct	gagaccagaa	gaggggacaag	gacttgccca	aatcatagag	caattaaatg	148320
gcagaatgaa	gactggggcc	tcaggggtttc	ccccatcttt	ccacctttcc	cacttcattt	148380
tccaccctag	cggggagttg	cacagggtct	atggggttca	ccattgaggc	aggactttct	148440
ggtgggctgg	agaagctgca	tcgctcacc	ggggctgggtg	gtcacttttt	gatctatttc	148500
agtgcatgtc	taagggaactg	attccagaag	ccactgagaa	atacttagga	ggaacagacg	148560
acactgtcaa	aaagaaagac	ctgttctctg	acttgatagc	agatgtgatg	tttgggtgtcc	148620
catctgtgat	tgtggcccg	aaccacagag	gtgagtccca	gaggtcgaac	gggaggggaca	148680
caaaccacac	gagcttctgt	atctgaccca	cctacctccc	agcatagaca	gacatggaaa	148740
cagctgaggg	tcaggcctca	aaggctgatt	ccatatggca	tgggatgagg	tgctgtctta	148800
ttttgtttta	tgccagcaga	agactgtgag	aaaaaaat	ccagaggcaa	gtgggttttt	148860
taaggtgatg	atcccagata	acagcagtag	ggaggtgggg	aagtgagaga	ggaaagagat	148920
ggaatccaat	ccaagatgcg	ttgtcaagg	agtatccact	gtggacaact	ggagcgggga	148980
aactcaagga	aacaccaaga	atacagggtc	caggggcatc	ccatctgagt	ggcaaggag	149040
ccgggtattt	attcaccagc	ttctacttgt	cattggttga	aggctcttgc	aaggaattgt	149100

ttattccctg	tgacttcgac	ctgctgcaca	caagggcaga	gtagtctctt	gtgaccagac	149160
aaaggccctca	ggcctggagc	tgagatgct	ggaggtggaa	gtcaggctgg	catgccagg	149220
aagaggggat	ataggtgaga	ccctggcagc	atctgctgca	agggctccat	gcctggagtt	149280
attgtgggac	atagggctgc	tgtaggacaa	atattgaaag	atgagtcgtg	gaagggtttt	149340
aaggtctgag	ccagctgcaa	acaagtttgt	taagtattgg	agctggataa	aaagtgggag	149400
ccctgcattg	gatccagagg	attgtccagg	accaagaagg	ccagagagag	gagccagggc	149460
gggtgtggga	gaggtgggtc	gtagaatggc	agtgtctgag	ggtgggtttt	atgcatctca	149520
gtgctgtcag	tagcatgcaa	gcacagggca	agggcagggt	ctatgcagga	cctgctacca	149580
ctgacccaag	gctgtgtggg	tggggcatga	cgtagggat	gtgtgtgctc	acctagagag	149640
gagtgctctg	tcctgctgct	cagctagagg	agattcacag	gattcctttt	cttccagctc	149700
tcattcgctt	agtctgcaag	ctaggaaatg	tcctctctct	aacctgctg	gaagggtttt	149760
taaatttaga	acttcataag	catgataaaa	actagctaac	gcttaactag	caggtgcctt	149820
gacacacctt	tgacacaggaa	ggggcagggt	ctcataaacc	tcatttcttc	acagggtcct	149880
gataaaaacc	tttaaccaag	accactggag	ttgaatctgt	tccttcttaa	acttgcctt	149940
gccctatgct	ctgctgtctga	actatatata	gagttcccat	ctccattttc	tgatgggttt	150000
agcaatactg	aacttatgtt	tttcatctgg	tttcccatga	ctttaagtct	agggcttttt	150060
tttttttttt	tttttttgcc	aggactacac	agattttatc	tactttcact	tattgtgtgc	150120
tcactctttt	tgataaaaata	acatttctga	atataaaatt	aatatgttaa	attatagaaa	150180
ctttcaaaaa	tatggaaaca	caaaaagag	aaactatgta	tcactcattt	ccactacctg	150240
gaggcaagtg	ctataaattt	tttgtgtttt	cgtctaaaga	ttttccatgt	cctatatact	150300
ttaaaaatca	attttatatt	ttacttttgt	tcatagaaca	ctatgttgtg	aggattttct	150360
caatgttgat	acaaactcat	caaagcattc	cttattccat	gaaatggctg	tggttaaatag	150420
actttaatat	tcataccta	ttagatgttt	agcctggcta	ctcacattct	gatgctacaa	150480
taacatttag	ctcagccta	tgctcataag	tctctaaaca	catgtcta	aattttctta	150540
ggattatttt	tagaagtaaa	taactagggt	ggacaatgca	aatgttttag	aactttgggc	150600
aaatattgta	aaattgcatt	ccactgcata	agaatgtgga	tttcttaatt	ctctttctca	150660
tttggtatgc	taagattaaa	aattagcata	acacttccag	tttcataagc	cttccccacc	150720
aacaagaagc	acatcagcct	gttttaatct	gcatgtcctc	catgactagc	cctctcattg	150780
tctctgcttc	tcttattatg	tctaattgtc	attaccctaa	tctgtgctg	actttcctct	150840
gaagacttgt	gttgtgattg	taagaattgt	ataaatatca	atggcttttag	ccaaagagtt	150900
ttacaaaagta	cgttttgggc	agcatgctgc	ctataataag	ttctatcatt	cacaaaagct	150960
ctttcttcta	tggtttggctc	tgagtttctt	tggaataatgt	tcgaggggca	aaggcaaggt	151020
caaaccctcc	tttttagcaag	ttttgtttga	ccttgaagca	gccatttaac	aggtggatta	151080
cagagccaca	gaaggatggc	atcttccag	gtgctgttc	tgctgagccg	aggtgtcagt	151140
gcaggaggct	gacaaagatg	agtgaataga	ttattcttca	ttctcacatt	gaaatgacat	151200
gtgctgggtg	ggcatgaggt	tagggatgctg	tgagctccca	ttgttaaatc	cttttgtgaa	151260
cgaattttta	atgatgttaa	gaaatgatgg	ctggaggcgg	tggtctctgc	caacactctc	151320
agcatttttg	gaggctgagg	tgaggaggat	atgagagcct	aggatttcaa	gatcagcctg	151380
ggcagcatag	tgagaccctg	tctctacaaa	acaatttaaa	agggagtgta	ttacagtgtg	151440
ctacaaaata	ccatatataa	tatcatcccc	agttaaatac	ataaaaagaga	gatatgctaa	151500
aataaaaaag	aagcattctc	tgagtggtag	agttatgagt	gatactttaa	atttgattgt	151560
taaaattgat	ttttaaatga	tataggatat	ggaaaaattt	tagaaggaaa	tacaaaaaat	151620
gcatggccct	tgctctcagg	agtggaaatga	tgagtgatag	ctagttttgc	tttatgctgt	151680
tccatatttt	tgtttctctc	aattattcct	aattgttttt	attttccaaa	tttcttactg	151740
taccctaaag	ggaggacatt	gtaaaatttc	tccaccagcc	tggtcattgc	ctgactcttt	151800
ccgtcttagt	gtcacttctc	agtgggtatc	atgaccagtg	caaagtgtctg	aggcacagg	151860
ccaggcggcc	cacgaggtag	ccctgaagg	gcagcgatct	gtggctccaa	tgagccaatc	151920
attgggaaac	tggtcatcttc	ctggggctgg	gacaggagag	ctttgttgg	gggagaggag	151980
ggcagagccg	aaggagagag	ggcaggggag	aggcaaggct	acccttgctc	agcgccttct	152040
tttctctgcc	agggtcttac	tgctttaaca	ccctaactac	cccaggccag	gcaggcagca	152100
agacacatgg	ggacagttag	ctataaagca	gtgagtgcctg	cagggttctg	agacacaaga	152160
ggcagattgt	tcctctctctg	catatgtttg	tatttaataa	gcctcatgtt	cagacaagca	152220
acttgatttt	gcttcagtct	tctcaggatg	ggtgagaaaa	acactggaaa	tgctcaaac	152280
gaggcagaac	agaagacacc	tgctcatggtg	gagatggcat	ccaagtgaat	gaacgcgagt	152340
ctgttatcaa	tgaattatat	ccggtgtaac	catagtgtag	gagattgtct	tgtgtgagaa	152400
tgaccagca	ggcaaaaggg	tttacaggcc	agagtgcagg	tcctgcacc	ggcagctgtt	152460
ttaaatgaat	tgaccagggt	tttccacatt	cattcattaa	acatttggct	attgaacaaa	152520
tatttggtct	taattccgct	tccacctcag	acagctatgc	agcccgagc	acatcactga	152580
gctttctctga	gactctgttt	ctctactgtg	ctgacagcca	gaggtttgct	gcagagctgg	152640
agaccttggt	agcctccagg	tgtgtgtctg	gcaacatgaa	ctgtgcatga	atccttgcct	152700
tctcagatgc	tgagacaccc	acctacatgt	atgagtttca	gtaccgtcca	agcttctcat	152760
cagacatgaa	acccaagacg	gtgataggag	accacgggga	tgagctcttc	tccgtctttg	152820
gggccccatt	tttaaaaggt	aatgctcctt	cctgtctgtg	agctaggagt	tagagacttg	152880

ggttccagtc	ttggtgtggt	ggccttcagc	aattttgtcc	tctcctggtc	ttagtttcc	152940
gattctgtat	aacaggggtg	aatgtcactg	ggtgtgcegc	cggttcctc	ccactctaac	153000
acatgtgagg	agggatgtgt	attcatgtgc	cctctgcaca	gacgctcaga	atcctgctgt	153060
gtgacatcaa	gacaggtggt	ggtgggggtg	tcttgacagga	ttcactatga	caggggtgaa	153120
tgctcactgg	ttgttccccg	gcttcctccc	gctctaacac	acctgagga	ggatgtgtat	153180
catgtaccct	ctgccacaga	cactcagaat	cctgggctgt	gtcatcaaca	agataggcgg	153240
tgggacacat	gcggggccct	gctctaggtt	gagaagccac	caatcaattt	ccctctccca	153300
ggagcgctga	gacagtga	gaggggtgaga	ttagaattgg	tgtaaacct	aagtcagggtc	153360
taatgtgtgc	ctgtttgtct	ttctgtctgt	ctctaacaaa	aactcataaa	cctttacatt	153420
tagtacattt	aataattgtt	gatttagaat	tcacaggatg	tatgaatttg	gaacaggaga	153480
agagaatatt	ttttatatgg	tttatagtca	gcaaggtggc	catcccacag	gctgggaagg	153540
tgcctctggc	caagcccaga	aacgggctca	ttggaggagg	ggttgggtag	gagctttatg	153600
tgaacggatt	ggctaaacat	acatgttcaa	caggttacag	ggggagcaat	ggatattcat	153660
gaagacagtc	ctgacacatg	tgtattaaac	aaacatgtat	gtaacatggc	ccatgttcac	153720
ctgggtgggtg	agaccttaata	tttaaatgta	ttacaattag	ggcctgtaag	tccaaagggtc	153780
ttctcaggac	acgaagctca	gcaagtggag	agcttctgta	caccggccag	gtccagtcga	153840
tggctgggtga	tgttcttatc	tggagaaagt	tactgaaatc	agtctcttat	gcaatcaaa	153900
cagtagttaa	gtctggcaag	tcagggttct	gtttgtctgc	gtatcccagc	tgcagccgtt	153960
gttattgttt	tccttttctg	tagctccagg	ccagtgtctg	tttagctgct	agagaaagag	154020
aagcacctcg	tggcagtga	aacaaagtgg	attctttttt	ttttttatta	ttatacttta	154080
agtttttagg	tacatgtgca	cattgtgcag	gtagttaca	tatgtataca	tgtgcccgtg	154140
tgggtgcgctg	caccacataa	ctcgtcatct	agcattaggt	atatctccca	gtgctatccc	154200
tccccctctc	ccccacccca	ccacagtcct	cagagtgtga	tattcccctt	cctgtgtcca	154260
tgtgatctca	ttgttcaatt	cccacctatg	agtgagaata	tgccgtgttt	ggttttttgt	154320
tcttgcgata	gtttactgag	aatgatgggt	tccaatttca	tccatgtccc	tacaaaggac	154380
atgaactcat	cattttttat	ggctgcatag	tattccacgg	tgtatatgtg	ccacattttc	154440
ttaatccagt	ctatcattgt	tggacatttg	ggttgggtcc	aagtccttgc	tattgtgaat	154500
aatgccgcaa	taaacatacg	tgtgcatgtg	tctttatagc	agcatgattt	atagtcat	154560
gggtatatac	ccagtaatgg	gatggctggg	tcaaatggta	tttctagttc	tagatccctg	154620
aggaatcgcc	acactgactt	ccacaatgg	tgaactagtt	tacagtccca	ccaacagtgt	154680
aaaagtgttc	ctatttcttc	acatcctctc	cagcacctgt	tgtttctctg	cttttttagag	154740
atgcaggcct	gaacccttgc	ccgacgtggc	cttaggtctc	gttttttaatt	tgggtgtctta	154800
ttgccacaaa	gagtgtgttc	tgtcagaatg	atgaccttca	ttttattgct	gatgctggtc	154860
cggtgtgtgc	taaatcacia	aagggaggga	gtattatgag	gcgtgtctga	cctcctgtcc	154920
gttcccaggc	aggaacagag	ttgaaggttt	ttcgaggctc	cccttagccc	agagagggtc	154980
tgttcagtca	gttgggggtg	tcaggatttt	atttttagtt	tacattatac	aatagttaa	155040
aaaatccttt	cacggtgtct	cttaagtctt	aactctcagc	agttacagat	cagatgggac	155100
tcaccccatg	gctgtctaga	acgcaccagc	gcctctgggc	atctcactgt	gcattgcttag	155160
gcgccttgcg	gctctgttgt	ttttcagaat	gtgaattgtg	ggtgtgtgct	ggggaggagg	155220
aaaagaccca	agagagagca	accctggaaa	gtgggggtgc	tgtagaggaa	accctggggt	155280
ggggcatttc	ctgtgaccct	gagcggggag	gaggcaggcg	agggtcacag	gagacaaagg	155340
cagccagcca	atggaatgac	gcattgccat	tgctgagccc	taggtcagat	atgctgaaag	155400
gtaaagtaca	cacaaatcca	ccacgatctt	ctaaaagtgc	agacctcagc	tcagtgggtg	155460
tggggcatgt	gccaagacta	tgtttccagc	agactcgcac	gtgatgttga	cgctgcagtc	155520
cacggaccac	actttgagta	acaaaggctt	tttttcttct	tccccacaga	gggtgcctca	155580
gaagaggaga	tcagacttag	caagatgggt	atgaaattct	gggccaactt	tgctcgcaat	155640
gggtgaggct	ggtggcaag	acagagcacg	gctggtgagg	gtggggggcg	gggcatgcct	155700
attgggaagg	ggcagcttct	aaggttctag	tgatcaaa	tctgaccctg	tgaccatagc	155760
actctgataa	tgagagctct	ctgcaaacgg	agaggccggc	cctggagata	gtgagctctc	155820
catctctgga	ggtatacaag	cctcttgaca	gagataaact	gggcatcctc	acacatctct	155880
gaagatttgt	gggaacacac	agcagctttg	gggcaattct	aattgattct	gtttccagaa	155940
accccaatgg	ggaagggtcg	ccccactggc	cagagtacaa	ccagaaggaa	gggtatctgc	156000
agatttgtgc	caacacccag	gcggcccaga	agctgaagga	caaagaagta	gctttctgga	156060
ccaacctctt	tgccaagaag	gcagtggaga	agccacccca	gacagaacac	atagagctgt	156120
gaatgaagat	ccagccggcc	ttgggagcct	ggaggagcaa	agactggggt	cttttgcgaa	156180
agggattgca	ggttcagaag	gcattctacc	atggctgggg	aattgtctgg	tgggtggggg	156240
caggggacag	aggccatgaa	ggagcaagtt	ttgtatttgt	gacctcagct	ttgggaataa	156300
aggatctttt	gaaggccaaa	ttggtgcttg	tgtcttgtac	tgagagattaa	tactttgtcc	156360
tcagagacag	aacggtgatg	aaagaggcga	tgtgagaagg	aaggtggctt	tgctggggat	156420
ggcctggtct	caggatgagc	agagtcacga	gggctgggtc	atggacgggtg	ctcaggggag	156480
ctctgggcct	gatgcacctt	tctgggcccc	caacaatttc	caacaatacg	agttgggggtg	156540
gccagagtgc	aggatcccta	ccctctattt	ggagttgccc	atggaaatgg	aagtgcccca	156600
ggctgagaat	gagctggat	caggaagag	ggagacgtgc	tgaggtgatc	ccgtggcact	156660

gttgcattggc	acttactgac	cattgacacag	gcctgcaaca	cctttctgag	tatgtacact	156720
agcctcccat	acccctccat	gaggttgtct	cttccacca	ctgggtcgaa	ctccttctgt	156780
agcctggacc	acttctgggt	tgggcagtga	ccaccttgga	ggtgggtccat	tcttctccag	156840
agggtcatcc	taaactgtgt	ctttcagaat	cccatgggtg	atttctggat	tctgttagta	156900
cgtagaaagc	tctaaagcat	gtcattcccg	ccttatcagc	aagaggaagc	cggattgtcc	156960
tcaaaatcat	aacttttctc	gcaccaaaga	gctgaagttg	caaggcacat	ggttccctcg	157020
aaatcgagg	gaagacaagc	acctggggga	gtgggtggat	gtgaacactg	gcttacttct	157080
cacctgcagg	caggagacgg	cgtgaccata	atgagcagaa	atactctatg	aattttattc	157140
agtgtgaag	gccaaagggt	ggccactgtg	agagtataaa	acctctggga	accatggacc	157200
catggggagt	tgactcccat	cacagactct	actccatggg	tatttatcag	ggcccatgag	157260
aaagattggg	gtagacagt	agactggaga	aagtctgcct	tcaggaatgc	aggcatgagc	157320
cctgtgaca	cccttcaccc	ctaaagaaca	aaatccttca	atcattgagg	aatggccagg	157380
aaatcttgct	ctcctcaagg	tactggtaga	gacatattga	ggttgaagat	aaggaacctt	157440
ttaaaactct	atcccccttg	gagagggaca	gggagtcata	ttgggcccag	attatcggtc	157500
ttttactgct	ggggatgggt	agtatctctg	acaaacctcc	atctccaaca	gcaagaaatg	157560
aaggtcctgc	tctaagggtg	ggctggacca	cgacaagagc	aggcactcct	ggctgctacc	157620
atggagttag	ccagtcccg	gtaacagaaa	tctgctgctg	ggagagagag	caaagcatgc	157680
agatcaacc	tcttgaataa	gcaggtgcac	aggacaggcc	taaagctgag	agtggaaaca	157740
gacattagga	aaatcggtta	gaaaaccggc	ctttcacaca	gcacaccaga	accagcacaa	157800
ggtagcactg	gaagcatttg	aagcagatgg	tgcatgtatg	atagccatag	caacaacaaa	157860
actattcccc	gatcaccaca	ctcgaaatac	acacgcacac	acacacacac	acgcattgcat	157920
gtacacacaa	aatacgtcta	gcagcagaag	aaaagatatg	tccacttcct	gtcacggata	157980
ctacttactt	cagtttcaac	tcacttacct	atgatgtcaa	gtattgaatt	caaaattgca	158040
aaccttataa	aggaagcaac	acctatgaac	aagagacaaa	gcagttgggc	acagtgggtc	158100
atgcctgtag	tcccagctac	ttaggaggct	gatgcaggag	gattgcttga	acctgtgagt	158160
tcaaggctgt	agtgcactgt	aattgcacct	atgaataacc	acctgcactc	tagtcatggt	158220
attatggtga	aatagcctcg	cttagagtga	gagagagaga	gagagacaga	cagacaaatc	158280
aatacaacaga	accagattca	gagataacct	agggtgttaga	ctaacagact	gggaatttaa	158340
aataactata	tggaaatactt	ccatgaacag	atggctagtt	tcagcagaga	ggtagaaact	158400
atgagaaaga	agcaaataga	aatgttagaa	atgaaaaaaa	atagtaacag	aaattagaaa	158460
tgctctaat	ggattcatca	gtagatctga	cacagctgac	gaatgaatga	gtgtagcaga	158520
agacaggcca	ataaataata	cccaacttaa	aataagaaaa	atcagtgaat	aaaaaacaaa	158580
acagggaatc	aaagaactgt	cagataatat	ccaatgggtc	aacatatgca	taactggaat	158640
cccagaaaga	gaagacaaag	caggcagaag	aaaatatattg	aagagataat	ggctgagaat	158700
tttccaaaag	taattgaaaa	catcaaggca	tacgtccaag	agcctggaaa	accccaagca	158760
ggattcaaca	acaacagcaa	caacagcaac	aaaaacatac	acatttagac	acacactgag	158820
aaaatatgta	aggcagccag	aggaaaaaga	cattgcatac	aaagaaaggg	attagagcag	158880
atttttcact	ggaaactatg	caagccaaaa	aataatggag	tgacaccttt	aaagtattca	158940
aacgaaaaaa	atctttgcag	aattctatat	ccagaaaaaa	cactgttcaa	aaaatacagg	159000
gaaaaatggt	ttcagatgaa	caatagagag	aattttactt	tacatacttg	tgctaccaaa	159060
aatgtaaaag	gaaattctct	acgcaaaaag	tatatgatac	aggataaaaa	ctttgatatt	159120
tatcaaaaga	gtgaagctct	acatatagct	ttaaaaaata	ggtaatgtag	gctatttttc	159180
ctatatttaa	ttaactgttta	aaacaaaaat	agcaccaatg	aactgtggat	ttagagcata	159240
cgtaagaata	aaatatataa	caaaaaataa	atgaaagatg	agagacagggt	atttgaagca	159300
cacttttgta	agattcttac	actctgtgta	attggatttg	tctgaaggta	taagggtgatt	159360
aatgtatatt	gtatgtatat	tgtataccca	ggaaaaacca	tataataattt	taaaaggaga	159420
catgaataat	aacacaatag	aggagataac	atgaaatcat	aaatactcgc	tacacgagca	159480
agcagacaga	agaagaacaa	agacacagga	acaaatgaaa	aagtactgca	gaagtgcag	159540
attttaatcc	aaccgtatca	ataactatac	tacacaaaaa	tgatgtaaac	acaccaatta	159600
aaaatgattt	tcagattgga	ttaaagaaaa	cacaaaaacg	aacctaacgc	tgctgcgtag	159660
ttagtccaaa	ttcacgtttc	agtgtttgac	tctgtgtggc	ttttaagcct	cagccttccc	159720
ttgtcccttc	ttgtgcacac	ctggaaaagct	gataagaaa	cctgggtgct	tcctcctttg	159780
ttgtgtgagg	aaaattcaaa	gcttaccgtg	agaaagctga	ccacggcccc	agtgcggaat	159840
cctcatacca	ccactggctg	tcctgtccaa	gcagcgtcc	cagagctcct	tgagcctcag	159900
cggggggaag	aaacagcata	ttttttcctc	ctggtccaga	gagaggggag	acgctacaga	159960
gcaggggtcg	gtaagctgca	gccacagggc	caaacctgtc	agaccgtggg	atccttgggt	160020
caggaccaag	gtcaaacctg	ttttggggct	ccccaaagag	tgctggggcaa	tgcaacctgg	160080
tggatggact	gagagctgcc	cagcagatgg	atctgtaccc	aggggaagtgc	acattggcct	160140
ttggtgaaca	gtccatggta	cccttgaact	ctataataat	agcagtaata	ggcggggcgc	160200
ggtgactcgc	acctgtaatc	ccagcacttt	gggaggccga	gggtggcgga	tcacctgagg	160260
ttaggagttc	gagaccagcc	tggccaacac	ggtgaaatct	catgtctaca	aaaaatacaa	160320
aaattagctg	gacgtggtgg	cggtgtgcctg	taatcccagc	tagtcggggg	gctgaggcag	160380
gagaatcgct	tgaacccggg	aggcggagggt	ggcagtgagc	caagatcatg	ctactgcact	160440

```
ccagcctggg caacaagagt gaaacaccgt cataaaagaa agaagaaaga aagaaggaaa 160500
gaaggaaaga aagaaagaaa gagaaagaaa gaaagaagga aagaaggaga gataaagaaa 160560
gaaggaaaga aggaaggaag gaaggaaaga aagaaagaaa gaaagaaaga aagaaagaaa 160620
gaaagaataa tagcagtaat agaaataact aaaactcact gcatagttat tatgtgttta 160680
attataaaat actcttcata ttaactcaga gagtcttcac agaaactcta tgagcagttc 160740
atttggtatc aacca 160755
```